



	21																																																																							
Mode	Band Edge - L																																																																							
	U-NII-2A_5.25-5.35_802.11n HT40_CH54-5270MHz																																																																							
ANT	22																																																																							
Pol.	Horizontal	Fundamental																																																																						
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5124.63</td> <td>53.52</td> <td>74.00</td> <td>-20.48</td> <td>39.29</td> <td>34.88</td> <td>11.10</td> <td>31.75</td> <td>232</td> <td>295 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 5124.63	53.52	74.00	-20.48	39.29	34.88	11.10	31.75	232	295 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5270.00</td> <td>100.81</td> <td>-----</td> <td>-----</td> <td>86.88</td> <td>34.85</td> <td>11.01</td> <td>31.93</td> <td>232</td> <td>295 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 5270.00	100.81	-----	-----	86.88	34.85	11.01	31.93	232	295 PEAK
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																
1 5124.63	53.52	74.00	-20.48	39.29	34.88	11.10	31.75	232	295 PEAK																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																
1 5270.00	100.81	-----	-----	86.88	34.85	11.01	31.93	232	295 PEAK																																																															
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5134.89</td> <td>43.88</td> <td>54.00</td> <td>-10.12</td> <td>29.68</td> <td>34.87</td> <td>11.09</td> <td>31.76</td> <td>232</td> <td>295 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 5134.89	43.88	54.00	-10.12	29.68	34.87	11.09	31.76	232	295 AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5270.00</td> <td>94.68</td> <td>-----</td> <td>-----</td> <td>80.74</td> <td>34.85</td> <td>11.01</td> <td>31.92</td> <td>232</td> <td>295 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 5270.00	94.68	-----	-----	80.74	34.85	11.01	31.92	232	295 AVERAGE
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																
1 5134.89	43.88	54.00	-10.12	29.68	34.87	11.09	31.76	232	295 AVERAGE																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																
1 5270.00	94.68	-----	-----	80.74	34.85	11.01	31.92	232	295 AVERAGE																																																															



	21																																					
Mode	Band Edge - R																																					
ANT	22																																					
Pol.	Horizontal	Fundamental																																				
Peak	<table border="1" data-bbox="263 1120 734 1243"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5360.35</td> <td>56.05</td> <td>74.00</td> <td>-17.95</td> <td>42.32</td> <td>34.83</td> <td>10.94</td> <td>32.04</td> <td>232</td> <td>295</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5360.35	56.05	74.00	-17.95	42.32	34.83	10.94	32.04	232	295	PEAK	Blank
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																															
1	5360.35	56.05	74.00	-17.95	42.32	34.83	10.94	32.04	232	295	PEAK																											
Avg	<table border="1" data-bbox="263 1792 734 1915"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5350.29</td> <td>45.05</td> <td>54.00</td> <td>-8.95</td> <td>31.31</td> <td>34.83</td> <td>10.94</td> <td>32.03</td> <td>232</td> <td>295</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5350.29	45.05	54.00	-8.95	31.31	34.83	10.94	32.03	232	295	AVERAGE	Blank
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																															
1	5350.29	45.05	54.00	-8.95	31.31	34.83	10.94	32.03	232	295	AVERAGE																											



	21																																																																											
Mode	Band Edge - L																																																																											
	U-NII-2A_5.25-5.35_802.11n HT40_CH54-5270MHz																																																																											
ANT	22																																																																											
Pol.	Vertical	Fundamental																																																																										
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5139.48</td> <td>53.47</td> <td>74.00</td> <td>-20.53</td> <td>39.28</td> <td>34.87</td> <td>11.09</td> <td>31.77</td> <td>307</td> <td>276</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5139.48	53.47	74.00	-20.53	39.28	34.87	11.09	31.77	307	276	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5270.00</td> <td>103.00</td> <td>-----</td> <td>-----</td> <td>89.06</td> <td>34.85</td> <td>11.01</td> <td>31.92</td> <td>307</td> <td>276</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5270.00	103.00	-----	-----	89.06	34.85	11.01	31.92	307	276	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	5139.48	53.47	74.00	-20.53	39.28	34.87	11.09	31.77	307	276	PEAK																																																																	
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	5270.00	103.00	-----	-----	89.06	34.85	11.01	31.92	307	276	PEAK																																																																	
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5144.59</td> <td>44.35</td> <td>54.00</td> <td>-9.65</td> <td>30.16</td> <td>34.87</td> <td>11.09</td> <td>31.77</td> <td>307</td> <td>276</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5144.59	44.35	54.00	-9.65	30.16	34.87	11.09	31.77	307	276	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5270.00</td> <td>96.53</td> <td>-----</td> <td>-----</td> <td>82.59</td> <td>34.85</td> <td>11.01</td> <td>31.92</td> <td>307</td> <td>276</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5270.00	96.53	-----	-----	82.59	34.85	11.01	31.92	307	276	AVERAGE
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	5144.59	44.35	54.00	-9.65	30.16	34.87	11.09	31.77	307	276	AVERAGE																																																																	
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	5270.00	96.53	-----	-----	82.59	34.85	11.01	31.92	307	276	AVERAGE																																																																	



	21																																												
Mode	Band Edge - R																																												
	U-NII-2A_5.25-5.35_802.11n HT40_CH54-5270MHz																																												
ANT	22																																												
Pol.	Vertical	Fundamental																																											
Peak																																													
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> <tr> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5365.10</td> <td>57.18</td> <td>74.00</td> <td>-16.82</td> <td>43.47</td> <td>34.83</td> <td>10.93</td> <td>32.05</td> <td>307</td> <td>276</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB							cm	deg	1	5365.10	57.18	74.00	-16.82	43.47	34.83	10.93	32.05	307	276
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																						
						cm	deg																																						
1	5365.10	57.18	74.00	-16.82	43.47	34.83	10.93	32.05	307	276	PEAK																																		
Avg																																													
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> <tr> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5350.01</td> <td>45.44</td> <td>54.00</td> <td>-8.56</td> <td>31.70</td> <td>34.83</td> <td>10.94</td> <td>32.03</td> <td>307</td> <td>276</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB							cm	deg	1	5350.01	45.44	54.00	-8.56	31.70	34.83	10.94	32.03	307	276
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																						
						cm	deg																																						
1	5350.01	45.44	54.00	-8.56	31.70	34.83	10.94	32.03	307	276	AVERAGE																																		



	22																																																																									
Mode	Band Edge - L																																																																									
	U-NII-2A_5.25-5.35_802.11n HT40_CH62-5310MHz																																																																									
ANT	22																																																																									
Pol.	Horizontal	Fundamental																																																																								
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5133.49</td> <td>52.93</td> <td>74.00</td> <td>-21.07</td> <td>38.73</td> <td>34.87</td> <td>11.09</td> <td>31.76</td> <td>234</td> <td>292</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5133.49	52.93	74.00	-21.07	38.73	34.87	11.09	31.76	234	292	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5310.00</td> <td>95.38</td> <td>-----</td> <td>-----</td> <td>81.55</td> <td>34.84</td> <td>10.97</td> <td>31.98</td> <td>234</td> <td>292</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5310.00	95.38	-----	-----	81.55	34.84	10.97	31.98	234	292	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1	5133.49	52.93	74.00	-21.07	38.73	34.87	11.09	31.76	234	292	PEAK																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1	5310.00	95.38	-----	-----	81.55	34.84	10.97	31.98	234	292	PEAK																																																															
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5044.80</td> <td>43.74</td> <td>54.00</td> <td>-10.26</td> <td>29.36</td> <td>34.89</td> <td>11.14</td> <td>31.65</td> <td>234</td> <td>292</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5044.80	43.74	54.00	-10.26	29.36	34.89	11.14	31.65	234	292	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5310.00</td> <td>88.90</td> <td>-----</td> <td>-----</td> <td>75.05</td> <td>34.84</td> <td>10.98</td> <td>31.97</td> <td>234</td> <td>292</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5310.00	88.90	-----	-----	75.05	34.84	10.98	31.97	234	292	AVERAGE
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1	5044.80	43.74	54.00	-10.26	29.36	34.89	11.14	31.65	234	292	AVERAGE																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1	5310.00	88.90	-----	-----	75.05	34.84	10.98	31.97	234	292	AVERAGE																																																															



	22																																							
Mode	Band Edge - R																																							
	U-NII-2A_5.25-5.35_802.11n HT40_CH62-5310MHz																																							
ANT	22																																							
Pol.	Horizontal	Fundamental																																						
Peak	<p style="text-align: right;">Date: 2023-08-09</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5353.43</td> <td>52.92</td> <td>74.00</td> <td>-21.08</td> <td>39.18</td> <td>34.83</td> <td>10.94</td> <td>32.03</td> <td>234</td> <td>292</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5353.43	52.92	74.00	-21.08	39.18	34.83	10.94	32.03	234	292	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																															
1	5353.43	52.92	74.00	-21.08	39.18	34.83	10.94	32.03	234	292	PEAK																													
Blank																																								
Avg	<p style="text-align: right;">Date: 2023-08-09</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5350.01</td> <td>44.27</td> <td>54.00</td> <td>-9.73</td> <td>30.53</td> <td>34.83</td> <td>10.94</td> <td>32.03</td> <td>234</td> <td>292</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5350.01	44.27	54.00	-9.73	30.53	34.83	10.94	32.03	234	292	AVERAGE
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																															
1	5350.01	44.27	54.00	-9.73	30.53	34.83	10.94	32.03	234	292	AVERAGE																													
Blank																																								



	22																																																																													
Mode	Band Edge - L																																																																													
	U-NII-2A_5.25-5.35_802.11n HT40_CH62-5310MHz																																																																													
ANT	22																																																																													
Pol.	Vertical	Fundamental																																																																												
Peak	<table border="1"> <thead> <tr> <th colspan="2">Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th rowspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5038.94</td> <td>53.13</td> <td>74.00</td> <td>-20.87</td> <td>38.73</td> <td>34.89</td> <td>11.15</td> <td>31.64</td> <td>314</td> <td>273</td> <td>PEAK</td> </tr> </tbody> </table>	Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5038.94	53.13	74.00	-20.87	38.73	34.89	11.15	31.64	314	273	PEAK	<table border="1"> <thead> <tr> <th colspan="2">Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th rowspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5310.00</td> <td>97.73</td> <td>-----</td> <td>-----</td> <td>83.88</td> <td>34.84</td> <td>10.98</td> <td>31.97</td> <td>314</td> <td>273</td> <td>PEAK</td> </tr> </tbody> </table>	Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5310.00	97.73	-----	-----	83.88	34.84	10.98	31.97	314	273	PEAK
	Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																						
1	5038.94	53.13	74.00	-20.87	38.73	34.89	11.15	31.64	314	273	PEAK																																																																			
Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																						
1	5310.00	97.73	-----	-----	83.88	34.84	10.98	31.97	314	273	PEAK																																																																			
Avg	<table border="1"> <thead> <tr> <th colspan="2">Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th rowspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5101.56</td> <td>43.75</td> <td>54.00</td> <td>-10.25</td> <td>29.48</td> <td>34.88</td> <td>11.11</td> <td>31.72</td> <td>314</td> <td>273</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5101.56	43.75	54.00	-10.25	29.48	34.88	11.11	31.72	314	273	AVERAGE	<table border="1"> <thead> <tr> <th colspan="2">Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th rowspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5310.00</td> <td>91.40</td> <td>-----</td> <td>-----</td> <td>77.55</td> <td>34.84</td> <td>10.98</td> <td>31.97</td> <td>314</td> <td>273</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5310.00	91.40	-----	-----	77.55	34.84	10.98	31.97	314	273	AVERAGE
Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																						
1	5101.56	43.75	54.00	-10.25	29.48	34.88	11.11	31.72	314	273	AVERAGE																																																																			
Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																						
1	5310.00	91.40	-----	-----	77.55	34.84	10.98	31.97	314	273	AVERAGE																																																																			



	22																																												
Mode	Band Edge - R																																												
	U-NII-2A_5.25-5.35_802.11n HT40_CH62-5310MHz																																												
ANT	22																																												
Pol.	Vertical	Fundamental																																											
Peak																																													
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> <tr> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5381.34</td> <td>59.91</td> <td>74.00</td> <td>-14.09</td> <td>46.24</td> <td>34.82</td> <td>10.92</td> <td>32.07</td> <td>314</td> <td>273</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB							cm	deg	1	5381.34	59.91	74.00	-14.09	46.24	34.82	10.92	32.07	314	273
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																						
						cm	deg																																						
1	5381.34	59.91	74.00	-14.09	46.24	34.82	10.92	32.07	314	273	PEAK																																		
Avg																																													
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> <tr> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5352.98</td> <td>46.44</td> <td>54.00</td> <td>-7.56</td> <td>32.70</td> <td>34.83</td> <td>10.94</td> <td>32.03</td> <td>314</td> <td>273</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB							cm	deg	1	5352.98	46.44	54.00	-7.56	32.70	34.83	10.94	32.03	314	273
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																						
						cm	deg																																						
1	5352.98	46.44	54.00	-7.56	32.70	34.83	10.94	32.03	314	273	AVERAGE																																		







	23																																																																																				
Mode	Band Edge - L																																																																																				
	U-NII-2C_5.47-5.725_802.11n HT40_CH102-5510MHz																																																																																				
ANT	22																																																																																				
Pol.	Horizontal	Fundamental																																																																																			
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5459.84</td> <td>54.92</td> <td>74.00</td> <td>-19.08</td> <td>41.16</td> <td>34.81</td> <td>11.12</td> <td>32.17</td> <td>241</td> <td>295</td> <td>PEAK</td> </tr> <tr> <td>2 5469.76</td> <td>58.74</td> <td>68.30</td> <td>-9.56</td> <td>44.95</td> <td>34.81</td> <td>11.16</td> <td>32.18</td> <td>241</td> <td>295</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 5459.84	54.92	74.00	-19.08	41.16	34.81	11.12	32.17	241	295	PEAK	2 5469.76	58.74	68.30	-9.56	44.95	34.81	11.16	32.18	241	295	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5510.00</td> <td>94.51</td> <td>-----</td> <td>-----</td> <td>80.56</td> <td>34.82</td> <td>11.35</td> <td>32.22</td> <td>241</td> <td>295</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 5510.00	94.51	-----	-----	80.56	34.82	11.35	32.22	241	295	PEAK
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																														
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																													
1 5459.84	54.92	74.00	-19.08	41.16	34.81	11.12	32.17	241	295	PEAK																																																																											
2 5469.76	58.74	68.30	-9.56	44.95	34.81	11.16	32.18	241	295	PEAK																																																																											
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																														
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																													
1 5510.00	94.51	-----	-----	80.56	34.82	11.35	32.22	241	295	PEAK																																																																											
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5458.72</td> <td>44.39</td> <td>54.00</td> <td>-9.61</td> <td>30.63</td> <td>34.81</td> <td>11.11</td> <td>32.16</td> <td>241</td> <td>295</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 5458.72	44.39	54.00	-9.61	30.63	34.81	11.11	32.16	241	295	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5510.00</td> <td>88.24</td> <td>-----</td> <td>-----</td> <td>74.33</td> <td>34.81</td> <td>11.32</td> <td>32.22</td> <td>241</td> <td>295</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 5510.00	88.24	-----	-----	74.33	34.81	11.32	32.22	241	295	AVERAGE											
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																														
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																													
1 5458.72	44.39	54.00	-9.61	30.63	34.81	11.11	32.16	241	295	AVERAGE																																																																											
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																														
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																													
1 5510.00	88.24	-----	-----	74.33	34.81	11.32	32.22	241	295	AVERAGE																																																																											



Mode	23																																							
	Band Edge - R																																							
	U-NII-2C_5.47-5.725_802.11n HT40_CH102-5510MHz																																							
ANT	22																																							
Pol.	Horizontal	Fundamental																																						
Peak	<p>Date: 2023-08-09</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.24</td> <td>52.61</td> <td>68.30</td> <td>-15.69</td> <td>38.23</td> <td>35.14</td> <td>11.64</td> <td>32.40</td> <td>241</td> <td>295</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.24	52.61	68.30	-15.69	38.23	35.14	11.64	32.40	241	295	PEAK	Blank
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																															
1	5745.24	52.61	68.30	-15.69	38.23	35.14	11.64	32.40	241	295	PEAK																													



Mode	23																																																																																							
	Band Edge - L																																																																																							
	U-NII-2C_5.47-5.725_802.11n HT40_CH102-5510MHz																																																																																							
ANT	22																																																																																							
Pol.	Vertical	Fundamental																																																																																						
Peak	 <p>Date: 2023-08-09</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5454.88</td> <td>55.91</td> <td>74.00</td> <td>-18.09</td> <td>42.16</td> <td>34.81</td> <td>11.10</td> <td>32.16</td> <td>329</td> <td>270</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5465.14</td> <td>57.74</td> <td>68.30</td> <td>-10.56</td> <td>43.96</td> <td>34.81</td> <td>11.14</td> <td>32.17</td> <td>329</td> <td>270</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5454.88	55.91	74.00	-18.09	42.16	34.81	11.10	32.16	329	270	PEAK	2	5465.14	57.74	68.30	-10.56	43.96	34.81	11.14	32.17	329	270	PEAK	 <p>Date: 2023-08-09</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5510.00</td> <td>94.92</td> <td>-----</td> <td>-----</td> <td>80.97</td> <td>34.82</td> <td>11.35</td> <td>32.22</td> <td>329</td> <td>270</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5510.00	94.92	-----	-----	80.97	34.82	11.35	32.22	329	270	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																
1	5454.88	55.91	74.00	-18.09	42.16	34.81	11.10	32.16	329	270	PEAK																																																																													
2	5465.14	57.74	68.30	-10.56	43.96	34.81	11.14	32.17	329	270	PEAK																																																																													
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																
1	5510.00	94.92	-----	-----	80.97	34.82	11.35	32.22	329	270	PEAK																																																																													
Avg	 <p>Date: 2023-08-09</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5457.46</td> <td>44.21</td> <td>54.00</td> <td>-9.79</td> <td>30.45</td> <td>34.81</td> <td>11.11</td> <td>32.16</td> <td>329</td> <td>270</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5457.46	44.21	54.00	-9.79	30.45	34.81	11.11	32.16	329	270	AVERAGE	 <p>Date: 2023-08-09</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5510.00</td> <td>88.25</td> <td>-----</td> <td>-----</td> <td>74.34</td> <td>34.81</td> <td>11.32</td> <td>32.22</td> <td>329</td> <td>270</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5510.00	88.25	-----	-----	74.34	34.81	11.32	32.22	329	270	AVERAGE												
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																
1	5457.46	44.21	54.00	-9.79	30.45	34.81	11.11	32.16	329	270	AVERAGE																																																																													
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																
1	5510.00	88.25	-----	-----	74.34	34.81	11.32	32.22	329	270	AVERAGE																																																																													



Mode	23																																						
	Band Edge - R																																						
	U-NII-2C_5.47-5.725_802.11n HT40_CH102-5510MHz																																						
ANT	22																																						
Pol.	Vertical	Fundamental																																					
Peak	<p>Date: 2023-08-09</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5763.50</td> <td>52.24</td> <td>68.30</td> <td>-16.06</td> <td>37.85</td> <td>35.17</td> <td>11.64</td> <td>32.42</td> <td>329</td> <td>270</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5763.50	52.24	68.30	-16.06	37.85	35.17	11.64	32.42	329	270	PEAK	Blank
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																														
1 5763.50	52.24	68.30	-16.06	37.85	35.17	11.64	32.42	329	270	PEAK																													



	24																																																																															
Mode	Band Edge - L																																																																															
	U-NII-2C_5.47-5.725_802.11n HT40_CH134-5670MHz																																																																															
ANT	22																																																																															
Pol.	Horizontal	Fundamental																																																																														
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 5373.23</td> <td>51.84</td> <td>74.00</td> <td>-22.16</td> <td>38.14</td> <td>34.83</td> <td>10.93</td> <td>32.06</td> <td>100</td> <td>291 PEAK</td> </tr> <tr> <td>2 5468.27</td> <td>51.09</td> <td>68.30</td> <td>-17.21</td> <td>37.31</td> <td>34.81</td> <td>11.15</td> <td>32.18</td> <td>100</td> <td>291 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1 5373.23	51.84	74.00	-22.16	38.14	34.83	10.93	32.06	100	291 PEAK	2 5468.27	51.09	68.30	-17.21	37.31	34.81	11.15	32.18	100	291 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 5670.00</td> <td>95.03</td> <td>-----</td> <td>-----</td> <td>80.65</td> <td>35.04</td> <td>11.68</td> <td>32.34</td> <td>100</td> <td>291 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1 5670.00	95.03	-----	-----	80.65	35.04	11.68	32.34	100	291 PEAK
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																									
1 5373.23	51.84	74.00	-22.16	38.14	34.83	10.93	32.06	100	291 PEAK																																																																							
2 5468.27	51.09	68.30	-17.21	37.31	34.81	11.15	32.18	100	291 PEAK																																																																							
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																									
1 5670.00	95.03	-----	-----	80.65	35.04	11.68	32.34	100	291 PEAK																																																																							
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 5422.51</td> <td>42.87</td> <td>54.00</td> <td>-11.13</td> <td>29.21</td> <td>34.82</td> <td>10.96</td> <td>32.12</td> <td>100</td> <td>291 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1 5422.51	42.87	54.00	-11.13	29.21	34.82	10.96	32.12	100	291 AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 5670.00</td> <td>88.57</td> <td>-----</td> <td>-----</td> <td>74.19</td> <td>35.04</td> <td>11.68</td> <td>32.34</td> <td>100</td> <td>291 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1 5670.00	88.57	-----	-----	74.19	35.04	11.68	32.34	100	291 AVERAGE										
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																									
1 5422.51	42.87	54.00	-11.13	29.21	34.82	10.96	32.12	100	291 AVERAGE																																																																							
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																									
1 5670.00	88.57	-----	-----	74.19	35.04	11.68	32.34	100	291 AVERAGE																																																																							



Mode	24																																						
	Band Edge - R																																						
	U-NII-2C_5.47-5.725_802.11n HT40_CH134-5670MHz																																						
ANT	22																																						
Pol.	Horizontal	Fundamental																																					
Peak	<p>Date: 2023-08-09</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5762.11</td> <td>53.48</td> <td>68.30</td> <td>-14.82</td> <td>39.08</td> <td>35.17</td> <td>11.64</td> <td>32.41</td> <td>100</td> <td>291</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5762.11	53.48	68.30	-14.82	39.08	35.17	11.64	32.41	100	291	PEAK	Blank
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																														
1 5762.11	53.48	68.30	-14.82	39.08	35.17	11.64	32.41	100	291	PEAK																													



Mode	24																																																																									
	Band Edge - L																																																																									
	U-NII-2C_5.47-5.725_802.11n HT40_CH134-5670MHz																																																																									
ANT	22																																																																									
Pol.	Vertical	Fundamental																																																																								
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 5457.71</td> <td>52.36</td> <td>74.00</td> <td>-21.64</td> <td>38.60</td> <td>34.81</td> <td>11.11</td> <td>32.16</td> </tr> <tr> <td>2 5468.46</td> <td>51.19</td> <td>68.30</td> <td>-17.11</td> <td>37.40</td> <td>34.81</td> <td>11.16</td> <td>32.18</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1 5457.71	52.36	74.00	-21.64	38.60	34.81	11.11	32.16	2 5468.46	51.19	68.30	-17.11	37.40	34.81	11.16	32.18	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 5670.00</td> <td>95.13</td> <td>-----</td> <td>-----</td> <td>80.75</td> <td>35.04</td> <td>11.68</td> <td>32.34</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1 5670.00	95.13	-----	-----	80.75	35.04	11.68	32.34
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																			
1 5457.71	52.36	74.00	-21.64	38.60	34.81	11.11	32.16																																																																			
2 5468.46	51.19	68.30	-17.11	37.40	34.81	11.16	32.18																																																																			
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																			
1 5670.00	95.13	-----	-----	80.75	35.04	11.68	32.34																																																																			
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 5454.19</td> <td>42.94</td> <td>54.00</td> <td>-11.06</td> <td>29.19</td> <td>34.81</td> <td>11.10</td> <td>32.16</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1 5454.19	42.94	54.00	-11.06	29.19	34.81	11.10	32.16	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 5670.00</td> <td>87.89</td> <td>-----</td> <td>-----</td> <td>73.52</td> <td>35.03</td> <td>11.68</td> <td>32.34</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1 5670.00	87.89	-----	-----	73.52	35.03	11.68	32.34								
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																			
1 5454.19	42.94	54.00	-11.06	29.19	34.81	11.10	32.16																																																																			
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																			
1 5670.00	87.89	-----	-----	73.52	35.03	11.68	32.34																																																																			



Mode	24																																		
	Band Edge - R																																		
	U-NII-2C_5.47-5.725_802.11n HT40_CH134-5670MHz																																		
ANT	22																																		
Pol.	Vertical	Fundamental																																	
Peak	<p>Date: 2023-08-09</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5740.16</td> <td>53.69</td> <td>68.30</td> <td>-14.61</td> <td>39.30</td> <td>35.14</td> <td>11.65</td> <td>32.40</td> <td>270 263 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 5740.16	53.69	68.30	-14.61	39.30	35.14	11.65	32.40	270 263 PEAK	Blank
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																												
1 5740.16	53.69	68.30	-14.61	39.30	35.14	11.65	32.40	270 263 PEAK																											



	25																																																																											
Mode	Band Edge - L																																																																											
	U-NII-1_5.15-5.25_ 802.11ac VHT80_CH42-5210MHz																																																																											
ANT	22																																																																											
Pol.	Horizontal	Fundamental																																																																										
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5011.05</td> <td>53.54</td> <td>74.00</td> <td>-20.46</td> <td>39.09</td> <td>34.90</td> <td>11.16</td> <td>31.61</td> <td>100</td> <td>298</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5011.05	53.54	74.00	-20.46	39.09	34.90	11.16	31.61	100	298	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5210.00</td> <td>90.93</td> <td>-----</td> <td>-----</td> <td>76.90</td> <td>34.86</td> <td>11.04</td> <td>31.87</td> <td>100</td> <td>298</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5210.00	90.93	-----	-----	76.90	34.86	11.04	31.87	100	298	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	5011.05	53.54	74.00	-20.46	39.09	34.90	11.16	31.61	100	298	PEAK																																																																	
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	5210.00	90.93	-----	-----	76.90	34.86	11.04	31.87	100	298	PEAK																																																																	
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5133.88</td> <td>46.07</td> <td>54.00</td> <td>-7.93</td> <td>31.87</td> <td>34.87</td> <td>11.09</td> <td>31.76</td> <td>100</td> <td>298</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5133.88	46.07	54.00	-7.93	31.87	34.87	11.09	31.76	100	298	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5210.00</td> <td>84.75</td> <td>-----</td> <td>-----</td> <td>70.69</td> <td>34.86</td> <td>11.05</td> <td>31.85</td> <td>100</td> <td>298</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5210.00	84.75	-----	-----	70.69	34.86	11.05	31.85	100	298	AVERAGE
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	5133.88	46.07	54.00	-7.93	31.87	34.87	11.09	31.76	100	298	AVERAGE																																																																	
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	5210.00	84.75	-----	-----	70.69	34.86	11.05	31.85	100	298	AVERAGE																																																																	



	25																																		
Mode	Band Edge - R																																		
ANT	22																																		
Pol.	Horizontal	Fundamental																																	
Peak	<p style="text-align: right;">Date: 2023-08-09</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5425.38</td> <td>51.83</td> <td>74.00</td> <td>-22.17</td> <td>38.16</td> <td>34.81</td> <td>10.98</td> <td>32.12</td> <td>100 298 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 5425.38	51.83	74.00	-22.17	38.16	34.81	10.98	32.12	100 298 PEAK	Blank
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																												
1 5425.38	51.83	74.00	-22.17	38.16	34.81	10.98	32.12	100 298 PEAK																											
Avg	<p style="text-align: right;">Date: 2023-08-09</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5429.88</td> <td>44.60</td> <td>54.00</td> <td>-9.40</td> <td>30.92</td> <td>34.81</td> <td>11.00</td> <td>32.13</td> <td>100 298 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 5429.88	44.60	54.00	-9.40	30.92	34.81	11.00	32.13	100 298 AVERAGE	Blank
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																												
1 5429.88	44.60	54.00	-9.40	30.92	34.81	11.00	32.13	100 298 AVERAGE																											



Mode	25																																																																											
	Band Edge - L																																																																											
	U-NII-1_5.15-5.25_ 802.11ac VHT80_CH42-5210MHz																																																																											
ANT	22																																																																											
Pol.	Vertical	Fundamental																																																																										
Peak	<p>Date: 2023-08-09</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5141.23</td> <td>54.70</td> <td>74.00</td> <td>-19.30</td> <td>40.51</td> <td>34.87</td> <td>11.09</td> <td>31.77</td> <td>314</td> <td>259</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5141.23	54.70	74.00	-19.30	40.51	34.87	11.09	31.77	314	259	PEAK	<p>Date: 2023-08-09</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5210.00</td> <td>94.12</td> <td>-----</td> <td>-----</td> <td>80.09</td> <td>34.86</td> <td>11.04</td> <td>31.87</td> <td>314</td> <td>259</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5210.00	94.12	-----	-----	80.09	34.86	11.04	31.87	314	259	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	5141.23	54.70	74.00	-19.30	40.51	34.87	11.09	31.77	314	259	PEAK																																																																	
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	5210.00	94.12	-----	-----	80.09	34.86	11.04	31.87	314	259	PEAK																																																																	
Avg	<p>Date: 2023-08-09</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5149.65</td> <td>46.92</td> <td>54.00</td> <td>-7.08</td> <td>32.74</td> <td>34.87</td> <td>11.09</td> <td>31.78</td> <td>314</td> <td>259</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5149.65	46.92	54.00	-7.08	32.74	34.87	11.09	31.78	314	259	AVERAGE	<p>Date: 2023-08-09</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5210.00</td> <td>87.48</td> <td>-----</td> <td>-----</td> <td>73.42</td> <td>34.86</td> <td>11.05</td> <td>31.85</td> <td>314</td> <td>259</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5210.00	87.48	-----	-----	73.42	34.86	11.05	31.85	314	259	AVERAGE
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	5149.65	46.92	54.00	-7.08	32.74	34.87	11.09	31.78	314	259	AVERAGE																																																																	
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	5210.00	87.48	-----	-----	73.42	34.86	11.05	31.85	314	259	AVERAGE																																																																	



Mode	25																																							
	Band Edge - R																																							
	U-NII-1_5.15-5.25_ 802.11ac VHT80_CH42-5210MHz																																							
ANT	22																																							
Pol.	Vertical	Fundamental																																						
Peak	<p>Date: 2023-08-09</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5371.15</td> <td>51.90</td> <td>74.00</td> <td>-22.10</td> <td>38.20</td> <td>34.83</td> <td>10.93</td> <td>32.06</td> <td>314</td> <td>259</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5371.15	51.90	74.00	-22.10	38.20	34.83	10.93	32.06	314	259	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																															
1	5371.15	51.90	74.00	-22.10	38.20	34.83	10.93	32.06	314	259	PEAK																													
Blank																																								
Avg	<p>Date: 2023-08-09</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5378.15</td> <td>44.61</td> <td>54.00</td> <td>-9.39</td> <td>30.93</td> <td>34.82</td> <td>10.92</td> <td>32.06</td> <td>314</td> <td>259</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5378.15	44.61	54.00	-9.39	30.93	34.82	10.92	32.06	314	259	AVERAGE
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																															
1	5378.15	44.61	54.00	-9.39	30.93	34.82	10.92	32.06	314	259	AVERAGE																													
Blank																																								







	26																																																																											
Mode	Band Edge - L																																																																											
	U-NII-2A_5.25-5.35_802.11ac VHT80_CH58-5290MHz																																																																											
ANT	22																																																																											
Pol.	Horizontal	Fundamental																																																																										
Peak	<p style="text-align: right;">Date: 2023-08-09</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5112.98</td> <td>52.46</td> <td>74.00</td> <td>-21.54</td> <td>38.21</td> <td>34.88</td> <td>11.11</td> <td>31.74</td> <td>186</td> <td>293</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5112.98	52.46	74.00	-21.54	38.21	34.88	11.11	31.74	186	293	PEAK	<p style="text-align: right;">Date: 2023-08-09</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5290.00</td> <td>90.72</td> <td>-----</td> <td>-----</td> <td>76.87</td> <td>34.84</td> <td>10.98</td> <td>31.97</td> <td>186</td> <td>293</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5290.00	90.72	-----	-----	76.87	34.84	10.98	31.97	186	293	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	5112.98	52.46	74.00	-21.54	38.21	34.88	11.11	31.74	186	293	PEAK																																																																	
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	5290.00	90.72	-----	-----	76.87	34.84	10.98	31.97	186	293	PEAK																																																																	
Avg	<p style="text-align: right;">Date: 2023-08-09</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5130.94</td> <td>45.55</td> <td>54.00</td> <td>-8.45</td> <td>31.34</td> <td>34.87</td> <td>11.10</td> <td>31.76</td> <td>186</td> <td>293</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5130.94	45.55	54.00	-8.45	31.34	34.87	11.10	31.76	186	293	AVERAGE	<p style="text-align: right;">Date: 2023-08-09</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5290.00</td> <td>84.85</td> <td>-----</td> <td>-----</td> <td>70.98</td> <td>34.84</td> <td>10.99</td> <td>31.96</td> <td>186</td> <td>293</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5290.00	84.85	-----	-----	70.98	34.84	10.99	31.96	186	293	AVERAGE
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	5130.94	45.55	54.00	-8.45	31.34	34.87	11.10	31.76	186	293	AVERAGE																																																																	
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	5290.00	84.85	-----	-----	70.98	34.84	10.99	31.96	186	293	AVERAGE																																																																	



	26																																				
Mode	Band Edge - R																																				
	U-NII-2A_5.25-5.35_802.11ac VHT80_CH58-5290MHz																																				
ANT	22																																				
Pol.	Horizontal	Fundamental																																			
Peak																																					
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5353.51</td> <td>53.96</td> <td>74.00</td> <td>-20.04</td> <td>40.22</td> <td>34.83</td> <td>10.94</td> <td>32.03</td> <td>186</td> <td>293</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	5353.51	53.96	74.00	-20.04	40.22	34.83	10.94	32.03	186	293
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																														
1	5353.51	53.96	74.00	-20.04	40.22	34.83	10.94	32.03	186	293	PEAK																										
Avg																																					
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5350.79</td> <td>46.54</td> <td>54.00</td> <td>-7.46</td> <td>32.80</td> <td>34.83</td> <td>10.94</td> <td>32.03</td> <td>186</td> <td>293</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	5350.79	46.54	54.00	-7.46	32.80	34.83	10.94	32.03	186	293
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																														
1	5350.79	46.54	54.00	-7.46	32.80	34.83	10.94	32.03	186	293	AVERAGE																										



	26																																																																											
Mode	Band Edge - L																																																																											
	U-NII-2A_5.25-5.35_802.11ac VHT80_CH58-5290MHz																																																																											
ANT	22																																																																											
Pol.	Vertical	Fundamental																																																																										
Peak	 <p style="text-align: right;">Date: 2023-08-09</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5088.02</td> <td>53.97</td> <td>74.00</td> <td>-20.03</td> <td>39.67</td> <td>34.88</td> <td>11.12</td> <td>31.70</td> <td>300</td> <td>269</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5088.02	53.97	74.00	-20.03	39.67	34.88	11.12	31.70	300	269	PEAK	 <p style="text-align: right;">Date: 2023-08-09</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5290.00</td> <td>92.39</td> <td>-----</td> <td>-----</td> <td>78.49</td> <td>34.84</td> <td>11.00</td> <td>31.94</td> <td>300</td> <td>269</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5290.00	92.39	-----	-----	78.49	34.84	11.00	31.94	300	269	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	5088.02	53.97	74.00	-20.03	39.67	34.88	11.12	31.70	300	269	PEAK																																																																	
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	5290.00	92.39	-----	-----	78.49	34.84	11.00	31.94	300	269	PEAK																																																																	
Avg	 <p style="text-align: right;">Date: 2023-08-09</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5134.15</td> <td>45.15</td> <td>54.00</td> <td>-8.85</td> <td>30.95</td> <td>34.87</td> <td>11.09</td> <td>31.76</td> <td>300</td> <td>269</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5134.15	45.15	54.00	-8.85	30.95	34.87	11.09	31.76	300	269	AVERAGE	 <p style="text-align: right;">Date: 2023-08-09</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5290.00</td> <td>86.68</td> <td>-----</td> <td>-----</td> <td>72.80</td> <td>34.84</td> <td>10.99</td> <td>31.95</td> <td>300</td> <td>269</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5290.00	86.68	-----	-----	72.80	34.84	10.99	31.95	300	269	AVERAGE
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	5134.15	45.15	54.00	-8.85	30.95	34.87	11.09	31.76	300	269	AVERAGE																																																																	
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	5290.00	86.68	-----	-----	72.80	34.84	10.99	31.95	300	269	AVERAGE																																																																	



	26																																					
Mode	Band Edge - R																																					
	U-NII-2A_5.25-5.35_802.11ac VHT80_CH58-5290MHz																																					
ANT	22																																					
Pol.	Vertical	Fundamental																																				
Peak	<p style="text-align: right;">Date: 2023-08-09</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5360.30</td> <td>54.02</td> <td>74.00</td> <td>-19.98</td> <td>40.29</td> <td>34.83</td> <td>10.94</td> <td>32.04</td> <td>300</td> <td>269</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5360.30	54.02	74.00	-19.98	40.29	34.83	10.94	32.04	300	269	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																															
1	5360.30	54.02	74.00	-19.98	40.29	34.83	10.94	32.04	300	269	PEAK																											
Blank																																						
Avg	<p style="text-align: right;">Date: 2023-08-09</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5350.44</td> <td>46.52</td> <td>54.00</td> <td>-7.48</td> <td>32.78</td> <td>34.83</td> <td>10.94</td> <td>32.03</td> <td>300</td> <td>269</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5350.44	46.52	54.00	-7.48	32.78	34.83	10.94	32.03	300	269	AVERAGE
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																															
1	5350.44	46.52	54.00	-7.48	32.78	34.83	10.94	32.03	300	269	AVERAGE																											
Blank																																						



	27																																																																																							
Mode	Band Edge - L																																																																																							
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH106-5530MHz																																																																																							
ANT	22																																																																																							
Pol.	Horizontal	Fundamental																																																																																						
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5458.81</td> <td>52.94</td> <td>74.00</td> <td>-21.06</td> <td>39.17</td> <td>34.81</td> <td>11.12</td> <td>32.16</td> <td>222</td> <td>288</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5466.55</td> <td>54.95</td> <td>68.30</td> <td>-13.35</td> <td>41.16</td> <td>34.81</td> <td>11.15</td> <td>32.17</td> <td>222</td> <td>288</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5458.81	52.94	74.00	-21.06	39.17	34.81	11.12	32.16	222	288	PEAK	2	5466.55	54.95	68.30	-13.35	41.16	34.81	11.15	32.17	222	288	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5530.00</td> <td>91.64</td> <td>-----</td> <td>-----</td> <td>77.67</td> <td>34.83</td> <td>11.37</td> <td>32.23</td> <td>222</td> <td>288</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5530.00	91.64	-----	-----	77.67	34.83	11.37	32.23	222	288	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																
1	5458.81	52.94	74.00	-21.06	39.17	34.81	11.12	32.16	222	288	PEAK																																																																													
2	5466.55	54.95	68.30	-13.35	41.16	34.81	11.15	32.17	222	288	PEAK																																																																													
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																
1	5530.00	91.64	-----	-----	77.67	34.83	11.37	32.23	222	288	PEAK																																																																													
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5458.47</td> <td>46.19</td> <td>54.00</td> <td>-7.81</td> <td>32.43</td> <td>34.81</td> <td>11.11</td> <td>32.16</td> <td>222</td> <td>288</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5458.47	46.19	54.00	-7.81	32.43	34.81	11.11	32.16	222	288	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5530.00</td> <td>84.85</td> <td>-----</td> <td>-----</td> <td>70.84</td> <td>34.84</td> <td>11.40</td> <td>32.23</td> <td>222</td> <td>288</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5530.00	84.85	-----	-----	70.84	34.84	11.40	32.23	222	288	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																
1	5458.47	46.19	54.00	-7.81	32.43	34.81	11.11	32.16	222	288	AVERAGE																																																																													
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																
1	5530.00	84.85	-----	-----	70.84	34.84	11.40	32.23	222	288	AVERAGE																																																																													



Mode	27																																		
	Band Edge - R																																		
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH106-5530MHz																																		
ANT	22																																		
Pol.	Horizontal	Fundamental																																	
Peak	<p>Date: 2023-08-10</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5737.34</td> <td>53.39</td> <td>68.30</td> <td>-14.91</td> <td>39.01</td> <td>35.13</td> <td>11.65</td> <td>32.40</td> <td>222 288 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 5737.34	53.39	68.30	-14.91	39.01	35.13	11.65	32.40	222 288 PEAK	Blank
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																												
1 5737.34	53.39	68.30	-14.91	39.01	35.13	11.65	32.40	222 288 PEAK																											



		27																																																																																				
Mode	Band Edge - L																																																																																					
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH106-5530MHz																																																																																					
ANT	22																																																																																					
Pol.	Vertical	Fundamental																																																																																				
Peak	<p style="text-align: right;">Date: 2023-08-10</p>	<p style="text-align: right;">Date: 2023-08-10</p>																																																																																				
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5459.17</td> <td>55.29</td> <td>74.00</td> <td>-18.71</td> <td>41.52</td> <td>34.81</td> <td>11.12</td> <td>32.16</td> <td>306</td> <td>271</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5468.71</td> <td>54.71</td> <td>68.30</td> <td>-13.59</td> <td>40.92</td> <td>34.81</td> <td>11.16</td> <td>32.18</td> <td>306</td> <td>271</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5459.17	55.29	74.00	-18.71	41.52	34.81	11.12	32.16	306	271	PEAK	2	5468.71	54.71	68.30	-13.59	40.92	34.81	11.16	32.18	306	271	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5530.00</td> <td>92.27</td> <td>-----</td> <td>-----</td> <td>78.24</td> <td>34.85</td> <td>11.42</td> <td>32.24</td> <td>306</td> <td>271</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5530.00	92.27	-----	-----	78.24	34.85	11.42	32.24	306	271
Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																															
1	5459.17	55.29	74.00	-18.71	41.52	34.81	11.12	32.16	306	271	PEAK																																																																											
2	5468.71	54.71	68.30	-13.59	40.92	34.81	11.16	32.18	306	271	PEAK																																																																											
Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																															
1	5530.00	92.27	-----	-----	78.24	34.85	11.42	32.24	306	271	PEAK																																																																											
Avg	<p style="text-align: right;">Date: 2023-08-10</p>	<p style="text-align: right;">Date: 2023-08-10</p>																																																																																				
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5457.39</td> <td>46.59</td> <td>54.00</td> <td>-7.41</td> <td>32.83</td> <td>34.81</td> <td>11.11</td> <td>32.16</td> <td>306</td> <td>271</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5457.39	46.59	54.00	-7.41	32.83	34.81	11.11	32.16	306	271	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5530.00</td> <td>86.73</td> <td>-----</td> <td>-----</td> <td>72.78</td> <td>34.82</td> <td>11.35</td> <td>32.22</td> <td>306</td> <td>271</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5530.00	86.73	-----	-----	72.78	34.82	11.35	32.22	306	271	AVERAGE											
Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																															
1	5457.39	46.59	54.00	-7.41	32.83	34.81	11.11	32.16	306	271	AVERAGE																																																																											
Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																															
1	5530.00	86.73	-----	-----	72.78	34.82	11.35	32.22	306	271	AVERAGE																																																																											



Mode	27																																							
	Band Edge - R																																							
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH106-5530MHz																																							
ANT	22																																							
Pol.	Vertical	Fundamental																																						
Peak	<p>Date: 2023-08-10</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5740.00</td> <td>53.10</td> <td>68.30</td> <td>-15.20</td> <td>38.71</td> <td>35.14</td> <td>11.65</td> <td>32.40</td> <td>306</td> <td>271</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5740.00	53.10	68.30	-15.20	38.71	35.14	11.65	32.40	306	271	PEAK	Blank
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																															
1	5740.00	53.10	68.30	-15.20	38.71	35.14	11.65	32.40	306	271	PEAK																													



		28																																																																																				
Mode	Band Edge - L																																																																																					
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH122-5610MHz																																																																																					
ANT		22																																																																																				
Pol.	Horizontal	Fundamental																																																																																				
Peak	<p style="text-align: right;">Date: 2023-08-10</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5423.48</td> <td>52.07</td> <td>74.00</td> <td>-21.93</td> <td>38.40</td> <td>34.82</td> <td>10.97</td> <td>32.12</td> <td>100</td> <td>295</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5461.93</td> <td>51.45</td> <td>68.30</td> <td>-16.85</td> <td>37.68</td> <td>34.81</td> <td>11.13</td> <td>32.17</td> <td>100</td> <td>295</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5423.48	52.07	74.00	-21.93	38.40	34.82	10.97	32.12	100	295	PEAK	2	5461.93	51.45	68.30	-16.85	37.68	34.81	11.13	32.17	100	295	PEAK	<p style="text-align: right;">Date: 2023-08-10</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5610.00</td> <td>91.63</td> <td>-----</td> <td>-----</td> <td>77.28</td> <td>34.94</td> <td>11.70</td> <td>32.29</td> <td>100</td> <td>295</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5610.00	91.63	-----	-----	77.28	34.94	11.70	32.29	100	295	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																															
1	5423.48	52.07	74.00	-21.93	38.40	34.82	10.97	32.12	100	295	PEAK																																																																											
2	5461.93	51.45	68.30	-16.85	37.68	34.81	11.13	32.17	100	295	PEAK																																																																											
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																															
1	5610.00	91.63	-----	-----	77.28	34.94	11.70	32.29	100	295	PEAK																																																																											
Avg	<p style="text-align: right;">Date: 2023-08-10</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5387.05</td> <td>44.77</td> <td>54.00</td> <td>-9.23</td> <td>31.10</td> <td>34.82</td> <td>10.92</td> <td>32.07</td> <td>100</td> <td>295</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5387.05	44.77	54.00	-9.23	31.10	34.82	10.92	32.07	100	295	AVERAGE	<p style="text-align: right;">Date: 2023-08-10</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5610.00</td> <td>85.68</td> <td>-----</td> <td>-----</td> <td>71.33</td> <td>34.94</td> <td>11.70</td> <td>32.29</td> <td>100</td> <td>295</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5610.00	85.68	-----	-----	71.33	34.94	11.70	32.29	100	295	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																															
1	5387.05	44.77	54.00	-9.23	31.10	34.82	10.92	32.07	100	295	AVERAGE																																																																											
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																															
1	5610.00	85.68	-----	-----	71.33	34.94	11.70	32.29	100	295	AVERAGE																																																																											



Mode	28																																		
	Band Edge - R																																		
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH122-5610MHz																																		
ANT	22																																		
Pol.	Horizontal	Fundamental																																	
Peak	<p>Date: 2023-08-10</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5735.78</td> <td>53.25</td> <td>68.30</td> <td>-15.05</td> <td>38.86</td> <td>35.13</td> <td>11.65</td> <td>32.39</td> <td>100 295 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 5735.78	53.25	68.30	-15.05	38.86	35.13	11.65	32.39	100 295 PEAK	Blank
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																												
1 5735.78	53.25	68.30	-15.05	38.86	35.13	11.65	32.39	100 295 PEAK																											



	28																																																																																					
Mode	Band Edge - L																																																																																					
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH122-5610MHz																																																																																					
ANT	22																																																																																					
Pol.	Vertical	Fundamental																																																																																				
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5394.59</td> <td>52.88</td> <td>74.00</td> <td>-21.12</td> <td>39.23</td> <td>34.82</td> <td>10.91</td> <td>32.08</td> <td>214</td> <td>278</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5467.13</td> <td>51.99</td> <td>68.30</td> <td>-16.31</td> <td>38.20</td> <td>34.81</td> <td>11.15</td> <td>32.17</td> <td>214</td> <td>278</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	5394.59	52.88	74.00	-21.12	39.23	34.82	10.91	32.08	214	278	PEAK	2	5467.13	51.99	68.30	-16.31	38.20	34.81	11.15	32.17	214	278	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5610.00</td> <td>90.76</td> <td>-----</td> <td>-----</td> <td>76.41</td> <td>34.94</td> <td>11.70</td> <td>32.29</td> <td>214</td> <td>278</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	5610.00	90.76	-----	-----	76.41	34.94	11.70	32.29	214	278	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																															
1	5394.59	52.88	74.00	-21.12	39.23	34.82	10.91	32.08	214	278	PEAK																																																																											
2	5467.13	51.99	68.30	-16.31	38.20	34.81	11.15	32.17	214	278	PEAK																																																																											
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																															
1	5610.00	90.76	-----	-----	76.41	34.94	11.70	32.29	214	278	PEAK																																																																											
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5412.27</td> <td>44.49</td> <td>54.00</td> <td>-9.51</td> <td>30.86</td> <td>34.82</td> <td>10.92</td> <td>32.11</td> <td>214</td> <td>278</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	5412.27	44.49	54.00	-9.51	30.86	34.82	10.92	32.11	214	278	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5610.00</td> <td>85.15</td> <td>-----</td> <td>-----</td> <td>70.78</td> <td>34.95</td> <td>11.71</td> <td>32.29</td> <td>214</td> <td>278</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	5610.00	85.15	-----	-----	70.78	34.95	11.71	32.29	214	278	AVERAGE												
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																															
1	5412.27	44.49	54.00	-9.51	30.86	34.82	10.92	32.11	214	278	AVERAGE																																																																											
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																															
1	5610.00	85.15	-----	-----	70.78	34.95	11.71	32.29	214	278	AVERAGE																																																																											



Mode	28																																					
	Band Edge - R																																					
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH122-5610MHz																																					
ANT	22																																					
Pol.	Vertical	Fundamental																																				
Peak	<p>Date: 2023-08-10</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5743.39</td> <td>52.70</td> <td>68.30</td> <td>-15.60</td> <td>38.32</td> <td>35.14</td> <td>11.64</td> <td>32.40</td> <td>214</td> <td>278</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5743.39	52.70	68.30	-15.60	38.32	35.14	11.64	32.40	214	278	Blank
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																													
1 5743.39	52.70	68.30	-15.60	38.32	35.14	11.64	32.40	214	278																													



	29																																																																																																															
Mode	Band Edge																																																																																																															
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																																																															
ANT	22																																																																																																															
Pol.	Horizontal	Fundamental																																																																																																														
Peak	<p>Date: 2023-08-08</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5638.86</td> <td>53.48</td> <td>68.30</td> <td>-14.82</td> <td>39.12</td> <td>34.99</td> <td>11.69</td> <td>32.32</td> <td>176</td> <td>125</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5650.61</td> <td>52.28</td> <td>68.75</td> <td>-16.47</td> <td>37.91</td> <td>35.01</td> <td>11.69</td> <td>32.33</td> <td>176</td> <td>125</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5719.19</td> <td>65.24</td> <td>110.57</td> <td>-45.33</td> <td>50.85</td> <td>35.11</td> <td>11.66</td> <td>32.38</td> <td>176</td> <td>125</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5720.35</td> <td>63.97</td> <td>111.60</td> <td>-47.63</td> <td>49.58</td> <td>35.11</td> <td>11.66</td> <td>32.38</td> <td>176</td> <td>125</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5638.86	53.48	68.30	-14.82	39.12	34.99	11.69	32.32	176	125	PEAK	2	5650.61	52.28	68.75	-16.47	37.91	35.01	11.69	32.33	176	125	PEAK	3	5719.19	65.24	110.57	-45.33	50.85	35.11	11.66	32.38	176	125	PEAK	4	5720.35	63.97	111.60	-47.63	49.58	35.11	11.66	32.38	176	125	PEAK	<p>Date: 2023-08-08</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>98.71</td> <td>-----</td> <td>-----</td> <td>84.33</td> <td>35.14</td> <td>11.64</td> <td>32.40</td> <td>176</td> <td>125</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5745.00	98.71	-----	-----	84.33	35.14	11.64	32.40	176	125	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																								
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																								
1	5638.86	53.48	68.30	-14.82	39.12	34.99	11.69	32.32	176	125	PEAK																																																																																																					
2	5650.61	52.28	68.75	-16.47	37.91	35.01	11.69	32.33	176	125	PEAK																																																																																																					
3	5719.19	65.24	110.57	-45.33	50.85	35.11	11.66	32.38	176	125	PEAK																																																																																																					
4	5720.35	63.97	111.60	-47.63	49.58	35.11	11.66	32.38	176	125	PEAK																																																																																																					
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																									
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																								
1	5745.00	98.71	-----	-----	84.33	35.14	11.64	32.40	176	125	PEAK																																																																																																					
Avg	Blank	<p>Date: 2023-08-08</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>93.02</td> <td>-----</td> <td>-----</td> <td>78.64</td> <td>35.14</td> <td>11.64</td> <td>32.40</td> <td>176</td> <td>125</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5745.00	93.02	-----	-----	78.64	35.14	11.64	32.40	176	125	AVERAGE																																																																									
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																									
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																								
1	5745.00	93.02	-----	-----	78.64	35.14	11.64	32.40	176	125	AVERAGE																																																																																																					



	29																																																																																																															
Mode	Band Edge																																																																																																															
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																																																															
ANT	22																																																																																																															
Pol.	Vertical	Fundamental																																																																																																														
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5639.59</td> <td>53.13</td> <td>68.30</td> <td>-15.17</td> <td>38.76</td> <td>35.00</td> <td>11.69</td> <td>32.32</td> <td>200</td> <td>118</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5650.75</td> <td>51.97</td> <td>68.86</td> <td>-16.89</td> <td>37.60</td> <td>35.01</td> <td>11.69</td> <td>32.33</td> <td>200</td> <td>118</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5715.28</td> <td>61.55</td> <td>109.48</td> <td>-47.93</td> <td>47.17</td> <td>35.10</td> <td>11.66</td> <td>32.38</td> <td>200</td> <td>118</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5721.22</td> <td>65.68</td> <td>113.58</td> <td>-47.90</td> <td>51.30</td> <td>35.11</td> <td>11.65</td> <td>32.38</td> <td>200</td> <td>118</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5639.59	53.13	68.30	-15.17	38.76	35.00	11.69	32.32	200	118	PEAK	2	5650.75	51.97	68.86	-16.89	37.60	35.01	11.69	32.33	200	118	PEAK	3	5715.28	61.55	109.48	-47.93	47.17	35.10	11.66	32.38	200	118	PEAK	4	5721.22	65.68	113.58	-47.90	51.30	35.11	11.65	32.38	200	118	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>96.12</td> <td>-----</td> <td>-----</td> <td>81.74</td> <td>35.14</td> <td>11.64</td> <td>32.40</td> <td>200</td> <td>118</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5745.00	96.12	-----	-----	81.74	35.14	11.64	32.40	200	118	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																								
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																								
1	5639.59	53.13	68.30	-15.17	38.76	35.00	11.69	32.32	200	118	PEAK																																																																																																					
2	5650.75	51.97	68.86	-16.89	37.60	35.01	11.69	32.33	200	118	PEAK																																																																																																					
3	5715.28	61.55	109.48	-47.93	47.17	35.10	11.66	32.38	200	118	PEAK																																																																																																					
4	5721.22	65.68	113.58	-47.90	51.30	35.11	11.65	32.38	200	118	PEAK																																																																																																					
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																									
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																								
1	5745.00	96.12	-----	-----	81.74	35.14	11.64	32.40	200	118	PEAK																																																																																																					
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>90.70</td> <td>-----</td> <td>-----</td> <td>76.32</td> <td>35.14</td> <td>11.64</td> <td>32.40</td> <td>200</td> <td>118</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5745.00	90.70	-----	-----	76.32	35.14	11.64	32.40	200	118	AVERAGE																																																																									
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																									
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																								
1	5745.00	90.70	-----	-----	76.32	35.14	11.64	32.40	200	118	AVERAGE																																																																																																					



Mode	29																																																																																																		
	Harmonic																																																																																																		
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																																																		
ANT	22																																																																																																		
Pol.	Horizontal	Vertical																																																																																																	
Peak Avg	<p>Date: 2023-08-10</p>	<p>Date: 2023-08-10</p>																																																																																																	
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11490.00</td> <td>50.31</td> <td>74.00</td> <td>-23.69</td> <td>46.39</td> <td>39.79</td> <td>14.83</td> <td>50.70</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>17235.00</td> <td>50.86</td> <td>68.30</td> <td>-17.44</td> <td>42.81</td> <td>42.41</td> <td>17.57</td> <td>51.93</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	11490.00	50.31	74.00	-23.69	46.39	39.79	14.83	50.70	--	--	Peak	2	17235.00	50.86	68.30	-17.44	42.81	42.41	17.57	51.93	--	--	Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11490.00</td> <td>50.50</td> <td>74.00</td> <td>-23.50</td> <td>46.58</td> <td>39.79</td> <td>14.83</td> <td>50.70</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>17235.00</td> <td>50.41</td> <td>68.30</td> <td>-17.89</td> <td>42.36</td> <td>42.41</td> <td>17.57</td> <td>51.93</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	11490.00	50.50	74.00	-23.50	46.58	39.79	14.83	50.70	--	--	Peak	2	17235.00	50.41	68.30	-17.89	42.36	42.41	17.57	51.93	--	--
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																												
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																											
1	11490.00	50.31	74.00	-23.69	46.39	39.79	14.83	50.70	--	--	Peak																																																																																								
2	17235.00	50.86	68.30	-17.44	42.81	42.41	17.57	51.93	--	--	Peak																																																																																								
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																												
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																											
1	11490.00	50.50	74.00	-23.50	46.58	39.79	14.83	50.70	--	--	Peak																																																																																								
2	17235.00	50.41	68.30	-17.89	42.36	42.41	17.57	51.93	--	--	Peak																																																																																								



Mode	30																																																																																																	
	Harmonic																																																																																																	
	U-NII-3_5.725-5.85_802.11a_CH157_5785MHz																																																																																																	
ANT	22																																																																																																	
Pol.	Horizontal	Vertical																																																																																																
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11570.00</td> <td>49.87</td> <td>74.00</td> <td>-24.13</td> <td>45.79</td> <td>39.86</td> <td>14.88</td> <td>50.66</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>17355.00</td> <td>50.02</td> <td>68.30</td> <td>-18.28</td> <td>42.11</td> <td>42.36</td> <td>17.60</td> <td>52.05</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	11570.00	49.87	74.00	-24.13	45.79	39.86	14.88	50.66	--	--	Peak	2	17355.00	50.02	68.30	-18.28	42.11	42.36	17.60	52.05	--	--	Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11570.00</td> <td>49.63</td> <td>74.00</td> <td>-24.37</td> <td>45.55</td> <td>39.86</td> <td>14.88</td> <td>50.66</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>17355.00</td> <td>49.67</td> <td>68.30</td> <td>-18.63</td> <td>41.76</td> <td>42.36</td> <td>17.60</td> <td>52.05</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	11570.00	49.63	74.00	-24.37	45.55	39.86	14.88	50.66	--	--	Peak	2	17355.00	49.67	68.30	-18.63	41.76	42.36	17.60	52.05	--	--	Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																											
1	11570.00	49.87	74.00	-24.13	45.79	39.86	14.88	50.66	--	--	Peak																																																																																							
2	17355.00	50.02	68.30	-18.28	42.11	42.36	17.60	52.05	--	--	Peak																																																																																							
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																											
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																											
1	11570.00	49.63	74.00	-24.37	45.55	39.86	14.88	50.66	--	--	Peak																																																																																							
2	17355.00	49.67	68.30	-18.63	41.76	42.36	17.60	52.05	--	--	Peak																																																																																							



	31																																																																																																													
Mode	Band Edge																																																																																																													
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																																																													
ANT	22																																																																																																													
Pol.	Horizontal	Fundamental																																																																																																												
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5855.00</td> <td>50.88</td> <td>110.80</td> <td>-59.92</td> <td>36.55</td> <td>35.30</td> <td>11.52</td> <td>32.49</td> <td>100</td> <td>0</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5874.00</td> <td>51.54</td> <td>105.48</td> <td>-53.94</td> <td>37.23</td> <td>35.32</td> <td>11.49</td> <td>32.50</td> <td>100</td> <td>0</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5924.88</td> <td>52.05</td> <td>68.29</td> <td>-16.24</td> <td>37.80</td> <td>35.39</td> <td>11.40</td> <td>32.54</td> <td>100</td> <td>0</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5938.13</td> <td>52.63</td> <td>68.30</td> <td>-15.67</td> <td>38.39</td> <td>35.41</td> <td>11.38</td> <td>32.55</td> <td>100</td> <td>0</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5855.00	50.88	110.80	-59.92	36.55	35.30	11.52	32.49	100	0	PEAK	2	5874.00	51.54	105.48	-53.94	37.23	35.32	11.49	32.50	100	0	PEAK	3	5924.88	52.05	68.29	-16.24	37.80	35.39	11.40	32.54	100	0	PEAK	4	5938.13	52.63	68.30	-15.67	38.39	35.41	11.38	32.55	100	0	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>83.81</td> <td>-----</td> <td>-----</td> <td>69.44</td> <td>35.25</td> <td>11.58</td> <td>32.46</td> <td>100</td> <td>0</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5825.00	83.81	-----	-----	69.44	35.25	11.58	32.46	100	0	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																						
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																							
1	5855.00	50.88	110.80	-59.92	36.55	35.30	11.52	32.49	100	0	PEAK																																																																																																			
2	5874.00	51.54	105.48	-53.94	37.23	35.32	11.49	32.50	100	0	PEAK																																																																																																			
3	5924.88	52.05	68.29	-16.24	37.80	35.39	11.40	32.54	100	0	PEAK																																																																																																			
4	5938.13	52.63	68.30	-15.67	38.39	35.41	11.38	32.55	100	0	PEAK																																																																																																			
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																							
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																							
1	5825.00	83.81	-----	-----	69.44	35.25	11.58	32.46	100	0	PEAK																																																																																																			
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>78.42</td> <td>-----</td> <td>-----</td> <td>64.06</td> <td>35.25</td> <td>11.57</td> <td>32.46</td> <td>100</td> <td>0</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5825.00	78.42	-----	-----	64.06	35.25	11.57	32.46	100	0	AVERAGE																																																																								
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																							
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																							
1	5825.00	78.42	-----	-----	64.06	35.25	11.57	32.46	100	0	AVERAGE																																																																																																			



	31																																																																																																													
Mode	Band Edge																																																																																																													
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																																																													
ANT	22																																																																																																													
Pol.	Vertical	Fundamental																																																																																																												
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.38</td> <td>64.47</td> <td>112.22</td> <td>-47.75</td> <td>50.14</td> <td>35.30</td> <td>11.52</td> <td>32.49</td> <td>200</td> <td>360</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5855.63</td> <td>63.50</td> <td>110.62</td> <td>-47.12</td> <td>49.17</td> <td>35.30</td> <td>11.52</td> <td>32.49</td> <td>200</td> <td>360</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5925.00</td> <td>52.64</td> <td>68.20</td> <td>-15.56</td> <td>38.38</td> <td>35.40</td> <td>11.40</td> <td>32.54</td> <td>200</td> <td>360</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5926.63</td> <td>53.38</td> <td>68.30</td> <td>-14.92</td> <td>39.12</td> <td>35.40</td> <td>11.40</td> <td>32.54</td> <td>200</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5854.38	64.47	112.22	-47.75	50.14	35.30	11.52	32.49	200	360	PEAK	2	5855.63	63.50	110.62	-47.12	49.17	35.30	11.52	32.49	200	360	PEAK	3	5925.00	52.64	68.20	-15.56	38.38	35.40	11.40	32.54	200	360	PEAK	4	5926.63	53.38	68.30	-14.92	39.12	35.40	11.40	32.54	200	360	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>102.84</td> <td>-----</td> <td>-----</td> <td>88.48</td> <td>35.25</td> <td>11.57</td> <td>32.46</td> <td>200</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5825.00	102.84	-----	-----	88.48	35.25	11.57	32.46	200	360	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																							
1	5854.38	64.47	112.22	-47.75	50.14	35.30	11.52	32.49	200	360	PEAK																																																																																																			
2	5855.63	63.50	110.62	-47.12	49.17	35.30	11.52	32.49	200	360	PEAK																																																																																																			
3	5925.00	52.64	68.20	-15.56	38.38	35.40	11.40	32.54	200	360	PEAK																																																																																																			
4	5926.63	53.38	68.30	-14.92	39.12	35.40	11.40	32.54	200	360	PEAK																																																																																																			
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																							
1	5825.00	102.84	-----	-----	88.48	35.25	11.57	32.46	200	360	PEAK																																																																																																			
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>97.68</td> <td>-----</td> <td>-----</td> <td>83.32</td> <td>35.25</td> <td>11.57</td> <td>32.46</td> <td>200</td> <td>360</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5825.00	97.68	-----	-----	83.32	35.25	11.57	32.46	200	360	AVERAGE																																																																								
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																							
1	5825.00	97.68	-----	-----	83.32	35.25	11.57	32.46	200	360	AVERAGE																																																																																																			



Mode	31																																																																																																	
	Harmonic																																																																																																	
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																																																	
ANT	22																																																																																																	
Pol.	Horizontal	Vertical																																																																																																
Peak Avg	<p>Date: 2023-08-10</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11650.00</td> <td>50.39</td> <td>74.00</td> <td>-23.61</td> <td>46.15</td> <td>39.92</td> <td>14.93</td> <td>50.61</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>17475.00</td> <td>51.52</td> <td>68.30</td> <td>-16.78</td> <td>43.75</td> <td>42.31</td> <td>17.63</td> <td>52.17</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	11650.00	50.39	74.00	-23.61	46.15	39.92	14.93	50.61	--	--	Peak	2	17475.00	51.52	68.30	-16.78	43.75	42.31	17.63	52.17	--	--	Peak	<p>Date: 2023-08-10</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11650.00</td> <td>51.63</td> <td>74.00</td> <td>-22.37</td> <td>47.39</td> <td>39.92</td> <td>14.93</td> <td>50.61</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>17475.00</td> <td>51.41</td> <td>68.30</td> <td>-16.89</td> <td>43.64</td> <td>42.31</td> <td>17.63</td> <td>52.17</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	11650.00	51.63	74.00	-22.37	47.39	39.92	14.93	50.61	--	--	Peak	2	17475.00	51.41	68.30	-16.89	43.64	42.31	17.63	52.17	--	--	Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																											
1	11650.00	50.39	74.00	-23.61	46.15	39.92	14.93	50.61	--	--	Peak																																																																																							
2	17475.00	51.52	68.30	-16.78	43.75	42.31	17.63	52.17	--	--	Peak																																																																																							
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																											
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																											
1	11650.00	51.63	74.00	-22.37	47.39	39.92	14.93	50.61	--	--	Peak																																																																																							
2	17475.00	51.41	68.30	-16.89	43.64	42.31	17.63	52.17	--	--	Peak																																																																																							



	32																																																																																																															
Mode	Band Edge																																																																																																															
	U-NII-3_5.725-5.85_802.11n HT20_CH149-5745MHz																																																																																																															
ANT	22																																																																																																															
Pol.	Horizontal	Fundamental																																																																																																														
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5611.89</td> <td>53.34</td> <td>68.30</td> <td>-14.96</td> <td>38.97</td> <td>34.96</td> <td>11.71</td> <td>32.30</td> <td>300</td> <td>178</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5650.32</td> <td>52.01</td> <td>68.53</td> <td>-16.52</td> <td>37.64</td> <td>35.01</td> <td>11.69</td> <td>32.33</td> <td>300</td> <td>178</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5701.65</td> <td>52.40</td> <td>105.66</td> <td>-53.26</td> <td>38.03</td> <td>35.08</td> <td>11.66</td> <td>32.37</td> <td>300</td> <td>178</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5722.53</td> <td>61.58</td> <td>116.56</td> <td>-54.98</td> <td>47.20</td> <td>35.11</td> <td>11.65</td> <td>32.38</td> <td>300</td> <td>178</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5611.89	53.34	68.30	-14.96	38.97	34.96	11.71	32.30	300	178	PEAK	2	5650.32	52.01	68.53	-16.52	37.64	35.01	11.69	32.33	300	178	PEAK	3	5701.65	52.40	105.66	-53.26	38.03	35.08	11.66	32.37	300	178	PEAK	4	5722.53	61.58	116.56	-54.98	47.20	35.11	11.65	32.38	300	178	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>89.15</td> <td>-----</td> <td>-----</td> <td>74.77</td> <td>35.14</td> <td>11.64</td> <td>32.40</td> <td>300</td> <td>178</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5745.00	89.15	-----	-----	74.77	35.14	11.64	32.40	300	178	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																								
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																								
1	5611.89	53.34	68.30	-14.96	38.97	34.96	11.71	32.30	300	178	PEAK																																																																																																					
2	5650.32	52.01	68.53	-16.52	37.64	35.01	11.69	32.33	300	178	PEAK																																																																																																					
3	5701.65	52.40	105.66	-53.26	38.03	35.08	11.66	32.37	300	178	PEAK																																																																																																					
4	5722.53	61.58	116.56	-54.98	47.20	35.11	11.65	32.38	300	178	PEAK																																																																																																					
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																									
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																								
1	5745.00	89.15	-----	-----	74.77	35.14	11.64	32.40	300	178	PEAK																																																																																																					
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>82.95</td> <td>-----</td> <td>-----</td> <td>68.57</td> <td>35.14</td> <td>11.64</td> <td>32.40</td> <td>300</td> <td>178</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5745.00	82.95	-----	-----	68.57	35.14	11.64	32.40	300	178	AVERAGE																																																																									
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																									
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																								
1	5745.00	82.95	-----	-----	68.57	35.14	11.64	32.40	300	178	AVERAGE																																																																																																					



	32																																																																																																															
Mode	Band Edge																																																																																																															
	U-NII-3_5.725-5.85_802.11n HT20_CH149-5745MHz																																																																																																															
ANT	22																																																																																																															
Pol.	Vertical	Fundamental																																																																																																														
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5608.12</td> <td>53.12</td> <td>68.30</td> <td>-15.18</td> <td>38.75</td> <td>34.95</td> <td>11.71</td> <td>32.29</td> <td>200</td> <td>311</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5650.61</td> <td>52.79</td> <td>68.75</td> <td>-15.96</td> <td>38.42</td> <td>35.01</td> <td>11.69</td> <td>32.33</td> <td>200</td> <td>311</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5718.32</td> <td>64.52</td> <td>110.33</td> <td>-45.81</td> <td>50.13</td> <td>35.11</td> <td>11.66</td> <td>32.38</td> <td>200</td> <td>311</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5720.21</td> <td>63.71</td> <td>111.27</td> <td>-47.56</td> <td>49.32</td> <td>35.11</td> <td>11.66</td> <td>32.38</td> <td>200</td> <td>311</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5608.12	53.12	68.30	-15.18	38.75	34.95	11.71	32.29	200	311	PEAK	2	5650.61	52.79	68.75	-15.96	38.42	35.01	11.69	32.33	200	311	PEAK	3	5718.32	64.52	110.33	-45.81	50.13	35.11	11.66	32.38	200	311	PEAK	4	5720.21	63.71	111.27	-47.56	49.32	35.11	11.66	32.38	200	311	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>101.55</td> <td>-----</td> <td>-----</td> <td>87.17</td> <td>35.14</td> <td>11.64</td> <td>32.40</td> <td>200</td> <td>311</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5745.00	101.55	-----	-----	87.17	35.14	11.64	32.40	200	311	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																								
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																								
1	5608.12	53.12	68.30	-15.18	38.75	34.95	11.71	32.29	200	311	PEAK																																																																																																					
2	5650.61	52.79	68.75	-15.96	38.42	35.01	11.69	32.33	200	311	PEAK																																																																																																					
3	5718.32	64.52	110.33	-45.81	50.13	35.11	11.66	32.38	200	311	PEAK																																																																																																					
4	5720.21	63.71	111.27	-47.56	49.32	35.11	11.66	32.38	200	311	PEAK																																																																																																					
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																									
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																								
1	5745.00	101.55	-----	-----	87.17	35.14	11.64	32.40	200	311	PEAK																																																																																																					
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>95.42</td> <td>-----</td> <td>-----</td> <td>81.04</td> <td>35.14</td> <td>11.64</td> <td>32.40</td> <td>200</td> <td>311</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5745.00	95.42	-----	-----	81.04	35.14	11.64	32.40	200	311	AVERAGE																																																																									
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																									
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																								
1	5745.00	95.42	-----	-----	81.04	35.14	11.64	32.40	200	311	AVERAGE																																																																																																					



Mode	32																																																																																																
	Harmonic																																																																																																
	U-NII-3_5.725-5.85_802.11n HT20_CH149-5745MHz																																																																																																
ANT	22																																																																																																
Pol.	Horizontal	Vertical																																																																																															
Peak Avg																																																																																																	
	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11490.00</td> <td>49.17</td> <td>74.00</td> <td>-24.83</td> <td>45.25</td> <td>39.79</td> <td>14.83</td> <td>50.70</td> <td>--</td> <td>-- Peak</td> </tr> <tr> <td>2 17235.00</td> <td>50.39</td> <td>68.30</td> <td>-17.91</td> <td>42.34</td> <td>42.41</td> <td>17.57</td> <td>51.93</td> <td>--</td> <td>-- Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Apos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11490.00	49.17	74.00	-24.83	45.25	39.79	14.83	50.70	--	-- Peak	2 17235.00	50.39	68.30	-17.91	42.34	42.41	17.57	51.93	--	-- Peak	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11490.00</td> <td>49.82</td> <td>74.00</td> <td>-24.18</td> <td>45.90</td> <td>39.79</td> <td>14.83</td> <td>50.70</td> <td>--</td> <td>-- Peak</td> </tr> <tr> <td>2 17235.00</td> <td>50.16</td> <td>68.30</td> <td>-18.14</td> <td>42.11</td> <td>42.41</td> <td>17.57</td> <td>51.93</td> <td>--</td> <td>-- Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Apos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11490.00	49.82	74.00	-24.18	45.90	39.79	14.83	50.70	--	-- Peak	2 17235.00	50.16	68.30	-18.14	42.11	42.41	17.57	51.93	--
	Limit	Read	Ant	Cable	Preamp	Apos	TPos																																																																																										
Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1 11490.00	49.17	74.00	-24.83	45.25	39.79	14.83	50.70	--	-- Peak																																																																																								
2 17235.00	50.39	68.30	-17.91	42.34	42.41	17.57	51.93	--	-- Peak																																																																																								
	Limit	Read	Ant	Cable	Preamp	Apos	TPos																																																																																										
Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1 11490.00	49.82	74.00	-24.18	45.90	39.79	14.83	50.70	--	-- Peak																																																																																								
2 17235.00	50.16	68.30	-18.14	42.11	42.41	17.57	51.93	--	-- Peak																																																																																								



Mode	33																																																																																																
	Harmonic																																																																																																
	U-NII-3_5.725-5.85_802.11n HT20_CH157-5785MHz																																																																																																
ANT	22																																																																																																
Pol.	Horizontal	Vertical																																																																																															
Peak Avg																																																																																																	
	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11570.00</td> <td>48.62</td> <td>74.00</td> <td>-25.38</td> <td>44.54</td> <td>39.86</td> <td>14.88</td> <td>50.66</td> <td>--</td> <td>-- Peak</td> </tr> <tr> <td>2 17355.00</td> <td>51.05</td> <td>68.30</td> <td>-17.25</td> <td>43.14</td> <td>42.36</td> <td>17.60</td> <td>52.05</td> <td>--</td> <td>-- Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11570.00	48.62	74.00	-25.38	44.54	39.86	14.88	50.66	--	-- Peak	2 17355.00	51.05	68.30	-17.25	43.14	42.36	17.60	52.05	--	-- Peak	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11570.00</td> <td>50.18</td> <td>74.00</td> <td>-23.82</td> <td>46.10</td> <td>39.86</td> <td>14.88</td> <td>50.66</td> <td>--</td> <td>-- Peak</td> </tr> <tr> <td>2 17355.00</td> <td>51.15</td> <td>68.30</td> <td>-17.15</td> <td>43.24</td> <td>42.36</td> <td>17.60</td> <td>52.05</td> <td>--</td> <td>-- Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11570.00	50.18	74.00	-23.82	46.10	39.86	14.88	50.66	--	-- Peak	2 17355.00	51.15	68.30	-17.15	43.24	42.36	17.60	52.05	--
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																										
Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1 11570.00	48.62	74.00	-25.38	44.54	39.86	14.88	50.66	--	-- Peak																																																																																								
2 17355.00	51.05	68.30	-17.25	43.14	42.36	17.60	52.05	--	-- Peak																																																																																								
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																										
Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1 11570.00	50.18	74.00	-23.82	46.10	39.86	14.88	50.66	--	-- Peak																																																																																								
2 17355.00	51.15	68.30	-17.15	43.24	42.36	17.60	52.05	--	-- Peak																																																																																								



	34																																																																																																													
Mode	Band Edge																																																																																																													
	U-NII-3_5.725-5.85_802.11n HT20_CH165-5825MHz																																																																																																													
ANT	22																																																																																																													
Pol.	Horizontal	Fundamental																																																																																																												
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5855.00</td> <td>56.72</td> <td>110.80</td> <td>-54.08</td> <td>42.39</td> <td>35.30</td> <td>11.52</td> <td>32.49</td> <td>199</td> <td>128</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5874.50</td> <td>52.07</td> <td>105.34</td> <td>-53.27</td> <td>37.76</td> <td>35.32</td> <td>11.49</td> <td>32.50</td> <td>199</td> <td>128</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5924.75</td> <td>52.41</td> <td>68.38</td> <td>-15.97</td> <td>38.16</td> <td>35.39</td> <td>11.40</td> <td>32.54</td> <td>199</td> <td>128</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5934.75</td> <td>52.66</td> <td>68.30</td> <td>-15.64</td> <td>38.41</td> <td>35.41</td> <td>11.39</td> <td>32.55</td> <td>199</td> <td>128</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5855.00	56.72	110.80	-54.08	42.39	35.30	11.52	32.49	199	128	PEAK	2	5874.50	52.07	105.34	-53.27	37.76	35.32	11.49	32.50	199	128	PEAK	3	5924.75	52.41	68.38	-15.97	38.16	35.39	11.40	32.54	199	128	PEAK	4	5934.75	52.66	68.30	-15.64	38.41	35.41	11.39	32.55	199	128	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>97.73</td> <td>-----</td> <td>-----</td> <td>83.37</td> <td>35.25</td> <td>11.57</td> <td>32.46</td> <td>199</td> <td>128</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5825.00	97.73	-----	-----	83.37	35.25	11.57	32.46	199	128	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																						
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																							
1	5855.00	56.72	110.80	-54.08	42.39	35.30	11.52	32.49	199	128	PEAK																																																																																																			
2	5874.50	52.07	105.34	-53.27	37.76	35.32	11.49	32.50	199	128	PEAK																																																																																																			
3	5924.75	52.41	68.38	-15.97	38.16	35.39	11.40	32.54	199	128	PEAK																																																																																																			
4	5934.75	52.66	68.30	-15.64	38.41	35.41	11.39	32.55	199	128	PEAK																																																																																																			
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																							
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																							
1	5825.00	97.73	-----	-----	83.37	35.25	11.57	32.46	199	128	PEAK																																																																																																			
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>91.46</td> <td>-----</td> <td>-----</td> <td>77.10</td> <td>35.25</td> <td>11.57</td> <td>32.46</td> <td>199</td> <td>128</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5825.00	91.46	-----	-----	77.10	35.25	11.57	32.46	199	128	AVERAGE																																																																								
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																							
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																							
1	5825.00	91.46	-----	-----	77.10	35.25	11.57	32.46	199	128	AVERAGE																																																																																																			



	34																																																																																																													
Mode	Band Edge																																																																																																													
	U-NII-3_5.725-5.85_802.11n HT20_CH165-5825MHz																																																																																																													
ANT	22																																																																																																													
Pol.	Vertical	Fundamental																																																																																																												
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5853.38</td> <td>66.47</td> <td>114.50</td> <td>-48.03</td> <td>52.15</td> <td>35.29</td> <td>11.52</td> <td>32.49</td> <td>201</td> <td>309</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5856.75</td> <td>64.49</td> <td>110.31</td> <td>-45.82</td> <td>50.16</td> <td>35.30</td> <td>11.52</td> <td>32.49</td> <td>201</td> <td>309</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5924.75</td> <td>51.91</td> <td>68.38</td> <td>-16.47</td> <td>37.66</td> <td>35.39</td> <td>11.40</td> <td>32.54</td> <td>201</td> <td>309</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5936.38</td> <td>53.11</td> <td>68.30</td> <td>-15.19</td> <td>38.87</td> <td>35.41</td> <td>11.38</td> <td>32.55</td> <td>201</td> <td>309</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5853.38	66.47	114.50	-48.03	52.15	35.29	11.52	32.49	201	309	PEAK	2	5856.75	64.49	110.31	-45.82	50.16	35.30	11.52	32.49	201	309	PEAK	3	5924.75	51.91	68.38	-16.47	37.66	35.39	11.40	32.54	201	309	PEAK	4	5936.38	53.11	68.30	-15.19	38.87	35.41	11.38	32.55	201	309	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>104.41</td> <td>-----</td> <td>-----</td> <td>90.04</td> <td>35.25</td> <td>11.58</td> <td>32.46</td> <td>201</td> <td>309</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5825.00	104.41	-----	-----	90.04	35.25	11.58	32.46	201	309	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																							
1	5853.38	66.47	114.50	-48.03	52.15	35.29	11.52	32.49	201	309	PEAK																																																																																																			
2	5856.75	64.49	110.31	-45.82	50.16	35.30	11.52	32.49	201	309	PEAK																																																																																																			
3	5924.75	51.91	68.38	-16.47	37.66	35.39	11.40	32.54	201	309	PEAK																																																																																																			
4	5936.38	53.11	68.30	-15.19	38.87	35.41	11.38	32.55	201	309	PEAK																																																																																																			
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																							
1	5825.00	104.41	-----	-----	90.04	35.25	11.58	32.46	201	309	PEAK																																																																																																			
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>97.59</td> <td>-----</td> <td>-----</td> <td>83.23</td> <td>35.25</td> <td>11.57</td> <td>32.46</td> <td>201</td> <td>309</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5825.00	97.59	-----	-----	83.23	35.25	11.57	32.46	201	309	AVERAGE																																																																								
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																							
1	5825.00	97.59	-----	-----	83.23	35.25	11.57	32.46	201	309	AVERAGE																																																																																																			



Mode	34																																																																																															
	Harmonic																																																																																															
	U-NII-3_5.725-5.85_802.11n HT20_CH165-5825MHz																																																																																															
ANT	22																																																																																															
Pol.	Horizontal	Vertical																																																																																														
Peak Avg	<p>Date: 2023-08-10</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11650.00</td> <td>50.44</td> <td>74.00</td> <td>-23.56</td> <td>46.20</td> <td>39.92</td> <td>14.93</td> <td>50.61</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>17475.00</td> <td>51.92</td> <td>68.30</td> <td>-16.38</td> <td>44.15</td> <td>42.31</td> <td>17.63</td> <td>52.17</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	11650.00	50.44	74.00	-23.56	46.20	39.92	14.93	50.61	--	Peak	2	17475.00	51.92	68.30	-16.38	44.15	42.31	17.63	52.17	--	Peak	<p>Date: 2023-08-10</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11650.00</td> <td>50.47</td> <td>74.00</td> <td>-23.53</td> <td>46.23</td> <td>39.92</td> <td>14.93</td> <td>50.61</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>17475.00</td> <td>51.30</td> <td>68.30</td> <td>-17.00</td> <td>43.53</td> <td>42.31</td> <td>17.63</td> <td>52.17</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	11650.00	50.47	74.00	-23.53	46.23	39.92	14.93	50.61	--	Peak	2	17475.00	51.30	68.30	-17.00	43.53	42.31	17.63	52.17	--	Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																								
1	11650.00	50.44	74.00	-23.56	46.20	39.92	14.93	50.61	--	Peak																																																																																						
2	17475.00	51.92	68.30	-16.38	44.15	42.31	17.63	52.17	--	Peak																																																																																						
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																								
1	11650.00	50.47	74.00	-23.53	46.23	39.92	14.93	50.61	--	Peak																																																																																						
2	17475.00	51.30	68.30	-17.00	43.53	42.31	17.63	52.17	--	Peak																																																																																						



	35																																																																																																															
Mode	Band Edge - L																																																																																																															
	U-NII-3_5.725-5.85_802.11n HT40_CH151-5755MHz																																																																																																															
ANT	22																																																																																																															
Pol.	Horizontal	Fundamental																																																																																																														
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5640.61</td> <td>53.24</td> <td>68.30</td> <td>-15.06</td> <td>38.87</td> <td>35.00</td> <td>11.69</td> <td>32.32</td> <td>192</td> <td>131</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5651.31</td> <td>52.60</td> <td>69.27</td> <td>-16.67</td> <td>38.23</td> <td>35.01</td> <td>11.69</td> <td>32.33</td> <td>192</td> <td>131</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5719.82</td> <td>70.00</td> <td>110.75</td> <td>-40.75</td> <td>55.61</td> <td>35.11</td> <td>11.66</td> <td>32.38</td> <td>192</td> <td>131</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5720.13</td> <td>69.74</td> <td>111.09</td> <td>-41.35</td> <td>55.35</td> <td>35.11</td> <td>11.66</td> <td>32.38</td> <td>192</td> <td>131</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5640.61	53.24	68.30	-15.06	38.87	35.00	11.69	32.32	192	131	PEAK	2	5651.31	52.60	69.27	-16.67	38.23	35.01	11.69	32.33	192	131	PEAK	3	5719.82	70.00	110.75	-40.75	55.61	35.11	11.66	32.38	192	131	PEAK	4	5720.13	69.74	111.09	-41.35	55.35	35.11	11.66	32.38	192	131	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5755.00</td> <td>97.10</td> <td>-----</td> <td>-----</td> <td>82.71</td> <td>35.16</td> <td>11.64</td> <td>32.41</td> <td>192</td> <td>131</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5755.00	97.10	-----	-----	82.71	35.16	11.64	32.41	192	131	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																								
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																								
1	5640.61	53.24	68.30	-15.06	38.87	35.00	11.69	32.32	192	131	PEAK																																																																																																					
2	5651.31	52.60	69.27	-16.67	38.23	35.01	11.69	32.33	192	131	PEAK																																																																																																					
3	5719.82	70.00	110.75	-40.75	55.61	35.11	11.66	32.38	192	131	PEAK																																																																																																					
4	5720.13	69.74	111.09	-41.35	55.35	35.11	11.66	32.38	192	131	PEAK																																																																																																					
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																									
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																								
1	5755.00	97.10	-----	-----	82.71	35.16	11.64	32.41	192	131	PEAK																																																																																																					
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5755.00</td> <td>91.23</td> <td>-----</td> <td>-----</td> <td>76.84</td> <td>35.16</td> <td>11.64</td> <td>32.41</td> <td>192</td> <td>131</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5755.00	91.23	-----	-----	76.84	35.16	11.64	32.41	192	131	AVERAGE																																																																									
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																									
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																								
1	5755.00	91.23	-----	-----	76.84	35.16	11.64	32.41	192	131	AVERAGE																																																																																																					



Mode	35																																																																									
	Band Edge - R																																																																									
	U-NII-3_5.725-5.85_802.11n HT40_CH151-5755MHz																																																																									
ANT	22																																																																									
Pol.	Horizontal	Fundamental																																																																								
Peak	<p>Date: 2023-08-08</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.84</td> <td>51.09</td> <td>111.17</td> <td>-60.08</td> <td>36.76</td> <td>35.30</td> <td>11.52</td> <td>32.49</td> <td>192</td> <td>131</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5873.37</td> <td>52.86</td> <td>105.66</td> <td>-52.80</td> <td>38.55</td> <td>35.32</td> <td>11.49</td> <td>32.50</td> <td>192</td> <td>131</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5924.85</td> <td>51.64</td> <td>68.31</td> <td>-16.67</td> <td>37.39</td> <td>35.39</td> <td>11.40</td> <td>32.54</td> <td>192</td> <td>131</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5936.35</td> <td>52.85</td> <td>68.30</td> <td>-15.45</td> <td>38.61</td> <td>35.41</td> <td>11.38</td> <td>32.55</td> <td>192</td> <td>131</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5854.84	51.09	111.17	-60.08	36.76	35.30	11.52	32.49	192	131	PEAK	2	5873.37	52.86	105.66	-52.80	38.55	35.32	11.49	32.50	192	131	PEAK	3	5924.85	51.64	68.31	-16.67	37.39	35.39	11.40	32.54	192	131	PEAK	4	5936.35	52.85	68.30	-15.45	38.61	35.41	11.38	32.55	192	131	PEAK	Blank
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1	5854.84	51.09	111.17	-60.08	36.76	35.30	11.52	32.49	192	131	PEAK																																																															
2	5873.37	52.86	105.66	-52.80	38.55	35.32	11.49	32.50	192	131	PEAK																																																															
3	5924.85	51.64	68.31	-16.67	37.39	35.39	11.40	32.54	192	131	PEAK																																																															
4	5936.35	52.85	68.30	-15.45	38.61	35.41	11.38	32.55	192	131	PEAK																																																															



	35																																																																																																															
Mode	Band Edge - L																																																																																																															
	U-NII-3_5.725-5.85_802.11n HT40_CH151-5755MHz																																																																																																															
ANT	22																																																																																																															
Pol.	Vertical	Fundamental																																																																																																														
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5644.95</td> <td>53.76</td> <td>68.30</td> <td>-14.54</td> <td>39.39</td> <td>35.00</td> <td>11.69</td> <td>32.32</td> <td>200</td> <td>345</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5650.07</td> <td>52.07</td> <td>68.35</td> <td>-16.28</td> <td>37.70</td> <td>35.01</td> <td>11.69</td> <td>32.33</td> <td>200</td> <td>345</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5719.82</td> <td>71.64</td> <td>110.75</td> <td>-39.11</td> <td>57.25</td> <td>35.11</td> <td>11.66</td> <td>32.38</td> <td>200</td> <td>345</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5720.13</td> <td>71.44</td> <td>111.09</td> <td>-39.65</td> <td>57.05</td> <td>35.11</td> <td>11.66</td> <td>32.38</td> <td>200</td> <td>345</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5644.95	53.76	68.30	-14.54	39.39	35.00	11.69	32.32	200	345	PEAK	2	5650.07	52.07	68.35	-16.28	37.70	35.01	11.69	32.33	200	345	PEAK	3	5719.82	71.64	110.75	-39.11	57.25	35.11	11.66	32.38	200	345	PEAK	4	5720.13	71.44	111.09	-39.65	57.05	35.11	11.66	32.38	200	345	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5755.00</td> <td>101.18</td> <td>-----</td> <td>-----</td> <td>86.80</td> <td>35.15</td> <td>11.64</td> <td>32.41</td> <td>200</td> <td>345</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5755.00	101.18	-----	-----	86.80	35.15	11.64	32.41	200	345	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																								
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																								
1	5644.95	53.76	68.30	-14.54	39.39	35.00	11.69	32.32	200	345	PEAK																																																																																																					
2	5650.07	52.07	68.35	-16.28	37.70	35.01	11.69	32.33	200	345	PEAK																																																																																																					
3	5719.82	71.64	110.75	-39.11	57.25	35.11	11.66	32.38	200	345	PEAK																																																																																																					
4	5720.13	71.44	111.09	-39.65	57.05	35.11	11.66	32.38	200	345	PEAK																																																																																																					
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																									
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																								
1	5755.00	101.18	-----	-----	86.80	35.15	11.64	32.41	200	345	PEAK																																																																																																					
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5755.00</td> <td>94.97</td> <td>-----</td> <td>-----</td> <td>80.58</td> <td>35.16</td> <td>11.64</td> <td>32.41</td> <td>200</td> <td>345</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5755.00	94.97	-----	-----	80.58	35.16	11.64	32.41	200	345	AVERAGE																																																																									
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																									
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																								
1	5755.00	94.97	-----	-----	80.58	35.16	11.64	32.41	200	345	AVERAGE																																																																																																					



Mode	35																																																																									
	Band Edge - R																																																																									
	U-NII-3_5.725-5.85_802.11n HT40_CH151-5755MHz																																																																									
ANT	22																																																																									
Pol.	Vertical	Fundamental																																																																								
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.84</td> <td>52.12</td> <td>111.17</td> <td>-59.05</td> <td>37.79</td> <td>35.30</td> <td>11.52</td> <td>32.49</td> <td>200</td> <td>345</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5872.78</td> <td>53.25</td> <td>105.82</td> <td>-52.57</td> <td>38.94</td> <td>35.32</td> <td>11.49</td> <td>32.50</td> <td>200</td> <td>345</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5924.26</td> <td>51.25</td> <td>68.75</td> <td>-17.50</td> <td>37.00</td> <td>35.39</td> <td>11.40</td> <td>32.54</td> <td>200</td> <td>345</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5927.77</td> <td>52.50</td> <td>68.30</td> <td>-15.80</td> <td>38.24</td> <td>35.40</td> <td>11.40</td> <td>32.54</td> <td>200</td> <td>345</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5854.84	52.12	111.17	-59.05	37.79	35.30	11.52	32.49	200	345	PEAK	2	5872.78	53.25	105.82	-52.57	38.94	35.32	11.49	32.50	200	345	PEAK	3	5924.26	51.25	68.75	-17.50	37.00	35.39	11.40	32.54	200	345	PEAK	4	5927.77	52.50	68.30	-15.80	38.24	35.40	11.40	32.54	200	345	PEAK	Blank
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1	5854.84	52.12	111.17	-59.05	37.79	35.30	11.52	32.49	200	345	PEAK																																																															
2	5872.78	53.25	105.82	-52.57	38.94	35.32	11.49	32.50	200	345	PEAK																																																															
3	5924.26	51.25	68.75	-17.50	37.00	35.39	11.40	32.54	200	345	PEAK																																																															
4	5927.77	52.50	68.30	-15.80	38.24	35.40	11.40	32.54	200	345	PEAK																																																															



Mode	35																																																																																															
	Harmonic																																																																																															
	U-NII-3_5.725-5.85_802.11n HT40_CH151_5755MHz																																																																																															
ANT	22																																																																																															
Pol.	Horizontal	Vertical																																																																																														
Peak Avg	<p>Date: 2023-08-21</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11510.00</td> <td>50.07</td> <td>74.00</td> <td>-23.93</td> <td>47.71</td> <td>38.21</td> <td>14.85</td> <td>50.70</td> <td>--- Peak</td> </tr> <tr> <td>2</td> <td>17265.00</td> <td>50.56</td> <td>68.30</td> <td>-17.74</td> <td>43.11</td> <td>41.83</td> <td>17.58</td> <td>51.96</td> <td>--- Peak</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	11510.00	50.07	74.00	-23.93	47.71	38.21	14.85	50.70	--- Peak	2	17265.00	50.56	68.30	-17.74	43.11	41.83	17.58	51.96	--- Peak	<p>Date: 2023-08-21</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11510.00</td> <td>50.18</td> <td>74.00</td> <td>-23.82</td> <td>47.82</td> <td>38.21</td> <td>14.85</td> <td>50.70</td> <td>--- Peak</td> </tr> <tr> <td>2</td> <td>17265.00</td> <td>50.37</td> <td>68.30</td> <td>-17.93</td> <td>42.92</td> <td>41.83</td> <td>17.58</td> <td>51.96</td> <td>--- Peak</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	11510.00	50.18	74.00	-23.82	47.82	38.21	14.85	50.70	--- Peak	2	17265.00	50.37	68.30	-17.93	42.92	41.83	17.58	51.96	--- Peak
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																									
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	11510.00	50.07	74.00	-23.93	47.71	38.21	14.85	50.70	--- Peak																																																																																							
2	17265.00	50.56	68.30	-17.74	43.11	41.83	17.58	51.96	--- Peak																																																																																							
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																									
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	11510.00	50.18	74.00	-23.82	47.82	38.21	14.85	50.70	--- Peak																																																																																							
2	17265.00	50.37	68.30	-17.93	42.92	41.83	17.58	51.96	--- Peak																																																																																							



	36																																																																																																													
Mode	Band Edge - L																																																																																																													
	U-NII-3_5.725-5.85_802.11n HT40_CH159-5795MHz																																																																																																													
ANT	22																																																																																																													
Pol.	Horizontal	Fundamental																																																																																																												
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5647.19</td> <td>53.13</td> <td>68.30</td> <td>-15.17</td> <td>38.75</td> <td>35.01</td> <td>11.69</td> <td>32.32</td> <td>185</td> <td>130</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5650.12</td> <td>52.37</td> <td>68.39</td> <td>-16.02</td> <td>38.00</td> <td>35.01</td> <td>11.69</td> <td>32.33</td> <td>185</td> <td>130</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5702.77</td> <td>53.43</td> <td>105.98</td> <td>-52.55</td> <td>39.06</td> <td>35.08</td> <td>11.66</td> <td>32.37</td> <td>185</td> <td>130</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5720.12</td> <td>55.71</td> <td>111.07</td> <td>-55.36</td> <td>41.32</td> <td>35.11</td> <td>11.66</td> <td>32.38</td> <td>185</td> <td>130</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5647.19	53.13	68.30	-15.17	38.75	35.01	11.69	32.32	185	130	PEAK	2	5650.12	52.37	68.39	-16.02	38.00	35.01	11.69	32.33	185	130	PEAK	3	5702.77	53.43	105.98	-52.55	39.06	35.08	11.66	32.37	185	130	PEAK	4	5720.12	55.71	111.07	-55.36	41.32	35.11	11.66	32.38	185	130	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5795.00</td> <td>97.05</td> <td>-----</td> <td>-----</td> <td>82.66</td> <td>35.22</td> <td>11.61</td> <td>32.44</td> <td>185</td> <td>130</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5795.00	97.05	-----	-----	82.66	35.22	11.61	32.44	185	130	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																						
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																							
1	5647.19	53.13	68.30	-15.17	38.75	35.01	11.69	32.32	185	130	PEAK																																																																																																			
2	5650.12	52.37	68.39	-16.02	38.00	35.01	11.69	32.33	185	130	PEAK																																																																																																			
3	5702.77	53.43	105.98	-52.55	39.06	35.08	11.66	32.37	185	130	PEAK																																																																																																			
4	5720.12	55.71	111.07	-55.36	41.32	35.11	11.66	32.38	185	130	PEAK																																																																																																			
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																							
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																							
1	5795.00	97.05	-----	-----	82.66	35.22	11.61	32.44	185	130	PEAK																																																																																																			
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5795.00</td> <td>90.87</td> <td>-----</td> <td>-----</td> <td>76.48</td> <td>35.21</td> <td>11.62</td> <td>32.44</td> <td>185</td> <td>130</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5795.00	90.87	-----	-----	76.48	35.21	11.62	32.44	185	130	AVERAGE																																																																								
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																							
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																							
1	5795.00	90.87	-----	-----	76.48	35.21	11.62	32.44	185	130	AVERAGE																																																																																																			



Mode	36																																																																									
	Band Edge - R																																																																									
	U-NII-3_5.725-5.85_802.11n HT40_CH159-5795MHz																																																																									
ANT	22																																																																									
Pol.	Horizontal	Fundamental																																																																								
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.99</td> <td>51.46</td> <td>110.83</td> <td>-59.37</td> <td>37.13</td> <td>35.30</td> <td>11.52</td> <td>32.49</td> <td>185</td> <td>130</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5868.78</td> <td>53.59</td> <td>106.94</td> <td>-53.35</td> <td>39.27</td> <td>35.32</td> <td>11.50</td> <td>32.50</td> <td>185</td> <td>130</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5923.96</td> <td>51.78</td> <td>68.97</td> <td>-17.19</td> <td>37.52</td> <td>35.39</td> <td>11.41</td> <td>32.54</td> <td>185</td> <td>130</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5928.30</td> <td>53.22</td> <td>68.30</td> <td>-15.08</td> <td>38.97</td> <td>35.40</td> <td>11.40</td> <td>32.55</td> <td>185</td> <td>130</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5854.99	51.46	110.83	-59.37	37.13	35.30	11.52	32.49	185	130	PEAK	2	5868.78	53.59	106.94	-53.35	39.27	35.32	11.50	32.50	185	130	PEAK	3	5923.96	51.78	68.97	-17.19	37.52	35.39	11.41	32.54	185	130	PEAK	4	5928.30	53.22	68.30	-15.08	38.97	35.40	11.40	32.55	185	130	PEAK	Blank
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1	5854.99	51.46	110.83	-59.37	37.13	35.30	11.52	32.49	185	130	PEAK																																																															
2	5868.78	53.59	106.94	-53.35	39.27	35.32	11.50	32.50	185	130	PEAK																																																															
3	5923.96	51.78	68.97	-17.19	37.52	35.39	11.41	32.54	185	130	PEAK																																																															
4	5928.30	53.22	68.30	-15.08	38.97	35.40	11.40	32.55	185	130	PEAK																																																															



	36																																																																																																															
Mode	Band Edge - L																																																																																																															
	U-NII-3_5.725-5.85_802.11n HT40_CH159-5795MHz																																																																																																															
ANT	22																																																																																																															
Pol.	Vertical	Fundamental																																																																																																														
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5603.51</td> <td>53.56</td> <td>68.30</td> <td>-14.74</td> <td>39.20</td> <td>34.94</td> <td>11.71</td> <td>32.29</td> <td>195</td> <td>333</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5650.51</td> <td>51.50</td> <td>68.67</td> <td>-17.17</td> <td>37.13</td> <td>35.01</td> <td>11.69</td> <td>32.33</td> <td>195</td> <td>333</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5700.43</td> <td>53.30</td> <td>105.32</td> <td>-52.02</td> <td>38.93</td> <td>35.08</td> <td>11.66</td> <td>32.37</td> <td>195</td> <td>333</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5728.32</td> <td>55.07</td> <td>111.52</td> <td>-56.45</td> <td>40.68</td> <td>35.11</td> <td>11.66</td> <td>32.38</td> <td>195</td> <td>333</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5603.51	53.56	68.30	-14.74	39.20	34.94	11.71	32.29	195	333	PEAK	2	5650.51	51.50	68.67	-17.17	37.13	35.01	11.69	32.33	195	333	PEAK	3	5700.43	53.30	105.32	-52.02	38.93	35.08	11.66	32.37	195	333	PEAK	4	5728.32	55.07	111.52	-56.45	40.68	35.11	11.66	32.38	195	333	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5795.00</td> <td>102.74</td> <td>-----</td> <td>-----</td> <td>88.35</td> <td>35.21</td> <td>11.62</td> <td>32.44</td> <td>195</td> <td>333</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5795.00	102.74	-----	-----	88.35	35.21	11.62	32.44	195	333	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																								
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																								
1	5603.51	53.56	68.30	-14.74	39.20	34.94	11.71	32.29	195	333	PEAK																																																																																																					
2	5650.51	51.50	68.67	-17.17	37.13	35.01	11.69	32.33	195	333	PEAK																																																																																																					
3	5700.43	53.30	105.32	-52.02	38.93	35.08	11.66	32.37	195	333	PEAK																																																																																																					
4	5728.32	55.07	111.52	-56.45	40.68	35.11	11.66	32.38	195	333	PEAK																																																																																																					
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																									
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																								
1	5795.00	102.74	-----	-----	88.35	35.21	11.62	32.44	195	333	PEAK																																																																																																					
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5795.00</td> <td>96.55</td> <td>-----</td> <td>-----</td> <td>82.16</td> <td>35.21</td> <td>11.62</td> <td>32.44</td> <td>195</td> <td>333</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5795.00	96.55	-----	-----	82.16	35.21	11.62	32.44	195	333	AVERAGE																																																																									
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																									
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																								
1	5795.00	96.55	-----	-----	82.16	35.21	11.62	32.44	195	333	AVERAGE																																																																																																					



Mode	36																																																																									
	Band Edge - R																																																																									
	U-NII-3_5.725-5.85_802.11n HT40_CH159-5795MHz																																																																									
ANT	22																																																																									
Pol.	Vertical	Fundamental																																																																								
Peak	<p>Date: 2023-08-08</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.99</td> <td>59.30</td> <td>110.83</td> <td>-51.53</td> <td>44.97</td> <td>35.30</td> <td>11.52</td> <td>32.49</td> <td>195</td> <td>333</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5871.73</td> <td>57.37</td> <td>106.12</td> <td>-48.75</td> <td>43.06</td> <td>35.32</td> <td>11.49</td> <td>32.50</td> <td>195</td> <td>333</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5924.27</td> <td>52.63</td> <td>68.74</td> <td>-16.11</td> <td>38.38</td> <td>35.39</td> <td>11.40</td> <td>32.54</td> <td>195</td> <td>333</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5937.14</td> <td>52.97</td> <td>68.30</td> <td>-15.33</td> <td>38.73</td> <td>35.41</td> <td>11.38</td> <td>32.55</td> <td>195</td> <td>333</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5854.99	59.30	110.83	-51.53	44.97	35.30	11.52	32.49	195	333	PEAK	2	5871.73	57.37	106.12	-48.75	43.06	35.32	11.49	32.50	195	333	PEAK	3	5924.27	52.63	68.74	-16.11	38.38	35.39	11.40	32.54	195	333	PEAK	4	5937.14	52.97	68.30	-15.33	38.73	35.41	11.38	32.55	195	333	PEAK	Blank
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1	5854.99	59.30	110.83	-51.53	44.97	35.30	11.52	32.49	195	333	PEAK																																																															
2	5871.73	57.37	106.12	-48.75	43.06	35.32	11.49	32.50	195	333	PEAK																																																															
3	5924.27	52.63	68.74	-16.11	38.38	35.39	11.40	32.54	195	333	PEAK																																																															
4	5937.14	52.97	68.30	-15.33	38.73	35.41	11.38	32.55	195	333	PEAK																																																															






	37																																																																																																															
Mode	Band Edge - L																																																																																																															
	U-NII-3_5.725-5.85_802.11ac VHT80_CH155-5775MHz																																																																																																															
ANT	22																																																																																																															
Pol.	Horizontal	Fundamental																																																																																																														
Peak	<p style="text-align: right;">Date: 2023-08-08</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5619.78</td> <td>53.30</td> <td>68.30</td> <td>-15.00</td> <td>38.93</td> <td>34.97</td> <td>11.70</td> <td>32.30</td> <td>183</td> <td>178</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5650.23</td> <td>52.04</td> <td>68.47</td> <td>-16.43</td> <td>37.67</td> <td>35.01</td> <td>11.69</td> <td>32.33</td> <td>183</td> <td>178</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5700.98</td> <td>53.12</td> <td>105.47</td> <td>-52.35</td> <td>38.75</td> <td>35.08</td> <td>11.66</td> <td>32.37</td> <td>183</td> <td>178</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5720.05</td> <td>52.98</td> <td>110.91</td> <td>-57.93</td> <td>38.59</td> <td>35.11</td> <td>11.66</td> <td>32.38</td> <td>183</td> <td>178</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5619.78	53.30	68.30	-15.00	38.93	34.97	11.70	32.30	183	178	PEAK	2	5650.23	52.04	68.47	-16.43	37.67	35.01	11.69	32.33	183	178	PEAK	3	5700.98	53.12	105.47	-52.35	38.75	35.08	11.66	32.37	183	178	PEAK	4	5720.05	52.98	110.91	-57.93	38.59	35.11	11.66	32.38	183	178	PEAK	<p style="text-align: right;">Date: 2023-08-08</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5775.00</td> <td>90.43</td> <td>-----</td> <td>-----</td> <td>76.05</td> <td>35.20</td> <td>11.62</td> <td>32.44</td> <td>183</td> <td>178</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5775.00	90.43	-----	-----	76.05	35.20	11.62	32.44	183	178	PEAK
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																									
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																								
1	5619.78	53.30	68.30	-15.00	38.93	34.97	11.70	32.30	183	178	PEAK																																																																																																					
2	5650.23	52.04	68.47	-16.43	37.67	35.01	11.69	32.33	183	178	PEAK																																																																																																					
3	5700.98	53.12	105.47	-52.35	38.75	35.08	11.66	32.37	183	178	PEAK																																																																																																					
4	5720.05	52.98	110.91	-57.93	38.59	35.11	11.66	32.38	183	178	PEAK																																																																																																					
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																									
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																								
1	5775.00	90.43	-----	-----	76.05	35.20	11.62	32.44	183	178	PEAK																																																																																																					
Avg	Blank	<p style="text-align: right;">Date: 2023-08-08</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5775.00</td> <td>84.68</td> <td>-----</td> <td>-----</td> <td>70.29</td> <td>35.18</td> <td>11.63</td> <td>32.42</td> <td>183</td> <td>178</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5775.00	84.68	-----	-----	70.29	35.18	11.63	32.42	183	178	AVERAGE																																																																									
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																									
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																								
1	5775.00	84.68	-----	-----	70.29	35.18	11.63	32.42	183	178	AVERAGE																																																																																																					



Mode	37																																																																									
	Band Edge - R																																																																									
	U-NII-3_5.725-5.85_802.11ac VHT80_CH155-5775MHz																																																																									
ANT	22																																																																									
Pol.	Horizontal	Fundamental																																																																								
Peak	<p>Date: 2023-08-08</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.80</td> <td>51.11</td> <td>111.26</td> <td>-60.15</td> <td>36.78</td> <td>35.30</td> <td>11.52</td> <td>32.49</td> <td>183</td> <td>178</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5871.78</td> <td>52.75</td> <td>106.10</td> <td>-53.35</td> <td>38.44</td> <td>35.32</td> <td>11.49</td> <td>32.50</td> <td>183</td> <td>178</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5924.63</td> <td>50.82</td> <td>68.48</td> <td>-17.66</td> <td>36.57</td> <td>35.39</td> <td>11.40</td> <td>32.54</td> <td>183</td> <td>178</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5943.18</td> <td>52.58</td> <td>68.30</td> <td>-15.72</td> <td>38.35</td> <td>35.42</td> <td>11.37</td> <td>32.56</td> <td>183</td> <td>178</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5854.80	51.11	111.26	-60.15	36.78	35.30	11.52	32.49	183	178	PEAK	2	5871.78	52.75	106.10	-53.35	38.44	35.32	11.49	32.50	183	178	PEAK	3	5924.63	50.82	68.48	-17.66	36.57	35.39	11.40	32.54	183	178	PEAK	4	5943.18	52.58	68.30	-15.72	38.35	35.42	11.37	32.56	183	178	PEAK	Blank
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1	5854.80	51.11	111.26	-60.15	36.78	35.30	11.52	32.49	183	178	PEAK																																																															
2	5871.78	52.75	106.10	-53.35	38.44	35.32	11.49	32.50	183	178	PEAK																																																															
3	5924.63	50.82	68.48	-17.66	36.57	35.39	11.40	32.54	183	178	PEAK																																																															
4	5943.18	52.58	68.30	-15.72	38.35	35.42	11.37	32.56	183	178	PEAK																																																															



		37																																																																																																																				
Mode	Band Edge - L																																																																																																																					
	U-NII-3_5.725-5.85_802.11ac VHT80_CH155-5775MHz																																																																																																																					
ANT	22																																																																																																																					
Pol.	Vertical	Fundamental																																																																																																																				
Peak	 <p style="text-align: right;">Date: 2023-08-08</p>		 <p style="text-align: right;">Date: 2023-08-08</p>																																																																																																																			
	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5621.00</td> <td>52.91</td> <td>68.30</td> <td>-15.39</td> <td>38.54</td> <td>34.97</td> <td>11.70</td> <td>32.30</td> <td>186</td> <td>339</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5650.23</td> <td>52.19</td> <td>68.47</td> <td>-16.28</td> <td>37.82</td> <td>35.01</td> <td>11.69</td> <td>32.33</td> <td>186</td> <td>339</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5700.63</td> <td>54.17</td> <td>105.38</td> <td>-51.21</td> <td>39.80</td> <td>35.08</td> <td>11.66</td> <td>32.37</td> <td>186</td> <td>339</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5720.93</td> <td>61.33</td> <td>112.91</td> <td>-51.58</td> <td>46.94</td> <td>35.11</td> <td>11.66</td> <td>32.38</td> <td>186</td> <td>339</td> <td>PEAK</td> </tr> </tbody> </table>			Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5621.00	52.91	68.30	-15.39	38.54	34.97	11.70	32.30	186	339	PEAK	2	5650.23	52.19	68.47	-16.28	37.82	35.01	11.69	32.33	186	339	PEAK	3	5700.63	54.17	105.38	-51.21	39.80	35.08	11.66	32.37	186	339	PEAK	4	5720.93	61.33	112.91	-51.58	46.94	35.11	11.66	32.38	186	339	PEAK	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5775.00</td> <td>95.62</td> <td>-----</td> <td>-----</td> <td>81.24</td> <td>35.20</td> <td>11.62</td> <td>32.44</td> <td>186</td> <td>339</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5775.00	95.62	-----	-----	81.24	35.20	11.62	32.44	186	339
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																														
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																													
1	5621.00	52.91	68.30	-15.39	38.54	34.97	11.70	32.30	186	339	PEAK																																																																																																											
2	5650.23	52.19	68.47	-16.28	37.82	35.01	11.69	32.33	186	339	PEAK																																																																																																											
3	5700.63	54.17	105.38	-51.21	39.80	35.08	11.66	32.37	186	339	PEAK																																																																																																											
4	5720.93	61.33	112.91	-51.58	46.94	35.11	11.66	32.38	186	339	PEAK																																																																																																											
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																														
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																													
1	5775.00	95.62	-----	-----	81.24	35.20	11.62	32.44	186	339	PEAK																																																																																																											
Avg	Blank		 <p style="text-align: right;">Date: 2023-08-08</p>																																																																																																																			
		<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5775.00</td> <td>90.04</td> <td>-----</td> <td>-----</td> <td>75.66</td> <td>35.20</td> <td>11.62</td> <td>32.44</td> <td>186</td> <td>339</td> <td>AVERAGE</td> </tr> </tbody> </table>			Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5775.00	90.04	-----	-----	75.66	35.20	11.62	32.44	186	339	AVERAGE																																																																											
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																														
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																													
1	5775.00	90.04	-----	-----	75.66	35.20	11.62	32.44	186	339	AVERAGE																																																																																																											



Mode	37																																																																	
	Band Edge - R																																																																	
	U-NII-3_5.725-5.85_802.11ac VHT80_CH155-5775MHz																																																																	
ANT	22																																																																	
Pol.	Vertical	Fundamental																																																																
Peak	<p>Date: 2023-08-08</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5854.80</td> <td>58.26</td> <td>111.26</td> <td>-53.00</td> <td>43.93</td> <td>35.30</td> <td>11.52</td> <td>32.49</td> <td>186</td> <td>339 PEAK</td> </tr> <tr> <td>2 5868.98</td> <td>59.54</td> <td>106.89</td> <td>-47.35</td> <td>45.22</td> <td>35.32</td> <td>11.50</td> <td>32.50</td> <td>186</td> <td>339 PEAK</td> </tr> <tr> <td>3 5924.80</td> <td>52.06</td> <td>68.35</td> <td>-16.29</td> <td>37.81</td> <td>35.39</td> <td>11.40</td> <td>32.54</td> <td>186</td> <td>339 PEAK</td> </tr> <tr> <td>4 5944.40</td> <td>53.03</td> <td>68.30</td> <td>-15.27</td> <td>38.80</td> <td>35.42</td> <td>11.37</td> <td>32.56</td> <td>186</td> <td>339 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 5854.80	58.26	111.26	-53.00	43.93	35.30	11.52	32.49	186	339 PEAK	2 5868.98	59.54	106.89	-47.35	45.22	35.32	11.50	32.50	186	339 PEAK	3 5924.80	52.06	68.35	-16.29	37.81	35.39	11.40	32.54	186	339 PEAK	4 5944.40	53.03	68.30	-15.27	38.80	35.42	11.37	32.56	186	339 PEAK	Blank
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																											
1 5854.80	58.26	111.26	-53.00	43.93	35.30	11.52	32.49	186	339 PEAK																																																									
2 5868.98	59.54	106.89	-47.35	45.22	35.32	11.50	32.50	186	339 PEAK																																																									
3 5924.80	52.06	68.35	-16.29	37.81	35.39	11.40	32.54	186	339 PEAK																																																									
4 5944.40	53.03	68.30	-15.27	38.80	35.42	11.37	32.56	186	339 PEAK																																																									



Mode	42																																																																																																																																																	
	LF																																																																																																																																																	
	U-NII-1_5.15-5.25_802.11n HT40_CH38_5190MHz																																																																																																																																																	
ANT	22																																																																																																																																																	
Pol.	Horizontal	Vertical																																																																																																																																																
QP/ Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm deg</th> </tr> </thead> <tbody> <tr><td>1</td><td>55.22</td><td>18.18</td><td>40.00</td><td>-21.82</td><td>34.49</td><td>13.40</td><td>1.52 31.23 -- -- Peak</td></tr> <tr><td>2</td><td>200.72</td><td>24.27</td><td>43.50</td><td>-19.23</td><td>37.40</td><td>15.50</td><td>2.27 30.90 -- -- Peak</td></tr> <tr><td>3</td><td>324.88</td><td>21.56</td><td>46.00</td><td>-24.44</td><td>29.65</td><td>19.95</td><td>2.81 30.85 -- -- Peak</td></tr> <tr><td>4</td><td>486.87</td><td>22.97</td><td>46.00</td><td>-23.03</td><td>26.73</td><td>23.51</td><td>3.43 30.70 -- -- Peak</td></tr> <tr><td>5</td><td>674.08</td><td>27.43</td><td>46.00</td><td>-18.57</td><td>29.16</td><td>25.20</td><td>3.92 30.85 -- -- Peak</td></tr> <tr><td>6</td><td>868.08</td><td>28.65</td><td>46.00</td><td>-17.35</td><td>28.64</td><td>26.61</td><td>4.43 31.03 -- -- Peak</td></tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm deg	1	55.22	18.18	40.00	-21.82	34.49	13.40	1.52 31.23 -- -- Peak	2	200.72	24.27	43.50	-19.23	37.40	15.50	2.27 30.90 -- -- Peak	3	324.88	21.56	46.00	-24.44	29.65	19.95	2.81 30.85 -- -- Peak	4	486.87	22.97	46.00	-23.03	26.73	23.51	3.43 30.70 -- -- Peak	5	674.08	27.43	46.00	-18.57	29.16	25.20	3.92 30.85 -- -- Peak	6	868.08	28.65	46.00	-17.35	28.64	26.61	4.43 31.03 -- -- Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm deg</th> </tr> </thead> <tbody> <tr><td>1</td><td>31.94</td><td>22.83</td><td>40.00</td><td>-17.17</td><td>28.77</td><td>24.04</td><td>1.22 31.20 -- -- Peak</td></tr> <tr><td>2</td><td>50.37</td><td>21.89</td><td>40.00</td><td>-18.11</td><td>37.36</td><td>14.30</td><td>1.43 31.20 -- -- Peak</td></tr> <tr><td>3</td><td>148.34</td><td>25.51</td><td>43.50</td><td>-17.99</td><td>37.76</td><td>16.66</td><td>2.19 31.10 -- -- Peak</td></tr> <tr><td>4</td><td>200.72</td><td>22.65</td><td>43.50</td><td>-20.85</td><td>35.78</td><td>15.50</td><td>2.27 30.90 -- -- Peak</td></tr> <tr><td>5</td><td>403.45</td><td>20.78</td><td>46.00</td><td>-25.22</td><td>26.39</td><td>21.98</td><td>3.11 30.70 -- -- Peak</td></tr> <tr><td>6</td><td>606.18</td><td>26.21</td><td>46.00</td><td>-19.79</td><td>28.49</td><td>24.94</td><td>3.77 30.99 -- -- Peak</td></tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm deg	1	31.94	22.83	40.00	-17.17	28.77	24.04	1.22 31.20 -- -- Peak	2	50.37	21.89	40.00	-18.11	37.36	14.30	1.43 31.20 -- -- Peak	3	148.34	25.51	43.50	-17.99	37.76	16.66	2.19 31.10 -- -- Peak	4	200.72	22.65	43.50	-20.85	35.78	15.50	2.27 30.90 -- -- Peak	5	403.45	20.78	46.00	-25.22	26.39	21.98	3.11 30.70 -- -- Peak	6	606.18	26.21	46.00	-19.79	28.49	24.94	3.77 30.99 -- -- Peak
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																																											
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm deg																																																																																																																																											
1	55.22	18.18	40.00	-21.82	34.49	13.40	1.52 31.23 -- -- Peak																																																																																																																																											
2	200.72	24.27	43.50	-19.23	37.40	15.50	2.27 30.90 -- -- Peak																																																																																																																																											
3	324.88	21.56	46.00	-24.44	29.65	19.95	2.81 30.85 -- -- Peak																																																																																																																																											
4	486.87	22.97	46.00	-23.03	26.73	23.51	3.43 30.70 -- -- Peak																																																																																																																																											
5	674.08	27.43	46.00	-18.57	29.16	25.20	3.92 30.85 -- -- Peak																																																																																																																																											
6	868.08	28.65	46.00	-17.35	28.64	26.61	4.43 31.03 -- -- Peak																																																																																																																																											
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																																											
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm deg																																																																																																																																											
1	31.94	22.83	40.00	-17.17	28.77	24.04	1.22 31.20 -- -- Peak																																																																																																																																											
2	50.37	21.89	40.00	-18.11	37.36	14.30	1.43 31.20 -- -- Peak																																																																																																																																											
3	148.34	25.51	43.50	-17.99	37.76	16.66	2.19 31.10 -- -- Peak																																																																																																																																											
4	200.72	22.65	43.50	-20.85	35.78	15.50	2.27 30.90 -- -- Peak																																																																																																																																											
5	403.45	20.78	46.00	-25.22	26.39	21.98	3.11 30.70 -- -- Peak																																																																																																																																											
6	606.18	26.21	46.00	-19.79	28.49	24.94	3.77 30.99 -- -- Peak																																																																																																																																											



Mode	43																																																																																																																																																																			
	LF																																																																																																																																																																			
	U-NII-3_5.725-5.85_802.11n HT40_CH151_5755MHz																																																																																																																																																																			
ANT	22																																																																																																																																																																			
Pol.	Horizontal	Vertical																																																																																																																																																																		
QP/ Peak	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>50.37</td> <td>17.75</td> <td>40.00</td> <td>-22.25</td> <td>33.22</td> <td>14.30</td> <td>1.43</td> <td>31.20</td> </tr> <tr> <td>2</td> <td>200.72</td> <td>24.51</td> <td>43.50</td> <td>-18.99</td> <td>37.64</td> <td>15.50</td> <td>2.27</td> <td>30.90</td> </tr> <tr> <td>3</td> <td>450.98</td> <td>21.93</td> <td>46.00</td> <td>-24.07</td> <td>26.31</td> <td>23.01</td> <td>3.31</td> <td>30.70</td> </tr> <tr> <td>4</td> <td>614.91</td> <td>26.07</td> <td>46.00</td> <td>-19.93</td> <td>28.27</td> <td>24.99</td> <td>3.78</td> <td>30.97</td> </tr> <tr> <td>5</td> <td>801.15</td> <td>28.19</td> <td>46.00</td> <td>-17.81</td> <td>28.93</td> <td>26.11</td> <td>4.25</td> <td>31.10</td> </tr> <tr> <td>6</td> <td>911.73</td> <td>29.76</td> <td>46.00</td> <td>-16.24</td> <td>29.36</td> <td>26.87</td> <td>4.53</td> <td>31.00</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Level	Factor	Loss	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB		1	50.37	17.75	40.00	-22.25	33.22	14.30	1.43	31.20	2	200.72	24.51	43.50	-18.99	37.64	15.50	2.27	30.90	3	450.98	21.93	46.00	-24.07	26.31	23.01	3.31	30.70	4	614.91	26.07	46.00	-19.93	28.27	24.99	3.78	30.97	5	801.15	28.19	46.00	-17.81	28.93	26.11	4.25	31.10	6	911.73	29.76	46.00	-16.24	29.36	26.87	4.53	31.00	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>49.40</td> <td>21.78</td> <td>40.00</td> <td>-18.22</td> <td>36.89</td> <td>14.67</td> <td>1.42</td> <td>31.20</td> </tr> <tr> <td>2</td> <td>141.55</td> <td>24.99</td> <td>43.50</td> <td>-18.51</td> <td>36.71</td> <td>17.24</td> <td>2.16</td> <td>31.12</td> </tr> <tr> <td>3</td> <td>202.66</td> <td>23.62</td> <td>43.50</td> <td>-19.88</td> <td>36.74</td> <td>15.50</td> <td>2.28</td> <td>30.90</td> </tr> <tr> <td>4</td> <td>448.07</td> <td>22.70</td> <td>46.00</td> <td>-23.30</td> <td>27.14</td> <td>22.96</td> <td>3.30</td> <td>30.70</td> </tr> <tr> <td>5</td> <td>687.66</td> <td>26.88</td> <td>46.00</td> <td>-19.12</td> <td>28.53</td> <td>25.20</td> <td>3.97</td> <td>30.82</td> </tr> <tr> <td>6</td> <td>837.04</td> <td>28.65</td> <td>46.00</td> <td>-17.35</td> <td>28.96</td> <td>26.40</td> <td>4.35</td> <td>31.06</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Level	Factor	Loss	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB		1	49.40	21.78	40.00	-18.22	36.89	14.67	1.42	31.20	2	141.55	24.99	43.50	-18.51	36.71	17.24	2.16	31.12	3	202.66	23.62	43.50	-19.88	36.74	15.50	2.28	30.90	4	448.07	22.70	46.00	-23.30	27.14	22.96	3.30	30.70	5	687.66	26.88	46.00	-19.12	28.53	25.20	3.97	30.82	6	837.04	28.65	46.00	-17.35	28.96	26.40	4.35	31.06
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																																																													
Freq	Level	Line	Level	Factor	Loss	Factor	cm	deg																																																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																																																																													
1	50.37	17.75	40.00	-22.25	33.22	14.30	1.43	31.20																																																																																																																																																												
2	200.72	24.51	43.50	-18.99	37.64	15.50	2.27	30.90																																																																																																																																																												
3	450.98	21.93	46.00	-24.07	26.31	23.01	3.31	30.70																																																																																																																																																												
4	614.91	26.07	46.00	-19.93	28.27	24.99	3.78	30.97																																																																																																																																																												
5	801.15	28.19	46.00	-17.81	28.93	26.11	4.25	31.10																																																																																																																																																												
6	911.73	29.76	46.00	-16.24	29.36	26.87	4.53	31.00																																																																																																																																																												
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																																																													
Freq	Level	Line	Level	Factor	Loss	Factor	cm	deg																																																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																																																																													
1	49.40	21.78	40.00	-18.22	36.89	14.67	1.42	31.20																																																																																																																																																												
2	141.55	24.99	43.50	-18.51	36.71	17.24	2.16	31.12																																																																																																																																																												
3	202.66	23.62	43.50	-19.88	36.74	15.50	2.28	30.90																																																																																																																																																												
4	448.07	22.70	46.00	-23.30	27.14	22.96	3.30	30.70																																																																																																																																																												
5	687.66	26.88	46.00	-19.12	28.53	25.20	3.97	30.82																																																																																																																																																												
6	837.04	28.65	46.00	-17.35	28.96	26.40	4.35	31.06																																																																																																																																																												



Mode	45																																																									
	Band Edge																																																									
	U-NII-2C_5.47-5.725_802.11a_CH104_5520MHz																																																									
ANT	22																																																									
Pol.	Horizontal	Fundamental																																																								
Peak	<table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5441.22 53.88 74.00 -20.12</td> <td>40.17</td> <td>34.81</td> <td>11.04</td> <td>32.14</td> <td>225</td> <td>291</td> <td>PEAK</td> </tr> <tr> <td>2 5469.94 54.44 68.30 -13.86</td> <td>40.65</td> <td>34.81</td> <td>11.16</td> <td>32.18</td> <td>225</td> <td>291</td> <td>PEAK</td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level Line (dB)	Level Factor	Loss Factor			cm	deg		1 5441.22 53.88 74.00 -20.12	40.17	34.81	11.04	32.14	225	291	PEAK	2 5469.94 54.44 68.30 -13.86	40.65	34.81	11.16	32.18	225	291	PEAK	<table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5520.00 105.15</td> <td>91.20</td> <td>34.82</td> <td>11.35</td> <td>32.22</td> <td>225</td> <td>291</td> <td>PEAK</td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level Line (dB)	Level Factor	Loss Factor			cm	deg		1 5520.00 105.15	91.20	34.82	11.35	32.22	225	291	PEAK
	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																		
Freq Level Line (dB)	Level Factor	Loss Factor			cm	deg																																																				
1 5441.22 53.88 74.00 -20.12	40.17	34.81	11.04	32.14	225	291	PEAK																																																			
2 5469.94 54.44 68.30 -13.86	40.65	34.81	11.16	32.18	225	291	PEAK																																																			
Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																			
Freq Level Line (dB)	Level Factor	Loss Factor			cm	deg																																																				
1 5520.00 105.15	91.20	34.82	11.35	32.22	225	291	PEAK																																																			
Avg	<table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5459.92 44.38 54.00 -9.62</td> <td>30.62</td> <td>34.81</td> <td>11.12</td> <td>32.17</td> <td>225</td> <td>291</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level Line (dB)	Level Factor	Loss Factor			cm	deg		1 5459.92 44.38 54.00 -9.62	30.62	34.81	11.12	32.17	225	291	AVERAGE	<table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5520.00 98.42</td> <td>84.47</td> <td>34.82</td> <td>11.35</td> <td>32.22</td> <td>225</td> <td>291</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level Line (dB)	Level Factor	Loss Factor			cm	deg		1 5520.00 98.42	84.47	34.82	11.35	32.22	225	291	AVERAGE								
Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																			
Freq Level Line (dB)	Level Factor	Loss Factor			cm	deg																																																				
1 5459.92 44.38 54.00 -9.62	30.62	34.81	11.12	32.17	225	291	AVERAGE																																																			
Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																			
Freq Level Line (dB)	Level Factor	Loss Factor			cm	deg																																																				
1 5520.00 98.42	84.47	34.82	11.35	32.22	225	291	AVERAGE																																																			



	45																																																																																											
Mode	Band Edge																																																																																											
	U-NII-2C_5.47-5.725_802.11a_CH104_5520MHz																																																																																											
ANT	22																																																																																											
Pol.	Vertical	Fundamental																																																																																										
Peak	<p style="text-align: right;">Date: 2023-08-17</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5449.21</td> <td>53.91</td> <td>74.00</td> <td>-20.09</td> <td>40.17</td> <td>34.81</td> <td>11.08</td> <td>32.15</td> <td>295</td> <td>269</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5461.79</td> <td>53.69</td> <td>68.30</td> <td>-14.61</td> <td>39.92</td> <td>34.81</td> <td>11.13</td> <td>32.17</td> <td>295</td> <td>269</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5449.21	53.91	74.00	-20.09	40.17	34.81	11.08	32.15	295	269	PEAK	2	5461.79	53.69	68.30	-14.61	39.92	34.81	11.13	32.17	295	269	PEAK	<p style="text-align: right;">Date: 2023-08-17</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5520.00</td> <td>105.67</td> <td>-----</td> <td>-----</td> <td>91.72</td> <td>34.82</td> <td>11.35</td> <td>32.22</td> <td>295</td> <td>269</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5520.00	105.67	-----	-----	91.72	34.82	11.35	32.22	295	269	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																					
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	5449.21	53.91	74.00	-20.09	40.17	34.81	11.08	32.15	295	269	PEAK																																																																																	
2	5461.79	53.69	68.30	-14.61	39.92	34.81	11.13	32.17	295	269	PEAK																																																																																	
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																					
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	5520.00	105.67	-----	-----	91.72	34.82	11.35	32.22	295	269	PEAK																																																																																	
Avg	<p style="text-align: right;">Date: 2023-08-17</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5457.46</td> <td>44.16</td> <td>54.00</td> <td>-9.84</td> <td>30.40</td> <td>34.81</td> <td>11.11</td> <td>32.16</td> <td>295</td> <td>269</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5457.46	44.16	54.00	-9.84	30.40	34.81	11.11	32.16	295	269	AVERAGE	<p style="text-align: right;">Date: 2023-08-17</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5520.00</td> <td>99.35</td> <td>-----</td> <td>-----</td> <td>85.40</td> <td>34.82</td> <td>11.35</td> <td>32.22</td> <td>295</td> <td>269</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5520.00	99.35	-----	-----	85.40	34.82	11.35	32.22	295	269	AVERAGE												
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																					
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	5457.46	44.16	54.00	-9.84	30.40	34.81	11.11	32.16	295	269	AVERAGE																																																																																	
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																					
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	5520.00	99.35	-----	-----	85.40	34.82	11.35	32.22	295	269	AVERAGE																																																																																	



Mode	46																																																																															
	Band Edge																																																																															
	U-NII-2C_5.47-5.725_802.11a_CH136_5680MHz																																																																															
ANT	22																																																																															
Pol.	Horizontal	Fundamental																																																																														
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5728.58</td> <td>55.56</td> <td>68.30</td> <td>-12.74</td> <td>41.18</td> <td>35.12</td> <td>11.65</td> <td>32.39</td> <td>214</td> <td>292</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	cm	deg	1	5728.58	55.56	68.30	-12.74	41.18	35.12	11.65	32.39	214	292	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5680.00</td> <td>104.01</td> <td>-----</td> <td>-----</td> <td>89.63</td> <td>35.05</td> <td>11.68</td> <td>32.35</td> <td>214</td> <td>292</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	cm	deg	1	5680.00	104.01	-----	-----	89.63	35.05	11.68	32.35	214	292	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	cm	deg																																																																								
1	5728.58	55.56	68.30	-12.74	41.18	35.12	11.65	32.39	214	292	PEAK																																																																					
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	cm	deg																																																																								
1	5680.00	104.01	-----	-----	89.63	35.05	11.68	32.35	214	292	PEAK																																																																					
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5680.00</td> <td>97.64</td> <td>-----</td> <td>-----</td> <td>83.26</td> <td>35.05</td> <td>11.68</td> <td>32.35</td> <td>214</td> <td>292</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	cm	deg	1	5680.00	97.64	-----	-----	83.26	35.05	11.68	32.35	214	292	AVERAGE																																							
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	cm	deg																																																																								
1	5680.00	97.64	-----	-----	83.26	35.05	11.68	32.35	214	292	AVERAGE																																																																					



	46																																																																	
Mode	Band Edge																																																																	
	U-NII-2C_5.47-5.725_802.11a_CH136_5680MHz																																																																	
ANT	22																																																																	
Pol.	Vertical	Fundamental																																																																
Peak	<table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>cm</th> <th>deg</th> <th></th> </tr> <tr> <th>MHz dBuV/m dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th></th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5725.61 54.52 68.30 -13.78</td> <td>40.14</td> <td>35.12</td> <td>11.65</td> <td>32.39</td> <td>291</td> <td>269</td> <td>PEAK</td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level Line (dB)	Level Factor	Loss Factor			cm	deg		MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB				1 5725.61 54.52 68.30 -13.78	40.14	35.12	11.65	32.39	291	269	PEAK	<table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>cm</th> <th>deg</th> <th></th> </tr> <tr> <th>MHz dBuV/m dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th></th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5680.00 104.86</td> <td>90.48</td> <td>35.05</td> <td>11.68</td> <td>32.35</td> <td>291</td> <td>269</td> <td>PEAK</td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level Line (dB)	Level Factor	Loss Factor			cm	deg		MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB				1 5680.00 104.86	90.48	35.05	11.68	32.35	291	269	PEAK
	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																										
Freq Level Line (dB)	Level Factor	Loss Factor			cm	deg																																																												
MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB																																																														
1 5725.61 54.52 68.30 -13.78	40.14	35.12	11.65	32.39	291	269	PEAK																																																											
Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																											
Freq Level Line (dB)	Level Factor	Loss Factor			cm	deg																																																												
MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB																																																														
1 5680.00 104.86	90.48	35.05	11.68	32.35	291	269	PEAK																																																											
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>cm</th> <th>deg</th> <th></th> </tr> <tr> <th>MHz dBuV/m dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th></th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5680.00 98.78</td> <td>84.40</td> <td>35.05</td> <td>11.68</td> <td>32.35</td> <td>291</td> <td>269</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level Line (dB)	Level Factor	Loss Factor			cm	deg		MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB				1 5680.00 98.78	84.40	35.05	11.68	32.35	291	269	AVERAGE																																
Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																											
Freq Level Line (dB)	Level Factor	Loss Factor			cm	deg																																																												
MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB																																																														
1 5680.00 98.78	84.40	35.05	11.68	32.35	291	269	AVERAGE																																																											



	47																																																									
Mode	Band Edge																																																									
	U-NII-2C_5.47-5.725_802.11n HT20_CH104_5520MHz																																																									
ANT	22																																																									
Pol.	Horizontal	Fundamental																																																								
Peak	<table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5452.09 54.16 74.00 -19.84</td> <td>40.42</td> <td>34.81</td> <td>11.09</td> <td>32.16</td> <td>224</td> <td>290</td> <td>PEAK</td> </tr> <tr> <td>2 5462.30 54.84 68.30 -13.46</td> <td>41.07</td> <td>34.81</td> <td>11.13</td> <td>32.17</td> <td>224</td> <td>290</td> <td>PEAK</td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level Line (dB)	Level Factor	Loss Factor			cm	deg		1 5452.09 54.16 74.00 -19.84	40.42	34.81	11.09	32.16	224	290	PEAK	2 5462.30 54.84 68.30 -13.46	41.07	34.81	11.13	32.17	224	290	PEAK	<table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5520.00 104.39</td> <td>90.42</td> <td>34.83</td> <td>11.37</td> <td>32.23</td> <td>224</td> <td>290</td> <td>PEAK</td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level Line (dB)	Level Factor	Loss Factor			cm	deg		1 5520.00 104.39	90.42	34.83	11.37	32.23	224	290	PEAK
	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																		
Freq Level Line (dB)	Level Factor	Loss Factor			cm	deg																																																				
1 5452.09 54.16 74.00 -19.84	40.42	34.81	11.09	32.16	224	290	PEAK																																																			
2 5462.30 54.84 68.30 -13.46	41.07	34.81	11.13	32.17	224	290	PEAK																																																			
Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																			
Freq Level Line (dB)	Level Factor	Loss Factor			cm	deg																																																				
1 5520.00 104.39	90.42	34.83	11.37	32.23	224	290	PEAK																																																			
Avg	<table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5459.58 44.41 54.00 -9.59</td> <td>30.64</td> <td>34.81</td> <td>11.12</td> <td>32.16</td> <td>224</td> <td>290</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level Line (dB)	Level Factor	Loss Factor			cm	deg		1 5459.58 44.41 54.00 -9.59	30.64	34.81	11.12	32.16	224	290	AVERAGE	<table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5520.00 98.06</td> <td>84.11</td> <td>34.82</td> <td>11.35</td> <td>32.22</td> <td>224</td> <td>290</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level Line (dB)	Level Factor	Loss Factor			cm	deg		1 5520.00 98.06	84.11	34.82	11.35	32.22	224	290	AVERAGE								
	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																		
Freq Level Line (dB)	Level Factor	Loss Factor			cm	deg																																																				
1 5459.58 44.41 54.00 -9.59	30.64	34.81	11.12	32.16	224	290	AVERAGE																																																			
Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																			
Freq Level Line (dB)	Level Factor	Loss Factor			cm	deg																																																				
1 5520.00 98.06	84.11	34.82	11.35	32.22	224	290	AVERAGE																																																			



	47																																																									
Mode	Band Edge																																																									
	U-NII-2C_5.47-5.725_802.11n HT20_CH104_5520MHz																																																									
ANT	22																																																									
Pol.	Vertical	Fundamental																																																								
Peak	<table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5442.92 54.31 74.00 -19.69</td> <td>40.59</td> <td>34.81</td> <td>11.05</td> <td>32.14</td> <td>296</td> <td>269</td> <td>PEAK</td> </tr> <tr> <td>2 5469.94 55.69 68.30 -12.61</td> <td>41.90</td> <td>34.81</td> <td>11.16</td> <td>32.18</td> <td>296</td> <td>269</td> <td>PEAK</td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level Line (dB)	Level Factor	Loss Factor			cm	deg		1 5442.92 54.31 74.00 -19.69	40.59	34.81	11.05	32.14	296	269	PEAK	2 5469.94 55.69 68.30 -12.61	41.90	34.81	11.16	32.18	296	269	PEAK	<table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5520.00 105.49</td> <td>91.54</td> <td>34.82</td> <td>11.35</td> <td>32.22</td> <td>296</td> <td>269</td> <td>PEAK</td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level Line (dB)	Level Factor	Loss Factor			cm	deg		1 5520.00 105.49	91.54	34.82	11.35	32.22	296	269	PEAK
Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																			
Freq Level Line (dB)	Level Factor	Loss Factor			cm	deg																																																				
1 5442.92 54.31 74.00 -19.69	40.59	34.81	11.05	32.14	296	269	PEAK																																																			
2 5469.94 55.69 68.30 -12.61	41.90	34.81	11.16	32.18	296	269	PEAK																																																			
Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																			
Freq Level Line (dB)	Level Factor	Loss Factor			cm	deg																																																				
1 5520.00 105.49	91.54	34.82	11.35	32.22	296	269	PEAK																																																			
Avg	<table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5459.92 44.32 54.00 -9.68</td> <td>30.56</td> <td>34.81</td> <td>11.12</td> <td>32.17</td> <td>296</td> <td>269</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level Line (dB)	Level Factor	Loss Factor			cm	deg		1 5459.92 44.32 54.00 -9.68	30.56	34.81	11.12	32.17	296	269	AVERAGE	<table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5520.00 99.23</td> <td>85.28</td> <td>34.82</td> <td>11.35</td> <td>32.22</td> <td>296</td> <td>269</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level Line (dB)	Level Factor	Loss Factor			cm	deg		1 5520.00 99.23	85.28	34.82	11.35	32.22	296	269	AVERAGE								
Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																			
Freq Level Line (dB)	Level Factor	Loss Factor			cm	deg																																																				
1 5459.92 44.32 54.00 -9.68	30.56	34.81	11.12	32.17	296	269	AVERAGE																																																			
Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																			
Freq Level Line (dB)	Level Factor	Loss Factor			cm	deg																																																				
1 5520.00 99.23	85.28	34.82	11.35	32.22	296	269	AVERAGE																																																			



	48																																																																	
Mode	Band Edge																																																																	
	U-NII-2C_5.47-5.725_802.11n HT20_CH136_5680MHz																																																																	
ANT	22																																																																	
Pol.	Horizontal	Fundamental																																																																
Peak	<table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>cm</th> <th>deg</th> <th></th> </tr> <tr> <th>MHz dBuV/m dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th></th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5726.20 55.33 68.30 -12.97</td> <td>40.95</td> <td>35.12</td> <td>11.65</td> <td>32.39</td> <td>215</td> <td>293</td> <td>PEAK</td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level Line (dB)	Level Factor	Loss Factor			cm	deg		MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB				1 5726.20 55.33 68.30 -12.97	40.95	35.12	11.65	32.39	215	293	PEAK	<table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>cm</th> <th>deg</th> <th></th> </tr> <tr> <th>MHz dBuV/m dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th></th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5680.00 104.02</td> <td>89.64</td> <td>35.05</td> <td>11.68</td> <td>32.35</td> <td>215</td> <td>293</td> <td>PEAK</td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level Line (dB)	Level Factor	Loss Factor			cm	deg		MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB				1 5680.00 104.02	89.64	35.05	11.68	32.35	215	293	PEAK
	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																										
Freq Level Line (dB)	Level Factor	Loss Factor			cm	deg																																																												
MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB																																																														
1 5726.20 55.33 68.30 -12.97	40.95	35.12	11.65	32.39	215	293	PEAK																																																											
Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																											
Freq Level Line (dB)	Level Factor	Loss Factor			cm	deg																																																												
MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB																																																														
1 5680.00 104.02	89.64	35.05	11.68	32.35	215	293	PEAK																																																											
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>cm</th> <th>deg</th> <th></th> </tr> <tr> <th>MHz dBuV/m dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th></th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5680.00 97.37</td> <td>82.99</td> <td>35.05</td> <td>11.68</td> <td>32.35</td> <td>215</td> <td>293</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level Line (dB)	Level Factor	Loss Factor			cm	deg		MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB				1 5680.00 97.37	82.99	35.05	11.68	32.35	215	293	AVERAGE																																
Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																											
Freq Level Line (dB)	Level Factor	Loss Factor			cm	deg																																																												
MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB																																																														
1 5680.00 97.37	82.99	35.05	11.68	32.35	215	293	AVERAGE																																																											



	48																																																																	
Mode	Band Edge																																																																	
	U-NII-2C_5.47-5.725_802.11n HT20_CH136_5680MHz																																																																	
ANT	22																																																																	
Pol.	Vertical	Fundamental																																																																
Peak	<table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>cm</th> <th>deg</th> <th></th> </tr> <tr> <th>MHz dBuV/m dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th></th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5728.93 55.28 68.30 -13.02</td> <td>40.90</td> <td>35.12</td> <td>11.65</td> <td>32.39</td> <td>292</td> <td>269</td> <td>PEAK</td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level Line (dB)	Level Factor	Loss Factor			cm	deg		MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB				1 5728.93 55.28 68.30 -13.02	40.90	35.12	11.65	32.39	292	269	PEAK	<table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>cm</th> <th>deg</th> <th></th> </tr> <tr> <th>MHz dBuV/m dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th></th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5680.00 104.83</td> <td>90.45</td> <td>35.05</td> <td>11.68</td> <td>32.35</td> <td>292</td> <td>269</td> <td>PEAK</td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level Line (dB)	Level Factor	Loss Factor			cm	deg		MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB				1 5680.00 104.83	90.45	35.05	11.68	32.35	292	269	PEAK
	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																										
Freq Level Line (dB)	Level Factor	Loss Factor			cm	deg																																																												
MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB																																																														
1 5728.93 55.28 68.30 -13.02	40.90	35.12	11.65	32.39	292	269	PEAK																																																											
Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																											
Freq Level Line (dB)	Level Factor	Loss Factor			cm	deg																																																												
MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB																																																														
1 5680.00 104.83	90.45	35.05	11.68	32.35	292	269	PEAK																																																											
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>cm</th> <th>deg</th> <th></th> </tr> <tr> <th>MHz dBuV/m dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th></th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5680.00 98.47</td> <td>84.09</td> <td>35.05</td> <td>11.68</td> <td>32.35</td> <td>292</td> <td>269</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level Line (dB)	Level Factor	Loss Factor			cm	deg		MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB				1 5680.00 98.47	84.09	35.05	11.68	32.35	292	269	AVERAGE																																
Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																											
Freq Level Line (dB)	Level Factor	Loss Factor			cm	deg																																																												
MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB																																																														
1 5680.00 98.47	84.09	35.05	11.68	32.35	292	269	AVERAGE																																																											



	49																																																									
Mode	Band Edge - L																																																									
	U-NII-2C_5.47-5.725_802.11n HT40_CH110_5550MHz																																																									
ANT	22																																																									
Pol.	Horizontal	Fundamental																																																								
Peak	<table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5429.72 54.21 74.00 -19.79</td> <td>40.54</td> <td>34.81</td> <td>10.99</td> <td>32.13</td> <td>213</td> <td>292</td> <td>PEAK</td> </tr> <tr> <td>2 5465.28 54.76 68.30 -13.54</td> <td>40.98</td> <td>34.81</td> <td>11.14</td> <td>32.17</td> <td>213</td> <td>292</td> <td>PEAK</td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level Line (dB)	Level	Factor	Loss	Factor	cm	deg		1 5429.72 54.21 74.00 -19.79	40.54	34.81	10.99	32.13	213	292	PEAK	2 5465.28 54.76 68.30 -13.54	40.98	34.81	11.14	32.17	213	292	PEAK	<table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5550.00 101.80 -----</td> <td>87.71</td> <td>34.86</td> <td>11.47</td> <td>32.24</td> <td>213</td> <td>292</td> <td>PEAK</td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level Line (dB)	Level	Factor	Loss	Factor	cm	deg		1 5550.00 101.80 -----	87.71	34.86	11.47	32.24	213	292	PEAK
	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																		
Freq Level Line (dB)	Level	Factor	Loss	Factor	cm	deg																																																				
1 5429.72 54.21 74.00 -19.79	40.54	34.81	10.99	32.13	213	292	PEAK																																																			
2 5465.28 54.76 68.30 -13.54	40.98	34.81	11.14	32.17	213	292	PEAK																																																			
Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																			
Freq Level Line (dB)	Level	Factor	Loss	Factor	cm	deg																																																				
1 5550.00 101.80 -----	87.71	34.86	11.47	32.24	213	292	PEAK																																																			
Avg	<table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5459.30 44.82 54.00 -9.18</td> <td>31.05</td> <td>34.81</td> <td>11.12</td> <td>32.16</td> <td>213</td> <td>292</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level Line (dB)	Level	Factor	Loss	Factor	cm	deg		1 5459.30 44.82 54.00 -9.18	31.05	34.81	11.12	32.16	213	292	AVERAGE	<table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5550.00 95.50 -----</td> <td>81.41</td> <td>34.86</td> <td>11.47</td> <td>32.24</td> <td>213</td> <td>292</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level Line (dB)	Level	Factor	Loss	Factor	cm	deg		1 5550.00 95.50 -----	81.41	34.86	11.47	32.24	213	292	AVERAGE								
	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																		
Freq Level Line (dB)	Level	Factor	Loss	Factor	cm	deg																																																				
1 5459.30 44.82 54.00 -9.18	31.05	34.81	11.12	32.16	213	292	AVERAGE																																																			
Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																			
Freq Level Line (dB)	Level	Factor	Loss	Factor	cm	deg																																																				
1 5550.00 95.50 -----	81.41	34.86	11.47	32.24	213	292	AVERAGE																																																			



Mode	49																																					
	Band Edge - R																																					
	U-NII-2C_5.47-5.725_802.11n HT40_CH110_5550MHz																																					
ANT	22																																					
Pol.	Horizontal	Fundamental																																				
Peak	<p>Date: 2023-08-17</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5744.90</td> <td>53.95</td> <td>68.30</td> <td>-14.35</td> <td>39.57</td> <td>35.14</td> <td>11.64</td> <td>32.40</td> <td>213 292 PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5744.90	53.95	68.30	-14.35	39.57	35.14	11.64	32.40	213 292 PEAK	Blank
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																															
Freq	Level	Line	Level	Factor	Loss Factor			Remark																														
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																														
1 5744.90	53.95	68.30	-14.35	39.57	35.14	11.64	32.40	213 292 PEAK																														



	49																																																									
Mode	Band Edge - L																																																									
	U-NII-2C_5.47-5.725_802.11n HT40_CH110_5550MHz																																																									
ANT	22																																																									
Pol.	Vertical	Fundamental																																																								
Peak	<table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5457.50 53.71 74.00 -20.29 39.95 34.81 11.11 32.16 289 269</td> <td>PEAK</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>2 5468.92 54.40 68.30 -13.90 40.61 34.81 11.16 32.18 289 269</td> <td>PEAK</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level Line (dB)	Level Factor	Loss Factor			cm	deg		1 5457.50 53.71 74.00 -20.29 39.95 34.81 11.11 32.16 289 269	PEAK							2 5468.92 54.40 68.30 -13.90 40.61 34.81 11.16 32.18 289 269	PEAK							<table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5550.00 103.19 -----</td> <td>-----</td> <td>89.10 34.86 11.47 32.24 289 269</td> <td>PEAK</td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level Line (dB)	Level Factor	Loss Factor			cm	deg		1 5550.00 103.19 -----	-----	89.10 34.86 11.47 32.24 289 269	PEAK				
	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																		
Freq Level Line (dB)	Level Factor	Loss Factor			cm	deg																																																				
1 5457.50 53.71 74.00 -20.29 39.95 34.81 11.11 32.16 289 269	PEAK																																																									
2 5468.92 54.40 68.30 -13.90 40.61 34.81 11.16 32.18 289 269	PEAK																																																									
Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																			
Freq Level Line (dB)	Level Factor	Loss Factor			cm	deg																																																				
1 5550.00 103.19 -----	-----	89.10 34.86 11.47 32.24 289 269	PEAK																																																							
Avg	<table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5456.92 45.25 54.00 -8.75 31.49 34.81 11.11 32.16 289 269</td> <td>AVERAGE</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level Line (dB)	Level Factor	Loss Factor			cm	deg		1 5456.92 45.25 54.00 -8.75 31.49 34.81 11.11 32.16 289 269	AVERAGE							<table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5550.00 96.47 -----</td> <td>-----</td> <td>82.36 34.87 11.49 32.25 289 269</td> <td>AVERAGE</td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level Line (dB)	Level Factor	Loss Factor			cm	deg		1 5550.00 96.47 -----	-----	82.36 34.87 11.49 32.25 289 269	AVERAGE												
	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																		
Freq Level Line (dB)	Level Factor	Loss Factor			cm	deg																																																				
1 5456.92 45.25 54.00 -8.75 31.49 34.81 11.11 32.16 289 269	AVERAGE																																																									
Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																			
Freq Level Line (dB)	Level Factor	Loss Factor			cm	deg																																																				
1 5550.00 96.47 -----	-----	82.36 34.87 11.49 32.25 289 269	AVERAGE																																																							



Mode	49																																								
	Band Edge - R																																								
	U-NII-2C_5.47-5.725_802.11n HT40_CH110_5550MHz																																								
ANT	22																																								
Pol.	Vertical	Fundamental																																							
Peak	<p>Date: 2023-08-17</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5727.91</td> <td>53.69</td> <td>68.30</td> <td>-14.61</td> <td>39.31</td> <td>35.12</td> <td>11.65</td> <td>32.39</td> <td>289</td> <td>269</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5727.91	53.69	68.30	-14.61	39.31	35.12	11.65	32.39	289	269	PEAK	Blank
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																	
Freq	Level	Line	Level	Factor	Loss Factor																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																	
1	5727.91	53.69	68.30	-14.61	39.31	35.12	11.65	32.39	289	269	PEAK																														



		50																																																																																											
Mode	Band Edge - L																																																																																												
	U-NII-2C_5.47-5.725_802.11n HT40_CH126_5630MHz																																																																																												
ANT	22																																																																																												
Pol.	Horizontal	Fundamental																																																																																											
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5429.38</td> <td>52.38</td> <td>74.00</td> <td>-21.62</td> <td>38.71</td> <td>34.81</td> <td>10.99</td> <td>32.13</td> <td>216</td> <td>292</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5463.57</td> <td>52.71</td> <td>68.30</td> <td>-15.59</td> <td>38.94</td> <td>34.81</td> <td>11.13</td> <td>32.17</td> <td>216</td> <td>292</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5429.38	52.38	74.00	-21.62	38.71	34.81	10.99	32.13	216	292	PEAK	2	5463.57	52.71	68.30	-15.59	38.94	34.81	11.13	32.17	216	292	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5630.00</td> <td>101.44</td> <td>-----</td> <td>-----</td> <td>87.07</td> <td>34.98</td> <td>11.70</td> <td>32.31</td> <td>216</td> <td>292</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5630.00	101.44	-----	-----	87.07	34.98	11.70	32.31	216	292	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																						
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	5429.38	52.38	74.00	-21.62	38.71	34.81	10.99	32.13	216	292	PEAK																																																																																		
2	5463.57	52.71	68.30	-15.59	38.94	34.81	11.13	32.17	216	292	PEAK																																																																																		
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																					
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	5630.00	101.44	-----	-----	87.07	34.98	11.70	32.31	216	292	PEAK																																																																																		
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5457.10</td> <td>43.40</td> <td>54.00</td> <td>-10.60</td> <td>29.64</td> <td>34.81</td> <td>11.11</td> <td>32.16</td> <td>216</td> <td>292</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5457.10	43.40	54.00	-10.60	29.64	34.81	11.11	32.16	216	292	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5630.00</td> <td>94.82</td> <td>-----</td> <td>-----</td> <td>80.45</td> <td>34.98</td> <td>11.70</td> <td>32.31</td> <td>216</td> <td>292</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5630.00	94.82	-----	-----	80.45	34.98	11.70	32.31	216	292	AVERAGE											
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																					
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	5457.10	43.40	54.00	-10.60	29.64	34.81	11.11	32.16	216	292	AVERAGE																																																																																		
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																					
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	5630.00	94.82	-----	-----	80.45	34.98	11.70	32.31	216	292	AVERAGE																																																																																		



Mode	50																																								
	Band Edge - R																																								
	U-NII-2C_5.47-5.725_802.11n HT40_CH126_5630MHz																																								
ANT	22																																								
Pol.	Horizontal	Fundamental																																							
Peak	<p>Date: 2023-08-17</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5725.24</td> <td>54.99</td> <td>68.30</td> <td>-13.31</td> <td>40.61</td> <td>35.12</td> <td>11.65</td> <td>32.39</td> <td>216</td> <td>292</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5725.24	54.99	68.30	-13.31	40.61	35.12	11.65	32.39	216	292	PEAK	Blank
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																		
Freq	Level	Line	Level	Factor	Loss Factor			Remark																																	
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																	
1	5725.24	54.99	68.30	-13.31	40.61	35.12	11.65	32.39	216	292	PEAK																														



	50																																																									
Mode	Band Edge - L																																																									
	U-NII-2C_5.47-5.725_802.11n HT40_CH126_5630MHz																																																									
ANT	22																																																									
Pol.	Vertical	Fundamental																																																								
Peak	<table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5424.06 52.44 74.00 -21.56</td> <td>38.77</td> <td>34.82</td> <td>10.97</td> <td>32.12</td> <td>297</td> <td>270</td> <td>PEAK</td> </tr> <tr> <td>2 5468.30 53.00 68.30 -15.30</td> <td>39.22</td> <td>34.81</td> <td>11.15</td> <td>32.18</td> <td>297</td> <td>270</td> <td>PEAK</td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level Line (dB)	Level	Factor	Loss Factor		cm	deg		1 5424.06 52.44 74.00 -21.56	38.77	34.82	10.97	32.12	297	270	PEAK	2 5468.30 53.00 68.30 -15.30	39.22	34.81	11.15	32.18	297	270	PEAK	<table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5630.00 102.77</td> <td>88.41</td> <td>34.97</td> <td>11.70</td> <td>32.31</td> <td>297</td> <td>270</td> <td>PEAK</td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level Line (dB)	Level	Factor	Loss Factor		cm	deg		1 5630.00 102.77	88.41	34.97	11.70	32.31	297	270	PEAK
Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																			
Freq Level Line (dB)	Level	Factor	Loss Factor		cm	deg																																																				
1 5424.06 52.44 74.00 -21.56	38.77	34.82	10.97	32.12	297	270	PEAK																																																			
2 5468.30 53.00 68.30 -15.30	39.22	34.81	11.15	32.18	297	270	PEAK																																																			
Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																			
Freq Level Line (dB)	Level	Factor	Loss Factor		cm	deg																																																				
1 5630.00 102.77	88.41	34.97	11.70	32.31	297	270	PEAK																																																			
Avg	<table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5459.93 43.68 54.00 -10.32</td> <td>29.92</td> <td>34.81</td> <td>11.12</td> <td>32.17</td> <td>297</td> <td>270</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level Line (dB)	Level	Factor	Loss Factor		cm	deg		1 5459.93 43.68 54.00 -10.32	29.92	34.81	11.12	32.17	297	270	AVERAGE	<table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5630.00 96.04</td> <td>81.67</td> <td>34.98</td> <td>11.70</td> <td>32.31</td> <td>297</td> <td>270</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level Line (dB)	Level	Factor	Loss Factor		cm	deg		1 5630.00 96.04	81.67	34.98	11.70	32.31	297	270	AVERAGE								
Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																			
Freq Level Line (dB)	Level	Factor	Loss Factor		cm	deg																																																				
1 5459.93 43.68 54.00 -10.32	29.92	34.81	11.12	32.17	297	270	AVERAGE																																																			
Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																			
Freq Level Line (dB)	Level	Factor	Loss Factor		cm	deg																																																				
1 5630.00 96.04	81.67	34.98	11.70	32.31	297	270	AVERAGE																																																			



Mode	50																																					
	Band Edge - R																																					
	U-NII-2C_5.47-5.725_802.11n HT40_CH126_5630MHz																																					
ANT	22																																					
Pol.	Vertical	Fundamental																																				
Peak	<p>Date: 2023-08-17</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5764.27</td> <td>53.82</td> <td>68.30</td> <td>-14.48</td> <td>39.43</td> <td>35.17</td> <td>11.64</td> <td>32.42</td> <td>297 270 PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5764.27	53.82	68.30	-14.48	39.43	35.17	11.64	32.42	297 270 PEAK	Blank
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																														
Freq	Level	Line	Level	Factor	Loss Factor																																	
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																														
1 5764.27	53.82	68.30	-14.48	39.43	35.17	11.64	32.42	297 270 PEAK																														



Straddle Channel

<Mode 38> Band 3 - Straddle Channel

WIFI 802.11a (Band Edge @ 3m)

WIFI Ant. 5+6	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11a CH 144 5720MHz		5358.8	52.45	-21.55	74	38.73	34.83	10.93	32.04	100	297	P	H
		5460.55	51.2	-17.1	68.3	37.5	34.81	11.06	32.17	100	297	P	H
	*	5720	105.36	-	-	90.97	35.11	11.66	32.38	100	297	P	H
		5864.8	52.54	-15.76	68.3	38.24	35.31	11.49	32.5	100	297	P	H
		5457.25	42.38	-11.62	54	28.68	34.81	11.06	32.17	100	297	P	H
	*	5720	98.98	-	-	84.59	35.11	11.66	32.38	100	297	A	H
		5400.05	52.42	-21.58	74	38.81	34.82	10.9	32.11	400	209	P	V
		5460.55	51.45	-16.85	68.3	37.75	34.81	11.06	32.17	400	209	P	V
	*	5720	103.04	-	-	88.65	35.11	11.66	32.38	400	209	P	V
		5884.6	52.46	-15.84	68.3	38.15	35.34	11.49	32.52	400	209	P	V
		5457.8	42.32	-11.68	54	28.62	34.81	11.06	32.17	400	209	P	V
	*	5720	96.76	-	-	82.37	35.11	11.66	32.38	400	209	A	V

Remark	1. No other spurious found.
	2. All results are PASS against Peak and Average limit line.

<Mode 38> Band 3 - Straddle Channel

WIFI 802.11a (Harmonic @ 3m)

WIFI Ant. 5+6	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11a CH 144 5720MHz		11440	50.25	-23.75	74	46.4	39.75	14.81	50.71	-	-	P	H
		17160	51.02	-17.28	68.3	42.91	42.44	17.54	51.87	-	-	P	H
		11440	49.46	-24.54	74	45.61	39.75	14.81	50.71	-	-	P	V
		17160	50.55	-17.75	68.3	42.44	42.44	17.54	51.87	-	-	P	V

Remark	1. No other spurious found.
	2. All results are PASS against Peak and Average limit line.



<Mode 39> Band 3 - Straddle Channel
WIFI 802.11n HT20 (Band Edge @ 3m)

Table with 14 columns: WIFI Ant., Note, Frequency, Level, Margin, Limit Line, Read Level, Antenna Factor, Path Loss, Preamp Factor, Ant Pos, Table Pos, Peak Avg., Pol. Rows include frequency data for 802.11n HT20 CH 144 5720MHz and a Remark section.

<Mode 39> Band 3 - Straddle Channel
WIFI 802.11n HT20 (Harmonic @ 3m)

Table with 14 columns: WIFI Ant., Note, Frequency, Level, Margin, Limit Line, Read Level, Antenna Factor, Path Loss, Preamp Factor, Ant Pos, Table Pos, Peak Avg., Pol. Rows include frequency data for 802.11n HT20 CH 144 5720MHz and a Remark section.



**<Mode 40> Band 3 - Straddle Channel
WIFI 802.11n HT40 (Band Edge @ 3m)**

WIFI	Note	Frequency	Level	Margin	Limit	Read	Antenna	Path	Preamp	Ant	Table	Peak	Pol.
Ant.					Line	Level	Factor	Loss	Factor	Pos	Pos	Avg.	
5+6		(MHz)	(dBμV/m)	(dB)	(dBμV/m)	(dBμV)	(dB/m)	(dB)	(dB)	(cm)	(deg)	(P/A)	(H/V)
802.11n HT 40 CH 142 5710MHz		5352.75	52.82	-21.18	74	39.1	34.83	10.93	32.04	347	273	P	H
		5467.15	51.54	-16.76	68.3	37.68	34.81	11.22	32.17	347	273	P	H
	*	5710	101.48	-	-	87.11	35.09	11.66	32.38	347	273	P	H
		5869.75	52.35	-15.95	68.3	38.04	35.32	11.49	32.5	347	273	P	H
		5458.35	43.16	-10.84	54	29.46	34.81	11.06	32.17	347	273	P	H
	*	5710	94.25	-	-	79.88	35.09	11.66	32.38	347	273	A	H
		5352.75	51.83	-22.17	74	38.11	34.83	10.93	32.04	100	296	P	V
		5462.2	51.04	-17.26	68.3	37.34	34.81	11.06	32.17	100	296	P	V
	*	5710	100.65	-	-	86.28	35.09	11.66	32.38	100	296	P	V
		5859.85	52.3	-16	68.3	38.01	35.3	11.49	32.5	100	296	P	V
		5447.9	43.28	-10.72	54	29.55	34.81	11.06	32.14	100	296	P	V
*	5710	94.3	-	-	79.93	35.09	11.66	32.38	100	296	A	V	
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												

**<Mode 41> Band 3 - Straddle Channel
WIFI 802.11n HT80 (Band Edge @ 3m)**

WIFI	Note	Frequency	Level	Margin	Limit	Read	Antenna	Path	Preamp	Ant	Table	Peak	Pol.
Ant.					Line	Level	Factor	Loss	Factor	Pos	Pos	Avg.	
5+6		(MHz)	(dBμV/m)	(dB)	(dBμV/m)	(dBμV)	(dB/m)	(dB)	(dB)	(cm)	(deg)	(P/A)	(H/V)
802.11n HT80 CH 138 5690MHz		5440.75	51.87	-22.13	74	38.14	34.81	11.06	32.14	100	298	P	H
		5467.7	50.69	-17.61	68.3	36.83	34.81	11.22	32.17	100	298	P	H
	*	5690	90.91	-	-	76.53	35.07	11.67	32.36	100	298	P	H
		5869.2	52.11	-16.19	68.3	37.8	35.32	11.49	32.5	100	298	P	H
		5397.85	44.52	-9.48	54	30.87	34.82	10.9	32.07	100	298	P	H
	*	5690	84.77	-	-	70.39	35.07	11.67	32.36	100	298	A	H
		5456.15	51.58	-22.42	74	37.88	34.81	11.06	32.17	349	274	P	V
		5462.2	51.85	-16.45	68.3	38.15	34.81	11.06	32.17	349	274	P	V
	*	5690	90.63	-	-	76.25	35.07	11.67	32.36	349	274	P	V
		5878.55	53.45	-14.85	68.3	39.13	35.33	11.49	32.5	349	274	P	V
		5439.1	44.57	-9.43	54	30.84	34.81	11.06	32.14	349	274	P	V
*	5690	84.01	-	-	69.63	35.07	11.67	32.36	349	274	A	V	
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



Straddle Channel

Band 3 - Straddle Channel

WIFI 802.11a (Band Edge @ 3m)

WIFI	Band 3 Straddle Channel Band Edge @ 3m																																																	
ANT	802.11a CH144 5720MHz - L																																																	
22	Horizontal	Fundamental																																																
Peak	<table border="1"> <thead> <tr> <th>1</th> <th>5358.800</th> <th>52.45</th> <th>-21.55</th> <th>74.00</th> <th>38.73</th> <th>34.83</th> <th>10.31</th> <th>32.04</th> <th>100</th> <th>297</th> <th>Peak</th> </tr> </thead> <tbody> <tr> <td>2</td> <td>5460.550</td> <td>51.20</td> <td>-17.10</td> <td>68.30</td> <td>37.50</td> <td>34.81</td> <td>11.06</td> <td>32.17</td> <td>100</td> <td>297</td> <td>Peak</td> </tr> <tr> <td>3</td> <td>5720.000</td> <td>105.36</td> <td>-</td> <td>-</td> <td>90.97</td> <td>35.11</td> <td>11.66</td> <td>32.38</td> <td>100</td> <td>297</td> <td>Peak</td> </tr> <tr> <td>4</td> <td>5864.800</td> <td>52.54</td> <td>-15.76</td> <td>68.30</td> <td>36.24</td> <td>35.31</td> <td>11.49</td> <td>32.50</td> <td>100</td> <td>297</td> <td>Peak</td> </tr> </tbody> </table>	1	5358.800	52.45	-21.55	74.00	38.73	34.83	10.31	32.04	100	297	Peak	2	5460.550	51.20	-17.10	68.30	37.50	34.81	11.06	32.17	100	297	Peak	3	5720.000	105.36	-	-	90.97	35.11	11.66	32.38	100	297	Peak	4	5864.800	52.54	-15.76	68.30	36.24	35.31	11.49	32.50	100	297	Peak	Left blank
1	5358.800	52.45	-21.55	74.00	38.73	34.83	10.31	32.04	100	297	Peak																																							
2	5460.550	51.20	-17.10	68.30	37.50	34.81	11.06	32.17	100	297	Peak																																							
3	5720.000	105.36	-	-	90.97	35.11	11.66	32.38	100	297	Peak																																							
4	5864.800	52.54	-15.76	68.30	36.24	35.31	11.49	32.50	100	297	Peak																																							
Avg.	<table border="1"> <thead> <tr> <th>1</th> <th>5457.250</th> <th>42.38</th> <th>-11.62</th> <th>54.00</th> <th>28.68</th> <th>34.81</th> <th>11.06</th> <th>32.17</th> <th>100</th> <th>297</th> <th>Peak</th> </tr> </thead> <tbody> <tr> <td>2</td> <td>5720.000</td> <td>98.98</td> <td>-</td> <td>-</td> <td>84.59</td> <td>35.11</td> <td>11.66</td> <td>32.38</td> <td>100</td> <td>297</td> <td>Average</td> </tr> </tbody> </table>	1	5457.250	42.38	-11.62	54.00	28.68	34.81	11.06	32.17	100	297	Peak	2	5720.000	98.98	-	-	84.59	35.11	11.66	32.38	100	297	Average	Left blank																								
1	5457.250	42.38	-11.62	54.00	28.68	34.81	11.06	32.17	100	297	Peak																																							
2	5720.000	98.98	-	-	84.59	35.11	11.66	32.38	100	297	Average																																							



WIFI	Band 3 Straddle Channel Band Edge @ 3m																																																																									
ANT	802.11a CH144 5720MHz - L																																																																									
22	Vertical	Fundamental																																																																								
Peak	<table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5880.859</td> <td>52.42</td> <td>-21.58</td> <td>74.00</td> <td>38.81</td> <td>34.82</td> <td>18.98</td> <td>32.11</td> <td>480</td> <td>289</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>5468.558</td> <td>51.45</td> <td>-16.85</td> <td>68.38</td> <td>37.75</td> <td>34.81</td> <td>11.86</td> <td>32.17</td> <td>480</td> <td>289</td> <td>Peak</td> </tr> <tr> <td>3</td> <td>5720.800</td> <td>103.04</td> <td>.....</td> <td>.....</td> <td>88.65</td> <td>35.11</td> <td>11.66</td> <td>32.38</td> <td>480</td> <td>289</td> <td>Peak</td> </tr> <tr> <td>4</td> <td>5884.600</td> <td>52.45</td> <td>-15.84</td> <td>68.30</td> <td>38.15</td> <td>35.34</td> <td>11.49</td> <td>32.52</td> <td>480</td> <td>289</td> <td>Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Freq	Level	Line	Level	Factor	Loss	Factor		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	1	5880.859	52.42	-21.58	74.00	38.81	34.82	18.98	32.11	480	289	Peak	2	5468.558	51.45	-16.85	68.38	37.75	34.81	11.86	32.17	480	289	Peak	3	5720.800	103.04	88.65	35.11	11.66	32.38	480	289	Peak	4	5884.600	52.45	-15.84	68.30	38.15	35.34	11.49	32.52	480	289	Peak	Left blank
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																			
Freq	Level	Line	Level	Factor	Loss	Factor																																																																				
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB																																																																			
1	5880.859	52.42	-21.58	74.00	38.81	34.82	18.98	32.11	480	289	Peak																																																															
2	5468.558	51.45	-16.85	68.38	37.75	34.81	11.86	32.17	480	289	Peak																																																															
3	5720.800	103.04	88.65	35.11	11.66	32.38	480	289	Peak																																																															
4	5884.600	52.45	-15.84	68.30	38.15	35.34	11.49	32.52	480	289	Peak																																																															
Avg.	<table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5457.800</td> <td>42.32</td> <td>-11.68</td> <td>54.00</td> <td>28.62</td> <td>34.81</td> <td>11.86</td> <td>32.17</td> <td>480</td> <td>289</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>5720.800</td> <td>96.76</td> <td>.....</td> <td>.....</td> <td>82.37</td> <td>35.11</td> <td>11.66</td> <td>32.38</td> <td>480</td> <td>289</td> <td>Average</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Freq	Level	Line	Level	Factor	Loss	Factor		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	1	5457.800	42.32	-11.68	54.00	28.62	34.81	11.86	32.17	480	289	Peak	2	5720.800	96.76	82.37	35.11	11.66	32.38	480	289	Average	Left blank																								
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																			
Freq	Level	Line	Level	Factor	Loss	Factor																																																																				
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB																																																																			
1	5457.800	42.32	-11.68	54.00	28.62	34.81	11.86	32.17	480	289	Peak																																																															
2	5720.800	96.76	82.37	35.11	11.66	32.38	480	289	Average																																																															



**Band 3 – Straddle Channel
WIFI 802.11n HT20 (Band Edge @ 3m)**

WIFI	Band 3 Straddle Channel Band Edge @ 3m																																																																			
ANT	802.11n20 CH144 5720MHz - L																																																																			
22	Horizontal	Fundamental																																																																		
Peak	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5386.300</td> <td>51.75</td> <td>-22.25</td> <td>74.00</td> <td>38.07</td> <td>34.82</td> <td>10.93</td> <td>32.07</td> <td>100</td> <td>298 Peak</td> </tr> <tr> <td>2</td> <td>5464.950</td> <td>51.59</td> <td>-16.71</td> <td>68.30</td> <td>37.89</td> <td>34.81</td> <td>11.06</td> <td>32.17</td> <td>100</td> <td>298 Peak</td> </tr> <tr> <td>3</td> <td>5720.000</td> <td>104.97</td> <td>-----</td> <td>-----</td> <td>90.58</td> <td>35.11</td> <td>11.66</td> <td>32.38</td> <td>100</td> <td>298 Peak</td> </tr> <tr> <td>4</td> <td>5861.500</td> <td>52.45</td> <td>-15.85</td> <td>68.30</td> <td>38.15</td> <td>35.31</td> <td>11.49</td> <td>32.50</td> <td>100</td> <td>298 Peak</td> </tr> </tbody> </table>	Peak	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5386.300	51.75	-22.25	74.00	38.07	34.82	10.93	32.07	100	298 Peak	2	5464.950	51.59	-16.71	68.30	37.89	34.81	11.06	32.17	100	298 Peak	3	5720.000	104.97	-----	-----	90.58	35.11	11.66	32.38	100	298 Peak	4	5861.500	52.45	-15.85	68.30	38.15	35.31	11.49	32.50	100	298 Peak	Left blank
Peak	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																										
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																										
1	5386.300	51.75	-22.25	74.00	38.07	34.82	10.93	32.07	100	298 Peak																																																										
2	5464.950	51.59	-16.71	68.30	37.89	34.81	11.06	32.17	100	298 Peak																																																										
3	5720.000	104.97	-----	-----	90.58	35.11	11.66	32.38	100	298 Peak																																																										
4	5861.500	52.45	-15.85	68.30	38.15	35.31	11.49	32.50	100	298 Peak																																																										
Avg.	<table border="1"> <thead> <tr> <th>Avg.</th> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5458.350</td> <td>42.37</td> <td>-11.63</td> <td>54.00</td> <td>28.67</td> <td>34.81</td> <td>11.06</td> <td>32.17</td> <td>100</td> <td>298 Peak</td> </tr> <tr> <td>2</td> <td>5720.000</td> <td>98.22</td> <td>-----</td> <td>-----</td> <td>83.83</td> <td>35.11</td> <td>11.66</td> <td>32.38</td> <td>100</td> <td>298 Average</td> </tr> </tbody> </table>	Avg.	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5458.350	42.37	-11.63	54.00	28.67	34.81	11.06	32.17	100	298 Peak	2	5720.000	98.22	-----	-----	83.83	35.11	11.66	32.38	100	298 Average	Left blank																						
Avg.	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																										
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																										
1	5458.350	42.37	-11.63	54.00	28.67	34.81	11.06	32.17	100	298 Peak																																																										
2	5720.000	98.22	-----	-----	83.83	35.11	11.66	32.38	100	298 Average																																																										



WIFI	Band 3 Straddle Channel Band Edge @ 3m																																																																							
ANT	802.11n20 CH144 5720MHz - L																																																																							
22	Vertical	Fundamental																																																																						
Peak	<table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5398.258</td> <td>51.91</td> <td>-22.89</td> <td>74.80</td> <td>38.30</td> <td>34.82</td> <td>18.98</td> <td>32.11</td> <td>363</td> <td>266</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>5468.808</td> <td>51.42</td> <td>-16.88</td> <td>68.38</td> <td>37.72</td> <td>34.81</td> <td>11.86</td> <td>32.17</td> <td>363</td> <td>266</td> <td>Peak</td> </tr> <tr> <td>3</td> <td>5728.808</td> <td>103.18</td> <td>-</td> <td>-</td> <td>88.79</td> <td>35.11</td> <td>11.66</td> <td>32.38</td> <td>363</td> <td>266</td> <td>Peak</td> </tr> <tr> <td>4</td> <td>5869.758</td> <td>52.22</td> <td>-16.88</td> <td>68.38</td> <td>37.91</td> <td>35.32</td> <td>11.49</td> <td>32.58</td> <td>363</td> <td>266</td> <td>Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Freq	Level	Line	Level Factor	Loss Factor			MHz	dBuV/m	dB	dBuV/m	dBuV	dB	cm	deg	1	5398.258	51.91	-22.89	74.80	38.30	34.82	18.98	32.11	363	266	Peak	2	5468.808	51.42	-16.88	68.38	37.72	34.81	11.86	32.17	363	266	Peak	3	5728.808	103.18	-	-	88.79	35.11	11.66	32.38	363	266	Peak	4	5869.758	52.22	-16.88	68.38	37.91	35.32	11.49	32.58	363	266	Peak	Left blank
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																																		
Freq	Level	Line	Level Factor	Loss Factor																																																																				
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	cm	deg																																																																	
1	5398.258	51.91	-22.89	74.80	38.30	34.82	18.98	32.11	363	266	Peak																																																													
2	5468.808	51.42	-16.88	68.38	37.72	34.81	11.86	32.17	363	266	Peak																																																													
3	5728.808	103.18	-	-	88.79	35.11	11.66	32.38	363	266	Peak																																																													
4	5869.758	52.22	-16.88	68.38	37.91	35.32	11.49	32.58	363	266	Peak																																																													
Avg.	<table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5452.388</td> <td>42.20</td> <td>-11.88</td> <td>54.88</td> <td>28.58</td> <td>34.81</td> <td>11.86</td> <td>32.17</td> <td>363</td> <td>266</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>5728.808</td> <td>96.38</td> <td>-</td> <td>-</td> <td>81.99</td> <td>35.11</td> <td>11.66</td> <td>32.38</td> <td>363</td> <td>266</td> <td>Average</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Freq	Level	Line	Level Factor	Loss Factor			MHz	dBuV/m	dB	dBuV/m	dBuV	dB	cm	deg	1	5452.388	42.20	-11.88	54.88	28.58	34.81	11.86	32.17	363	266	Peak	2	5728.808	96.38	-	-	81.99	35.11	11.66	32.38	363	266	Average	Left blank																								
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																																		
Freq	Level	Line	Level Factor	Loss Factor																																																																				
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	cm	deg																																																																	
1	5452.388	42.20	-11.88	54.88	28.58	34.81	11.86	32.17	363	266	Peak																																																													
2	5728.808	96.38	-	-	81.99	35.11	11.66	32.38	363	266	Average																																																													



**Band 3 – Straddle Channel
WIFI 802.11n HT40 (Band Edge @ 3m)**

WIFI	Band 3 Straddle Channel Band Edge @ 3m																																																							
ANT	802.11n40 CH142 5710MHz - L																																																							
22	Horizontal	Fundamental																																																						
Peak	<table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>5352.750</td> <td>52.82</td> <td>-21.18</td> <td>74.00</td> <td>39.10</td> <td>34.83</td> <td>10.93</td> <td>32.04</td> <td>347 273 Peak</td> </tr> <tr> <td>5467.150</td> <td>51.54</td> <td>-16.76</td> <td>68.30</td> <td>37.68</td> <td>34.81</td> <td>11.22</td> <td>32.17</td> <td>347 273 Peak</td> </tr> <tr> <td>5710.000</td> <td>101.45</td> <td>.....</td> <td>.....</td> <td>87.13</td> <td>35.09</td> <td>11.66</td> <td>32.38</td> <td>347 273 Peak</td> </tr> <tr> <td>5869.750</td> <td>52.35</td> <td>-15.95</td> <td>68.30</td> <td>38.04</td> <td>35.32</td> <td>11.49</td> <td>32.50</td> <td>347 273 Peak</td> </tr> </tbody> </table>	Freq	Level	Over Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB	cm	deg	5352.750	52.82	-21.18	74.00	39.10	34.83	10.93	32.04	347 273 Peak	5467.150	51.54	-16.76	68.30	37.68	34.81	11.22	32.17	347 273 Peak	5710.000	101.45	87.13	35.09	11.66	32.38	347 273 Peak	5869.750	52.35	-15.95	68.30	38.04	35.32	11.49	32.50	347 273 Peak	Left blank
Freq	Level	Over Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																
MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB	cm	deg																																																
5352.750	52.82	-21.18	74.00	39.10	34.83	10.93	32.04	347 273 Peak																																																
5467.150	51.54	-16.76	68.30	37.68	34.81	11.22	32.17	347 273 Peak																																																
5710.000	101.45	87.13	35.09	11.66	32.38	347 273 Peak																																																
5869.750	52.35	-15.95	68.30	38.04	35.32	11.49	32.50	347 273 Peak																																																
Avg.	<table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>5450.350</td> <td>43.15</td> <td>-10.84</td> <td>54.00</td> <td>29.46</td> <td>34.81</td> <td>11.06</td> <td>32.17</td> <td>347 273 Peak</td> </tr> <tr> <td>5710.000</td> <td>94.25</td> <td>.....</td> <td>.....</td> <td>79.88</td> <td>35.09</td> <td>11.66</td> <td>32.38</td> <td>347 273 Average</td> </tr> </tbody> </table>	Freq	Level	Over Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB	cm	deg	5450.350	43.15	-10.84	54.00	29.46	34.81	11.06	32.17	347 273 Peak	5710.000	94.25	79.88	35.09	11.66	32.38	347 273 Average	Left blank																		
Freq	Level	Over Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																
MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB	cm	deg																																																
5450.350	43.15	-10.84	54.00	29.46	34.81	11.06	32.17	347 273 Peak																																																
5710.000	94.25	79.88	35.09	11.66	32.38	347 273 Average																																																



WIFI	Band 3 Straddle Channel Band Edge @ 3m																																																																									
ANT	802.11n40 CH142 5710MHz - L																																																																									
22	Vertical	Fundamental																																																																								
Peak	<table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5352.750</td> <td>51.83</td> <td>-22.17</td> <td>74.00</td> <td>38.11</td> <td>34.83</td> <td>18.93</td> <td>32.04</td> <td>100</td> <td>296</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>5462.200</td> <td>51.84</td> <td>-17.26</td> <td>68.30</td> <td>37.34</td> <td>34.81</td> <td>11.86</td> <td>32.17</td> <td>100</td> <td>296</td> <td>Peak</td> </tr> <tr> <td>3</td> <td>5710.800</td> <td>100.65</td> <td>-</td> <td>-</td> <td>86.28</td> <td>35.09</td> <td>11.66</td> <td>32.38</td> <td>100</td> <td>296</td> <td>Peak</td> </tr> <tr> <td>4</td> <td>5891.850</td> <td>52.30</td> <td>-16.00</td> <td>68.30</td> <td>38.01</td> <td>35.30</td> <td>11.49</td> <td>32.50</td> <td>100</td> <td>296</td> <td>Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Freq	Level	Line	Level	Factor	Loss	Factor		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	1	5352.750	51.83	-22.17	74.00	38.11	34.83	18.93	32.04	100	296	Peak	2	5462.200	51.84	-17.26	68.30	37.34	34.81	11.86	32.17	100	296	Peak	3	5710.800	100.65	-	-	86.28	35.09	11.66	32.38	100	296	Peak	4	5891.850	52.30	-16.00	68.30	38.01	35.30	11.49	32.50	100	296	Peak	Left blank
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																			
Freq	Level	Line	Level	Factor	Loss	Factor																																																																				
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB																																																																			
1	5352.750	51.83	-22.17	74.00	38.11	34.83	18.93	32.04	100	296	Peak																																																															
2	5462.200	51.84	-17.26	68.30	37.34	34.81	11.86	32.17	100	296	Peak																																																															
3	5710.800	100.65	-	-	86.28	35.09	11.66	32.38	100	296	Peak																																																															
4	5891.850	52.30	-16.00	68.30	38.01	35.30	11.49	32.50	100	296	Peak																																																															
Avg.	<table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5447.900</td> <td>43.28</td> <td>-10.72</td> <td>54.00</td> <td>29.55</td> <td>34.81</td> <td>11.86</td> <td>32.14</td> <td>100</td> <td>296</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>5710.800</td> <td>94.30</td> <td>-</td> <td>-</td> <td>79.93</td> <td>35.09</td> <td>11.66</td> <td>32.38</td> <td>100</td> <td>296</td> <td>Average</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Freq	Level	Line	Level	Factor	Loss	Factor		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	1	5447.900	43.28	-10.72	54.00	29.55	34.81	11.86	32.14	100	296	Peak	2	5710.800	94.30	-	-	79.93	35.09	11.66	32.38	100	296	Average	Left blank																								
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																			
Freq	Level	Line	Level	Factor	Loss	Factor																																																																				
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB																																																																			
1	5447.900	43.28	-10.72	54.00	29.55	34.81	11.86	32.14	100	296	Peak																																																															
2	5710.800	94.30	-	-	79.93	35.09	11.66	32.38	100	296	Average																																																															



Band 3 – Straddle Channel
WIFI 802.11ac HT80 (Band Edge @ 3m)

WIFI	Band 3 Straddle Channel Band Edge @ 3m																																																																									
ANT	802.11ac80 CH138 5690MHz - L																																																																									
22	Horizontal	Fundamental																																																																								
Peak	<table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Level</th> <th>Line</th> <th>Level</th> <th>Loss</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB/M</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5449.750</td> <td>51.87</td> <td>-22.13</td> <td>74.00</td> <td>38.14</td> <td>34.81</td> <td>11.06</td> <td>32.14</td> <td>100</td> <td>298</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>5467.700</td> <td>58.69</td> <td>-17.61</td> <td>68.30</td> <td>36.83</td> <td>34.81</td> <td>11.22</td> <td>32.17</td> <td>100</td> <td>298</td> <td>Peak</td> </tr> <tr> <td>3</td> <td>5690.800</td> <td>98.91</td> <td>-----</td> <td>-----</td> <td>76.53</td> <td>35.07</td> <td>11.67</td> <td>32.36</td> <td>100</td> <td>298</td> <td>Peak</td> </tr> <tr> <td>4</td> <td>5869.200</td> <td>52.11</td> <td>-16.19</td> <td>68.30</td> <td>37.80</td> <td>35.32</td> <td>11.49</td> <td>32.50</td> <td>100</td> <td>298</td> <td>Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Level	Line	Level	Loss	Factor				MHz	dBuV/m	dB	dBuV/m	dB/M	dB	cm	deg	1	5449.750	51.87	-22.13	74.00	38.14	34.81	11.06	32.14	100	298	Peak	2	5467.700	58.69	-17.61	68.30	36.83	34.81	11.22	32.17	100	298	Peak	3	5690.800	98.91	-----	-----	76.53	35.07	11.67	32.36	100	298	Peak	4	5869.200	52.11	-16.19	68.30	37.80	35.32	11.49	32.50	100	298	Peak	Left blank
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																			
Level	Line	Level	Loss	Factor																																																																						
MHz	dBuV/m	dB	dBuV/m	dB/M	dB	cm	deg																																																																			
1	5449.750	51.87	-22.13	74.00	38.14	34.81	11.06	32.14	100	298	Peak																																																															
2	5467.700	58.69	-17.61	68.30	36.83	34.81	11.22	32.17	100	298	Peak																																																															
3	5690.800	98.91	-----	-----	76.53	35.07	11.67	32.36	100	298	Peak																																																															
4	5869.200	52.11	-16.19	68.30	37.80	35.32	11.49	32.50	100	298	Peak																																																															
Avg.	<table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Level</th> <th>Line</th> <th>Level</th> <th>Loss</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB/M</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5397.850</td> <td>44.52</td> <td>-9.48</td> <td>54.00</td> <td>38.87</td> <td>34.82</td> <td>10.90</td> <td>32.07</td> <td>100</td> <td>298</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>5690.800</td> <td>84.77</td> <td>-----</td> <td>-----</td> <td>78.39</td> <td>35.07</td> <td>11.67</td> <td>32.36</td> <td>100</td> <td>298</td> <td>Average</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Level	Line	Level	Loss	Factor				MHz	dBuV/m	dB	dBuV/m	dB/M	dB	cm	deg	1	5397.850	44.52	-9.48	54.00	38.87	34.82	10.90	32.07	100	298	Peak	2	5690.800	84.77	-----	-----	78.39	35.07	11.67	32.36	100	298	Average	Left blank																								
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																			
Level	Line	Level	Loss	Factor																																																																						
MHz	dBuV/m	dB	dBuV/m	dB/M	dB	cm	deg																																																																			
1	5397.850	44.52	-9.48	54.00	38.87	34.82	10.90	32.07	100	298	Peak																																																															
2	5690.800	84.77	-----	-----	78.39	35.07	11.67	32.36	100	298	Average																																																															



WIFI	Band 3 Straddle Channel Band Edge @ 3m																																																																									
ANT	802.11ac CH138 5690MHz - L																																																																									
22	Vertical	Fundamental																																																																								
Peak	<table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5456.150</td> <td>51.50</td> <td>-22.42</td> <td>74.00</td> <td>37.00</td> <td>34.81</td> <td>11.06</td> <td>32.17</td> <td>349</td> <td>274</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>5462.200</td> <td>51.85</td> <td>-16.45</td> <td>68.30</td> <td>38.15</td> <td>34.81</td> <td>11.06</td> <td>32.17</td> <td>349</td> <td>274</td> <td>Peak</td> </tr> <tr> <td>3</td> <td>5690.800</td> <td>98.63</td> <td>.....</td> <td>.....</td> <td>76.25</td> <td>35.07</td> <td>11.67</td> <td>32.36</td> <td>349</td> <td>274</td> <td>Peak</td> </tr> <tr> <td>4</td> <td>5870.550</td> <td>53.45</td> <td>-14.05</td> <td>68.30</td> <td>35.13</td> <td>35.33</td> <td>11.49</td> <td>32.50</td> <td>349</td> <td>274</td> <td>Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Freq	Level	Line	Level Factor	Loss Factor			MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5456.150	51.50	-22.42	74.00	37.00	34.81	11.06	32.17	349	274	Peak	2	5462.200	51.85	-16.45	68.30	38.15	34.81	11.06	32.17	349	274	Peak	3	5690.800	98.63	76.25	35.07	11.67	32.36	349	274	Peak	4	5870.550	53.45	-14.05	68.30	35.13	35.33	11.49	32.50	349	274	Peak	Left blank
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																																				
Freq	Level	Line	Level Factor	Loss Factor																																																																						
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																	
1	5456.150	51.50	-22.42	74.00	37.00	34.81	11.06	32.17	349	274	Peak																																																															
2	5462.200	51.85	-16.45	68.30	38.15	34.81	11.06	32.17	349	274	Peak																																																															
3	5690.800	98.63	76.25	35.07	11.67	32.36	349	274	Peak																																																															
4	5870.550	53.45	-14.05	68.30	35.13	35.33	11.49	32.50	349	274	Peak																																																															
Avg.	<table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5439.100</td> <td>44.57</td> <td>-9.43</td> <td>54.00</td> <td>30.84</td> <td>34.81</td> <td>11.06</td> <td>32.14</td> <td>349</td> <td>274</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>5690.800</td> <td>84.01</td> <td>.....</td> <td>.....</td> <td>69.63</td> <td>35.07</td> <td>11.67</td> <td>32.36</td> <td>349</td> <td>274</td> <td>Average</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Freq	Level	Line	Level Factor	Loss Factor			MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5439.100	44.57	-9.43	54.00	30.84	34.81	11.06	32.14	349	274	Peak	2	5690.800	84.01	69.63	35.07	11.67	32.36	349	274	Average	Left blank																								
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																																				
Freq	Level	Line	Level Factor	Loss Factor																																																																						
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																	
1	5439.100	44.57	-9.43	54.00	30.84	34.81	11.06	32.14	349	274	Peak																																																															
2	5690.800	84.01	69.63	35.07	11.67	32.36	349	274	Average																																																															



Band 3 - Straddle Channel
WIFI 802.11a (Harmonic @ 3m)

WIFI	Band 3 Straddle Channel Harmonic @ 3m																																																																																													
ANT	802.11a CH144 5720MHz																																																																																													
22	Horizontal	Vertical																																																																																												
Peak	<table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 11440.000</td> <td>50.25</td> <td>-33.75</td> <td>74.00</td> <td>46.46</td> <td>39.75</td> <td>34.81</td> <td>50.71</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2 17160.000</td> <td>51.02</td> <td>-17.28</td> <td>68.30</td> <td>42.91</td> <td>42.44</td> <td>17.54</td> <td>51.87</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Freq	Level	Line	Level Factor	Loss Factor			MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB	cm	deg		1 11440.000	50.25	-33.75	74.00	46.46	39.75	34.81	50.71	---	---	Peak	2 17160.000	51.02	-17.28	68.30	42.91	42.44	17.54	51.87	---	---	Peak	<table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 11440.000</td> <td>49.46</td> <td>-34.54</td> <td>74.00</td> <td>45.61</td> <td>39.75</td> <td>34.81</td> <td>50.71</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2 17160.000</td> <td>50.55</td> <td>-17.75</td> <td>68.30</td> <td>42.44</td> <td>42.44</td> <td>17.54</td> <td>51.87</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Freq	Level	Line	Level Factor	Loss Factor			MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB	cm	deg		1 11440.000	49.46	-34.54	74.00	45.61	39.75	34.81	50.71	---	---	Peak	2 17160.000	50.55	-17.75	68.30	42.44	42.44	17.54	51.87	---	---	Peak
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																																																								
Freq	Level	Line	Level Factor	Loss Factor																																																																																										
MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB	cm	deg																																																																																						
1 11440.000	50.25	-33.75	74.00	46.46	39.75	34.81	50.71	---	---	Peak																																																																																				
2 17160.000	51.02	-17.28	68.30	42.91	42.44	17.54	51.87	---	---	Peak																																																																																				
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																																																								
Freq	Level	Line	Level Factor	Loss Factor																																																																																										
MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB	cm	deg																																																																																						
1 11440.000	49.46	-34.54	74.00	45.61	39.75	34.81	50.71	---	---	Peak																																																																																				
2 17160.000	50.55	-17.75	68.30	42.44	42.44	17.54	51.87	---	---	Peak																																																																																				
Avg.	<table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 11440.000</td> <td>50.25</td> <td>-33.75</td> <td>74.00</td> <td>46.46</td> <td>39.75</td> <td>34.81</td> <td>50.71</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2 17160.000</td> <td>51.02</td> <td>-17.28</td> <td>68.30</td> <td>42.91</td> <td>42.44</td> <td>17.54</td> <td>51.87</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Freq	Level	Line	Level Factor	Loss Factor			MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB	cm	deg		1 11440.000	50.25	-33.75	74.00	46.46	39.75	34.81	50.71	---	---	Peak	2 17160.000	51.02	-17.28	68.30	42.91	42.44	17.54	51.87	---	---	Peak	<table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 11440.000</td> <td>49.46</td> <td>-34.54</td> <td>74.00</td> <td>45.61</td> <td>39.75</td> <td>34.81</td> <td>50.71</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2 17160.000</td> <td>50.55</td> <td>-17.75</td> <td>68.30</td> <td>42.44</td> <td>42.44</td> <td>17.54</td> <td>51.87</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Freq	Level	Line	Level Factor	Loss Factor			MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB	cm	deg		1 11440.000	49.46	-34.54	74.00	45.61	39.75	34.81	50.71	---	---	Peak	2 17160.000	50.55	-17.75	68.30	42.44	42.44	17.54	51.87	---	---	Peak
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																																																								
Freq	Level	Line	Level Factor	Loss Factor																																																																																										
MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB	cm	deg																																																																																						
1 11440.000	50.25	-33.75	74.00	46.46	39.75	34.81	50.71	---	---	Peak																																																																																				
2 17160.000	51.02	-17.28	68.30	42.91	42.44	17.54	51.87	---	---	Peak																																																																																				
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																																																								
Freq	Level	Line	Level Factor	Loss Factor																																																																																										
MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB	cm	deg																																																																																						
1 11440.000	49.46	-34.54	74.00	45.61	39.75	34.81	50.71	---	---	Peak																																																																																				
2 17160.000	50.55	-17.75	68.30	42.44	42.44	17.54	51.87	---	---	Peak																																																																																				



**Band 3 – Straddle Channel
WIFI 802.11n HT20 (Harmonic @ 3m)**

WIFI	Band 3 Straddle Channel Harmonic @ 3m																																																																																																	
ANT	802.11n HT20 CH144 5720MHz																																																																																																	
22	Horizontal	Vertical																																																																																																
Peak Avg.	<p>Date: 5 Date: 2023-08-10</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11448.000</td> <td>49.61</td> <td>-24.39</td> <td>74.00</td> <td>45.76</td> <td>39.75</td> <td>14.81</td> <td>50.71</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>17168.000</td> <td>58.86</td> <td>-17.44</td> <td>68.38</td> <td>42.75</td> <td>42.44</td> <td>17.54</td> <td>51.87</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Freq	Level	Line	Level Factor	Loss Factor	dB	cm	deg	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	1	11448.000	49.61	-24.39	74.00	45.76	39.75	14.81	50.71	---	---	Peak	2	17168.000	58.86	-17.44	68.38	42.75	42.44	17.54	51.87	---	---	Peak	<p>Date: 6 Date: 2023-08-10</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11448.000</td> <td>49.79</td> <td>-24.21</td> <td>74.00</td> <td>45.94</td> <td>39.75</td> <td>14.81</td> <td>50.71</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>17168.000</td> <td>58.36</td> <td>-17.94</td> <td>68.38</td> <td>42.25</td> <td>42.44</td> <td>17.54</td> <td>51.87</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Freq	Level	Line	Level Factor	Loss Factor	dB	cm	deg	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	1	11448.000	49.79	-24.21	74.00	45.94	39.75	14.81	50.71	---	---	Peak	2	17168.000	58.36	-17.94	68.38	42.25	42.44	17.54	51.87	---	---	Peak
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																											
Freq	Level	Line	Level Factor	Loss Factor	dB	cm	deg																																																																																											
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB																																																																																											
1	11448.000	49.61	-24.39	74.00	45.76	39.75	14.81	50.71	---	---	Peak																																																																																							
2	17168.000	58.86	-17.44	68.38	42.75	42.44	17.54	51.87	---	---	Peak																																																																																							
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																											
Freq	Level	Line	Level Factor	Loss Factor	dB	cm	deg																																																																																											
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB																																																																																											
1	11448.000	49.79	-24.21	74.00	45.94	39.75	14.81	50.71	---	---	Peak																																																																																							
2	17168.000	58.36	-17.94	68.38	42.25	42.44	17.54	51.87	---	---	Peak																																																																																							



<Mode 44>

Co-location

WIFI 802. 11n_HT40_CH38 + LTE B13 Link (Band Edge @ 3m)

WIFI Ant.	Note	Frequency (MHz)	Level (dBμV/m)	Margin Limit (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	22 (H/V)
WIFI 802. 11n_HT40_CH38 +B13 Link Co-location		5149.76	59.18	-14.82	74	45.01	34.87	11.09	31.79	100	295	P	H
		5150	46.42	-7.58	54	32.25	34.87	11.09	31.79	100	295	A	H
	*	5190	91.44	-	-	77.33	34.86	11.07	31.82	100	295	P	H
	*	5190	84.69	-	-	70.58	34.86	11.07	31.82	100	295	A	H
		5405.68	51.88	-22.12	74	38.27	34.82	10.9	32.11	100	295	P	H
		5356.4	42.91	-11.09	54	29.19	34.83	10.93	32.04	100	295	A	H
		5149.76	63.54	-10.46	74	49.37	34.87	11.09	31.79	316	271	P	V
		5150	47.35	-6.65	54	33.18	34.87	11.09	31.79	316	271	A	V
	*	5190	96.97	-	-	82.86	34.86	11.07	31.82	316	271	P	V
	*	5190	90.69	-	-	76.58	34.86	11.07	31.82	316	271	A	V
		5362.28	52.14	-21.86	74	38.42	34.83	10.93	32.04	316	271	P	V
		5358.64	42.79	-11.21	54	29.07	34.83	10.93	32.04	316	271	A	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												

WIFI 802. 11n_HT40_CH38 + LTE B13 Link (Harmonic @ 3m)

WIFI Ant.	Note	Frequency (MHz)	Level (dBμV/m)	Margin Limit (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	22 (H/V)
WIFI 802. 11n_HT40_CH38 +B13 Link Co-location		10380	50.02	-18.28	68.3	47.17	39.45	14.18	50.78			P	H
		15570	50.35	-23.65	74	43.09	41.84	16.88	51.46			P	H
		10380	50.51	-17.79	68.3	47.66	39.45	14.18	50.78			P	V
		15570	50.76	-23.24	74	43.5	41.84	16.88	51.46			P	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												





Co-location

UNII 2C - 5475-5725MHzMHz

WIFI 802. 11N_HT40_CH38+B13 Link (Band Edge @ 3m)

WIFI	UNII 2C - 5475-5725MHzMHz Band Edge @ 3m																																																																																									
ANT	11N_HT40_CH38+B13 LinkCo-location																																																																																									
22	Horizontal	Fundamental																																																																																								
Peak	<table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Level</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5149.768</td> <td>59.18</td> <td>-14.82</td> <td>74.00</td> <td>45.81</td> <td>34.87</td> <td>11.89</td> <td>31.79</td> <td>100</td> <td>295</td> <td>Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Freq	Level	Limit	Level	Level	Factor	Loss	Factor	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5149.768	59.18	-14.82	74.00	45.81	34.87	11.89	31.79	100	295	Peak	<table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Level</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5190.000</td> <td>91.44</td> <td>23.14</td> <td>68.30</td> <td>77.33</td> <td>34.86</td> <td>11.07</td> <td>31.82</td> <td>100</td> <td>295</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>5190.000</td> <td>84.69</td> <td>-----</td> <td>70.58</td> <td>34.86</td> <td>11.07</td> <td>31.82</td> <td>100</td> <td>295</td> <td>-----</td> <td>Average</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Freq	Level	Limit	Level	Level	Factor	Loss	Factor	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5190.000	91.44	23.14	68.30	77.33	34.86	11.07	31.82	100	295	Peak	2	5190.000	84.69	-----	70.58	34.86	11.07	31.82	100	295	-----	Average
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																			
Freq	Level	Limit	Level	Level	Factor	Loss	Factor																																																																																			
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	5149.768	59.18	-14.82	74.00	45.81	34.87	11.89	31.79	100	295	Peak																																																																															
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																			
Freq	Level	Limit	Level	Level	Factor	Loss	Factor																																																																																			
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	5190.000	91.44	23.14	68.30	77.33	34.86	11.07	31.82	100	295	Peak																																																																															
2	5190.000	84.69	-----	70.58	34.86	11.07	31.82	100	295	-----	Average																																																																															
Avg.	<table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Level</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5156.000</td> <td>46.42</td> <td>-7.58</td> <td>54.00</td> <td>32.25</td> <td>34.87</td> <td>11.89</td> <td>31.79</td> <td>100</td> <td>295</td> <td>Average</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Freq	Level	Limit	Level	Level	Factor	Loss	Factor	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5156.000	46.42	-7.58	54.00	32.25	34.87	11.89	31.79	100	295	Average	Left blank																																																		
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																			
Freq	Level	Limit	Level	Level	Factor	Loss	Factor																																																																																			
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	5156.000	46.42	-7.58	54.00	32.25	34.87	11.89	31.79	100	295	Average																																																																															




WIFI	UNII 2C - 5475-5725MHzMHz Band Edge @ 3m	
ANT	11N_HT40_CH38+B13 LinkCo-location	
22	Horizontal	Fundamental
<p>Peak</p>		<p>Left blank</p>
<p>Avg.</p>		<p>Left blank</p>



WIFI	UNII 2C - 5475-5725MHzMHz Band Edge @ 3m	
ANT	11N_HT40_CH38+B13 Link Co-location	
22	Vertical	Fundamental
Peak		
Avg.		Left blank





WIFI	UNII 2C - 5475-5725MHzMHz Band Edge @ 3m																																							
ANT	11N_HT40_CH38+B13 Link Co-location																																							
22	Vertical	Fundamental																																						
Peak	 <table border="1" data-bbox="470 593 790 660"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5362.280</td> <td>52.54</td> <td>-21.86</td> <td>74.00</td> <td>38.42</td> <td>34.83</td> <td>10.93</td> <td>32.04</td> <td>316</td> <td>271</td> <td>Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Freq	Level	Limit	Line	Level	Factor	Loss	Factor	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5362.280	52.54	-21.86	74.00	38.42	34.83	10.93	32.04	316	271	Peak	Left blank
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																	
Freq	Level	Limit	Line	Level	Factor	Loss	Factor																																	
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																															
1	5362.280	52.54	-21.86	74.00	38.42	34.83	10.93	32.04	316	271	Peak																													
Avg.	 <table border="1" data-bbox="470 1176 790 1243"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5358.648</td> <td>42.79</td> <td>-11.21</td> <td>54.00</td> <td>29.07</td> <td>34.83</td> <td>10.93</td> <td>32.04</td> <td>316</td> <td>271</td> <td>Average</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Freq	Level	Limit	Line	Level	Factor	Loss	Factor	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5358.648	42.79	-11.21	54.00	29.07	34.83	10.93	32.04	316	271	Average	Left blank
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																	
Freq	Level	Limit	Line	Level	Factor	Loss	Factor																																	
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																															
1	5358.648	42.79	-11.21	54.00	29.07	34.83	10.93	32.04	316	271	Average																													



UNII 2C - 5475-5725MHzMHz

WIFI 802. 11N_HT40_CH38+B13 Link (Harmonic @ 3m)

WIFI	UNII 2C - 5475-5725MHzMHz Band Edge @ 3m																																																																																																	
ANT	11N_HT40_CH38+B13 Link Co-location																																																																																																	
22	Horizontal	Vertical																																																																																																
Peak Avg.	 <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Over Limit</th> <th>Limit Line</th> <th>ReadAntenna Level</th> <th>Factor</th> <th>Cable Loss</th> <th>Preamp Loss</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10380.000</td> <td>50.02</td> <td>-18.28</td> <td>68.30</td> <td>47.17</td> <td>39.45</td> <td>14.18</td> <td>50.78</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>15570.000</td> <td>50.35</td> <td>-23.65</td> <td>74.00</td> <td>43.09</td> <td>41.84</td> <td>16.88</td> <td>51.46</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Peak	Freq	Level	Over Limit	Limit Line	ReadAntenna Level	Factor	Cable Loss	Preamp Loss	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	10380.000	50.02	-18.28	68.30	47.17	39.45	14.18	50.78	---	---	Peak	2	15570.000	50.35	-23.65	74.00	43.09	41.84	16.88	51.46	---	---	Peak	 <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Over Limit</th> <th>Limit Line</th> <th>ReadAntenna Level</th> <th>Factor</th> <th>Cable Loss</th> <th>Preamp Loss</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10380.000</td> <td>50.51</td> <td>-17.79</td> <td>68.30</td> <td>47.66</td> <td>39.45</td> <td>14.18</td> <td>50.78</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>15570.000</td> <td>50.76</td> <td>-23.24</td> <td>74.00</td> <td>43.50</td> <td>41.84</td> <td>16.88</td> <td>51.46</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Peak	Freq	Level	Over Limit	Limit Line	ReadAntenna Level	Factor	Cable Loss	Preamp Loss	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	10380.000	50.51	-17.79	68.30	47.66	39.45	14.18	50.78	---	---	Peak	2	15570.000	50.76	-23.24	74.00	43.50	41.84	16.88	51.46	---	---	Peak
Peak	Freq	Level	Over Limit	Limit Line	ReadAntenna Level	Factor	Cable Loss	Preamp Loss	A/Pos	T/Pos	Remark																																																																																							
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	10380.000	50.02	-18.28	68.30	47.17	39.45	14.18	50.78	---	---	Peak																																																																																							
2	15570.000	50.35	-23.65	74.00	43.09	41.84	16.88	51.46	---	---	Peak																																																																																							
Peak	Freq	Level	Over Limit	Limit Line	ReadAntenna Level	Factor	Cable Loss	Preamp Loss	A/Pos	T/Pos	Remark																																																																																							
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	10380.000	50.51	-17.79	68.30	47.66	39.45	14.18	50.78	---	---	Peak																																																																																							
2	15570.000	50.76	-23.24	74.00	43.50	41.84	16.88	51.46	---	---	Peak																																																																																							


Note: the highest signal over limit is WLAN 5G fundamental signal.



Appendix D. Duty Cycle Plots

Band	Duty Cycle(%)	T(ms)	1/T(kHz)	VBW Setting
802.11a	96.77	1.391	0.719	1KHz
802.11an HT20	96.53	1.290	0.775	1KHz
802.11an HT40	93.13	0.648	1.544	3KHz
802.11ac VHT80	87.84	0.325	3.080	10KHz


802.11a



Date: 5.AUG.2023 00:07:31




802.11an HT20



Date: 4.AUG.2023 23:49:54


802.11an HT40



Date: 5.AUG.2023 02:50:02



802.11ac VHT80



Date: 5.AUG.2023 02:33:32