

Report No.: XEWM2310000524RG01

Rev.: 01

Page: 1 of 27

TEST REPORT

Application No: XEWM2310000524RG

Applicant: vivo Mobile Communication Co., Ltd.

Address of Applicant: No.1, vivo Road, Chang'an, Dongguan, Guangdong, China

Manufacturer: vivo Mobile Communication Co., Ltd.

Address of Manufacturer: No.1, vivo Road, Chang'an, Dongguan, Guangdong, China

EUT Description: Mobile Phone

Model No.: V2322
Trade Mark: vivo

FCC ID: 2AUCY-V2322

Standard(s): FCC 47 CFR Part 15, Subpart B

Date of Receipt: 2023/10/13

Date of Test: 2023/10/16 to 2023/10/17

Date of Issue: 2023/10/24

Test Result: Pass*

Authorized Signature:

Porer Tom

Peter Tan Regulatory Technical Manager



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printe overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content of appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

1/F, Unit D, Building 1, Kanghong Urange Science Park, No.13/, Keyuan 3rd Koad, Fengoong New Yorin, Xran, Snaams, China 710086 中国 - 西安 - 沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086

t (86–29) 6282 7885

www.sgsgroup.com.cn

^{*} In the configuration tested, the EUT complied with the standards specified above.



Report No.: XEWM2310000524RG01

Rev.: 01

Page: 2 of 27

	Revision Record			
Version	Version Chapter Date Modifier Remark			
01		2023/10/24		Original

Prepared By	(Leah Chen) / Test Engineer
Checked By	Andy Yao (Andy Yao) /Reviewer



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printe overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduce except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content cappearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are testing the and such sample(s) are retained for 30 days only.

1/F, Unit D, Bulding 1, Kanghong Orange Science Park, No.137, Keyuan 3rd Road, Fengdong New Toun, Xian, Shaanut, China 710086 中国 - 西安 - 沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086 t (86–29) 6282 7885 t (86–29) 6282 7885



Report No.: XEWM2310000524RG01

Rev.: 01

Page: 3 of 27

Test Summary

Emission Part				
Item	Standard	Method	Requirement	Result
Conducted Emissions at Mains Terminals (150kHz-30MHz)	FCC 47 CFR Part 15, Subpart B	ANSI C63.4:2014	Class B	Pass
Radiated Emissions (30MHz-1GHz)	FCC 47 CFR Part 15, Subpart B	ANSI C63.4:2014	Class B	Pass
Radiated Emissions (above 1GHz)	FCC 47 CFR Part 15, Subpart B	ANSI C63.4:2014	Class B	Pass

Internal Source	Upper Frequency
Below 1.705MHz	30MHz
1.705MHz to 108MHz	1GHz
108MHz to 500MHz	2GHz
500MHz to 1GHz	5GHz
Above 1GHz	5th harmonic of the highest frequency or 40GHz, whichever is lower



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printe overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.apx, and, for electronic format documents subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduce except in full, without prior written approval of the Company. Any unauthorized alteration forgery or faisification of the content cappearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

| I/F, Unit D, Building 1, Kanghong Orange Science Park, No.137, Keyuan 3rd Road, Fengdong New Toum, X/an, Shaami, China 710086 中国・西安・沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086

t (86–29) 6282 7885 t (86–29) 6282 7885



Report No.: XEWM2310000524RG01

Rev.: 01 Page: 4 of 27

Contents

1	Gen	neral Information	5
	1.1 1.2 1.3 1.4 1.5	Description of Support Units Test Location Test Facility Deviation from Standards Abnormalities from Standard Conditions	7 7 7
2	Emi	ssion Test Results	8
	2.1. 2.1. 2.2 2.2. 2.2. 2.2. 2.3 2.3. 2.3.	Conducted Emissions at Mains Terminals (150kHz-30MHz)	
3	Equ	ipment List	24
4 5	Mea	asurement Uncertaintybtographs	26
-		Test Setup	
		1 (8) 1 (8) (10) (/ /



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printe overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduce except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content cappearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are testing the and such sample(s) are retained for 30 days only.

UF, Unit D, Building 1, Kanghong Change Science Park, No.137, Keyuan 3rd Road, Fengdong New Town, Xian, Staanut, China 710086 中国・西安・沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮第:710086

t (86–29) 6282 7885 ww t (86–29) 6282 7885 sgs



Report No.: XEWM2310000524RG01

Rev.: 01

Page: 5 of 27

1 General Information

EUT Description:	Mobile Phone		
Model No.:	V2322		
Trade Mark:	vivo		
Hardware Version:	MP_0.1		
Software Version:	PD2280UF_EX_A_13.0.9.3.W30		
IMEI:	860849079999453		
	Band	Tx (MHz)	Rx (MHz)
	GSM850	824~849	869~894
	GSM1900	1850~1910	1930~1990
	WCDMA Band II	1850~1910	1930~1990
	WCDMA Band IV	1710~1755	2110~2155
	WCDMA Band V	824~849	869~894
	LTE Band 2	1850~1910	1930~1990
	LTE Band 4	1710~1755	2110~2155
	LTE Band 5	824~849	869~894
	LTE Band 7	2500~2570	2620~2690
	LTE Band 12	699~716	729~746
	LTE Band 13	777~787	746~756
Frequency Bands:	LTE Band 17	704~716	734~746
requeriey barras.	LTE Band 18 (815 to 824 MHz)	815~824	860~869
	LTE Band 18 (824 to 830 MHz)	824~830	869~875
	LTE Band 19	830~845	875~890
	LTE Band 26 (814 to 824 MHz)	814~824	859~869
	LTE Band 26 (824 to 849 MHz)	824~849	869~894
	LTE Band 38	2570~2620	2570~2620
	LTE Band 41	2496~2690	2496~2690
	LTE Band 66	1710~1780	2110~2200
	LTE CA: LTE CA_7C; LTE CA_41C		
	Wi-Fi 2.4G	2412~2462	2412~2462



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printe overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduce except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content cappearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are testing the and such sample(s) are retained for 30 days only.

7/F, Unit D, Building T, Kangfong Orange Science Park, No.13/, Keyuan 3rd Koad, Fengoong New Jown, Xan, Shaanu, Cima 710086 中国・西安・洋东新城科源三路137号康鸿楼方科技园1号楼D单元1层 邮编: 710086

t (86–29) 6282 7885



Report No.: XEWM2310000524RG01

Rev.: 01

Page: 6 of 27

Bluetooth	2402~2480	2402~2480
Wi-Fi 5G	5150~5850	5150~5850
FM	/	88~108
GNSS(GPS/Galileo /Glonass /Beidou/ SBAS)	/	1559~1610

Remark:

As above information is provided and confirmed by the applicant. SGS is not liable to the accuracy, suitability, reliability or/and integrity of the information.

Accessory:

Item No.	Mode No.	Manufacturer
Adapter 1	V4440L0A1-US	Dongguan Aohai Technology Co.,Ltd
Adapter 2	V4440L0A0-US	Dongguan Aohai Technology Co.,Ltd
USB cable 1	BK-C-49-B	/
USB cable 2	BK-C-50	/
Battery	B-Z5	Dongguan NVT Technology Co.,Ltd



Inless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed verleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.spx. and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.spx. utention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is divised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of illent's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a 'ansaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or ppearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the souls shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

1/F, Unit D, Building 1, Kanghong Orange Science Park, No.137, Keyuan 3rd Road, Fengdong New Town, Xian, Shaarui, China 710086 中国 • 西安 • 沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086

t (86–29) 6282 7885 t (86–29) 6282 7885



Report No.: XEWM2310000524RG01

Rev.: 01

Page: 7 of 27

1.1 Description of Support Units

Equipment	Manufacturer	Model No.	Inventory No.
Router	NETGEAR	R6020	XAW03-47-01
Computer	Lenovo	L480	XAW03-48-01
Mouse	Targus	AMU76US	XAW03-49-01

1.2 Test Location

All tests were performed at:

Company:	SGS-CSTC Standards Technical Services (Xi'an) Co., Ltd.
Address:	1/F, Unit D, Building 1, Kanghong Orange Science Park, No.137, Keyuan 3rd Road, Fengdong New Town, Xi' an, Shaanxi China
Post code:	710086
Test engineer:	Jacky Xue

1.3 Test Facility

The test facility is recognized, certified, or accredited by the following organizations:

•A2LA (Certificate No. 4854.01)

SGS-CSTC Standards Technical Services (Xi'an) Co., Ltd. is accredited by the American Association for Laboratory Accreditation(A2LA). Certificate No. 4854.01.

• Innovation, Science and Economic Development Canada

SGS-CSTC Standards Technical Services (Xi'an) Co., Ltd. has been recognized by ISED as an accredited testing laboratory.

CAB identifier: CN0095.

IC#: 25613.

• FCC -Designation Number: CN1337

SGS-CSTC Standards Technical Services (Xi'an) Co., Ltd. has been recognized as an accredited

testing laboratory.

Designation Number: CN1337.

Test Firm Registration Number: 917410

1.4 Deviation from Standards

None

1.5 Abnormalities from Standard Conditions

None



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printe overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduce except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content cappearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are testing the and such sample(s) are retained for 30 days only.

1/F, Unit D, Building 1, Kanghong Urange Science Park, No.13/, Keyuan 3rd Koad, Fengoong New Yorin, Xran, Snaams, China 710086 中国 - 西安 - 沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086

t (86–29) 6282 7885

sgs.china@sgs.com



Report No.: XEWM2310000524RG01

Rev.: 01

Page: 8 of 27

2 Emission Test Results

2.1 Conducted Emissions at Mains Terminals (150kHz-30MHz)

Test Requirement:	47 CFR Part 15, Subpart B		
Test Method:	ANSI C63.4:2014		
Frequency Range:	150kHz to 30MHz		
Receiver Setup:	RBW = 9kHz, VBW = 30kHz		
	Frequency Range (MHz)	Limit(dBµV)	
		Quasi-peak	average
	0.15M-0.5MHz	66 ~ 56*	56 ~ 46*
Limit:	0.5M-5MHz	56	46
	5M-30MHz	60	50
	*Decreases with the logarithm of the frequency		
	Detector: Peak for pre-scan (9kHz resolution bandwidth) 0.15M to 30MHz		

2.1.1 E.U.T. Operation

Operating Environment:

Temperature:	22~25°C
Humidity:	40~60%RH
Atmospheric Pressure:	96~98 kPa
	1.Adapter 1+USB Cable 1+BT+2.4GWLAN +GNSS RX +Camera(Rear)+WCDMA Band 5 idle
	2.Adapter 1+USB Cable 2+BT+2.4GWLAN+GNSS RX +Camera(Rear)+WCDMA Band 5 idle
	3.Adapter 2+USB Cable 1+BT+2.4GWLAN +GNSS RX +Camera(Rear)+WCDMA Band 5 idle
	4.Adapter 2+USB Cable 1+BT+2.4GWLAN +GNSS RX +MP3+GSM850 idle
	5.Adapter 2+USB Cable 1+BT+5GWLAN+GNSS RX +Camera(Front)+LTE Band 12 idle
	6.Adapter 2+USB Cable 1+BT+2.4GWLAN+GNSS RX +MP4+LTE Band 13 idle
Pretest these modes	7.Adapter 2+USB Cable 1+BT+2.4GWLAN+GNSS RX +FM+LTE B17 idle
to find the worst case:	8.Adapter 2+USB Cable 1+BT+2.4GWLAN +GNSS RX +MP3+LTE Band 19 idle
	9.Adapter 2+USB Cable 1+BT+2.4GWLAN +GNSS RX +MP3+LTE Band 18 idle
	10.Adapter 2+USB Cable 1+BT+2.4GWLAN +GNSS RX +MP3+LTE Band B5 idle
	11.Adapter 2+USB Cable 1+BT+2.4GWLAN +GNSS RX +MP3+LTE Band B26 idle
	12.Transfer data between PC and EUT+USB Cable 1
	13. Transfer data between EUT and PC+USB Cable 1
	14.Transfer data between PC and SD+USB Cable 1
	15.Transfer data between SD and PC+USB Cable 1



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Co

1/F,Unit D, Building 1, Kanghong Orange Science Park, No.137, Keyuan 3rd Road, Fengdong New Town, Xran, Shaarui, China 710086 中国 - 西安 - 洋东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086

t (86–29) 6282 7885 t (86–29) 6282 7885



Report No.: XEWM2310000524RG01

Rev.: 01

Page: 9 of 27

The worst case for final test:


10.Adapter 2+USB Cable 1+BT+2.4GWLAN +GNSS RX +MP3+LTE Band B5

idle

12. Transfer data between PC and EUT+USB Cable 1

2.1.2 Test Setup Procedures

- 1. The EUT was placed 0.4 meter from the conducting wall of the shielding room was kept at least 80 centimeters from any other grounded conducting surface.
- 2. Connect EUT to the power mains through a line impedance stabilization network (LISN).
- 3. All the support units are connecting to the other LISN.
- 4. The LISN provides 50 ohm coupling impedance for the measuring instrument.
- 5. The FCC states that a 50 ohm, 50 microhenry LISN should be used.
- 6. Both sides of AC line were checked for maximum conducted interference.
- 7. The frequency range from 150 kHz to 30 MHz was searched.
- 8. Set the test-receiver system to Peak Detect Function and specified bandwidth (IF Bandwidth = 9kHz) with Maximum Hold Mode. Then measurement is also conducted by Average Detector and Quasi-Peak Detector Function respectively.



2.1.3 Measurement Data

An initial pre-scan was performed with peak detector. Quasi-Peak or Average measurement were performed at the frequencies with maximized peak emission were detected.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues define therein. Any holder of this document is advised that information contained hereon relects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from the company's sole responsibility is to its Client and this document. This document among the parties of the sole of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention:To check the superprinting the prosecuted to the client server to the sample of the sampl

1/F, Unit D, Building 1, Kanghong Urange Science Park, No.137, Keyuan 3rd Road, Fengoong New Yown, Xian, Shaama, China 710086 中国 - 西安 - 沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086

t (86–29) 6282 7885


sgs.china@sgs.com



Report No.: XEWM2310000524RG01

Rev.: 01

Page: 10 of 27



Fina	Final Data List										
NO.	Frequency [MHz]	Factor [dB]	QP Reading [dBµV]	QP Value [dBµV]	QP Limit [dBµV]	QP Margin [dB]	AV Reading [dBµV]	AV Value [dBµV]	AV Limit [dBµV]	AV Margin [dB]	Verdict
1	0.1646	9.85	42.31	52.16	65.23	13.07	21.90	31.75	55.23	23.48	PASS
2	0.2623	9.88	28.34	38.22	61.36	23.14	12.84	22.72	51.36	28.64	PASS
3	0.4624	9.87	25.80	35.67	56.65	20.98	15.82	25.69	46.65	20.96	PASS
4	1.1565	9.83	24.05	33.88	56.00	22.12	16.34	26.17	46.00	19.83	PASS
5	4.8227	9.89	29.04	38.93	56.00	17.07	22.65	32.54	46.00	13.46	PASS
6	6.7482	9.93	27.94	37.87	60.00	22.13	21.78	31.71	50.00	18.29	PASS

Remark:

- 1. The following Quasi-Peak and Average measurements were performed on the EUT:
- 2. Value =Reading[dBµV] + Factor(Lisn factor[dB] + cable loss[dB]).
- 3. Margin = Limit[dB μ V] Value[dB μ V]



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printe overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions/

| I/F, Unit D, Building 1, Karghong Orange Science Park, No.137, Keyuan 3rd Road, Fengdong New Toum, Xian, Shaami, China 710086 中国・西安・沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086


t (86–29) 6282 7885 w t (86–29) 6282 7885 s



Report No.: XEWM2310000524RG01

Rev.: 01

Page: 11 of 27



Fina	Final Data List										
NO.	Frequency [MHz]	Factor [dB]	QP Reading [dBµV]	QP Value [dBµV]	QP Limit [dBµV]	QP Margin [dB]	AV Reading [dBµV]	AV Value [dBµV]	AV Limit [dBµV]	AV Margin [dB]	Verdict
1	0.1721	9.81	40.96	50.77	64.86	14.09	22.36	32.17	54.86	22.69	PASS
2	0.2132	9.84	34.14	43.98	63.08	19.10	17.16	27.00	53.08	26.08	PASS
3	0.2522	9.81	30.36	40.17	61.69	21.52	15.39	25.20	51.69	26.49	PASS
4	0.4755	9.86	24.44	34.30	56.42	22.12	15.91	25.77	46.42	20.65	PASS
5	3.9766	9.94	26.86	36.80	56.00	19.20	19.51	29.45	46.00	16.55	PASS
6	7.5397	10.04	27.54	37.58	60.00	22.42	21.55	31.59	50.00	18.41	PASS

Remark:

- 1. The following Quasi-Peak and Average measurements were performed on the EUT:
- 2. Value =Reading[dBµV] + Factor(Lisn factor[dB] + cable loss[dB]).
- 3. Margin = Limit[dB μ V] Value[dB μ V]



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printe overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.apx, and, for electronic format documents subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduce except in full, without prior written approval of the Company. Any unauthorized alteration forgery or faisification of the content cappearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

| VF, Unit D, Building 1, Kanghong Orange Ssience Park, No. 137, Keyuan 3rd Road, Fengdong New Town, XYan, Shaami, China 710086 中国・西安・沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086


t (86–29) 6282 7885



Report No.: XEWM2310000524RG01

Rev.: 01

Page: 12 of 27



Fina	Final Data List										
NO.	Frequency [MHz]	Factor [dB]	QP Reading [dBµV]	QP Value [dBµV]	QP Limit [dBµV]	QP Margin [dB]	ΑV Reading [dBμV]	AV Value [dBµV]	AV Limit [dBµV]	AV Margin [dB]	Verdict
1	0.1980	9.84	44.17	54.01	63.69	9.68	26.09	35.93	53.69	17.76	PASS
2	0.2435	9.87	38.67	48.54	61.98	13.44	16.85	26.72	51.98	25.26	PASS
3	0.3240	9.90	31.94	41.84	59.60	17.76	14.01	23.91	49.60	25.69	PASS
4	1.2648	9.84	30.93	40.77	56.00	15.23	18.81	28.65	46.00	17.35	PASS
5	3.1475	9.85	29.57	39.42	56.00	16.58	19.66	29.51	46.00	16.49	PASS
6	5.6205	9.92	34.19	44.11	60.00	15.89	26.97	36.89	50.00	13.11	PASS

Remark:

- 1. The following Quasi-Peak and Average measurements were performed on the EUT:
- 2. Value =Reading[dBµV] + Factor(Lisn factor[dB] + cable loss[dB]).
- 3. Margin = Limit[dB μ V] Value[dB μ V]



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printe overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions/

1/F, Unit D, Building 1, Kanghong Orange Science Park, No.137, Keyuan 3rd Road, Fengdong New Town, Xfan, Shaand, China 710086 中国 - 西安 - 沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086


t (86–29) 6282 7885



Report No.: XEWM2310000524RG01

Rev.: 01

Page: 13 of 27



Fina	Final Data List										
NO.	Frequency [MHz]	Factor [dB]	QP Reading [dBµV]	QP Value [dBµV]	QP Limit [dBµV]	QP Margin [dB]	ΑV Reading [dBμV]	AV Value [dBµV]	AV Limit [dBµV]	AV Margin [dB]	Verdict
1	0.1841	9.82	43.23	53.05	64.30	11.25	25.57	35.39	54.30	18.91	PASS
2	0.2293	9.83	36.32	46.15	62.47	16.32	20.83	30.66	52.47	21.81	PASS
3	0.3197	9.79	30.07	39.86	59.72	19.86	13.34	23.13	49.72	26.59	PASS
4	1.0359	9.81	29.87	39.68	56.00	16.32	18.54	28.35	46.00	17.65	PASS
5	3.4604	9.97	30.85	40.82	56.00	15.18	21.29	31.26	46.00	14.74	PASS
6	5.3660	9.99	34.68	44.67	60.00	15.33	27.53	37.52	50.00	12.48	PASS

Remark:

- 1. The following Quasi-Peak and Average measurements were performed on the EUT:
- 2. Value =Reading[dBµV] + Factor(Lisn factor[dB] + cable loss[dB]).
- 3. Margin = Limit[$dB\mu V$] Value[$dB\mu V$]



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printe overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions/

| 1/F, Unit D, Building 1, Kanghong Orange Science Park, No. 137, Keyuan 3rd Road, Fengdong New Toum, XYan, Shaami, China 710086 中国・西安・沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086

t (86–29) 6282 7885



Report No.: XEWM2310000524RG01

Rev.: 01

Page: 14 of 27

2.2 Radiated Emissions (30MHz-1GHz)

Test Requirement:	47 CFR Part 15, Subpart B								
Test Method:	ANSI C63.4:2014	ANSI C63.4:2014							
Frequency Range:	30MHz to 1GHz	30MHz to 1GHz							
Measurement Distance:	3m								
	Frequency Range (MHz)	Limit(dBµV/m)	Detector						
	30MHz -88MHz	40.0	Quasi-peak						
Limit:	88MHz-216MHz	43.5	Quasi-peak						
	216MHz-960MHz	46.0	Quasi-peak						
	960MHz-1000MHz	54.0	Quasi-peak						
Detector:	Peak for pre-scan (120kHz resolution bandwidth) 30M to1000MHz								

2.2.1 E.U.T. Operation

2.2.1 E.U.T. Operation	
Temperature:	22~25°C
Humidity:	40~60%RH
Atmospheric Pressure:	96~98 kPa
	1.Adapter 1+USB Cable 1+BT+2.4GWLAN +GNSS RX +Camera(Rear)+WCDMA Band 5 idle
	2.Adapter 1+USB Cable 2+BT+2.4GWLAN+GNSS RX +Camera(Rear)+WCDMA Band 5 idle
	3.Adapter 2+USB Cable 1+BT+2.4GWLAN +GNSS RX +Camera(Rear)+WCDMA Band 5 idle
	4.Adapter 2+USB Cable 1+BT+2.4GWLAN +GNSS RX +MP3+GSM850 idle
	5.Adapter 2+USB Cable 1+BT+5GWLAN+GNSS RX +Camera(Front)+LTE Band 12 idle
	6.Adapter 2+USB Cable 1+BT+2.4GWLAN+GNSS RX +MP4+LTE Band 13 idle
Pretest these modes to	7.Adapter 2+USB Cable 1+BT+2.4GWLAN+GNSS RX +FM+LTE B17 idle
find the worst case:	8.Adapter 2+USB Cable 1+BT+2.4GWLAN +GNSS RX +MP3+LTE Band 19 idle
	9.Adapter 2+USB Cable 1+BT+2.4GWLAN +GNSS RX +MP3+LTE Band 18 idle
	10.Adapter 2+USB Cable 1+BT+2.4GWLAN +GNSS RX +MP3+LTE Band B5 idle
	11.Adapter 2+USB Cable 1+BT+2.4GWLAN +GNSS RX +MP3+LTE Band B26 idle
	12.Transfer data between PC and EUT+USB Cable 1
	13. Transfer data between EUT and PC+USB Cable 1
	14.Transfer data between PC and SD+USB Cable 1
	15.Transfer data between SD and PC+USB Cable 1
The worst case for final	4.Adapter 2+USB Cable 1+BT+2.4GWLAN +GNSS RX +MP3+GSM850 idle
test:	12.Transfer data between PC and EUT+USB Cable 1



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printe overleaf, available on request or accessible at http://www.sgs.com/en/Terms.and-Conditions.aspx and, for electronic format documents subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms.and-Conditions/Terms-en-Document.aspx Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized atteration, forgery or faisfication of the content of appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

1/F, Unit D, Building 1, Kanghong Urange Scence Park, No.13/, Keyuan 3rd Koad, Fengdong New Town, Xran, Shaanu, China 710086 中国・西安・沣东新城科源三路137号康鸿橙方科技図1号楼D单元1层 邮编: 710086 t (86–29) 6282 7885




Report No.: XEWM2310000524RG01

Rev.: 01

Page: 15 of 27

2.2.2 Test Setup Procedures

- 1. The EUT was placed in a semi Anechoic Chamber as show below
- 2. The EUT was set 3 meters from the interference receiving antenna, which was mounted on the top of a variable height antenna tower.
- 3. The table was rotated 360 degrees to determine the position of the highest radiation.
- 4. The antenna height is adjusted between 1 to 4 meters above ground to find the maximum value of the field strength for both horizontal polarization and vertical polarization of the antenna.
- 5. For each suspected emission, the EUT was arranged to its worst case and then tune the antenna tower (from 1 m to 4 m) and turntable (from 0 degree to 360 degrees) to find the maximum reading.
- 6. Set the test-receiver system to Peak Detect Function with specified bandwidth with Maximum Hold Mode, and the trace was allowed to stabilize.
- 7. If the emission level of the EUT in peak mode was 6 dB lower than the limit specified, peak values of EUT will be reported. Otherwise, the emission will be repeated by using the quasi-peak method and reported.



2.2.3 Measurement Data

An initial pre-scan was performed in the chamber using the spectrum analyser in peak detection mode. Quasi-peak measurements were conducted based on the peak sweep graph. The EUT was measured by BiConiLog antenna with 2 orthogonal polarities.

The three polarities of X,Y,Z were measured by EUT, but only the worst data had been displayed.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printe overleaf, available on request or accessible at http://www.sqs.com/en/Terms-and-Conditions.aspx and, for electronic format documents subject to Terms and Conditions for Electronic Documents at http://www.sqs.com/en/Terms-and-Conditions/Ferms-e-Document.aspx Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits collent's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduce except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content cappearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

1/F, Unit D, Building 1, Kanghong Orange Science Park, No.137, Keyuan 3rd Road, Fengdong New Town, Xfan, Shaand, China 710086 中国・西安・沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086

t (86–29) 6282 7885


sgs.china@sgs.com



Report No.: XEWM2310000524RG01

Rev.: 01

Page: 16 of 27



Final	Final Data List									
NO.	Freq. [MHz]	AF[dB/m]	Factor [dB]	QP Reading [dBμV]	QP Value [dBµV/m]	QP Limit [dBµV/m]	QP Margin [dB]	Polarity		
1	53.2847	13.94	-27.42	30.05	16.57	40.00	23.43	Horizontal		
2	70.7482	8.90	-26.84	34.17	16.23	40.00	23.77	Horizontal		
3	86.0772	9.18	-27.23	44.26	26.21	40.00	13.79	Horizontal		
4	91.5103	10.45	-27.09	45.37	28.73	43.50	14.77	Horizontal		
5	105.093	11.81	-26.85	41.51	26.47	43.50	17.03	Horizontal		
6	366.4633	14.59	-25.06	30.56	20.09	46.00	25.91	Horizontal		
7*	881.5	21.77	-23.12	47.25	45.90	-	-	Horizontal		

Remark:

1. The Quasi-Peak measurements were performed on the EUT.

2. Value = Reading + AF + Factor:

AF = Antenna Factor(dB/m)

Factor = Cable Factor(dB) - Preamplifier (dB)

Margin = Limit[dB μ V/m] –Value[dB μ V/m]

Note*: #7 is system simulator signal which can be ignored.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printe overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduce except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content cappearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are testing the and such sample(s) are retained for 30 days only.

1/F, Unit D, Building 1, Kanghong Orange Science Park, No.137, Keyuan 3rd Road, Fengdong New Town, Xran, Shaanui, China 710086 中国 - 西安 - 沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086


t (86–29) 6282 7885



Report No.: XEWM2310000524RG01

Rev.: 01

Page: 17 of 27



Final	Final Data List									
NO.	Freq. [MHz]	AF[dB/m]	Factor [dB]	QP Reading [dBμV]	QP Value [dBµV/m]	QP Limit [dBµV/m]	QP Margin [dB]	Polarity		
1	35.8212	11.73	-27.75	39.15	23.13	40.00	16.87	Vertical		
2	68.8078	10.18	-26.84	39.65	22.99	40.00	17.01	Vertical		
3	88.2116	9.48	-27.14	49.91	32.25	43.50	11.25	Vertical		
4	93.6447	10.83	-27.11	46.83	30.55	43.50	12.95	Vertical		
5	134.0048	7.90	-26.44	41.79	23.25	43.50	20.25	Vertical		
6	199.784	11.40	-26.14	32.6	17.86	43.50	25.64	Vertical		
7*	881.4423	21.76	-23.13	46.56	45.19	-	-	Vertical		

Remark:

1. The Quasi-Peak measurements were performed on the EUT.

2. Value = Reading + AF + Factor:

AF = Antenna Factor(dB/m)

Factor = Cable Factor(dB) - Preamplifier (dB)

Margin = Limit[dB μ V/m] –Value[dB μ V/m]

Note*: #7 is system simulator signal which can be ignored.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printe overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduce except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content cappearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are testing the and such sample(s) are retained for 30 days only.

1/F, Unit D, Building 1, Kanghong Orange Science Park, No.137, Keyuan 3rd Road, Fengdong New Town, Xian, Shaanut, China 710086 中国 - 西安 - 沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086


t (86–29) 6282 7885



Report No.: XEWM2310000524RG01

Rev.: 01

Page: 18 of 27



Final	Final Data List									
NO.	Freq. [MHz]	AF[dB/m]	Factor [dB]	QP Reading [dBμV]	QP Value [dBµV/m]	QP Limit [dBµV/m]	QP Margin [dB]	Polarity		
1	48.8218	14.13	-27.52	28.22	14.83	40.00	25.17	Horizontal		
2	92.8686	10.66	-27.10	34.96	18.52	43.50	24.98	Horizontal		
3	175.9172	9.28	-26.24	43.8	26.84	43.50	16.66	Horizontal		
4	294.863	13.39	-25.59	46.22	34.02	46.00	11.98	Horizontal		
5	392.0764	15.28	-25.08	36.64	26.84	46.00	19.16	Horizontal		
6	578.1596	18.26	-24.21	33.3	27.35	46.00	18.65	Horizontal		

Remark:

- 1. The Quasi-Peak measurements were performed on the EUT.
- 2. Value = Reading + AF + Factor:

AF = Antenna Factor(dB/m)

Factor = Cable Factor(dB) - Preamplifier (dB)

Margin = Limit[dB μ V/m] –Value[dB μ V/m]



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printe overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.apx, and, for electronic format documents subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduce except in full, without prior written approval of the Company. Any unauthorized alteration forgery or faisification of the content cappearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

1/F,Unit D, Building 1, Kanghong Orange Science Park, No.137, Keyuan 3rd Road, Fengdong New Town, Xfan, Shaanu, China 710086 中国 - 西安 - 沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086


t (86–29) 6282 7885



Report No.: XEWM2310000524RG01

Rev.: 01

Page: 19 of 27



Final	Final Data List									
NO.	Freq. [MHz]	AF[dB/m]	Factor [dB]	QP Reading [dBμV]	QP Value [dBµV/m]	QP Limit [dBµV/m]	QP Margin [dB]	Polarity		
1	51.1502	13.86	-27.47	31.79	18.18	40.00	21.82	Vertical		
2	91.8984	10.41	-27.09	36.17	19.49	43.50	24.01	Vertical		
3	122.9446	8.80	-26.91	38.07	19.96	43.50	23.54	Vertical		
4	178.4397	9.11	-26.27	44.19	27.03	43.50	16.47	Vertical		
5	296.0272	13.36	-25.60	39.18	26.94	46.00	19.06	Vertical		
6	882.8006	21.81	-23.09	29.39	28.11	46.00	17.89	Vertical		

Remark:

- 1. The Quasi-Peak measurements were performed on the EUT.
- 2. Value = Reading + AF + Factor:

AF = Antenna Factor(dB/m)

Factor = Cable Factor(dB) - Preamplifier (dB)

Margin = Limit[dB μ V/m] –Value[dB μ V/m]



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printe overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.apx, and, for electronic format documents subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduce except in full, without prior written approval of the Company. Any unauthorized alteration forgery or faisification of the content cappearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

1/F, Unit D, Building 1, Kanghong Orange Science Park, No.137, Keyuan 3rd Road, Fengdong New Town, Xian, Shaanut, China 710086 中国 - 西安 - 沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086

t (86–29) 6282 7885



Report No.: XEWM2310000524RG01

Rev.: 01

Page: 20 of 27

2.3 Radiated Emissions (above 1GHz)

Test Requirement:	47 CFR Part 15, Subp	47 CFR Part 15, Subpart B						
Test Method:	ANSI C63.4:2014	ANSI C63.4:2014						
Frequency Range:	Above 1GHz	Above 1GHz						
Measurement Distance:	3m	3m						
	Frequency (MHz)	Limit (dBµV/m)	Detector					
Limit:	Above 4CH-	74	Peak					
	Above 1GHz 54 Average							
Detector:	Peak for pre-scan (1000kHz resolution bandwidth) 5th harmonic of the highest frequency or 40GHz, whichever is lower.							

2.3.1 E.U.T. Operation

z.s.i E.u.i. Operation	
Temperature:	22~25°C
Humidity:	40~60%RH
Atmospheric Pressure:	96~98 kPa
Pretest these modes to find the worst case:	1.Adapter 1+USB Cable 1+BT+2.4GWLAN +GNSS RX +Camera(Rear)+WCDMA Band 5 idle 2.Adapter 1+USB Cable 2+BT+2.4GWLAN+GNSS RX +Camera(Rear)+WCDMA Band 5 idle 3.Adapter 2+USB Cable 1+BT+2.4GWLAN +GNSS RX +Camera(Rear)+WCDMA Band 5 idle 4.Adapter 2+USB Cable 1+BT+2.4GWLAN +GNSS RX +MP3+GSM850 idle 5.Adapter 2+USB Cable 1+BT+5GWLAN+GNSS RX +Camera(Front)+LTE Band 12 idle 6.Adapter 2+USB Cable 1+BT+2.4GWLAN+GNSS RX +MP4+LTE Band 13 idle 7.Adapter 2+USB Cable 1+BT+2.4GWLAN+GNSS RX +FM+LTE B17 idle 8.Adapter 2+USB Cable 1+BT+2.4GWLAN +GNSS RX +MP3+LTE Band 19 idle 9.Adapter 2+USB Cable 1+BT+2.4GWLAN +GNSS RX +MP3+LTE Band 18 idle 10.Adapter 2+USB Cable 1+BT+2.4GWLAN +GNSS RX +MP3+LTE Band B5 idle 11.Adapter 2+USB Cable 1+BT+2.4GWLAN +GNSS RX +MP3+LTE Band B5 idle 11.Adapter 2+USB Cable 1+BT+2.4GWLAN +GNSS RX +MP3+LTE Band B26 idle 12.Transfer data between PC and EUT+USB Cable 1 13. Transfer data between PC and SD+USB Cable 1 14.Transfer data between PC and SD+USB Cable 1
The worst case for final test:	4.Adapter 2+USB Cable 1+BT+2.4GWLAN +GNSS RX +MP3+GSM850 idle



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printe overleaf, available on request or accessible at http://www.sgs.com/en/Terms.and-Conditions.aspx and, for electronic format documents subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms.and-Conditions/Terms-en-Document.aspx Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized atteration, forgery or faisfication of the content of appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

1/F, Unit D, Building 1, Kanghong Urange Scence Park, No.13/, Keyuan 3rd Koad, Fengdong New Town, Xran, Shaanu, China 710086 中国・西安・沣东新城科源三路137号康鸿橙方科技図1号楼D单元1层 邮编: 710086 t (86-29) 6282 7885 t (86-29) 6282 7885




Report No.: XEWM2310000524RG01

Rev.: 01

Page: 21 of 27

2.3.2 Test Setup Procedures

- 1. The EUT was placed in a full Anechoic Chamber as show below
- 2. The EUT was set 3 meters from the interference receiving antenna, which was mounted on the top of a variable height antenna tower.
- 3. The table was rotated 360 degrees to determine the position of the highest radiation (Distance from antenna to EUT is 1m for measurements >18GHz).
- 4. The antenna height is adjusted between 1 to 4 meters above ground to find the maximum value of the field strength for both horizontal polarization and vertical polarization of the antenna.
- 5. For each suspected emission, the EUT was arranged to its worst case and then tune the antenna tower (from 1 m to 4 m) and turntable (from 0 degree to 360 degrees) to find the maximum reading.
- 6. Set the test-receiver system to Peak and AV Detect Function with specified bandwidth with Maximum Hold Mode, and the trace was allowed to stabilize.
- 7. At a measurement distance of 1 meter the limit line was increased by 20*LOG(3/1) = 9.54 dB.



2.3.3 Measurement Data

An initial pre-scan was performed in the chamber using the spectrum analyser in peak detection mode. Average measurements were conducted based on the peak sweep graph. The EUT was measured by Horn antenna with 2 orthogonal polarities.

The three polarities of X, Y, Z were measured by EUT, but only the worst data had been displayed. Scan from 5th harmonic of the highest frequency or 40GHz, whichever is lower, the disturbance above 18GHz was very low. The points marked on below plots are the highest emissions could be found when testing, so only below points had been displayed.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.appx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-a-Document.appx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

1/F, Unit D, Building 1, Kanghong Urange Science Park, No.137, Keyuan 3rd Road, Fengoong New Yown, Xian, Shaama, China 710086 中国 - 西安 - 沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086

t (86–29) 6282 7885


sgs.china@sgs.com



Report No.: XEWM2310000524RG01

Rev.: 01

Page: 22 of 27



Final Data List								
NO.	Frequency [MHz]	Reading [dBµV]	AF[dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity
1	1178.1671	63.08	25.73	-55.24	33.57	74.00	40.43	Horizontal
2*	2413.0965	102.95	27.83	-52.93	77.85	-	-	Horizontal
3	3681.3473	62.08	30.34	-50.44	41.98	74.00	32.02	Horizontal
4	14190.4876	55.70	40.79	-39.24	57.25	74.00	16.75	Horizontal

Remark:

- 1. The Peak and Average measurements were performed on the EUT.
- 2. Level = Reading Level + AF + Factor:

AF = Antenna Factor(dB/m)

Factor = Cable Factor(dB) - Preamplifier gain(dB)

Margin = Limit[dB μ V/m] – Level[dB μ V/m]

Note*: #2 1G-18G is RF signal which come from Wi-Fi access point used to connect the EUT, and which can be ignored.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printe overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.apx, and, for electronic format documents subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduce except in full, without prior written approval of the Company. Any unauthorized alteration forgery or faisification of the content cappearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

| 1/F, Unit D, Building 1, Kanghong Orange Science Park, No.137, Keyuan 3rd Road, Fengdong New Town, X7an, Shaami, China 710086 中国・西安・沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086


t (86–29) 6282 7885 t (86–29) 6282 7885



Report No.: XEWM2310000524RG01

Rev.: 01

Page: 23 of 27



Final Data List								
NO.	Frequency [MHz]	Reading [dBµV]	AF[dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity
1	1548.1019	64.46	25.89	-54.62	35.73	74.00	38.27	Vertical
2*	2413.7766	104.00	27.83	-52.92	78.91	-	-	Vertical
3	7546.6219	59.75	36.79	-44.48	52.06	74.00	21.94	Vertical
4	14193.2077	55.99	40.79	-39.26	57.52	74.00	16.48	Vertical

Remark:

- 1. The Peak and Average measurements were performed on the EUT.
- 2. Level = Reading Level + AF + Factor:

AF = Antenna Factor(dB/m)

Factor = Cable Factor(dB) - Preamplifier gain(dB)

Margin = Limit[dB μ V/m] – Level[dB μ V/m]

Note*: #2 1G-18G is RF signal which come from Wi-Fi access point used to connect the EUT, and which can be ignored.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printe overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions/

1/F, Unit D, Building 1, Kanghong Orange Science Park, No.137, Keyuan 3rd Road, Fengdong New Toun, Xian, Shaand, China 710086 中国・西安・洋东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086 t (86–29) 6282 7885 www.s t (86–29) 6282 7885 sgs.ch



Report No.: XEWM2310000524RG01

Rev.: 01

Page: 24 of 27

3 Equipment List

CE Test System					
Test Equipment	Manufacturer	Model No.	Inventory No.	Cal. date (yyyy/mm/dd)	Cal.Due date (yyyy/mm/dd)
Shielding Room	Brilliant-emc	N/A	XAW04-03-01	N/A	N/A
Test receiver	ROHDE&SCHWARZ	ESR	XAW01-08-01	2023/08/30	2024/08/29
Artificial network	ROHDE&SCHWARZ	ENV216	XAW01-04-01	2023/06/30	2024/06/29
Temperature and humidity meter	MingGao	TH101B	XAW01-01-02	2023/08/30	2024/08/29
Measurement Software	Tonscend	TS+ V4.0.0.0	XAW02-07-01	NCR	NCR
Radio communication analyzer	ROHDE&SCHWARZ	CMW 500	XAW01-03-02	2023/02/16	2024/02/15
Artificial network	ROHDE&SCHWARZ	ENV216	XAW01-04-02	2023/06/30	2024/06/29



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printe overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduce except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content cappearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are testing the and such sample(s) are retained for 30 days only.

1/F, Unit D, Building 1, Kanghong Orange Science Park, No.137, Keyuan 3rd Road, Fengdong New Town, Xian, Shaarui, China 710086 中国・西安・沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086 t (86–29) 6282 7885 t (86–29) 6282 7885



Report No.: XEWM2310000524RG01

Rev.: 01

Page: 25 of 27

RSE Test System						
Test Equipment	Manufacturer	Model No.	Inventory No.	Cal. date (yyyy/mm/dd)	Cal.Due date (yyyy/mm/dd)	
Semi-Anechoic Chamber	Brilliant-emc	N/A	XAW03-35-01	2021/09/09	2024/09/08	
MXA signal analyzer	Keysight	N9020A	XAW01-06-01	2023/02/16	2024/02/15	
Spectrum Analyzer	ROHDE&SCH WARZ	FSV3044	XAW01-13-05	2023/05/15	2024/05/14	
Test receiver	ROHDE &SCHWARZ	ESR	XAW01-08-01	2023/08/30	2024/08/29	
Receiving antenna (30MHz-3GHz)	Schwarzbeck	VULB 9163	XAW01-09-01	2022/07/28	2024/07/27	
Receiving antenna (1GHz~18GHz)	Schwarzbeck	BBHA 9120D	XAW01-09-02	2022/07/28	2024/07/27	
Receiving antenna (15GHz~40GHz)	Schwarzbeck	BBHA 9170	XAW01-09-03	2022/07/23	2024/07/22	
Directional antenna rack controller	Max-Full	MF-7802BS	XAW03-03-01	NCR	NCR	
High-speed antenna rack controller	Max-Full	MF-7802	XAW03-04-01	NCR	NCR	
Filter bank	Tonscend	JS0806-F	XAW03-05-01	NCR	NCR	
Filter bank	Tonscend	JS0806s	XAW03-05-02	NCR	NCR	
Amplifier	Tonscend	TAP9K3G32	XAW01-41-01	2023/05/15	2024/05/14	
Amplifier	Tonscend	TAP01018048	XAW01-41-02	2023/08/30	2024/08/29	
Amplifier	Tonscend	TAP18040048	XAW01-41-03	2023/08/30	2024/08/29	
Amplifier	Shanghai Steed	YX28980930	XAW01-41-06	2023/08/30	2024/08/29	
Temperature and humidity meter	MingGao	TH101B	XAW01-01-02	2023/09/04	2024/09/03	
Radio communication analyzer	ROHDE&SCH WARZ	CMW 500	XAW01-03-02	2023/02/16	2024/02/15	
Measurement Software	Tonscend	TS+ V4.0.0.0	XAW02-05-01	NCR	NCR	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printe overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized atteration, forgery or faisification of the content of appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

7/F, Unit D, Building 1, Kanghong Urange Szence Park, No.13/, Keyluan 3rd Koad, Fengdong New Youn, Xian, Shaand, China 710086 中国・西安・沣东新城科源三路137号康鸿橙方科技図1号楼D单元1层 邮编: 710086 t (86–29) 6282 7885 t (86–29) 6282 7885



Report No.: XEWM2310000524RG01

Rev.: 01

Page: 26 of 27

4 Measurement Uncertainty

No.	Item	Measurement Uncertainty		
1	Conduction Emission	± 3.0dB (150kHz to 30MHz)		
2		± 4.9dB (30MHz~1GHz)		
	Radiated Emission	± 4.9dB (1GHz to 6GHz)		
		± 4.7dB (6GHz to 18GHz)		
		± 5.26dB (Above 18GHz)		

Remark:

The Ulab (lab Uncertainty) is less than Ucispr/ETSI (CISPR/ETSI Uncertainty), so the test results

- compliance is deemed to occur if no measured disturbance level exceeds the disturbance limit;
- non-compliance is deemed to occur if any measured disturbance level exceeds the disturbance limit.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printe overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.apx, and, for electronic format documents subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduce except in full, without prior written approval of the Company. Any unauthorized alteration forgery or faisification of the content cappearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

| I/F, Unit D, Building 1, Kanghong Orange Science Park, No.137, Keyuan 3rd Road, Fengdong New Toum, X/an, Shaami, China 710086 中国・西安・沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086

t (86–29) 6282 7885 t (86–29) 6282 7885



Report No.: XEWM2310000524RG01

Rev.: 01

Page: 27 of 27

5 Photographs

5.1 Test Setup

Refer to Appendix A.1 15B Setup Photos.

---End of Report---



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printe overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.apx, and, for electronic format documents subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduce except in full, without prior written approval of the Company. Any unauthorized alteration forgery or faisification of the content cappearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

1/F, Unit D, Building 1, Kanghong Orange Science Park, No.137, Keyuan 3rd Road, Fengdong New Town, Xian, Shaarui, China 710086 中国・西安・沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086 t (86–29) 6282 7885 t (86–29) 6282 7885