


Annex A.3 Occupied Bandwidth

1. GSM_GSM850


1.1. GSM Occupied Bandwidth_Part22-24(NTNV)(Channel:128)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
824.2	99	26	0.004	Peak	0.247	0.32	0.3	Pass




1.2. GSM Occupied Bandwidth_Part22-24(NTNV)(Channel:190)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
836.6	99	26	0.004	Peak	0.244	0.31	0.3	Pass



1.3. GSM Occupied Bandwidth_Part22-24(NTNV)(Channel:251)


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
848.8	99	26	0.004	Peak	0.243	0.311	0.3	Pass



2. GSM_PCS


2.1. GSM Occupied Bandwidth_Part22-24(NTNV)(Channel:512)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1850.2	99	26	0.004	Peak	0.244	0.315	0.3	Pass




2.2. GSM Occupied Bandwidth_Part22-24(NTNV)(Channel:661)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1880	99	26	0.004	Peak	0.245	0.314	0.3	Pass



2.3. GSM Occupied Bandwidth_Part22-24(NTNV)(Channel:810)


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1909.8	99	26	0.004	Peak	0.244	0.308	0.3	Pass



3. EGPRS_GSM850


3.1 EGPRS Occupied Bandwidth_Part22-24(NTNV)(Channel:128)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
824.2	99	26	0.004	Peak	0.249	0.317	0.3	Pass




3.2. EGPRS Occupied Bandwidth_Part22-24(NTNV)(Channel:190)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
836.6	99	26	0.004	Peak	0.251	0.323	0.3	Pass



3.3. EGPRS Occupied Bandwidth_Part22-24(NTNV)(Channel:251)


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
848.8	99	26	0.004	Peak	0.25	0.315	0.3	Pass



4. EGPRS_PCS


4.1. EGPRS Occupied Bandwidth_Part22-24(NTNV)(Channel:512)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1850.2	99	26	0.004	Peak	0.25	0.318	0.3	Pass




4.2. EGPRS Occupied Bandwidth_Part22-24(NTNV)(Channel:661)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1880	99	26	0.004	Peak	0.248	0.31	0.3	Pass



4.3. EGPRS Occupied Bandwidth_Part22-24(NTNV)(Channel:810)


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1909.8	99	26	0.004	Peak	0.25	0.317	0.3	Pass



5. WCDMA_Band2


5.1. WCDMA Occupied Bandwidth_Part22-24-27(NTNV)(Channel:9262)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1852.4	99	26	0.1	Peak	4.16	4.706	5	Pass




5.2. WCDMA Occupied Bandwidth_Part22-24-27(NTNV)(Channel:9400)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1880	99	26	0.1	Peak	4.164	4.709	5	Pass



5.3. WCDMA Occupied Bandwidth_Part22-24-27(NTNV)(Channel:9538)


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1907.6	99	26	0.1	Peak	4.16	4.71	5	Pass



6. WCDMA_Band4


6.1. WCDMA Occupied Bandwidth_Part22-24-27(NTNV)(Channel:1312)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1712.4	99	26	0.1	Peak	4.166	4.723	5	Pass



6.3. WCDMA Occupied Bandwidth_Part22-24-27(NTNV)(Channel:1513)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1752.6	99	26	0.1	Peak	4.17	4.739	5	Pass



7. WCDMA_Band5


7.1. WCDMA Occupied Bandwidth_Part22-24-27(NTNV)(Channel:4132)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
826.4	99	26	0.1	Peak	4.164	4.719	5	Pass



7.2. WCDMA Occupied Bandwidth_Part22-24-27(NTNV)(Channel:4182)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
836.4	99	26	0.1	Peak	4.16	4.71	5	Pass




7.3. WCDMA Occupied Bandwidth_Part22-24-27(NTNV)(Channel:4233)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
846.6	99	26	0.1	Peak	4.153	4.717	5	Pass



8. LTE_Band2

8.1. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:1, Channel:18607, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)



8.2. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:2, Channel:18607, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1850.7	99	26	0.027	Peak	1.091	1.298	1.4	Pass

Agilent

Measure

Ch Freq 1.8507 GHz
Trig Free

Occupied Bandwidth
Averages: 2

Ref 30 dBm
#Atten 30 dB

#Peak
Log

10
dB/

Offst
10.8

dB

Center 1.850 700 GHz
Span 2.8 MHz

#Res BW 27 kHz
#VBW 100 kHz
#Sweep 1 s (518 pts)

Occupied Bandwidth	Occ BW % Pwr	99.00 %
1.0912 MHz	x dB	-26.00 dB
Transmit Freq Error	-1.466 kHz	
x dB Bandwidth	1.298 MHz	

Power Stat
CCDF

More
1 of 2

Copyright 2000-2012 Agilent Technologies

8.3. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:3, Channel:18900, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1880	99	26	0.027	Peak	1.088	1.288	1.4	Pass

Agilent

Measure
 Meas Off
 Channel Power
 Occupied BW
 ACP
 Multi Carrier Power
 Power Stat CCDF
 More
 1 of 2

Ch Freq 1.88 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

#Peak

Log

10

dB/

Offst

11

dB

Center 1.880 000 GHz Span 2.8 MHz

#Res BW 27 kHz #VBW 100 kHz #Sweep 1 s (518 pts)

Occupied Bandwidth Occ BW % Pwr 99.00 %

1.0882 MHz


x dB -26.00 dB

Transmit Freq Error 177.665 Hz

x dB Bandwidth 1.288 MHz

Copyright 2000-2012 Agilent Technologies

8.4. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:4, Channel:18900, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)



8.5. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:5, Channel:19193, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1909.3	99	26	0.027	Peak	1.087	1.273	1.4	Pass

Agilent
Measure

Ch Freq 1.9093 GHz
Trig Free

Occupied Bandwidth
Averages: 2

Ref 30 dBm #Atten 30 dB

Center 1.909 300 GHz Span 2.8 MHz

#Res BW 27 kHz #VBW 100 kHz #Sweep 1 s (518 pts)

Occupied Bandwidth	Occ BW % Pwr 99.00 %
1.0873 MHz	x dB -26.00 dB
Transmit Freq Error	-1.172 kHz
x dB Bandwidth	1.273 MHz

Copyright 2000-2012 Agilent Technologies

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat CCDF

More
1 of 2

8.6. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:6, Channel:19193, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1909.3	99	26	0.027	Peak	1.09	1.275	1.4	Pass

Agilent

Measure
 Meas Off
 Channel Power
 Occupied BW
 ACP
 Multi Carrier Power
 Power Stat CCDF
 More
 1 of 2

Ch Freq 1.9093 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

Center 1.909 300 GHz Span 2.8 MHz

#Res BW 27 kHz #VBW 100 kHz #Sweep 1 s (518 pts)

Occupied Bandwidth	Occ BW % Pwr	99.00 %
1.0899 MHz	x dB	-26.00 dB
Transmit Freq Error	595.121 Hz	
x dB Bandwidth	1.275 MHz	

Copyright 2000-2012 Agilent Technologies

8.7. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:7, Channel:18615, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1851.5	99	26	0.062	Peak	2.688	2.916	3	Pass

Agilent
Measure

Ch Freq 1.8515 GHz
Trig Free

Occupied Bandwidth
Averages: 2

Ref 30 dBm #Atten 30 dB

Center 1.851 500 GHz Span 6 MHz
 #Res BW 62 kHz #VBW 200 kHz #Sweep 1 s (483 pts)

Occupied Bandwidth	Occ BW % Pwr	99.00 %
2.6880 MHz	x dB	-26.00 dB
Transmit Freq Error		3.359 kHz
x dB Bandwidth		2.916 MHz

Copyright 2000-2012 Agilent Technologies

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat CCDF

More
1 of 2

8.8. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:8, Channel:18615, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1851.5	99	26	0.062	Peak	2.686	2.937	3	Pass

Agilent
Measure

Ch Freq 1.8515 GHz
Trig Free

Occupied Bandwidth
Averages: 2

Ref 30 dBm
#Atten 30 dB

#Peak
Log

10
dB/

Offst
10.8

dB

Center 1.851 500 GHz
Span 6 MHz

#Res BW 62 kHz
#VBW 200 kHz
#Sweep 1 s (483 pts)

Occupied Bandwidth
Occ BW % Pwr 99.00 %

2.6856 MHz
x dB -26.00 dB

Transmit Freq Error 746.970 Hz

x dB Bandwidth 2.937 MHz

Power Stat
More

CCDF
1 of 2

Copyright 2000-2012 Agilent Technologies

8.9. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:9, Channel:18900, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1880	99	26	0.062	Peak	2.687	2.918	3	Pass

Agilent

Measure
 Meas Off
 Channel Power
 Occupied BW
 ACP
 Multi Carrier Power
 Power Stat CCDF
 More
 1 of 2

Ch Freq 1.88 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

Center 1.880 000 GHz Span 6 MHz
 #Res BW 62 kHz #VBW 200 kHz #Sweep 1 s (483 pts)

Occupied Bandwidth	Occ BW % Pwr	99.00 %
2.6865 MHz	x dB	-26.00 dB
Transmit Freq Error	805.442 Hz	
x dB Bandwidth	2.918 MHz	

Copyright 2000-2012 Agilent Technologies

8.10. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:10, Channel:18900, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1880	99	26	0.062	Peak	2.681	2.907	3	Pass

Agilent
Measure

Ch Freq 1.88 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

Center 1.880 000 GHz Span 6 MHz

#Res BW 62 kHz #VBW 200 kHz #Sweep 1 s (483 pts)

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat CCDF

More 1 of 2

Occupied Bandwidth

2.6805 MHz

Transmit Freq Error -3.597 kHz


x dB Bandwidth 2.907 MHz

Occ BW % Pwr 99.00 %

x dB -26.00 dB

Copyright 2000-2012 Agilent Technologies

8.11. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:11, Channel:19185, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)



8.12. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:12, Channel:19185, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1908.5	99	26	0.062	Peak	2.684	2.92	3	Pass

Agilent

Measure
 Meas Off
 Channel Power
 Occupied BW
 ACP
 Multi Carrier Power
 Power Stat CCDF
 More
 1 of 2

Ch Freq 1.9085 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

#Peak Log 10 dB/Offst 10.9 dB

Center 1.908 500 GHz Span 6 MHz

#Res BW 62 kHz #VBW 200 kHz #Sweep 1 s (483 pts)

Occupied Bandwidth Occ BW % Pwr 99.00 %

2.6836 MHz

x dB -26.00 dB

Transmit Freq Error 864.951 Hz

x dB Bandwidth 2.920 MHz

Copyright 2000-2012 Agilent Technologies

8.13. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:13, Channel:18625, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1852.5	99	26	0.1	Peak	4.494	4.931	5	Pass

Agilent

Measure
 Meas Off
 Channel Power
 Occupied BW
 ACP
 Multi Carrier Power
 Power Stat CCDF
 More
 1 of 2

Ch Freq 1.8525 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

Center 1.852 500 GHz Span 10 MHz

#Res BW 100 kHz #VBW 300 kHz #Sweep 1 s (500 pts)

Occupied Bandwidth	Occ BW % Pwr	99.00 %
4.4941 MHz	x dB	-26.00 dB
Transmit Freq Error	-2.766 kHz	
x dB Bandwidth	4.931 MHz	

Copyright 2000-2012 Agilent Technologies

8.14. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:14, Channel:18625, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1852.5	99	26	0.1	Peak	4.483	4.969	5	Pass

Agilent
Measure

Ch Freq 1.8525 GHz
Trig Free

Occupied Bandwidth
Averages: 2

Ref 30 dBm
#Atten 30 dB

#Peak
Log

10
dB/

Offst
10.8

dB

Center 1.852 500 GHz
Span 10 MHz

#Res BW 100 kHz
#VBW 300 kHz
#Sweep 1 s (500 pts)

Occupied Bandwidth
Occ BW % Pwr 99.00 %

4.4831 MHz
x dB -26.00 dB

Transmit Freq Error -1.537 kHz

x dB Bandwidth 4.969 MHz

Power Stat
CCDF

More
1 of 2

Copyright 2000-2012 Agilent Technologies

8.15. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:15, Channel:18900, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1880	99	26	0.1	Peak	4.495	5.025	5	Pass

Agilent

Measure

Ch Freq 1.88 GHz
Trig Free

Occupied Bandwidth

Averages: 2

Ref 30 dBm
#Atten 30 dB

#Peak
Log

10
dB/

Offst
11

dB

Center 1.880 000 GHz
Span 10 MHz

#Res BW 100 kHz
#VBW 300 kHz
#Sweep 1 s (500 pts)

Occupied Bandwidth	Occ BW % Pwr	99.00 %
4.4951 MHz	x dB	-26.00 dB
Transmit Freq Error	608.140 Hz	
x dB Bandwidth	5.025 MHz	

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat CCDF

More
1 of 2

Copyright 2000-2012 Agilent Technologies

8.16. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:16, Channel:18900, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1880	99	26	0.1	Peak	4.494	5.193	5	Pass

Agilent
Measure

Ch Freq 1.88 GHz
Trig Free

Occupied Bandwidth
Averages: 2

Ref 30 dBm
#Atten 30 dB

#Peak
Log

10
dB/

Offst
11

dB

Center 1.880 000 GHz
Span 10 MHz

#Res BW 100 kHz
#VBW 300 kHz
#Sweep 1 s (500 pts)

Occupied Bandwidth
Occ BW % Pwr 99.00 %

4.4941 MHz
x dB -26.00 dB

Transmit Freq Error -1.418 kHz

x dB Bandwidth 5.193 MHz

Power Stat
CCDF

More
1 of 2

Copyright 2000-2012 Agilent Technologies

8.17. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:17, Channel:19175, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1907.5	99	26	0.1	Peak	4.486	4.928	5	Pass

Agilent
Measure

Ch Freq 1.9075 GHz **Trig** Free

Occupied Bandwidth Averages: 2

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat
CCDF

More
1 of 2


Ref 30 dBm #Atten 30 dB

Center 1.907 500 GHz Span 10 MHz
#Res BW 100 kHz #VBW 300 kHz #Sweep 1 s (500 pts)

Occupied Bandwidth	Occ BW % Pwr	99.00 %
4.4858 MHz	x dB	-26.00 dB
Transmit Freq Error	1.942 kHz	
x dB Bandwidth	4.928 MHz	

Copyright 2000-2012 Agilent Technologies

8.18. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:18, Channel:19175, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)



8.19. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:19, Channel:18650, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1855	99	26	0.2	Peak	8.977	9.831	10	Pass

Agilent
Measure

Ch Freq 1.855 GHz
Trig Free

Occupied Bandwidth
Averages: 2

Ref 30 dBm
#Atten 30 dB

#Peak
Log

10
dB/

Offst
10.8

dB

Center 1.855 00 GHz
Span 20 MHz

#Res BW 200 kHz
#VBW 620 kHz
#Sweep 1 s (500 pts)

Occupied Bandwidth
Occ BW % Pwr 99.00 %

8.9773 MHz
x dB -26.00 dB

Transmit Freq Error 4.448 kHz

x dB Bandwidth 9.831 MHz

Power Stat
CCDF

More
1 of 2

Copyright 2000-2012 Agilent Technologies

8.20. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:20, Channel:18650, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1855	99	26	0.2	Peak	8.984	10.391	10	Pass

Agilent
Measure

Ch Freq 1.855 GHz
Trig Free

Occupied Bandwidth
Averages: 2

Ref 30 dBm
#Atten 30 dB

#Peak
Log

10
dB/

Offst
10.8

dB

Center 1.855 00 GHz
Span 20 MHz

#Res BW 200 kHz
#VBW 620 kHz
#Sweep 1 s (500 pts)

Occupied Bandwidth	Occ BW % Pwr	99.00 %
8.9843 MHz	x dB	-26.00 dB
Transmit Freq Error	11.070 kHz	
x dB Bandwidth	10.391 MHz	

Power Stat
CCDF

More
1 of 2

Copyright 2000-2012 Agilent Technologies

8.21. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:21, Channel:18900, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1880	99	26	0.2	Peak	8.97	9.784	10	Pass

Agilent
Measure

Ch Freq 1.88 GHz
Trig Free

Occupied Bandwidth
Averages: 2

Ref 30 dBm
#Atten 30 dB

#Peak
Log

10
dB/

Offst
11

dB

Center 1.880 00 GHz
Span 20 MHz

#Res BW 200 kHz
#VBW 620 kHz
#Sweep 1 s (500 pts)

Occupied Bandwidth
Occ BW % Pwr 99.00 %

8.9700 MHz
x dB -26.00 dB

Transmit Freq Error 797.521 Hz

x dB Bandwidth 9.784 MHz

Power Stat
CCDF

More
1 of 2

Copyright 2000-2012 Agilent Technologies

8.22. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:22, Channel:18900, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1880	99	26	0.2	Peak	8.957	9.801	10	Pass

Agilent
Measure

Ch Freq 1.88 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

Center 1.880 00 GHz Span 20 MHz

#Res BW 200 kHz #VBW 620 kHz #Sweep 1 s (500 pts)

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat CCDF

More 1 of 2

Occupied Bandwidth

8.9569 MHz

Transmit Freq Error -3.180 kHz

x dB Bandwidth 9.801 MHz

Occ BW % Pwr 99.00 %

x dB -26.00 dB

Copyright 2000-2012 Agilent Technologies

8.23. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:23, Channel:19150, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1905	99	26	0.2	Peak	8.971	9.788	10	Pass

Agilent
Measure

Ch Freq 1.905 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

Center 1.905 00 GHz Span 20 MHz

#Res BW 200 kHz #VBW 620 kHz #Sweep 1 s (500 pts)

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat CCDF

More 1 of 2

Occupied Bandwidth

8.9709 MHz

Transmit Freq Error -12.540 kHz

x dB Bandwidth 9.788 MHz

Occ BW % Pwr 99.00 %

x dB -26.00 dB

Copyright 2000-2012 Agilent Technologies

8.24. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:24, Channel:19150, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1905	99	26	0.2	Peak	8.978	9.765	10	Pass

Agilent

Measure
 Meas Off
 Channel Power
 Occupied BW
 ACP
 Multi Carrier Power
 Power Stat CCDF
 More
 1 of 2

Ch Freq 1.905 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

Center 1.905 00 GHz Span 20 MHz

#Res BW 200 kHz #VBW 620 kHz #Sweep 1 s (500 pts)

Occupied Bandwidth	Occ BW % Pwr	99.00 %
8.9776 MHz	x dB	-26.00 dB
Transmit Freq Error	-21.796 kHz	
x dB Bandwidth	9.765 MHz	

Copyright 2000-2012 Agilent Technologies

8.25. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:25, Channel:18675, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1857.5	99	26	0.3	Peak	13.466	14.64	15	Pass

Agilent
Measure

Ch Freq 1.8575 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

Center 1.857 50 GHz Span 30 MHz

#Res BW 300 kHz #VBW 1 MHz #Sweep 1 s (500 pts)

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat CCDF

More 1 of 2

Occupied Bandwidth

13.4656 MHz

Transmit Freq Error -504.071 Hz

x dB Bandwidth 14.640 MHz

Occ BW % Pwr 99.00 %

x dB -26.00 dB

Copyright 2000-2012 Agilent Technologies

8.26. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:26, Channel:18675, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1857.5	99	26	0.3	Peak	13.445	14.619	15	Pass

The screenshot displays the Agilent spectrum analyzer interface. At the top, it shows 'Ch Freq 1.8575 GHz' and 'Trig Free'. The 'Occupied Bandwidth' measurement is active, with 'Averages: 2'. The main display shows a spectrum plot with a yellow trace. The plot parameters are: Ref 30 dBm, #Peak, Log, 10 dB/Offst, 10.8 dB, Center 1.857 50 GHz, Span 30 MHz, #Res BW 300 kHz, #VBW 1 MHz, #Sweep 1 s (500 pts). A green box highlights the measurement results: Occupied Bandwidth 13.4447 MHz, Occ BW % Pwr 99.00 %, x dB -26.00 dB, Transmit Freq Error 4.585 kHz, and x dB Bandwidth 14.619 MHz. On the right side, there is a 'Measure' menu with options: Meas Off, Channel Power, Occupied BW, ACP, Multi Carrier Power, Power Stat CCDF, and More (1 of 2). At the bottom, it says 'Copyright 2000-2012 Agilent Technologies'.

8.27. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:27, Channel:18900, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1880	99	26	0.3	Peak	13.43	15.527	15	Pass

Agilent
Measure

Ch Freq 1.88 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

Center 1.880 00 GHz Span 30 MHz

#Res BW 300 kHz #VBW 1 MHz #Sweep 1 s (500 pts)

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat CCDF

More 1 of 2

Occupied Bandwidth

13.4304 MHz

Transmit Freq Error 3.197 kHz

x dB Bandwidth 15.527 MHz

Occ BW % Pwr 99.00 %

x dB -26.00 dB

Copyright 2000-2012 Agilent Technologies

8.28. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:28, Channel:18900, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1880	99	26	0.3	Peak	13.45	16.313	15	Pass

The screenshot displays the Agilent spectrum analyzer interface. At the top, it shows 'Ch Freq 1.88 GHz' and 'Trig Free'. The main display area shows a spectrum plot with a yellow trace. The plot is set to 'Log' scale with a reference level of 30 dBm and an attenuation of 30 dB. The y-axis is labeled 'dB/Offst' and the x-axis is labeled 'dB'. The plot shows a signal with a flat top and sloping sides, characteristic of a modulated signal. The 'Occupied Bandwidth' is highlighted in a green box, showing a value of 13.4503 MHz. Other parameters shown include 'Transmit Freq Error -1.205 kHz' and 'x dB Bandwidth 16.313 MHz'. The right side of the interface has a 'Measure' menu with options like 'Meas Off', 'Channel Power', 'Occupied BW', 'ACP', 'Multi Carrier Power', 'Power Stat CCDF', and 'More 1 of 2'. The bottom of the screen displays the copyright notice 'Copyright 2000-2012 Agilent Technologies'.

Occupied Bandwidth	Occ BW % Pwr	99.00 %
13.4503 MHz	x dB	-26.00 dB
Transmit Freq Error	-1.205 kHz	
x dB Bandwidth	16.313 MHz	

Copyright 2000-2012 Agilent Technologies

8.29. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:29, Channel:19125, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1902.5	99	26	0.3	Peak	13.436	14.697	15	Pass

Agilent

Measure

Ch Freq 1.9025 GHz
Trig Free

Occupied Bandwidth

Averages: 2

Ref 30 dBm
#Atten 30 dB

#Peak
Log

10
dB/

Offst
10.9

dB

Center 1.902 50 GHz
Span 30 MHz

#Res BW 300 kHz
#VBW 1 MHz
#Sweep 1 s (500 pts)

Occupied Bandwidth	Occ BW % Pwr	99.00 %
13.4360 MHz	x dB	-26.00 dB
Transmit Freq Error	-32.045 kHz	
x dB Bandwidth	14.697 MHz	

Copyright 2000-2012 Agilent Technologies

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat CCDF

More
1 of 2

8.30. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:30, Channel:19125, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1902.5	99	26	0.3	Peak	13.433	14.616	15	Pass

Agilent

Measure

Ch Freq 1.9025 GHz
Trig Free

Occupied Bandwidth
Averages: 2

Ref 30 dBm
#Atten 30 dB

#Peak
 Log
 10
 dB/
 Offst
 10.9
 dB

Center 1.902 50 GHz
Span 30 MHz

#Res BW 300 kHz
#VBW 1 MHz
#Sweep 1 s (500 pts)

Occupied Bandwidth	Occ BW % Pwr	99.00 %
13.4325 MHz	x dB	-26.00 dB
Transmit Freq Error	-14.438 kHz	
x dB Bandwidth	14.616 MHz	

Power Stat
CCDF
More
1 of 2

Copyright 2000-2012 Agilent Technologies

8.31. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:31, Channel:18700, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1860	99	26	0.39	Peak	17.891	19.252	20	Pass

Agilent

Measure
 Meas Off
 Channel Power
 Occupied BW
 ACP
 Multi Carrier Power
 Power Stat CCDF
 More
 1 of 2

Ch Freq 1.86 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

#Peak Log 10 dB/Offst 10.8 dB

Center 1.860 00 GHz Span 40 MHz

#Res BW 390 kHz #VBW 1.2 MHz #Sweep 1 s (512 pts)

Occupied Bandwidth Occ BW % Pwr 99.00 %

17.8907 MHz x dB -26.00 dB

Transmit Freq Error 5.002 kHz

x dB Bandwidth 19.252 MHz

Copyright 2000-2012 Agilent Technologies

8.32. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:32, Channel:18700, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1860	99	26	0.39	Peak	17.92	19.314	20	Pass

Agilent
Measure

Ch Freq 1.86 GHz
Trig Free

Occupied Bandwidth
Averages: 2

Ref 30 dBm #Atten 30 dB

Center 1.860 00 GHz Span 40 MHz
 #Res BW 390 kHz #VBW 1.2 MHz #Sweep 1 s (512 pts)

Occupied Bandwidth	Occ BW % Pwr 99.00 %
17.9195 MHz	x dB -26.00 dB
Transmit Freq Error	-302.961 Hz
x dB Bandwidth	19.315 MHz

Copyright 2000-2012 Agilent Technologies

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat CCDF

More
1 of 2

8.33. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:33, Channel:18900, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1880	99	26	0.39	Peak	17.943	19.374	20	Pass

Agilent
Measure

Ch Freq 1.88 GHz
Trig Free

Occupied Bandwidth
Averages: 2

Ref 30 dBm
#Atten 30 dB

#Peak
Log

10
dB/

Offst
11

dB

Center 1.880 00 GHz
Span 40 MHz

#Res BW 390 kHz
#VBW 1.2 MHz
#Sweep 1 s (512 pts)

Occupied Bandwidth
Occ BW % Pwr 99.00 %

17.9431 MHz
x dB -26.00 dB

Transmit Freq Error 12.229 kHz

x dB Bandwidth 19.374 MHz

Power Stat
CCDF

More
1 of 2

Copyright 2000-2012 Agilent Technologies

8.34. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:34, Channel:18900, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1880	99	26	0.39	Peak	17.918	19.387	20	Pass

Agilent
Measure

Ch Freq 1.88 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

Center 1.880 00 GHz Span 40 MHz

#Res BW 390 kHz #VBW 1.2 MHz #Sweep 1 s (512 pts)

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat CCDF

More 1 of 2

Occupied Bandwidth

17.9178 MHz

Transmit Freq Error -7.627 kHz

x dB Bandwidth 19.387 MHz

Occ BW % Pwr 99.00 %

x dB -26.00 dB

Copyright 2000-2012 Agilent Technologies

8.35. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:35, Channel:19100, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1900	99	26	0.39	Peak	17.906	19.353	20	Pass

Agilent

Measure
 Meas Off
 Channel Power
 Occupied BW
 ACP
 Multi Carrier Power
 Power Stat CCDF
 More
 1 of 2

Ch Freq 1.9 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

#Peak Log 10 dB/Offst 10.9 dB

Center 1.900 00 GHz Span 40 MHz

#Res BW 390 kHz #VBW 1.2 MHz #Sweep 1 s (512 pts)

Occupied Bandwidth Occ BW % Pwr 99.00 %

17.9061 MHz

x dB -26.00 dB

Transmit Freq Error -30.458 kHz

x dB Bandwidth 19.353 MHz

Copyright 2000-2012 Agilent Technologies

8.36. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:36, Channel:19100, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1900	99	26	0.39	Peak	17.897	19.36	20	Pass

Agilent

Measure

Ch Freq 1.9 GHz
Trig Free

Occupied Bandwidth
Averages: 2

Ref 30 dBm #Atten 30 dB

Center 1.900 00 GHz Span 40 MHz
 #Res BW 390 kHz #VBW 1.2 MHz #Sweep 1 s (512 pts)

Occupied Bandwidth	Occ BW % Pwr	99.00 %
17.8971 MHz	x dB	-26.00 dB
Transmit Freq Error	-21.495 kHz	
x dB Bandwidth	19.360 MHz	

Copyright 2000-2012 Agilent Technologies

Meas Off

Channel Power

Occupied BW

ACP


Multi Carrier Power

Power Stat CCDF

More
1 of 2

9. LTE_Band4

9.1. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:1, Channel:19957, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)



9.2. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:2, Channel:19957, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1710.7	99	26	0.027	Peak	1.092	1.298	1.4	Pass

Agilent

Measure
 Meas Off
 Channel Power
 Occupied BW
 ACP
 Multi Carrier Power
 Power Stat CCDF
 More
 1 of 2

Ch Freq 1.7107 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

Center 1.710 700 GHz Span 2.8 MHz

#Res BW 27 kHz #VBW 100 kHz #Sweep 1 s (518 pts)

Occupied Bandwidth Occ BW % Pwr 99.00 %

1.0919 MHz

x dB -26.00 dB

Transmit Freq Error -754.319 Hz

x dB Bandwidth 1.298 MHz

Copyright 2000-2012 Agilent Technologies

9.3. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:3, Channel:20175, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1732.5	99	26	0.027	Peak	1.088	1.292	1.4	Pass

Agilent
Measure

Ch Freq 1.7325 GHz
Trig Free

Occupied Bandwidth
Averages: 2

Ref 30 dBm #Atten 30 dB

Center 1.732 500 GHz Span 2.8 MHz

#Res BW 27 kHz #VBW 100 kHz #Sweep 1 s (518 pts)

Occupied Bandwidth	Occ BW % Pwr 99.00 %
1.0876 MHz	x dB -26.00 dB
Transmit Freq Error	-618.800 Hz
x dB Bandwidth	1.292 MHz

Copyright 2000-2012 Agilent Technologies

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat CCDF

More
1 of 2

9.4. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:4, Channel:20175, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1732.5	99	26	0.027	Peak	1.083	1.268	1.4	Pass

Agilent
Measure

Ch Freq 1.7325 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

#Peak Log 10 dB/Offst 10.6 dB

Center 1.732 500 GHz Span 2.8 MHz

#Res BW 27 kHz #VBW 100 kHz #Sweep 1 s (518 pts)

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat CCDF

More 1 of 2

Occupied Bandwidth

1.0831 MHz

Transmit Freq Error -1.015 kHz

x dB Bandwidth 1.268 MHz

Occ BW % Pwr 99.00 %

x dB -26.00 dB

Copyright 2000-2012 Agilent Technologies

9.5. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:5, Channel:20393, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1754.3	99	26	0.027	Peak	1.093	1.301	1.4	Pass

Agilent

Measure

Ch Freq 1.7543 GHz
Trig Free

Occupied Bandwidth

Averages: 2

Ref 30 dBm
#Atten 30 dB

#Peak
Log

10
dB/

Offst
10.6

dB

Center 1.754 300 GHz
Span 2.8 MHz

#Res BW 27 kHz
#VBW 100 kHz
#Sweep 1 s (518 pts)

Occupied Bandwidth

1.0934 MHz

Occ BW % Pwr 99.00 %

x dB -26.00 dB

Transmit Freq Error 501.664 Hz

x dB Bandwidth 1.301 MHz

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat CCDF

More
1 of 2

Copyright 2000-2012 Agilent Technologies

Document No: BL-SZ2411244

Page 63 of 310

9.6. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:6, Channel:20393, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1754.3	99	26	0.027	Peak	1.09	1.276	1.4	Pass

Agilent

Measure
 Meas Off
 Channel Power
 Occupied BW
 ACP
 Multi Carrier Power
 Power Stat CCDF
 More
 1 of 2

Ch Freq 1.7543 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

Center 1.754 300 GHz Span 2.8 MHz

#Res BW 27 kHz #VBW 100 kHz #Sweep 1 s (518 pts)

Occupied Bandwidth Occ BW % Pwr 99.00 %

1.0897 MHz

x dB -26.00 dB

Transmit Freq Error 289.937 Hz

x dB Bandwidth 1.276 MHz

Copyright 2000-2012 Agilent Technologies

9.7. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:7, Channel:19965, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1711.5	99	26	0.062	Peak	2.685	2.903	3	Pass

Agilent

Measure
 Meas Off
 Channel Power
 Occupied BW
 ACP
 Multi Carrier Power
 Power Stat CCDF
 More
 1 of 2

Ch Freq 1.7115 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB


Center 1.711 500 GHz Span 6 MHz

#Res BW 62 kHz #VBW 200 kHz #Sweep 1 s (483 pts)

Occupied Bandwidth	Occ BW % Pwr	99.00 %
2.6850 MHz	x dB	-26.00 dB
Transmit Freq Error	4.265 kHz	
x dB Bandwidth	2.903 MHz	

Copyright 2000-2012 Agilent Technologies

9.8. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:8, Channel:19965, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)



9.9. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:9, Channel:20175, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1732.5	99	26	0.062	Peak	2.687	2.922	3	Pass

Agilent

Measure
 Meas Off
 Channel Power
 Occupied BW
 ACP
 Multi Carrier Power
 Power Stat CCDF
 More
 1 of 2

Ch Freq 1.7325 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

Center 1.732 500 GHz Span 6 MHz

#Res BW 62 kHz #VBW 200 kHz #Sweep 1 s (483 pts)

Occupied Bandwidth	Occ BW % Pwr	99.00 %
2.6867 MHz	x dB	-26.00 dB
Transmit Freq Error	-755.117 Hz	
x dB Bandwidth	2.922 MHz	

Copyright 2000-2012 Agilent Technologies

9.10. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:10, Channel:20175, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1732.5	99	26	0.062	Peak	2.687	2.916	3	Pass

Agilent

Measure

Ch Freq 1.7325 GHz
Trig Free

Occupied Bandwidth
Averages: 2

Ref 30 dBm #Atten 30 dB

Center 1.732 500 GHz Span 6 MHz
#Res BW 62 kHz #VBW 200 kHz #Sweep 1 s (483 pts)

Occupied Bandwidth	Occ BW % Pwr	99.00 %
2.6872 MHz	x dB	-26.00 dB
Transmit Freq Error	-2.196 kHz	
x dB Bandwidth	2.916 MHz	

Copyright 2000-2012 Agilent Technologies

Meas Off
 Channel Power
 Occupied BW
 ACP
 Multi Carrier Power
 Power Stat CCDF
 More
 1 of 2

9.11. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:11, Channel:20385, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1753.5	99	26	0.062	Peak	2.687	2.932	3	Pass

Agilent
Measure

Ch Freq 1.7535 GHz
Trig Free

Occupied Bandwidth
Averages: 2

Ref 30 dBm #Atten 30 dB

Center 1.753 500 GHz Span 6 MHz

#Res BW 62 kHz #VBW 200 kHz #Sweep 1 s (483 pts)

Occupied Bandwidth	Occ BW % Pwr 99.00 %
2.6871 MHz	x dB -26.00 dB
Transmit Freq Error 100.512 Hz	
x dB Bandwidth 2.932 MHz	

More
1 of 2

Copyright 2000-2012 Agilent Technologies

9.12. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:12, Channel:20385, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1753.5	99	26	0.062	Peak	2.687	2.923	3	Pass

Agilent

Measure
 Meas Off
 Channel Power
 Occupied BW
 ACP
 Multi Carrier Power
 Power Stat CCDF
 More
 1 of 2

Ch Freq 1.7535 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

#Peak Log 10 dB/Offst 10.6 dB

Center 1.753 500 GHz Span 6 MHz

#Res BW 62 kHz #VBW 200 kHz #Sweep 1 s (483 pts)

Occupied Bandwidth Occ BW % Pwr 99.00 %

2.6868 MHz

x dB -26.00 dB

Transmit Freq Error -1.935 kHz

x dB Bandwidth 2.923 MHz

Copyright 2000-2012 Agilent Technologies

9.13. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:13, Channel:19975, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1712.5	99	26	0.1	Peak	4.486	4.897	5	Pass

Agilent
Measure

Ch Freq 1.7125 GHz
Trig Free

Occupied Bandwidth
Averages: 2

Ref 30 dBm
#Atten 30 dB

#Peak
Log

10
dB/

Offst
10.6

dB

Center 1.712 500 GHz
Span 10 MHz

#Res BW 100 kHz
#VBW 300 kHz
#Sweep 1 s (500 pts)

Occupied Bandwidth

4.4862 MHz

Occ BW % Pwr 99.00 %

x dB -26.00 dB

Transmit Freq Error -1.987 kHz

x dB Bandwidth 4.897 MHz

Power Stat
CCDF

More
1 of 2

Copyright 2000-2012 Agilent Technologies

9.14. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:14, Channel:19975, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1712.5	99	26	0.1	Peak	4.485	4.909	5	Pass

Agilent
Measure

Ch Freq 1.7125 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

Center 1.712 500 GHz Span 10 MHz

#Res BW 100 kHz #VBW 300 kHz #Sweep 1 s (500 pts)

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat CCDF

More 1 of 2

Occupied Bandwidth

4.4850 MHz

Transmit Freq Error 4.003 kHz

x dB Bandwidth 4.909 MHz

Occ BW % Pwr 99.00 %

x dB -26.00 dB

Copyright 2000-2012 Agilent Technologies

9.15. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:15, Channel:20175, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1732.5	99	26	0.1	Peak	4.487	4.928	5	Pass

Agilent
Measure

Ch Freq 1.7325 GHz
Trig Free

Occupied Bandwidth
Averages: 2

Ref 30 dBm #Atten 30 dB

Center 1.732 500 GHz Span 10 MHz

#Res BW 100 kHz #VBW 300 kHz #Sweep 1 s (500 pts)

Occupied Bandwidth	Occ BW % Pwr	99.00 %
4.4872 MHz	x dB	-26.00 dB
Transmit Freq Error	-1.288 kHz	
x dB Bandwidth	4.928 MHz	

Copyright 2000-2012 Agilent Technologies

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat CCDF

More
1 of 2

9.16. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:16, Channel:20175, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1732.5	99	26	0.1	Peak	4.49	4.926	5	Pass

The screenshot displays the Agilent spectrum analyzer interface. At the top, it shows 'Ch Freq 1.7325 GHz' and 'Trig Free'. The main display area shows a spectrum plot with a yellow trace. The plot parameters include 'Ref 30 dBm', '#Atten 30 dB', 'Log 10', 'dB/Offst 10.6 dB', 'Center 1.732 500 GHz', 'Span 10 MHz', '#Res BW 100 kHz', '#VBW 300 kHz', and '#Sweep 1 s (500 pts)'. A green box highlights the measurement results: 'Occupied Bandwidth 4.4900 MHz', 'Occ BW % Pwr 99.00 %', 'x dB -26.00 dB', 'Transmit Freq Error -1.238 kHz', and 'x dB Bandwidth 4.926 MHz'. On the right side, there is a 'Measure' menu with options: 'Meas Off', 'Channel Power', 'Occupied BW', 'ACP', 'Multi Carrier Power', 'Power Stat CCDF', and 'More 1 of 2'. At the bottom, it says 'Copyright 2000-2012 Agilent Technologies'.

9.17. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:17, Channel:20375, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1752.5	99	26	0.1	Peak	4.487	4.912	5	Pass

Agilent
Measure

Ch Freq 1.7525 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

Center 1.752 500 GHz Span 10 MHz

#Res BW 100 kHz #VBW 300 kHz #Sweep 1 s (500 pts)

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat CCDF

More 1 of 2

Occupied Bandwidth

4.4867 MHz

Transmit Freq Error 764.961 Hz

x dB Bandwidth 4.912 MHz

Occ BW % Pwr 99.00 %

x dB -26.00 dB

Copyright 2000-2012 Agilent Technologies

9.18. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:18, Channel:20375, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1752.5	99	26	0.1	Peak	4.494	4.946	5	Pass

Agilent
Measure

Ch Freq 1.7525 GHz
Trig Free

Occupied Bandwidth
Averages: 2

Ref 30 dBm
#Atten 30 dB

#Peak
Log

10
dB/

Offst
10.6

dB

Center 1.752 500 GHz
Span 10 MHz

#Res BW 100 kHz
#VBW 300 kHz
#Sweep 1 s (500 pts)

Occupied Bandwidth	Occ BW % Pwr	99.00 %
4.4939 MHz	x dB	-26.00 dB
Transmit Freq Error	-532.933 Hz	
x dB Bandwidth	4.946 MHz	

Power Stat
CCDF

More
1 of 2

Copyright 2000-2012 Agilent Technologies

9.19. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:19, Channel:20000, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1715	99	26	0.2	Peak	8.964	9.776	10	Pass

Agilent
Measure

Ch Freq 1.715 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

Center 1.715 00 GHz Span 20 MHz

#Res BW 200 kHz #VBW 620 kHz #Sweep 1 s (500 pts)

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat CCDF

More 1 of 2

Occupied Bandwidth Occ BW % Pwr 99.00 %

8.9642 MHz x dB -26.00 dB

Transmit Freq Error 10.467 kHz

x dB Bandwidth 9.776 MHz

Copyright 2000-2012 Agilent Technologies

9.20. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:20, Channel:20000, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1715	99	26	0.2	Peak	8.966	9.693	10	Pass

Agilent
Measure

Ch Freq 1.715 GHz
Trig Free

Occupied Bandwidth
Averages: 2

Ref 30 dBm
#Atten 30 dB

#Peak
Log

10
dB/

Offst
10.6

dB

Center 1.715 00 GHz
Span 20 MHz

#Res BW 200 kHz
#VBW 620 kHz
#Sweep 1 s (500 pts)

Occupied Bandwidth
Occ BW % Pwr 99.00 %

8.9660 MHz
x dB -26.00 dB

Transmit Freq Error 15.280 kHz

x dB Bandwidth 9.693 MHz

Power Stat
More

CCDF
1 of 2

Copyright 2000-2012 Agilent Technologies

9.21. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:21, Channel:20175, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1732.5	99	26	0.2	Peak	8.963	9.789	10	Pass

Agilent
Measure

Ch Freq 1.7325 GHz
Trig Free

Occupied Bandwidth
Averages: 2

Ref 30 dBm #Atten 30 dB

Center 1.732 50 GHz Span 20 MHz

#Res BW 200 kHz #VBW 620 kHz #Sweep 1 s (500 pts)

Occupied Bandwidth	Occ BW % Pwr	99.00 %
8.9635 MHz	x dB	-26.00 dB
Transmit Freq Error	1.203 kHz	
x dB Bandwidth	9.789 MHz	

Copyright 2000-2012 Agilent Technologies

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat CCDF

More
1 of 2

9.22. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:22, Channel:20175, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1732.5	99	26	0.2	Peak	8.957	9.782	10	Pass

The screenshot displays the Agilent spectrum analyzer interface. At the top, it shows 'Ch Freq 1.7325 GHz' and 'Trig Free'. The main display area shows a spectrum plot with a yellow trace. The plot parameters include 'Ref 30 dBm', '#Atten 30 dB', 'Log 10 dB/Offst 10.6 dB', 'Center 1.732 50 GHz', 'Span 20 MHz', '#Res BW 200 kHz', '#VBW 620 kHz', and '#Sweep 1 s (500 pts)'. A green box highlights the 'Occupied Bandwidth' measurement results: 'Occupied Bandwidth 8.9571 MHz', 'Occ BW % Pwr 99.00 %', and 'x dB -26.00 dB'. Below this, it shows 'Transmit Freq Error 756.591 Hz' and 'x dB Bandwidth 9.782 MHz'. On the right side, there is a 'Measure' menu with options like 'Meas Off', 'Channel Power', 'Occupied BW', 'ACP', 'Multi Carrier Power', 'Power Stat CCDF', and 'More 1 of 2'. At the bottom, it says 'Copyright 2000-2012 Agilent Technologies'.

9.23. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:23, Channel:20350, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1750	99	26	0.2	Peak	8.98	9.765	10	Pass

Agilent
Measure

Ch Freq 1.75 GHz
Trig Free

Occupied Bandwidth
Averages: 2

Ref 30 dBm
#Atten 30 dB

#Peak
Log

10
dB/

Offst
10.6

dB

Center 1.750 00 GHz
Span 20 MHz

#Res BW 200 kHz
#VBW 620 kHz
#Sweep 1 s (500 pts)

Occupied Bandwidth
Occ BW % Pwr 99.00 %

8.9796 MHz
x dB -26.00 dB

Transmit Freq Error -12.668 kHz

x dB Bandwidth 9.765 MHz

Power Stat
CCDF

More
1 of 2

Copyright 2000-2012 Agilent Technologies

9.24. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:24, Channel:20350, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1750	99	26	0.2	Peak	8.961	9.782	10	Pass

Agilent
Measure

Ch Freq 1.75 GHz
Trig Free

Occupied Bandwidth
Averages: 2

Ref 30 dBm
#Atten 30 dB

#Peak
Log

10
dB/

Offst
10.6

dB

Center 1.750 00 GHz
Span 20 MHz

#Res BW 200 kHz
#VBW 620 kHz
#Sweep 1 s (500 pts)

Occupied Bandwidth
Occ BW % Pwr 99.00 %

8.9609 MHz
x dB -26.00 dB

Transmit Freq Error -13.113 kHz

x dB Bandwidth 9.782 MHz

Power Stat CCDF

More 1 of 2

Copyright 2000-2012 Agilent Technologies

9.25. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:25, Channel:20025, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1717.5	99	26	0.3	Peak	13.432	14.651	15	Pass

Agilent

Measure

Ch Freq 1.7175 GHz
Trig Free

Occupied Bandwidth

Averages: 2

Ref 30 dBm
#Atten 30 dB

#Peak
Log

10
dB/

Offst
10.6

dB

Center 1.717 50 GHz
Span 30 MHz

#Res BW 300 kHz
#VBW 1 MHz
#Sweep 1 s (500 pts)

Occupied Bandwidth	Occ BW % Pwr	99.00 %
13.4321 MHz	x dB	-26.00 dB
Transmit Freq Error	13.783 kHz	
x dB Bandwidth	14.651 MHz	

Copyright 2000-2012 Agilent Technologies

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat CCDF

More
1 of 2

9.26. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:26, Channel:20025, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1717.5	99	26	0.3	Peak	13.442	14.605	15	Pass

Agilent
Measure

Ch Freq 1.7175 GHz
Trig Free

Occupied Bandwidth
Averages: 2

Ref 30 dBm
#Atten 30 dB

#Peak
Log

10
dB/

Offst
10.6

dB

Center 1.717 50 GHz
Span 30 MHz

#Res BW 300 kHz
#VBW 1 MHz
#Sweep 1 s (500 pts)

Occupied Bandwidth	Occ BW % Pwr	99.00 %
13.4423 MHz	x dB	-26.00 dB
Transmit Freq Error	16.269 kHz	
x dB Bandwidth	14.605 MHz	

Copyright 2000-2012 Agilent Technologies

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat CCDF

More

1 of 2

9.27. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:27, Channel:20175, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1732.5	99	26	0.3	Peak	13.42	14.646	15	Pass

Agilent
Measure

Ch Freq 1.7325 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

Center 1.732 50 GHz Span 30 MHz

#Res BW 300 kHz #VBW 1 MHz #Sweep 1 s (500 pts)

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat CCDF

More 1 of 2

Occupied Bandwidth

13.4205 MHz

Transmit Freq Error 4.205 kHz

x dB Bandwidth 14.646 MHz

Occ BW % Pwr 99.00 %

x dB -26.00 dB

Copyright 2000-2012 Agilent Technologies

9.28. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:28, Channel:20175, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1732.5	99	26	0.3	Peak	13.44	14.608	15	Pass

Agilent

Measure
 Meas Off
 Channel Power
Occupied BW
 ACP
 Multi Carrier Power
 Power Stat CCDF
 More
 1 of 2

Ch Freq 1.7325 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

#Peak Log 10 dB/Offst 10.6 dB

Center 1.732 50 GHz Span 30 MHz

#Res BW 300 kHz #VBW 1 MHz #Sweep 1 s (500 pts)

Occupied Bandwidth Occ BW % Pwr 99.00 %

13.4401 MHz x dB -26.00 dB

Transmit Freq Error -2.479 kHz

x dB Bandwidth 14.608 MHz

Copyright 2000-2012 Agilent Technologies

9.29. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:29, Channel:20325, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1747.5	99	26	0.3	Peak	13.441	14.76	15	Pass

Agilent
Measure

Ch Freq 1.7475 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

#Peak Log 10 dB/ Offst 10.6 dB

Center 1.747 50 GHz Span 30 MHz

#Res BW 300 kHz #VBW 1 MHz #Sweep 1 s (500 pts)

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat CCDF

More 1 of 2

Occupied Bandwidth

13.4407 MHz

Transmit Freq Error -9.944 kHz

x dB Bandwidth 14.760 MHz

Occ BW % Pwr 99.00 %

x dB -26.00 dB

Copyright 2000-2012 Agilent Technologies

9.30. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:30, Channel:20325, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1747.5	99	26	0.3	Peak	13.437	14.648	15	Pass

Agilent

Measure
 Meas Off
 Channel Power
 Occupied BW
 ACP
 Multi Carrier Power
 Power Stat CCDF
 More
 1 of 2

Ch Freq 1.7475 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

Center 1.747 50 GHz Span 30 MHz

#Res BW 300 kHz #VBW 1 MHz #Sweep 1 s (500 pts)

Occupied Bandwidth	Occ BW % Pwr	99.00 %
13.4367 MHz	x dB	-26.00 dB
Transmit Freq Error	624.066 Hz	
x dB Bandwidth	14.648 MHz	

Copyright 2000-2012 Agilent Technologies

9.31. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:31, Channel:20050, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1720	99	26	0.39	Peak	17.872	19.235	20	Pass

Agilent
Measure

Ch Freq 1.72 GHz
Trig Free

Occupied Bandwidth
Averages: 2

Ref 30 dBm
#Atten 30 dB

#Peak
Log

10
dB/

Offst
10.6

dB

Center 1.720 00 GHz
Span 40 MHz

#Res BW 390 kHz
#VBW 1.2 MHz
#Sweep 1 s (512 pts)

Occupied Bandwidth	Occ BW % Pwr	99.00 %
17.8717 MHz	x dB	-26.00 dB
Transmit Freq Error	25.026 kHz	
x dB Bandwidth	19.235 MHz	

Power Stat
CCDF

More
1 of 2

Copyright 2000-2012 Agilent Technologies

9.32. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:32, Channel:20050, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1720	99	26	0.39	Peak	17.894	19.262	20	Pass

Agilent
Measure

Ch Freq 1.72 GHz
Trig Free

Occupied Bandwidth
Averages: 2

Ref 30 dBm #Atten 30 dB

Center 1.720 00 GHz Span 40 MHz

#Res BW 390 kHz #VBW 1.2 MHz #Sweep 1 s (512 pts)

Occupied Bandwidth	Occ BW % Pwr	99.00 %
17.8935 MHz	x dB	-26.00 dB
Transmit Freq Error	15.029 kHz	
x dB Bandwidth	19.262 MHz	

Copyright 2000-2012 Agilent Technologies

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat CCDF

More
1 of 2

9.33. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:33, Channel:20175, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1732.5	99	26	0.39	Peak	17.895	19.346	20	Pass

Agilent

Measure
 Meas Off
 Channel Power
 Occupied BW
 ACP
 Multi Carrier Power
 Power Stat CCDF
 More
 1 of 2

Ch Freq 1.7325 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

#Peak Log 10 dB/Offst 10.6 dB

Center 1.732 50 GHz Span 40 MHz

#Res BW 390 kHz #VBW 1.2 MHz #Sweep 1 s (512 pts)

Occupied Bandwidth Occ BW % Pwr 99.00 %

17.8946 MHz x dB -26.00 dB

Transmit Freq Error 10.847 kHz

x dB Bandwidth 19.346 MHz

Copyright 2000-2012 Agilent Technologies

9.34. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:34, Channel:20175, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1732.5	99	26	0.39	Peak	17.92	19.409	20	Pass

Agilent

Measure
 Meas Off
 Channel Power
 Occupied BW
 ACP
 Multi Carrier Power
 Power Stat CCDF
 More
 1 of 2

Ch Freq 1.7325 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

Center 1.732 50 GHz Span 40 MHz

#Res BW 390 kHz #VBW 1.2 MHz #Sweep 1 s (512 pts)

Occupied Bandwidth Occ BW % Pwr 99.00 %

17.9197 MHz

x dB -26.00 dB

Transmit Freq Error -4.011 kHz

x dB Bandwidth 19.409 MHz

Copyright 2000-2012 Agilent Technologies

9.35. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:35, Channel:20300, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1745	99	26	0.39	Peak	17.914	19.319	20	Pass

Agilent

Measure
 Meas Off
 Channel Power
 Occupied BW
 ACP
 Multi Carrier Power
 Power Stat CCDF
 More
 1 of 2

Ch Freq 1.745 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

#Peak Log 10 dB/Offst 10.6 dB

Center 1.745 00 GHz Span 40 MHz

#Res BW 390 kHz #VBW 1.2 MHz #Sweep 1 s (512 pts)

Occupied Bandwidth Occ BW % Pwr 99.00 %

17.9143 MHz

x dB -26.00 dB

Transmit Freq Error -17.997 kHz

x dB Bandwidth 19.319 MHz

Copyright 2000-2012 Agilent Technologies

9.36. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:36, Channel:20300, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1745	99	26	0.39	Peak	17.903	19.355	20	Pass

Agilent
Measure

Ch Freq 1.745 GHz
Trig Free

Occupied Bandwidth
Averages: 2

Ref 30 dBm #Atten 30 dB

Center 1.745 00 GHz Span 40 MHz
 #Res BW 390 kHz #VBW 1.2 MHz #Sweep 1 s (512 pts)


Occupied Bandwidth	Occ BW % Pwr 99.00 %
17.9034 MHz	x dB -26.00 dB
Transmit Freq Error 5.935 kHz	
x dB Bandwidth 19.355 MHz	

Power Stat CCDF
More 1 of 2

Copyright 2000-2012 Agilent Technologies

10. LTE_Band5

10.1. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:1, Channel:20407, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)



10.2. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:2, Channel:20407, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
824.7	99	26	0.027	Peak	1.092	1.299	1.4	Pass

Agilent

Measure
 Meas Off
 Channel Power
 Occupied BW
 ACP
 Multi Carrier Power
 Power Stat CCDF
 More
 1 of 2

Ch Freq 824.7 MHz Trig Free

Occupied Bandwidth Averages: 2

Ref 29.12 dBm #Atten 30 dB

Center 824.700 MHz Span 2.8 MHz

#Res BW 27 kHz #VBW 100 kHz #Sweep 1 s (518 pts)

Occupied Bandwidth Occ BW % Pwr 99.00 %

1.0918 MHz

x dB -26.00 dB

Transmit Freq Error -2.339 kHz

x dB Bandwidth 1.299 MHz

Copyright 2000-2012 Agilent Technologies

10.3. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:3, Channel:20525, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
836.5	99	26	0.027	Peak	1.088	1.293	1.4	Pass

Agilent

Measure
 Meas Off
 Channel Power
 Occupied BW
 ACP
 Multi Carrier Power
 Power Stat CCDF
 More
 1 of 2

Ch Freq 836.5 MHz Trig Free

Occupied Bandwidth Averages: 2

Ref 29.11 dBm #Atten 30 dB

Center 836.500 MHz Span 2.8 MHz

#Res BW 27 kHz #VBW 100 kHz #Sweep 1 s (518 pts)

Occupied Bandwidth Occ BW % Pwr 99.00 %

1.0883 MHz x dB -26.00 dB

Transmit Freq Error -643.189 Hz

x dB Bandwidth 1.293 MHz

Copyright 2000-2012 Agilent Technologies

10.4. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:4, Channel:20525, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
836.5	99	26	0.027	Peak	1.083	1.265	1.4	Pass

Agilent
Measure

Ch Freq 836.5 MHz Trig Free

Occupied Bandwidth Averages: 2

Ref 29.11 dBm #Atten 30 dB

Center 836.500 MHz Span 2.8 MHz

#Res BW 27 kHz #VBW 100 kHz #Sweep 1 s (518 pts)

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat CCDF

More 1 of 2

Occupied Bandwidth

1.0832 MHz

Transmit Freq Error -1.295 kHz

x dB Bandwidth 1.265 MHz

Occ BW % Pwr 99.00 %

x dB -26.00 dB

Copyright 2000-2012 Agilent Technologies

10.5. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:5, Channel:20643, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
848.3	99	26	0.027	Peak	1.09	1.269	1.4	Pass

Agilent

Measure
 Meas Off
 Channel Power
 Occupied BW
 ACP
 Multi Carrier Power
 Power Stat CCDF
 More
 1 of 2

Ch Freq 848.3 MHz Trig Free

Occupied Bandwidth Averages: 2

Ref 29.17 dBm #Atten 30 dB

Center 848.300 MHz Span 2.8 MHz

#Res BW 27 kHz #VBW 100 kHz #Sweep 1 s (518 pts)

Occupied Bandwidth Occ BW % Pwr 99.00 %

1.0901 MHz

x dB -26.00 dB

Transmit Freq Error -1.477 kHz

x dB Bandwidth 1.269 MHz

Copyright 2000-2012 Agilent Technologies

10.6. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:6, Channel:20643, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
848.3	99	26	0.027	Peak	1.085	1.263	1.4	Pass

Agilent

Measure

Ch Freq 848.3 MHz
Trig Free

Occupied Bandwidth

Averages: 2

Ref 29.17 dBm
#Atten 30 dB

#Peak
Log

10
dB/

Offst
9.17

dB

Center 848.300 MHz
Span 2.8 MHz

#Res BW 27 kHz
#VBW 100 kHz
#Sweep 1 s (518 pts)

Occupied Bandwidth	Occ BW % Pwr	99.00 %
1.0850 MHz	x dB	-26.00 dB
Transmit Freq Error	-1.554 kHz	
x dB Bandwidth	1.263 MHz	

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat CCDF

More
1 of 2

Copyright 2000-2012 Agilent Technologies

10.7. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:7, Channel:20415, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
825.5	99	26	0.062	Peak	2.687	2.903	3	Pass

Agilent

Measure

Ch Freq 825.5 MHz
Trig Free

Occupied Bandwidth

Averages: 2

Ref 29.12 dBm
#Atten 30 dB

#Peak
Log

10
dB/

Offst
9.12

dB

Center 825.500 MHz
Span 6 MHz

#Res BW 62 kHz
#VBW 200 kHz
#Sweep 1 s (483 pts)

Occupied Bandwidth	Occ BW % Pwr	99.00 %
2.6871 MHz	x dB	-26.00 dB
Transmit Freq Error	160.587 Hz	
x dB Bandwidth	2.903 MHz	

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat CCDF

More
1 of 2

Copyright 2000-2012 Agilent Technologies

10.8. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:8, Channel:20415, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
825.5	99	26	0.062	Peak	2.681	2.928	3	Pass

Agilent
Measure

Ch Freq 825.5 MHz Trig Free

Occupied Bandwidth Averages: 2

Ref 29.12 dBm #Atten 30 dB

Center 825.500 MHz Span 6 MHz

#Res BW 62 kHz #VBW 200 kHz #Sweep 1 s (483 pts)

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat CCDF

More 1 of 2

Occupied Bandwidth

2.6811 MHz

Transmit Freq Error -29.776 Hz

x dB Bandwidth 2.928 MHz

Occ BW % Pwr 99.00 %

x dB -26.00 dB

Copyright 2000-2012 Agilent Technologies

10.9. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:9, Channel:20525, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
836.5	99	26	0.062	Peak	2.683	2.919	3	Pass

Agilent
Measure

Ch Freq 836.5 MHz
Trig Free

Occupied Bandwidth
Averages: 2

Ref 29.11 dBm #Atten 30 dB

#Peak

Log 10

dB/Offst 9.11 dB

Center 836.500 MHz Span 6 MHz

#Res BW 62 kHz #VBW 200 kHz #Sweep 1 s (483 pts)

Occupied Bandwidth	Occ BW % Pwr 99.00 %
2.6825 MHz	x dB -26.00 dB
Transmit Freq Error 532.416 Hz	
x dB Bandwidth 2.919 MHz	

Copyright 2000-2012 Agilent Technologies

Meas Off

Channel Power

Occupied BW


ACP

Multi Carrier Power

Power Stat CCDF

More
1 of 2

10.10. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:10, Channel:20525, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)



10.11. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:11, Channel:20635, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
847.5	99	26	0.062	Peak	2.685	2.919	3	Pass

Agilent
Measure

Ch Freq 847.5 MHz
Trig Free

Occupied Bandwidth
Averages: 2

Ref 29.16 dBm
#Atten 30 dB

#Peak
Log

10
dB/

Offst
9.16

dB

Center 847.500 MHz
Span 6 MHz

#Res BW 62 kHz
#VBW 200 kHz
#Sweep 1 s (483 pts)

Occupied Bandwidth
Occ BW % Pwr 99.00 %

2.6849 MHz
x dB -26.00 dB

Transmit Freq Error 641.072 Hz

x dB Bandwidth 2.919 MHz

Power Stat
CCDF

More
1 of 2

Copyright 2000-2012 Agilent Technologies

10.12. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:12, Channel:20635, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
847.5	99	26	0.062	Peak	2.681	2.917	3	Pass

Agilent

Measure
 Meas Off
 Channel Power
 Occupied BW
 ACP
 Multi Carrier Power
 Power Stat CCDF
 More
 1 of 2

Ch Freq 847.5 MHz Trig Free

Occupied Bandwidth Averages: 2

Ref 29.16 dBm #Atten 30 dB

Center 847.500 MHz Span 6 MHz

#Res BW 62 kHz #VBW 200 kHz #Sweep 1 s (483 pts)

Occupied Bandwidth Occ BW % Pwr 99.00 %

2.6811 MHz

x dB -26.00 dB

Transmit Freq Error -3.007 kHz

x dB Bandwidth 2.917 MHz

Copyright 2000-2012 Agilent Technologies

10.13. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:13, Channel:20425, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
826.5	99	26	0.1	Peak	4.498	4.946	5	Pass

Agilent
Measure

Ch Freq 826.5 MHz
Trig Free

Occupied Bandwidth
Averages: 2

Ref 29.13 dBm
#Atten 30 dB

#Peak
Log

10
dB/

Offst
9.13

dB

Center 826.500 MHz
Span 10 MHz

#Res BW 100 kHz
#VBW 300 kHz
#Sweep 1 s (500 pts)

Occupied Bandwidth
Occ BW % Pwr 99.00 %

4.4976 MHz
x dB -26.00 dB

Transmit Freq Error -1.917 kHz

x dB Bandwidth 4.946 MHz

Power Stat
CCDF

More
1 of 2

Copyright 2000-2012 Agilent Technologies

10.14. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:14, Channel:20425, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
826.5	99	26	0.1	Peak	4.485	4.926	5	Pass

Agilent
Measure

Ch Freq 826.5 MHz
Trig Free

Occupied Bandwidth
Averages: 2

Ref 29.13 dBm
#Atten 30 dB

#Peak
Log

10
dB/

Offst
9.13

dB

Center 826.500 MHz
Span 10 MHz

#Res BW 100 kHz
#VBW 300 kHz
#Sweep 1 s (500 pts)

Occupied Bandwidth
Occ BW % Pwr 99.00 %

4.4852 MHz
x dB -26.00 dB

Transmit Freq Error -2.062 kHz

x dB Bandwidth 4.926 MHz

Power Stat
More

CCDF
1 of 2

Copyright 2000-2012 Agilent Technologies

10.15. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:15, Channel:20525, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
836.5	99	26	0.1	Peak	4.486	4.923	5	Pass

Agilent
Measure

Ch Freq 836.5 MHz
Trig Free

Occupied Bandwidth
Averages: 2

Ref 29.11 dBm
#Atten 30 dB

#Peak
Log

10
dB/

Offst
9.11

dB

Center 836.500 MHz
Span 10 MHz

#Res BW 100 kHz
#VBW 300 kHz
#Sweep 1 s (500 pts)

Occupied Bandwidth
Occ BW % Pwr 99.00 %

4.4858 MHz
x dB -26.00 dB

Transmit Freq Error -1.451 kHz

x dB Bandwidth 4.923 MHz

Power Stat
CCDF

More
1 of 2

Copyright 2000-2012 Agilent Technologies

10.16. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:16, Channel:20525, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
836.5	99	26	0.1	Peak	4.49	4.921	5	Pass

Agilent

Measure
 Meas Off
 Channel Power
 Occupied BW
 ACP
 Multi Carrier Power
 Power Stat CCDF
 More
 1 of 2

Ch Freq 836.5 MHz Trig Free

Occupied Bandwidth Averages: 2

Ref 29.11 dBm #Atten 30 dB


Center 836.500 MHz Span 10 MHz

#Res BW 100 kHz #VBW 300 kHz #Sweep 1 s (500 pts)

Occupied Bandwidth	Occ BW % Pwr 99.00 %
4.4899 MHz	x dB -26.00 dB
Transmit Freq Error -1.450 kHz	
x dB Bandwidth 4.921 MHz	

Copyright 2000-2012 Agilent Technologies

10.17. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:17, Channel:20625, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)



10.18. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:18, Channel:20625, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
846.5	99	26	0.1	Peak	4.485	4.942	5	Pass

Agilent
Measure

Ch Freq 846.5 MHz Trig Free

Occupied Bandwidth Averages: 2

Ref 29.15 dBm #Atten 30 dB

Center 846.500 MHz Span 10 MHz

#Res BW 100 kHz #VBW 300 kHz #Sweep 1 s (500 pts)

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat CCDF

More 1 of 2

Occupied Bandwidth Occ BW % Pwr 99.00 %

4.4847 MHz x dB -26.00 dB

Transmit Freq Error -2.725 kHz

x dB Bandwidth 4.942 MHz

Copyright 2000-2012 Agilent Technologies

10.19. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:19, Channel:20450, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
829	99	26	0.2	Peak	8.969	9.838	10	Pass

Agilent

Measure
 Meas Off
 Channel Power
 Occupied BW
 ACP
 Multi Carrier Power
 Power Stat CCDF
 More
 1 of 2

Ch Freq 829 MHz Trig Free

Occupied Bandwidth Averages: 2

Ref 29.13 dBm #Atten 30 dB

Center 829.00 MHz Span 20 MHz

#Res BW 200 kHz #VBW 620 kHz #Sweep 1 s (500 pts)

Occupied Bandwidth Occ BW % Pwr 99.00 %

8.9691 MHz x dB -26.00 dB

Transmit Freq Error -607.645 Hz

x dB Bandwidth 9.838 MHz

Copyright 2000-2012 Agilent Technologies

10.20. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:20, Channel:20450, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
829	99	26	0.2	Peak	8.968	9.758	10	Pass

Agilent
Measure

Ch Freq 829 MHz Trig Free

Occupied Bandwidth Averages: 2

Ref 29.13 dBm #Atten 30 dB

Center 829.00 MHz Span 20 MHz

#Res BW 200 kHz #VBW 620 kHz #Sweep 1 s (500 pts)

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat CCDF

More 1 of 2

Occupied Bandwidth

8.9678 MHz

Transmit Freq Error 3.616 kHz

x dB Bandwidth 9.758 MHz

Occ BW % Pwr 99.00 %

x dB -26.00 dB

Copyright 2000-2012 Agilent Technologies

10.21. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:21, Channel:20525, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
836.5	99	26	0.2	Peak	8.95	9.754	10	Pass

Agilent

Measure
 Meas Off
 Channel Power
Occupied BW
 ACP
 Multi Carrier Power
 Power Stat CCDF
 More
 1 of 2

Ch Freq 836.5 MHz Trig Free

Occupied Bandwidth Averages: 2

Ref 29.11 dBm #Atten 30 dB

#Peak Log 10 dB/Offst 9.11 dB

Center 836.50 MHz Span 20 MHz

#Res BW 200 kHz #VBW 620 kHz #Sweep 1 s (500 pts)

Occupied Bandwidth Occ BW % Pwr 99.00 %

8.9502 MHz x dB -26.00 dB

Transmit Freq Error -1.979 kHz

x dB Bandwidth 9.754 MHz

Copyright 2000-2012 Agilent Technologies

10.22. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:22, Channel:20525, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
836.5	99	26	0.2	Peak	8.958	9.706	10	Pass

Agilent
Measure

Ch Freq 836.5 MHz
Trig Free

Occupied Bandwidth
Averages: 2

Ref 29.11 dBm
#Atten 30 dB

#Peak
Log

10
dB/

Offst
9.11

dB

Center 836.50 MHz
Span 20 MHz

#Res BW 200 kHz
#VBW 620 kHz
#Sweep 1 s (500 pts)

Occupied Bandwidth
Occ BW % Pwr 99.00 %

8.9581 MHz
x dB -26.00 dB

Transmit Freq Error 3.104 kHz

x dB Bandwidth 9.706 MHz

Power Stat
CCDF

More
1 of 2

Copyright 2000-2012 Agilent Technologies

10.23. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:23, Channel:20600, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
844	99	26	0.2	Peak	8.957	9.789	10	Pass

Agilent
Measure

Ch Freq 844 MHz Trig Free

Occupied Bandwidth Averages: 2

Ref 29.13 dBm #Atten 30 dB

Center 844.00 MHz Span 20 MHz

#Res BW 200 kHz #VBW 620 kHz #Sweep 1 s (500 pts)

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat CCDF

More 1 of 2

Occupied Bandwidth

8.9565 MHz

Transmit Freq Error -17.697 kHz

x dB Bandwidth 9.789 MHz

Occ BW % Pwr 99.00 %

x dB -26.00 dB

Copyright 2000-2012 Agilent Technologies

10.24. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:24, Channel:20600, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
844	99	26	0.2	Peak	8.967	9.748	10	Pass

Agilent
Measure

Ch Freq 844 MHz Trig Free

Occupied Bandwidth Averages: 2

Ref 29.13 dBm #Atten 30 dB

Center 844.00 MHz Span 20 MHz

#Res BW 200 kHz #VBW 620 kHz #Sweep 1 s (500 pts)

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat CCDF

More
1 of 2

Occupied Bandwidth

8.9675 MHz

Transmit Freq Error -21.936 kHz

x dB Bandwidth 9.748 MHz


Occ BW % Pwr 99.00 %

x dB -26.00 dB

Copyright 2000-2012 Agilent Technologies

11. LTE_Band7

11.1. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:1, Channel:20775, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)



11.2. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:2, Channel:20775, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2502.5	99	26	0.1	Peak	4.483	4.937	5	Pass

Agilent
Measure

Ch Freq 2.5025 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

Center 2.502 500 GHz Span 10 MHz

#Res BW 100 kHz #VBW 300 kHz #Sweep 1 s (500 pts)

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat CCDF

More 1 of 2

Occupied Bandwidth

4.4825 MHz

Transmit Freq Error 798.744 Hz

x dB Bandwidth 4.937 MHz

Occ BW % Pwr 99.00 %

x dB -26.00 dB

Copyright 2000-2012 Agilent Technologies

11.3. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:3, Channel:21100, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2535	99	26	0.1	Peak	4.488	4.92	5	Pass


The screenshot displays the Agilent spectrum analyzer interface. The main display shows a signal spectrum with a yellow trace. The 'Occupied Bandwidth' measurement is highlighted in a green box. The results are as follows:

Measurement	Value
Occupied Bandwidth	4.4878 MHz
Occ BW % Pwr	99.00 %
x dB	-26.00 dB
Transmit Freq Error	-3.601 kHz
x dB Bandwidth	4.920 MHz

Other parameters shown in the interface include: Ch Freq 2.535 GHz, Trig Free, Averages: 2, Ref 30 dBm, #Atten 30 dB, #Peak, Log 10, dB/Offst 11.8 dB, Center 2.535 000 GHz, Span 10 MHz, #Res BW 100 kHz, #VBW 300 kHz, #Sweep 1 s (500 pts).

Copyright 2000-2012 Agilent Technologies

11.4. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:4, Channel:21100, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)



11.5. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:5, Channel:21425, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2567.5	99	26	0.1	Peak	4.49	4.911	5	Pass

Agilent
Measure

Ch Freq 2.5675 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

Center 2.567 500 GHz Span 10 MHz

#Res BW 100 kHz #VBW 300 kHz #Sweep 1 s (500 pts)

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat CCDF

More
1 of 2

Occupied Bandwidth

4.4895 MHz

Transmit Freq Error 4.215 kHz

x dB Bandwidth 4.911 MHz

Occ BW % Pwr 99.00 %

x dB -26.00 dB

Copyright 2000-2012 Agilent Technologies

11.6. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:6, Channel:21425, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2567.5	99	26	0.1	Peak	4.489	4.945	5	Pass

Agilent
Measure

Ch Freq 2.5675 GHz
Trig Free

Occupied Bandwidth
Averages: 2

Ref 30 dBm #Atten 30 dB

Center 2.567 500 GHz Span 10 MHz

#Res BW 100 kHz #VBW 300 kHz #Sweep 1 s (500 pts)

Occupied Bandwidth	Occ BW % Pwr 99.00 %
4.4888 MHz	x dB -26.00 dB
Transmit Freq Error 783.242 Hz	
x dB Bandwidth 4.945 MHz	

Copyright 2000-2012 Agilent Technologies

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat CCDF

More
1 of 2

11.7. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:7, Channel:20800, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2505	99	26	0.2	Peak	8.972	9.807	10	Pass

Agilent
Measure

Ch Freq 2.505 GHz
Trig Free

Occupied Bandwidth
Averages: 2

Ref 30 dBm #Atten 30 dB

Center 2.505 00 GHz Span 20 MHz
 #Res BW 200 kHz #VBW 620 kHz #Sweep 1 s (500 pts)

Occupied Bandwidth Occ BW % Pwr 99.00 %
 8.9722 MHz x dB -26.00 dB

Transmit Freq Error 16.359 kHz
 x dB Bandwidth 9.807 MHz

Copyright 2000-2012 Agilent Technologies

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat CCDF

More
1 of 2

11.8. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:8, Channel:20800, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2505	99	26	0.2	Peak	8.964	9.735	10	Pass

Agilent
Measure

Ch Freq 2.505 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

Center 2.505 00 GHz Span 20 MHz

#Res BW 200 kHz #VBW 620 kHz #Sweep 1 s (500 pts)

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat CCDF

More 1 of 2

Occupied Bandwidth

8.9635 MHz

Transmit Freq Error 10.160 kHz

x dB Bandwidth 9.735 MHz

Occ BW % Pwr 99.00 %

x dB -26.00 dB

Copyright 2000-2012 Agilent Technologies

11.9. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:9, Channel:21100, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2535	99	26	0.2	Peak	8.945	9.793	10	Pass

Agilent

Measure

Ch Freq 2.535 GHz

Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm

#Atten 30 dB

#Peak
 Log
 10
 dB/
 Offst
 11.8
 dB

Center 2.535 00 GHz

Span 20 MHz

#Res BW 200 kHz

#VBW 620 kHz

#Sweep 1 s (500 pts)

Occupied Bandwidth

Occ BW % Pwr 99.00 %

8.9453 MHz

Transmit Freq Error -702.396 Hz

x dB -26.00 dB

x dB Bandwidth 9.793 MHz

More

1 of 2

Copyright 2000-2012 Agilent Technologies

11.10. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:10, Channel:21100, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2535	99	26	0.2	Peak	8.954	9.808	10	Pass

Agilent
Measure

Ch Freq 2.535 GHz
Trig Free

Occupied Bandwidth
Averages: 2

Ref 30 dBm #Atten 30 dB

Center 2.535 00 GHz Span 20 MHz
 #Res BW 200 kHz #VBW 620 kHz #Sweep 1 s (500 pts)

Occupied Bandwidth	Occ BW % Pwr	99.00 %
8.9543 MHz	x dB	-26.00 dB
Transmit Freq Error		-828.180 Hz
x dB Bandwidth		9.808 MHz

Power Stat CCDF
More 1 of 2

Copyright 2000-2012 Agilent Technologies

11.11. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:11, Channel:21400, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2565	99	26	0.2	Peak	8.972	9.802	10	Pass

Agilent
Measure

Ch Freq 2.565 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

Center 2.565 00 GHz Span 20 MHz

#Res BW 200 kHz #VBW 620 kHz #Sweep 1 s (500 pts)

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat CCDF

More 1 of 2

Occupied Bandwidth

8.9715 MHz

Transmit Freq Error -12.035 kHz

x dB Bandwidth 9.802 MHz

Occ BW % Pwr 99.00 %

x dB -26.00 dB

Copyright 2000-2012 Agilent Technologies

11.12. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:12, Channel:21400, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2565	99	26	0.2	Peak	8.976	9.771	10	Pass

Agilent

Measure
 Meas Off
 Channel Power
 Occupied BW
 ACP
 Multi Carrier Power
 Power Stat CCDF
 More
 1 of 2

Ch Freq 2.565 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

Center 2.565 00 GHz Span 20 MHz

#Res BW 200 kHz #VBW 620 kHz #Sweep 1 s (500 pts)

Occupied Bandwidth Occ BW % Pwr 99.00 %

8.9757 MHz x dB -26.00 dB

Transmit Freq Error -16.884 kHz

x dB Bandwidth 9.771 MHz

Copyright 2000-2012 Agilent Technologies

11.13. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:13, Channel:20825, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2507.5	99	26	0.3	Peak	13.44	14.632	15	Pass

Agilent

Measure

Ch Freq 2.5075 GHz
Trig Free

Occupied Bandwidth
Averages: 2

Ref 30 dBm #Atten 30 dB

Center 2.507 50 GHz Span 30 MHz

#Res BW 300 kHz #VBW 1 MHz #Sweep 1 s (500 pts)

Occupied Bandwidth	Occ BW % Pwr	99.00 %
13.4401 MHz	x dB	-26.00 dB
Transmit Freq Error	15.662 kHz	
x dB Bandwidth	14.632 MHz	

Copyright 2000-2012 Agilent Technologies

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat CCDF

More

1 of 2

11.14. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:14, Channel:20825, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2507.5	99	26	0.3	Peak	13.459	14.616	15	Pass

Agilent
Measure

Ch Freq 2.5075 GHz
Trig Free

Occupied Bandwidth
Averages: 2

Ref 30 dBm #Atten 30 dB

Center 2.507 50 GHz Span 30 MHz

#Res BW 300 kHz #VBW 1 MHz #Sweep 1 s (500 pts)

Occupied Bandwidth	Occ BW % Pwr 99.00 %
13.4593 MHz	x dB -26.00 dB
Transmit Freq Error 16.113 kHz	
x dB Bandwidth 14.616 MHz	

Copyright 2000-2012 Agilent Technologies

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat CCDF

More
1 of 2

11.15. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:15, Channel:21100, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2535	99	26	0.3	Peak	13.408	14.596	15	Pass

Agilent

Measure

Ch Freq 2.535 GHz
Trig Free

Occupied Bandwidth
Averages: 2

Ref 30 dBm
#Atten 30 dB

#Peak
Log

10
dB/

Offst
11.8

dB

Center 2.535 00 GHz
Span 30 MHz

#Res BW 300 kHz
#VBW 1 MHz
#Sweep 1 s (500 pts)

Occupied Bandwidth	Occ BW % Pwr	99.00 %
13.4080 MHz	x dB	-26.00 dB
Transmit Freq Error	6.230 kHz	
x dB Bandwidth	14.596 MHz	

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat CCDF

More
1 of 2

Copyright 2000-2012 Agilent Technologies

11.16. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:16, Channel:21100, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2535	99	26	0.3	Peak	13.444	14.588	15	Pass

Agilent

Measure
 Meas Off
 Channel Power
 Occupied BW
 ACP
 Multi Carrier Power
 Power Stat CCDF
 More
 1 of 2

Ch Freq 2.535 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

#Peak Log 10 dB/Offst 11.8 dB

Center 2.535 00 GHz Span 30 MHz

#Res BW 300 kHz #VBW 1 MHz #Sweep 1 s (500 pts)

Occupied Bandwidth	Occ BW % Pwr	99.00 %
13.4437 MHz	x dB	-26.00 dB
Transmit Freq Error		-12.180 kHz
x dB Bandwidth		14.588 MHz

Copyright 2000-2012 Agilent Technologies

11.17. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:17, Channel:21375, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2562.5	99	26	0.3	Peak	13.445	14.757	15	Pass

Agilent
Measure

Ch Freq 2.5625 GHz
Trig Free

Occupied Bandwidth
Averages: 2

Ref 30 dBm
#Atten 30 dB

#Peak
Log

10
dB/

Offst
11.8

dB

Center 2.562 50 GHz
Span 30 MHz

#Res BW 300 kHz
#VBW 1 MHz
#Sweep 1 s (500 pts)

Occupied Bandwidth

13.449 MHz

Occ BW % Pwr 99.00 %

x dB -26.00 dB

Transmit Freq Error -21.090 kHz

x dB Bandwidth 14.757 MHz

Power Stat
CCDF

More
1 of 2

Copyright 2000-2012 Agilent Technologies

11.18. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:18, Channel:21375, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2562.5	99	26	0.3	Peak	13.464	14.61	15	Pass

Agilent
Measure

Ch Freq 2.5625 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

Center 2.562 50 GHz Span 30 MHz

#Res BW 300 kHz #VBW 1 MHz #Sweep 1 s (500 pts)

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat CCDF

More 1 of 2

Occupied Bandwidth

13.4637 MHz

Transmit Freq Error -9.097 kHz

x dB Bandwidth 14.610 MHz

Occ BW % Pwr 99.00 %

x dB -26.00 dB

Copyright 2000-2012 Agilent Technologies

11.19. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:19, Channel:20850, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2510	99	26	0.39	Peak	17.883	19.249	20	Pass

Agilent

Measure

Ch Freq 2.51 GHz
Trig Free

Occupied Bandwidth
Averages: 2

Ref 30 dBm
#Atten 30 dB

#Peak
Log

10
dB/

Offst
11.8

dB

Center 2.510 00 GHz
Span 40 MHz

#Res BW 390 kHz
#VBW 1.2 MHz
#Sweep 1 s (512 pts)

Occupied Bandwidth	Occ BW % Pwr	99.00 %
17.8833 MHz	x dB	-26.00 dB
Transmit Freq Error	16.766 kHz	
x dB Bandwidth	19.249 MHz	

Copyright 2000-2012 Agilent Technologies

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat

CCDF

More

1 of 2

11.20. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:20, Channel:20850, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2510	99	26	0.39	Peak	17.884	19.337	20	Pass

Agilent

Measure

Ch Freq 2.51 GHz
Trig Free

Occupied Bandwidth
Averages: 2

Ref 30 dBm #Atten 30 dB

Center 2.510 00 GHz Span 40 MHz
 #Res BW 390 kHz #VBW 1.2 MHz #Sweep 1 s (512 pts)

Occupied Bandwidth	Occ BW % Pwr	99.00 %
17.8841 MHz	x dB	-26.00 dB
Transmit Freq Error	22.810 kHz	
x dB Bandwidth	19.337 MHz	

Copyright 2000-2012 Agilent Technologies

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat CCDF

More

1 of 2

11.21. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:21, Channel:21100, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2535	99	26	0.39	Peak	17.885	19.321	20	Pass

Agilent
Measure

Ch Freq 2.535 GHz
Trig Free

Occupied Bandwidth
Averages: 2

Ref 30 dBm #Atten 30 dB

Center 2.535 00 GHz Span 40 MHz

#Res BW 390 kHz #VBW 1.2 MHz #Sweep 1 s (512 pts)

Occupied Bandwidth	Occ BW % Pwr	99.00 %
17.8846 MHz	x dB	-26.00 dB
Transmit Freq Error	5.882 kHz	
x dB Bandwidth	19.321 MHz	

Copyright 2000-2012 Agilent Technologies

Meas Off

Channel Power

Occupied BW


ACP

Multi Carrier Power

Power Stat CCDF

More
1 of 2

11.22. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:22, Channel:21100, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)



11.23. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:23, Channel:21350, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2560	99	26	0.39	Peak	17.905	19.354	20	Pass

Agilent
Measure

Ch Freq 2.56 GHz Trig Free

Occupied Bandwidth Averages: 2

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat CCDF

More 1 of 2

Ref 30 dBm #Atten 30 dB

Occupied Bandwidth	Occ BW % Pwr	99.00 %
17.9053 MHz	x dB	-26.00 dB
Transmit Freq Error	-43.242 kHz	
x dB Bandwidth	19.354 MHz	

Copyright 2000-2012 Agilent Technologies

11.24. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:24, Channel:21350, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2560	99	26	0.39	Peak	17.917	19.391	20	Pass

Agilent
Measure

Ch Freq 2.56 GHz Trig Free

Occupied Bandwidth Averages: 2

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat CCDF

More
1 of 2

Ref 30 dBm #Atten 30 dB

#Peak Log 10 dB/Offst 11.8 dB

Center 2.560 00 GHz Span 40 MHz

#Res BW 390 kHz #VBW 1.2 MHz #Sweep 1 s (512 pts)

Occupied Bandwidth Occ BW % Pwr 99.00 %

17.9172 MHz x dB -26.00 dB


Transmit Freq Error -23.954 kHz

x dB Bandwidth 19.391 MHz


Copyright 2000-2012 Agilent Technologies

12. LTE_Band13

12.1. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:1, Channel:23205, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)



12.2. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:2, Channel:23205, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)



12.3. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:3, Channel:23230, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
782	99	26	0.1	Peak	4.505	5.168	5	Pass

Agilent

Measure

Ch Freq 782 MHz
Trig Free

Occupied Bandwidth
Averages: 2

Ref 29.01 dBm #Atten 30 dB

Center 782.000 MHz Span 10 MHz
 #Res BW 100 kHz #VBW 300 kHz #Sweep 1 s (500 pts)

Occupied Bandwidth	Occ BW % Pwr	99.00 %
4.5046 MHz	x dB	-26.00 dB
Transmit Freq Error	-5.003 kHz	
x dB Bandwidth	5.168 MHz	

Copyright 2000-2012 Agilent Technologies

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat CCDF

More
1 of 2

12.4. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:4, Channel:23230, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
782	99	26	0.1	Peak	4.516	5.161	5	Pass

Agilent

Measure
 Meas Off
 Channel Power
 Occupied BW
 ACP
 Multi Carrier Power
 Power Stat CCDF
 More
 1 of 2

Ch Freq 782 MHz Trig Free

Occupied Bandwidth Averages: 2

Ref 29.01 dBm #Atten 30 dB

Center 782.000 MHz Span 10 MHz

#Res BW 100 kHz #VBW 300 kHz #Sweep 1 s (500 pts)

Occupied Bandwidth Occ BW % Pwr 99.00 %

4.5157 MHz


x dB -26.00 dB

Transmit Freq Error -4.734 kHz


x dB Bandwidth 5.161 MHz

Copyright 2000-2012 Agilent Technologies

12.5. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:5, Channel:23255, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)



12.6. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:6, Channel:23255, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)



12.7. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:7, Channel:23230, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
782	99	26	0.2	Peak	8.99	10.14	10	Pass

Agilent
Measure

Ch Freq 782 MHz Trig Free

Occupied Bandwidth Averages: 2

Ref 29.01 dBm #Atten 30 dB

Center 782.00 MHz Span 20 MHz

#Res BW 200 kHz #VBW 620 kHz #Sweep 1 s (500 pts)

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat CCDF

More 1 of 2

Occupied Bandwidth

8.9903 MHz

Transmit Freq Error -3.312 kHz

x dB Bandwidth 10.140 MHz

Occ BW % Pwr 99.00 %

x dB -26.00 dB

Copyright 2000-2012 Agilent Technologies

12.8. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:8, Channel:23230, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
782	99	26	0.2	Peak	8.975	9.981	10	Pass

Agilent
Measure

Ch Freq 782 MHz Trig Free

Occupied Bandwidth Averages: 2

Ref 29.01 dBm #Atten 30 dB

Center 782.00 MHz Span 20 MHz

#Res BW 200 kHz #VBW 620 kHz #Sweep 1 s (500 pts)

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat CCDF

More 1 of 2

Occupied Bandwidth

8.9749 MHz

Transmit Freq Error 4.647 kHz

x dB Bandwidth 9.981 MHz


Occ BW % Pwr 99.00 %

x dB -26.00 dB


Copyright 2000-2012 Agilent Technologies

13. LTE_Band18(part22)

13.1. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:1, Channel:23965, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)



13.2. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:2, Channel:23965, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)



13.3. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:3, Channel:23970, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
827	99	26	0.1	Peak	4.521	5.217	5	Pass

Agilent
Measure

Ch Freq 827 MHz Trig Free

Occupied Bandwidth Averages: 2

Ref 29.13 dBm #Atten 30 dB

Center 827.000 MHz Span 10 MHz

#Res BW 100 kHz #VBW 300 kHz #Sweep 1 s (500 pts)

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat CCDF

More
1 of 2

Occupied Bandwidth

4.5215 MHz

Transmit Freq Error -2.786 kHz

x dB Bandwidth 5.217 MHz

Occ BW % Pwr 99.00 %

x dB -26.00 dB

Copyright 2000-2012 Agilent Technologies

13.4. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:4, Channel:23970, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
827	99	26	0.1	Peak	4.505	5.132	5	Pass

Agilent
Measure

Ch Freq 827 MHz Trig Free

Occupied Bandwidth Averages: 2

Ref 29.13 dBm #Atten 30 dB

Center 827.000 MHz Span 10 MHz

#Res BW 100 kHz #VBW 300 kHz #Sweep 1 s (500 pts)

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat CCDF

More 1 of 2

Occupied Bandwidth

4.5052 MHz

Transmit Freq Error -4.100 kHz

x dB Bandwidth 5.132 MHz

Occ BW % Pwr 99.00 %

x dB -26.00 dB

Copyright 2000-2012 Agilent Technologies

13.5. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:5, Channel:23975, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
827.5	99	26	0.1	Peak	4.507	5.171	5	Pass

Agilent
Measure

Ch Freq 827.5 MHz
Trig Free

Occupied Bandwidth
Averages: 2

Ref 29.13 dBm
#Atten 30 dB

#Peak
Log

10
dB/

Offst
9.13

dB

Center 827.500 MHz
Span 10 MHz

#Res BW 100 kHz
#VBW 300 kHz
#Sweep 1 s (500 pts)

Occupied Bandwidth
Occ BW % Pwr 99.00 %

4.5073 MHz
x dB -26.00 dB

Transmit Freq Error -5.498 kHz


x dB Bandwidth 5.171 MHz

Power Stat
CCDF

More
1 of 2


Copyright 2000-2012 Agilent Technologies

13.6. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:6, Channel:23975, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)



14. LTE_Band18(part90)

14.1. LTE Occupied Bandwidth_Part90(NTNV)(Subtest:1, Channel:23875, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)



14.2. LTE Occupied Bandwidth_Part90(NTNV)(Subtest:2, Channel:23875, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
817.5	99	26	0.1	Peak	4.515	5.185	5	Pass

Agilent

Measure

Ch Freq 817.5 MHz Trig Free

Occupied Bandwidth Averages: 2

Ref 29.12 dBm #Atten 30 dB

#Peak Log 10 dB/Offst 9.12 dB

Center 817.500 MHz Span 10 MHz
#Res BW 100 kHz #VBW 300 kHz #Sweep 1 s (500 pts)

Occupied Bandwidth

4.5146 MHz

Occ BW % Pwr 99.00 %

x dB -26.00 dB

Transmit Freq Error 2.399 kHz

x dB Bandwidth 5.185 MHz

Copyright 2000-2012 Agilent Technologies

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat CCDF

More
1 of 2

14.3. LTE Occupied Bandwidth_Part90(NTNV)(Subtest:3, Channel:23895, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
819.5	99	26	0.1	Peak	4.514	5.199	5	Pass

Agilent

Measure

Ch Freq 819.5 MHz Trig Free

Occupied Bandwidth Averages: 2

Ref 29.12 dBm #Atten 30 dB

#Peak

Log

10

dB/

Offst

9.12

dB

Center 819.500 MHz Span 10 MHz

#Res BW 100 kHz #VBW 300 kHz #Sweep 1 s (500 pts)

Occupied Bandwidth

4.5137 MHz

Occ BW % Pwr 99.00 %

x dB -26.00 dB

Transmit Freq Error -1.210 kHz

x dB Bandwidth 5.199 MHz

Power Stat

CCDF

More

1 of 2

Copyright 2000-2012 Agilent Technologies

14.4. LTE Occupied Bandwidth_Part90(NTNV)(Subtest:4, Channel:23895, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
819.5	99	26	0.1	Peak	4.506	5.162	5	Pass

Agilent
Measure

Ch Freq 819.5 MHz Trig Free

Occupied Bandwidth Averages: 2

Ref 29.12 dBm #Atten 30 dB

#Peak Log 10 dB/ Offst 9.12 dB

Center 819.500 MHz Span 10 MHz

#Res BW 100 kHz #VBW 300 kHz #Sweep 1 s (500 pts)

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat CCDF

More 1 of 2

Occupied Bandwidth

4.5056 MHz

Transmit Freq Error -3.630 kHz

x dB Bandwidth 5.162 MHz

Occ BW % Pwr 99.00 %

x dB -26.00 dB

Copyright 2000-2012 Agilent Technologies

14.5. LTE Occupied Bandwidth_Part90(NTNV)(Subtest:5, Channel:23915, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
821.5	99	26	0.1	Peak	4.505	5.168	5	Pass

Agilent

Measure
 Meas Off
 Channel Power
 Occupied BW
 ACP
 Multi Carrier Power
 Power Stat CCDF
 More
 1 of 2

Ch Freq 821.5 MHz Trig Free

Occupied Bandwidth Averages: 2

Ref 29.12 dBm #Atten 30 dB

Center 821.500 MHz Span 10 MHz

#Res BW 100 kHz #VBW 300 kHz #Sweep 1 s (500 pts)

Occupied Bandwidth Occ BW % Pwr 99.00 %

4.5049 MHz

x dB -26.00 dB

Transmit Freq Error -4.999 kHz

x dB Bandwidth 5.168 MHz

Copyright 2000-2012 Agilent Technologies

14.6. LTE Occupied Bandwidth_Part90(NTNV)(Subtest:6, Channel:23915, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
821.5	99	26	0.1	Peak	4.519	5.209	5	Pass

Agilent

Measure

Ch Freq 821.5 MHz
Trig Free

Occupied Bandwidth
Averages: 2

Ref 29.12 dBm
#Atten 30 dB

#Peak
Log
10
dB/
Offst
9.12
dB

Center 821.500 MHz

#Res BW 100 kHz

#VBW 300 kHz

#Sweep 1 s (500 pts)

Span 10 MHz

Occupied Bandwidth	Occ BW % Pwr	99.00 %
4.5186 MHz	x dB	-26.00 dB
Transmit Freq Error	-7.835 kHz	
x dB Bandwidth	5.209 MHz	

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat CCDF

More


1 of 2

Copyright 2000-2012 Agilent Technologies

15. LTE_Band19

15.1. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:1, Channel:24025, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
832.5	99	26	0.1	Peak	4.522	5.163	5	Pass



15.2. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:2, Channel:24025, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
832.5	99	26	0.1	Peak	4.504	5.134	5	Pass

Agilent

Measure
 Meas Off
 Channel Power
Occupied BW
 ACP
 Multi Carrier Power
 Power Stat CCDF
 More
 1 of 2

Ch Freq 832.5 MHz Trig Free

Occupied Bandwidth Averages: 2

Ref 29.12 dBm #Atten 30 dB

Center 832.500 MHz Span 10 MHz

#Res BW 100 kHz #VBW 300 kHz #Sweep 1 s (500 pts)

Occupied Bandwidth Occ BW % Pwr 99.00 %

4.5035 MHz x dB -26.00 dB

Transmit Freq Error -2.487 kHz

x dB Bandwidth 5.134 MHz

Copyright 2000-2012 Agilent Technologies

15.3. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:3, Channel:24075, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
837.5	99	26	0.1	Peak	4.502	5.169	5	Pass

Agilent
Measure

Ch Freq 837.5 MHz
Trig Free

Occupied Bandwidth
Averages: 2

Ref 29.1 dBm
#Atten 30 dB

#Peak
Log

10
dB/

Offst
9.1

dB

Center 837.500 MHz
Span 10 MHz

#Res BW 100 kHz
#VBW 300 kHz
#Sweep 1 s (500 pts)

Occupied Bandwidth
Occ BW % Pwr 99.00 %

4.5020 MHz
x dB -26.00 dB

Transmit Freq Error -4.881 kHz

x dB Bandwidth 5.169 MHz

Power Stat
CCDF

More
1 of 2

Copyright 2000-2012 Agilent Technologies

15.4. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:4, Channel:24075, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
837.5	99	26	0.1	Peak	4.516	5.152	5	Pass

Agilent

Measure
 Meas Off
 Channel Power
 Occupied BW
 ACP
 Multi Carrier Power
 Power Stat CCDF
 More
 1 of 2

Ch Freq 837.5 MHz Trig Free

Occupied Bandwidth Averages: 2

Ref 29.1 dBm #Atten 30 dB

Center 837.500 MHz Span 10 MHz

#Res BW 100 kHz #VBW 300 kHz #Sweep 1 s (500 pts)

Occupied Bandwidth	Occ BW % Pwr 99.00 %
4.5160 MHz	x dB -26.00 dB
Transmit Freq Error -4.477 kHz	
x dB Bandwidth 5.152 MHz	

Copyright 2000-2012 Agilent Technologies

15.5. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:5, Channel:24125, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
842.5	99	26	0.1	Peak	4.503	5.14	5	Pass

Agilent

Measure

Ch Freq 842.5 MHz
Trig Free

Occupied Bandwidth
Averages: 2

Ref 29.12 dBm
#Atten 30 dB

#Peak
Log

10
dB/

Offst
9.12

dB

Center 842.500 MHz
Span 10 MHz

#Res BW 100 kHz
#VBW 300 kHz
#Sweep 1 s (500 pts)

Occupied Bandwidth

4.5031 MHz

Transmit Freq Error -2.243 kHz

x dB Bandwidth 5.140 MHz

Occ BW % Pwr 99.00 %

x dB -26.00 dB

Copyright 2000-2012 Agilent Technologies

Meas Off

Channel Power

Occupied BW

ACP


Multi Carrier Power

Power Stat CCDF

More

1 of 2

15.6. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:6, Channel:24125, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)



15.7. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:7, Channel:24050, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
835	99	26	0.2	Peak	9.001	10.222	10	Pass

Agilent

Measure
 Meas Off
 Channel Power
 Occupied BW
 ACP
 Multi Carrier Power
 Power Stat CCDF
 More
 1 of 2

Ch Freq 835 MHz Trig Free

Occupied Bandwidth Averages: 2

Ref 29.11 dBm #Atten 30 dB

Center 835.00 MHz Span 20 MHz

#Res BW 200 kHz #VBW 620 kHz #Sweep 1 s (500 pts)

Occupied Bandwidth	Occ BW % Pwr	99.00 %
9.0008 MHz	x dB	-26.00 dB
Transmit Freq Error	7.582 kHz	
x dB Bandwidth	10.222 MHz	

Copyright 2000-2012 Agilent Technologies

15.8. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:8, Channel:24050, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
835	99	26	0.2	Peak	8.981	10.013	10	Pass

Agilent
Measure

Ch Freq 835 MHz Trig Free

Occupied Bandwidth Averages: 2

Ref 29.11 dBm #Atten 30 dB

Center 835.00 MHz Span 20 MHz

#Res BW 200 kHz #VBW 620 kHz #Sweep 1 s (500 pts)

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat CCDF

More 1 of 2

Occupied Bandwidth

8.9812 MHz

Transmit Freq Error 5.839 kHz

x dB Bandwidth 10.013 MHz

Occ BW % Pwr 99.00 %

x dB -26.00 dB

Copyright 2000-2012 Agilent Technologies

15.9. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:9, Channel:24075, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
837.5	99	26	0.2	Peak	8.978	10.054	10	Pass

Agilent
Measure

Ch Freq 837.5 MHz
Trig Free

Occupied Bandwidth
Averages: 2

Ref 29.1 dBm #Atten 30 dB

Center 837.50 MHz Span 20 MHz
 #Res BW 200 kHz #VBW 620 kHz #Sweep 1 s (500 pts)

Occupied Bandwidth	Occ BW % Pwr	99.00 %
8.9784 MHz	x dB	-26.00 dB
Transmit Freq Error	2.121 kHz	
x dB Bandwidth	10.054 MHz	

Copyright 2000-2012 Agilent Technologies

Meas Off

Channel Power

Occupied BW


ACP

Multi Carrier Power

Power Stat CCDF

More
1 of 2

15.10. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:10, Channel:24075, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)



15.11. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:11, Channel:24100, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
840	99	26	0.2	Peak	8.975	10.149	10	Pass

Agilent
Measure

Ch Freq 840 MHz Trig Free

Occupied Bandwidth Averages: 2

Ref 29.09 dBm #Atten 30 dB

Center 840.00 MHz Span 20 MHz

#Res BW 200 kHz #VBW 620 kHz #Sweep 1 s (500 pts)

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat CCDF

More 1 of 2

Occupied Bandwidth

8.9749 MHz

Transmit Freq Error -10.310 kHz

x dB Bandwidth 10.149 MHz

Occ BW % Pwr 99.00 %

x dB -26.00 dB

Copyright 2000-2012 Agilent Technologies

15.12. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:12, Channel:24100, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
840	99	26	0.2	Peak	8.983	10.132	10	Pass

Agilent
Measure

Ch Freq 840 MHz Trig Free

Occupied Bandwidth Averages: 2

Ref 29.09 dBm #Atten 30 dB

Center 840.00 MHz Span 20 MHz

#Res BW 200 kHz #VBW 620 kHz #Sweep 1 s (500 pts)

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat CCDF

More
1 of 2

Occupied Bandwidth

8.9828 MHz

Transmit Freq Error -22.477 kHz

x dB Bandwidth 10.132 MHz

Occ BW % Pwr 99.00 %

x dB -26.00 dB

Copyright 2000-2012 Agilent Technologies

15.13. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:13, Channel:24075, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
837.5	99	26	0.3	Peak	13.459	15.117	15	Pass

Agilent

Measure

Ch Freq 837.5 MHz
Trig Free

Occupied Bandwidth
Averages: 2

Ref 29.1 dBm
#Atten 30 dB

#Peak
Log

10
dB/

Offst
9.1

dB

Center 837.50 MHz
Span 30 MHz

#Res BW 300 kHz
#VBW 1 MHz
#Sweep 1 s (500 pts)

Occupied Bandwidth	Occ BW % Pwr	99.00 %
13.4592 MHz	x dB	-26.00 dB
Transmit Freq Error		-4.207 kHz
x dB Bandwidth		15.117 MHz

Power Stat
CCDF

More
1 of 2

Copyright 2000-2012 Agilent Technologies

15.14. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:14, Channel:24075, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
837.5	99	26	0.3	Peak	13.467	15.04	15	Pass

Agilent

Measure

Ch Freq 837.5 MHz
Trig Free

Occupied Bandwidth
Averages: 2

Ref 29.1 dBm
#Atten 30 dB

#Peak
Log

10
dB/

Offst
9.1

dB

Center 837.50 MHz
Span 30 MHz

#Res BW 300 kHz
#VBW 1 MHz
#Sweep 1 s (500 pts)

Occupied Bandwidth	Occ BW % Pwr	99.00 %
13.4671 MHz	x dB	-26.00 dB
Transmit Freq Error		-8.083 kHz
x dB Bandwidth		15.040 MHz


Power Stat
CCDF

More
1 of 2

Copyright 2000-2012 Agilent Technologies

16. LTE_Band26(part22)

16.1. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:1, Channel:26797, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)



16.2. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:2, Channel:26797, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
824.7	99	26	0.027	Peak	1.088	1.298	1.4	Pass

Agilent

Measure
 Meas Off
 Channel Power
 Occupied BW
 ACP
 Multi Carrier Power
 Power Stat CCDF
 More
 1 of 2

Ch Freq 824.7 MHz Trig Free

Occupied Bandwidth Averages: 2

Ref 29.12 dBm #Atten 30 dB

Center 824.700 MHz Span 2.8 MHz

#Res BW 27 kHz #VBW 100 kHz #Sweep 1 s (518 pts)

Occupied Bandwidth Occ BW % Pwr 99.00 %

1.0885 MHz


x dB -26.00 dB

Transmit Freq Error -848.498 Hz


x dB Bandwidth 1.298 MHz

Copyright 2000-2012 Agilent Technologies

16.3. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:3, Channel:26915, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)



16.4. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:4, Channel:26915, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)



16.5. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:5, Channel:27033, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
848.3	99	26	0.027	Peak	1.089	1.27	1.4	Pass

Agilent
Measure

Ch Freq 848.3 MHz
Trig Free

Occupied Bandwidth
Averages: 2

Ref 29.17 dBm
#Atten 30 dB

#Peak
Log

10
dB/

Offst
9.17

dB

Center 848.300 MHz
Span 2.8 MHz

#Res BW 27 kHz
#VBW 100 kHz
#Sweep 1 s (518 pts)

Occupied Bandwidth
Occ BW % Pwr 99.00 %

1.0895 MHz
x dB -26.00 dB

Transmit Freq Error
-744.730 Hz


x dB Bandwidth
1.270 MHz

Power Stat
CCDF

More
1 of 2

Copyright 2000-2012 Agilent Technologies

16.6. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:6, Channel:27033, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)



16.7. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:7, Channel:26805, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
825.5	99	26	0.062	Peak	2.684	2.904	3	Pass

Agilent
Measure

Ch Freq 825.5 MHz
Trig Free

Occupied Bandwidth
Averages: 2

Ref 29.12 dBm
#Atten 30 dB

#Peak
Log

10
dB/

Offst
9.12

dB

Center 825.500 MHz
Span 6 MHz

#Res BW 62 kHz
#VBW 200 kHz
#Sweep 1 s (483 pts)

Occupied Bandwidth
Occ BW % Pwr 99.00 %

2.6844 MHz
x dB -26.00 dB

Transmit Freq Error -526.020 Hz


x dB Bandwidth 2.904 MHz

Power Stat
CCDF

More
1 of 2

Copyright 2000-2012 Agilent Technologies

16.8. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:8, Channel:26805, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)



16.9. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:9, Channel:26915, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
836.5	99	26	0.062	Peak	2.681	2.922	3	Pass

Agilent

Measure
 Meas Off
 Channel Power
 Occupied BW
 ACP
 Multi Carrier Power
 Power Stat CCDF
 More
 1 of 2

Ch Freq 836.5 MHz Trig Free

Occupied Bandwidth Averages: 2

Ref 29.11 dBm #Atten 30 dB

Center 836.500 MHz Span 6 MHz

#Res BW 62 kHz #VBW 200 kHz #Sweep 1 s (483 pts)

Occupied Bandwidth Occ BW % Pwr 99.00 %

2.6811 MHz

x dB -26.00 dB

Transmit Freq Error 1.719 kHz

x dB Bandwidth 2.922 MHz

Copyright 2000-2012 Agilent Technologies

16.10. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:10, Channel:26915, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
836.5	99	26	0.062	Peak	2.678	2.91	3	Pass

Agilent

Measure
 Meas Off
 Channel Power
 Occupied BW
 ACP
 Multi Carrier Power
 Power Stat CCDF
 More
 1 of 2

Ch Freq 836.5 MHz Trig Free

Occupied Bandwidth Averages: 2

Ref 29.11 dBm #Atten 30 dB

#Peak Log 10 dB/Offst 9.11 dB

Center 836.500 MHz Span 6 MHz

#Res BW 62 kHz #VBW 200 kHz #Sweep 1 s (483 pts)

Occupied Bandwidth Occ BW % Pwr 99.00 %

2.6783 MHz

x dB -26.00 dB

Transmit Freq Error -3.728 kHz

x dB Bandwidth 2.910 MHz

Copyright 2000-2012 Agilent Technologies

16.11. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:11, Channel:27025, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
847.5	99	26	0.062	Peak	2.683	2.915	3	Pass

Agilent
Measure

Ch Freq 847.5 MHz Trig Free

Occupied Bandwidth Averages: 2

Ref 29.16 dBm #Atten 30 dB

Center 847.500 MHz Span 6 MHz

#Res BW 62 kHz #VBW 200 kHz #Sweep 1 s (483 pts)

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat CCDF

More 1 of 2

Occupied Bandwidth

2.6830 MHz

Transmit Freq Error -671.070 Hz


x dB Bandwidth 2.915 MHz

Occ BW % Pwr 99.00 %


x dB -26.00 dB

Copyright 2000-2012 Agilent Technologies

16.12. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:12, Channel:27025, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)



16.13. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:13, Channel:26815, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)



16.14. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:14, Channel:26815, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
826.5	99	26	0.1	Peak	4.484	4.908	5	Pass

Agilent
Measure

Ch Freq 826.5 MHz Trig Free

Occupied Bandwidth Averages: 2

Ref 29.13 dBm #Atten 30 dB

#Peak Log 10 dB/ Offst 9.13 dB

Center 826.500 MHz Span 10 MHz

#Res BW 100 kHz #VBW 300 kHz #Sweep 1 s (500 pts)

Occupied Bandwidth

4.4837 MHz

Transmit Freq Error -3.005 kHz

x dB Bandwidth 4.908 MHz

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat CCDF

More
1 of 2

Copyright 2000-2012 Agilent Technologies

16.15. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:15, Channel:26915, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
836.5	99	26	0.1	Peak	4.483	4.928	5	Pass

Agilent

Measure
 Meas Off
 Channel Power
 Occupied BW
 ACP
 Multi Carrier Power
 Power Stat CCDF
 More
 1 of 2

Ch Freq 836.5 MHz Trig Free

Occupied Bandwidth Averages: 2

Ref 29.11 dBm #Atten 30 dB

Center 836.500 MHz Span 10 MHz

#Res BW 100 kHz #VBW 300 kHz #Sweep 1 s (500 pts)

Occupied Bandwidth	Occ BW % Pwr	99.00 %
4.4828 MHz	x dB	-26.00 dB
Transmit Freq Error		-3.305 kHz
x dB Bandwidth		4.928 MHz

Copyright 2000-2012 Agilent Technologies

16.16. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:16, Channel:26915, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
836.5	99	26	0.1	Peak	4.487	4.929	5	Pass

Agilent

Measure
 Meas Off
 Channel Power
 Occupied BW
 ACP
 Multi Carrier Power
 Power Stat CCDF
 More
 1 of 2

Ch Freq 836.5 MHz Trig Free

Occupied Bandwidth Averages: 2

Ref 29.11 dBm #Atten 30 dB

#Peak Log 10 dB/ Offst 9.11 dB

Center 836.500 MHz Span 10 MHz

#Res BW 100 kHz #VBW 300 kHz #Sweep 1 s (500 pts)

Occupied Bandwidth Occ BW % Pwr 99.00 %


4.4871 MHz x dB -26.00 dB

Transmit Freq Error -2.117 kHz


x dB Bandwidth 4.929 MHz

Copyright 2000-2012 Agilent Technologies

16.17. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:17, Channel:27015, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)



16.18. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:18, Channel:27015, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)



16.19. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:19, Channel:26840, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
829	99	26	0.2	Peak	8.975	9.853	10	Pass

Agilent

Measure

Ch Freq 829 MHz
Trig Free

Occupied Bandwidth
Averages: 2

Ref 29.13 dBm
#Atten 30 dB

#Peak
Log

10
dB/

Offst
9.13

dB

Center 829.00 MHz
Span 20 MHz

#Res BW 200 kHz
#VBW 620 kHz
#Sweep 1 s (500 pts)

Occupied Bandwidth	Occ BW % Pwr	99.00 %
8.9750 MHz	x dB	-26.00 dB
Transmit Freq Error	1.085 kHz	
x dB Bandwidth	9.853 MHz	

Power Stat
CCDF

More
1 of 2

Copyright 2000-2012 Agilent Technologies

16.20. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:20, Channel:26840, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
829	99	26	0.2	Peak	8.966	9.707	10	Pass

Agilent

Measure

Ch Freq 829 MHz

Trig Free

Occupied Bandwidth Averages: 2

Ref 29.13 dBm

#Atten 30 dB

#Peak
 Log
 10
 dB/
 Offst
 9.13
 dB

Center 829.00 MHz

Span 20 MHz

#Res BW 200 kHz

#VBW 620 kHz

#Sweep 1 s (500 pts)

Occupied Bandwidth	Occ BW % Pwr	99.00 %
8.9663 MHz	x dB	-26.00 dB
Transmit Freq Error	-1.462 Hz	
x dB Bandwidth	9.707 MHz	

Copyright 2000-2012 Agilent Technologies

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat CCDF

More

1 of 2

16.21. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:21, Channel:26915, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
836.5	99	26	0.2	Peak	8.941	9.743	10	Pass

Agilent
Measure

Ch Freq 836.5 MHz
Trig Free

Occupied Bandwidth
Averages: 2

Ref 29.11 dBm
#Atten 30 dB

#Peak
Log

10
dB/

Offst
9.11

dB

Center 836.50 MHz
Span 20 MHz

#Res BW 200 kHz
#VBW 620 kHz
#Sweep 1 s (500 pts)

Occupied Bandwidth
Occ BW % Pwr 99.00 %

8.9413 MHz
x dB -26.00 dB

Transmit Freq Error 395.030 Hz

x dB Bandwidth 9.743 MHz

Power Stat
CCDF

More
1 of 2

Copyright 2000-2012 Agilent Technologies

16.22. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:22, Channel:26915, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
836.5	99	26	0.2	Peak	8.957	9.768	10	Pass

Agilent
Measure

Ch Freq 836.5 MHz
Trig Free

Occupied Bandwidth
Averages: 2

Ref 29.11 dBm #Atten 30 dB

#Peak

Log

10

dB/

Offst

9.11

dB

Center 836.50 MHz Span 20 MHz

#Res BW 200 kHz #VBW 620 kHz #Sweep 1 s (500 pts)

Occupied Bandwidth	Occ BW % Pwr	99.00 %
8.9568 MHz	x dB	-26.00 dB
Transmit Freq Error	-3.520 kHz	
x dB Bandwidth	9.768 MHz	

Copyright 2000-2012 Agilent Technologies

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat CCDF

More
1 of 2

16.23. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:23, Channel:26990, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
844	99	26	0.2	Peak	8.962	9.787	10	Pass

Agilent

Measure

Ch Freq 844 MHz
Trig Free

Occupied Bandwidth
Averages: 2

Ref 29.13 dBm
#Atten 30 dB

#Peak
Log

10
dB/

Offst
9.13

dB

Center 844.00 MHz
Span 20 MHz

#Res BW 200 kHz
#VBW 620 kHz
#Sweep 1 s (500 pts)

Occupied Bandwidth	Occ BW % Pwr	99.00 %
8.9623 MHz	x dB	-26.00 dB
Transmit Freq Error	-18.653 kHz	
x dB Bandwidth	9.787 MHz	

Power Stat
CCDF

More
1 of 2

Copyright 2000-2012 Agilent Technologies

16.24. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:24, Channel:26990, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
844	99	26	0.2	Peak	8.968	9.792	10	Pass

Agilent

Measure
 Meas Off
 Channel Power
 Occupied BW
 ACP
 Multi Carrier Power
 Power Stat CCDF
 More
 1 of 2

Ch Freq 844 MHz Trig Free

Occupied Bandwidth Averages: 2

Ref 29.13 dBm #Atten 30 dB

#Peak Log 10 dB/Offst 9.13 dB

Center 844.00 MHz Span 20 MHz

#Res BW 200 kHz #VBW 620 kHz #Sweep 1 s (500 pts)

Occupied Bandwidth Occ BW % Pwr 99.00 %

8.9683 MHz x dB -26.00 dB

Transmit Freq Error -18.615 kHz

x dB Bandwidth 9.792 MHz

Copyright 2000-2012 Agilent Technologies

16.25. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:25, Channel:26865, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
831.5	99	26	0.3	Peak	13.466	14.658	15	Pass

Agilent
Measure

Ch Freq 831.5 MHz Trig Free

Occupied Bandwidth Averages: 2

Ref 29.13 dBm #Atten 30 dB

Center 831.50 MHz Span 30 MHz

#Res BW 300 kHz #VBW 1 MHz #Sweep 1 s (500 pts)

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat CCDF

More 1 of 2

Occupied Bandwidth

13.4664 MHz

Transmit Freq Error -1.579 kHz

x dB Bandwidth 14.658 MHz

Occ BW % Pwr 99.00 %

x dB -26.00 dB

Copyright 2000-2012 Agilent Technologies

16.26. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:26, Channel:26865, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
831.5	99	26	0.3	Peak	13.442	14.632	15	Pass

Agilent
Measure

Ch Freq 831.5 MHz
Trig Free

Occupied Bandwidth
Averages: 2

Ref 29.13 dBm #Atten 30 dB

Center 831.50 MHz Span 30 MHz
 #Res BW 300 kHz #VBW 1 MHz #Sweep 1 s (500 pts)

Occupied Bandwidth	Occ BW % Pwr	99.00 %
13.4422 MHz	x dB	-26.00 dB
Transmit Freq Error		-4.972 Hz
x dB Bandwidth		14.632 MHz

Copyright 2000-2012 Agilent Technologies

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat CCDF

More
1 of 2

16.27. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:27, Channel:26915, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
836.5	99	26	0.3	Peak	13.415	14.593	15	Pass

Agilent

Measure

Ch Freq 836.5 MHz
Trig Free

Occupied Bandwidth
Averages: 2

Ref 29.11 dBm
#Atten 30 dB

#Peak
Log
10
dB/
Offst
9.11
dB

Center 836.50 MHz
Span 30 MHz

#Res BW 300 kHz
#VBW 1 MHz
#Sweep 1 s (500 pts)

Occupied Bandwidth

Occ BW % Pwr 99.00 %

13.4153 MHz

x dB -26.00 dB

Transmit Freq Error 1.382 kHz

x dB Bandwidth 14.593 MHz

Power Stat

CCDF

More
1 of 2

Copyright 2000-2012 Agilent Technologies

16.28. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:28, Channel:26915, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
836.5	99	26	0.3	Peak	13.433	14.615	15	Pass

Agilent
Measure

Ch Freq 836.5 MHz
Trig Free

Occupied Bandwidth Averages: 2

Ref 29.11 dBm #Atten 30 dB
 #Peak
 Log
 10
 dB/
 Offst
 9.11
 dB

Center 836.50 MHz
Span 30 MHz

#Res BW 300 kHz
#VBW 1 MHz
#Sweep 1 s (500 pts)

Occupied Bandwidth	Occ BW % Pwr	99.00 %
13.4334 MHz	x dB	-26.00 dB
Transmit Freq Error		-1.563 kHz
x dB Bandwidth		14.615 MHz

Copyright 2000-2012 Agilent Technologies

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat CCDF

More
1 of 2

16.29. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:29, Channel:26965, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
841.5	99	26	0.3	Peak	13.425	14.663	15	Pass

Agilent
Measure

Ch Freq 841.5 MHz
Trig Free

Occupied Bandwidth
Averages: 2

Ref 29.11 dBm #Atten 30 dB

#Peak

Log

10

dB/

Offst

9.11

dB

Center 841.50 MHz Span 30 MHz

#Res BW 300 kHz #VBW 1 MHz #Sweep 1 s (500 pts)

Occupied Bandwidth	Occ BW % Pwr	99.00 %
13.4251 MHz	x dB	-26.00 dB
Transmit Freq Error		-17.239 kHz
x dB Bandwidth		14.663 MHz

Copyright 2000-2012 Agilent Technologies

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat CCDF

More
1 of 2

16.30. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:30, Channel:26965, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
841.5	99	26	0.3	Peak	13.429	14.616	15	Pass

Agilent
Measure

Ch Freq 841.5 MHz
Trig Free

Occupied Bandwidth
Averages: 2

Ref 29.11 dBm #Atten 30 dB

Center 841.50 MHz Span 30 MHz
 #Res BW 300 kHz #VBW 1 MHz #Sweep 1 s (500 pts)

Occupied Bandwidth	Occ BW % Pwr 99.00 %
13.4291 MHz	x dB -26.00 dB
Transmit Freq Error -8.808 kHz	
x dB Bandwidth 14.616 MHz	

Power Stat CCDF

More 1 of 2

Meas Off

Channel Power

Occupied BW


ACP

Multi Carrier Power

Copyright 2000-2012 Agilent Technologies

17. LTE_Band26(part90)

17.1. LTE Occupied Bandwidth_Part90(NTNV)(Subtest:1, Channel:26697, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)



17.2. LTE Occupied Bandwidth_Part90(NTNV)(Subtest:2, Channel:26697, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
814.7	99	26	0.027	Peak	1.089	1.296	1.4	Pass

Agilent

Measure

Ch Freq 814.7 MHz
Trig Free

Occupied Bandwidth
Averages: 2

Ref 29.12 dBm
#Atten 30 dB

#Peak
Log

10
dB/

Offst
9.12

dB

Center 814.700 MHz
Span 2.8 MHz

#Res BW 27 kHz
#VBW 100 kHz
#Sweep 1 s (518 pts)

Occupied Bandwidth	Occ BW % Pwr	99.00 %
1.0893 MHz	x dB	-26.00 dB
Transmit Freq Error	-1.761 kHz	
x dB Bandwidth	1.296 MHz	

Power Stat
CCDF

More
1 of 2

Copyright 2000-2012 Agilent Technologies

17.3. LTE Occupied Bandwidth_Part90(NTNV)(Subtest:3, Channel:26740, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
819	99	26	0.027	Peak	1.09	1.287	1.4	Pass

Agilent

Measure

Ch Freq 819 MHz
Trig Free

Occupied Bandwidth
Averages: 2

Ref 29.12 dBm
#Atten 30 dB

#Peak
Log

10
dB/

Offst
9.12

dB

Center 819.000 MHz
Span 2.8 MHz

#Res BW 27 kHz
#VBW 100 kHz
#Sweep 1 s (518 pts)

Occupied Bandwidth	Occ BW % Pwr	99.00 %
1.0897 MHz	x dB	-26.00 dB
Transmit Freq Error	-1.060 kHz	
x dB Bandwidth	1.287 MHz	

Copyright 2000-2012 Agilent Technologies

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat CCDF

More
1 of 2

17.4. LTE Occupied Bandwidth_Part90(NTNV)(Subtest:4, Channel:26740, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
819	99	26	0.027	Peak	1.084	1.268	1.4	Pass

Agilent
Measure

Ch Freq 819 MHz Trig Free

Occupied Bandwidth Averages: 2

Ref 29.12 dBm #Atten 30 dB

Center 819.000 MHz Span 2.8 MHz

#Res BW 27 kHz #VBW 100 kHz #Sweep 1 s (518 pts)

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat CCDF

More 1 of 2

Occupied Bandwidth

1.0841 MHz

Transmit Freq Error -2.058 kHz

x dB Bandwidth 1.268 MHz

Occ BW % Pwr 99.00 %

x dB -26.00 dB

Copyright 2000-2012 Agilent Technologies

17.5. LTE Occupied Bandwidth_Part90(NTNV)(Subtest:5, Channel:26783, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
823.3	99	26	0.027	Peak	1.09	1.265	1.4	Pass

Agilent
Measure

Ch Freq 823.3 MHz Trig Free

Occupied Bandwidth Averages: 2

Ref 29.12 dBm #Atten 30 dB

Center 823.300 MHz Span 2.8 MHz

#Res BW 27 kHz #VBW 100 kHz #Sweep 1 s (518 pts)

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat CCDF

More 1 of 2

Occupied Bandwidth

1.0899 MHz

Transmit Freq Error -1.066 kHz

x dB Bandwidth 1.265 MHz

Occ BW % Pwr 99.00 %

x dB -26.00 dB

Copyright 2000-2012 Agilent Technologies

17.6. LTE Occupied Bandwidth_Part90(NTNV)(Subtest:6, Channel:26783, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
823.3	99	26	0.027	Peak	1.088	1.273	1.4	Pass

Agilent
Measure

Ch Freq 823.3 MHz Trig Free

Occupied Bandwidth Averages: 2

Ref 29.12 dBm #Atten 30 dB

Center 823.300 MHz Span 2.8 MHz

#Res BW 27 kHz #VBW 100 kHz #Sweep 1 s (518 pts)

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat CCDF

More 1 of 2

Occupied Bandwidth

1.0880 MHz

Transmit Freq Error -365.660 Hz

x dB Bandwidth 1.273 MHz

Occ BW % Pwr 99.00 %

x dB -26.00 dB

Copyright 2000-2012 Agilent Technologies

17.7. LTE Occupied Bandwidth_Part90(NTNV)(Subtest:7, Channel:26705, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
815.5	99	26	0.062	Peak	2.683	2.904	3	Pass

Agilent

Measure
 Meas Off
 Channel Power
 Occupied BW
 ACP
 Multi Carrier Power
 Power Stat CCDF
 More
 1 of 2

Ch Freq 815.5 MHz Trig Free

Occupied Bandwidth Averages: 2

Ref 29.12 dBm #Atten 30 dB

Center 815.500 MHz Span 6 MHz

#Res BW 62 kHz #VBW 200 kHz #Sweep 1 s (483 pts)

Occupied Bandwidth	Occ BW % Pwr	99.00 %
2.6828 MHz	x dB	-26.00 dB
Transmit Freq Error	3.274 kHz	
x dB Bandwidth	2.904 MHz	

Copyright 2000-2012 Agilent Technologies

17.8. LTE Occupied Bandwidth_Part90(NTNV)(Subtest:8, Channel:26705, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
815.5	99	26	0.062	Peak	2.684	2.927	3	Pass

Agilent

Measure

Ch Freq 815.5 MHz
Trig Free

Occupied Bandwidth
Averages: 2

Ref 29.12 dBm
#Atten 30 dB

#Peak
 Log
 10
 dB/
 Offst
 9.12
 dB

Center 815.500 MHz
Span 6 MHz

#Res BW 62 kHz
#VBW 200 kHz
#Sweep 1 s (483 pts)

Occupied Bandwidth
Occ BW % Pwr 99.00 %

2.6844 MHz
x dB -26.00 dB

Transmit Freq Error 1.777 kHz

x dB Bandwidth 2.927 MHz

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat CCDF

More
1 of 2

Copyright 2000-2012 Agilent Technologies

17.9. LTE Occupied Bandwidth_Part90(NTNV)(Subtest:9, Channel:26740, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
819	99	26	0.062	Peak	2.684	2.909	3	Pass

Agilent
Measure

Ch Freq 819 MHz Trig Free

Occupied Bandwidth Averages: 2

Ref 29.12 dBm #Atten 30 dB

Center 819.000 MHz Span 6 MHz

#Res BW 62 kHz #VBW 200 kHz #Sweep 1 s (483 pts)

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat CCDF

More 1 of 2

Occupied Bandwidth

2.6835 MHz

Transmit Freq Error 370.445 Hz

x dB Bandwidth 2.909 MHz

Occ BW % Pwr 99.00 %

x dB -26.00 dB

Copyright 2000-2012 Agilent Technologies

17.10. LTE Occupied Bandwidth_Part90(NTNV)(Subtest:10, Channel:26740, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
819	99	26	0.062	Peak	2.681	2.912	3	Pass

Agilent
Measure

Ch Freq 819 MHz Trig Free

Occupied Bandwidth Averages: 2

Ref 29.12 dBm #Atten 30 dB

#Peak Log 10 dB/Offst 9.12 dB

Center 819.000 MHz Span 6 MHz

#Res BW 62 kHz #VBW 200 kHz #Sweep 1 s (483 pts)

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat CCDF

More 1 of 2

Occupied Bandwidth

2.6806 MHz

Transmit Freq Error -2.366 kHz

x dB Bandwidth 2.912 MHz

Occ BW % Pwr 99.00 %

x dB -26.00 dB

Copyright 2000-2012 Agilent Technologies

17.11. LTE Occupied Bandwidth_Part90(NTNV)(Subtest:11, Channel:26775, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
822.5	99	26	0.062	Peak	2.683	2.923	3	Pass

Agilent

Measure

Ch Freq 822.5 MHz
Trig Free

Occupied Bandwidth
Averages: 2

Ref 29.12 dBm
#Atten 30 dB

#Peak
Log

10
dB/

Offst
9.12

dB

Center 822.500 MHz
Span 6 MHz

#Res BW 62 kHz
#VBW 200 kHz
#Sweep 1 s (483 pts)

Occupied Bandwidth	Occ BW % Pwr	99.00 %
2.6830 MHz	x dB	-26.00 dB
Transmit Freq Error	352.134 Hz	
x dB Bandwidth	2.923 MHz	

Power Stat
CCDF

More
1 of 2

Copyright 2000-2012 Agilent Technologies

17.12. LTE Occupied Bandwidth_Part90(NTNV)(Subtest:12, Channel:26775, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
822.5	99	26	0.062	Peak	2.683	2.918	3	Pass

Agilent

Measure
 Meas Off
 Channel Power
 Occupied BW
 ACP
 Multi Carrier Power
 Power Stat CCDF
 More
 1 of 2

Ch Freq 822.5 MHz Trig Free

Occupied Bandwidth Averages: 2

Ref 29.12 dBm #Atten 30 dB

Center 822.500 MHz Span 6 MHz

#Res BW 62 kHz #VBW 200 kHz #Sweep 1 s (483 pts)

Occupied Bandwidth	Occ BW % Pwr	99.00 %
2.6827 MHz	x dB	-26.00 dB
Transmit Freq Error	-954.514 Hz	
x dB Bandwidth	2.918 MHz	

Copyright 2000-2012 Agilent Technologies

17.13. LTE Occupied Bandwidth_Part90(NTNV)(Subtest:13, Channel:26715, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
816.5	99	26	0.1	Peak	4.495	4.922	5	Pass

Agilent
Measure

Ch Freq 816.5 MHz
Trig Free

Occupied Bandwidth
Averages: 2

Ref 29.12 dBm
#Atten 30 dB

#Peak
Log

10
dB/

Offst
9.12

dB

Center 816.500 MHz
Span 10 MHz

#Res BW 100 kHz
#VBW 300 kHz
#Sweep 1 s (500 pts)

Occupied Bandwidth
Occ BW % Pwr 99.00 %

4.4949 MHz
x dB -26.00 dB

Transmit Freq Error -378.839 Hz

x dB Bandwidth 4.922 MHz

Power Stat
CCDF

More
1 of 2

Copyright 2000-2012 Agilent Technologies

17.14. LTE Occupied Bandwidth_Part90(NTNV)(Subtest:14, Channel:26715, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
816.5	99	26	0.1	Peak	4.486	4.907	5	Pass

Agilent
Measure

Ch Freq 816.5 MHz Trig Free

Occupied Bandwidth Averages: 2

Ref 29.12 dBm #Atten 30 dB

Center 816.500 MHz Span 10 MHz

#Res BW 100 kHz #VBW 300 kHz #Sweep 1 s (500 pts)

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat CCDF

More 1 of 2

Occupied Bandwidth

4.4857 MHz

Transmit Freq Error 398.679 Hz

x dB Bandwidth 4.907 MHz

Occ BW % Pwr 99.00 %

x dB -26.00 dB

Copyright 2000-2012 Agilent Technologies

17.15. LTE Occupied Bandwidth_Part90(NTNV)(Subtest:15, Channel:26740, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
819	99	26	0.1	Peak	4.488	4.933	5	Pass

Agilent

Measure

Ch Freq 819 MHz
Trig Free

Occupied Bandwidth
Averages: 2

Ref 29.12 dBm #Atten 30 dB

Center 819.000 MHz Span 10 MHz

#Res BW 100 kHz #VBW 300 kHz #Sweep 1 s (500 pts)

Occupied Bandwidth	Occ BW % Pwr	99.00 %
4.4880 MHz	x dB	-26.00 dB
Transmit Freq Error	97.488 Hz	
x dB Bandwidth	4.933 MHz	

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat CCDF

More
1 of 2

Copyright 2000-2012 Agilent Technologies

17.16. LTE Occupied Bandwidth_Part90(NTNV)(Subtest:16, Channel:26740, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
819	99	26	0.1	Peak	4.486	4.927	5	Pass

Agilent
Measure

Ch Freq 819 MHz Trig Free

Occupied Bandwidth Averages: 2

Ref 29.12 dBm #Atten 30 dB

#Peak Log 10 dB/Offst 9.12 dB

Center 819.000 MHz Span 10 MHz

#Res BW 100 kHz #VBW 300 kHz #Sweep 1 s (500 pts)

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat CCDF

More 1 of 2

Occupied Bandwidth

4.4856 MHz

Transmit Freq Error -360.724 Hz

x dB Bandwidth 4.927 MHz

Occ BW % Pwr 99.00 %

x dB -26.00 dB

Copyright 2000-2012 Agilent Technologies

17.17. LTE Occupied Bandwidth_Part90(NTNV)(Subtest:17, Channel:26765, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
821.5	99	26	0.1	Peak	4.485	4.885	5	Pass

Agilent
Measure

Ch Freq 821.5 MHz Trig Free

Occupied Bandwidth Averages: 2

Ref 29.12 dBm #Atten 30 dB

Center 821.500 MHz Span 10 MHz

#Res BW 100 kHz #VBW 300 kHz #Sweep 1 s (500 pts)

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat CCDF

More 1 of 2

Occupied Bandwidth

4.4852 MHz

Transmit Freq Error -127.601 Hz

x dB Bandwidth 4.885 MHz

Occ BW % Pwr 99.00 %

x dB -26.00 dB

Copyright 2000-2012 Agilent Technologies

17.18. LTE Occupied Bandwidth_Part90(NTNV)(Subtest:18, Channel:26765, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
821.5	99	26	0.1	Peak	4.484	4.944	5	Pass

Agilent

Measure
 Meas Off
 Channel Power
 Occupied BW
 ACP
 Multi Carrier Power
 Power Stat CCDF
 More
 1 of 2

Ch Freq 821.5 MHz Trig Free

Occupied Bandwidth Averages: 2

Ref 29.12 dBm #Atten 30 dB

Center 821.500 MHz Span 10 MHz

#Res BW 100 kHz #VBW 300 kHz #Sweep 1 s (500 pts)

Occupied Bandwidth Occ BW % Pwr 99.00 %

4.4840 MHz x dB -26.00 dB

Transmit Freq Error -1.395 kHz

x dB Bandwidth 4.944 MHz

Copyright 2000-2012 Agilent Technologies

17.19. LTE Occupied Bandwidth_Part90(NTNV)(Subtest:19, Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
819	99	26	0.2	Peak	8.957	9.813	10	Pass

Agilent

Measure
 Meas Off
 Channel Power
Occupied BW
 ACP
 Multi Carrier Power
 Power Stat
 CCDF
 More
 1 of 2

Ch Freq 819 MHz Trig Free

Occupied Bandwidth Averages: 2

Ref 29.12 dBm #Atten 30 dB

Center 819.00 MHz Span 20 MHz

#Res BW 200 kHz #VBW 620 kHz #Sweep 1 s (500 pts)

Occupied Bandwidth Occ BW % Pwr 99.00 %

8.9567 MHz x dB -26.00 dB

Transmit Freq Error 534.101 Hz

x dB Bandwidth 9.813 MHz

Copyright 2000-2012 Agilent Technologies

17.20. LTE Occupied Bandwidth_Part90(NTNV)(Subtest:20, Channel:26740, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
819	99	26	0.2	Peak	8.96	9.747	10	Pass

Agilent
Measure

Ch Freq 819 MHz Trig Free

Occupied Bandwidth Averages: 2

Ref 29.12 dBm #Atten 30 dB

Center 819.00 MHz Span 20 MHz

#Res BW 200 kHz #VBW 620 kHz #Sweep 1 s (500 pts)

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat CCDF

More
1 of 2

Occupied Bandwidth

8.9600 MHz

Transmit Freq Error 6.513 kHz

x dB Bandwidth 9.747 MHz


Occ BW % Pwr 99.00 %

x dB -26.00 dB

Copyright 2000-2012 Agilent Technologies

18. LTE_Band38

18.1. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:1, Channel:37775, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)



18.2. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:2, Channel:37775, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2572.5	99	26	0.1	Peak	4.495	5.188	5	Pass

Agilent
Measure

Ch Freq 2.5725 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

#Peak Log dB/Offst 10 11.9 dB

Center 2.572 500 GHz Span 10 MHz

#Res BW 100 kHz #VBW 300 kHz #Sweep 10 s (500 pts)

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat CCDF

More 1 of 2

Occupied Bandwidth

4.4954 MHz

Transmit Freq Error -875.468 Hz


x dB Bandwidth 5.188 MHz

Occ BW % Pwr 99.00 %


x dB -26.00 dB

Copyright 2000-2012 Agilent Technologies

18.3. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:3, Channel:38000, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)



18.4. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:4, Channel:38000, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)



18.5. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:5, Channel:38225, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2617.5	99	26	0.1	Peak	4.497	5.227	5	Pass

Agilent
Measure

Ch Freq 2.6175 GHz
Trig Free

Occupied Bandwidth
Averages: 2

Ref 30 dBm #Atten 30 dB

Center 2.617 500 GHz Span 10 MHz

#Res BW 100 kHz #VBW 300 kHz #Sweep 10 s (500 pts)

Occupied Bandwidth	Occ BW % Pwr 99.00 %
4.4967 MHz	x dB -26.00 dB
Transmit Freq Error 1.647 kHz	
x dB Bandwidth 5.227 MHz	

Copyright 2000-2012 Agilent Technologies

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat CCDF

More
1 of 2

18.6. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:6, Channel:38225, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2617.5	99	26	0.1	Peak	4.492	5.054	5	Pass

Agilent
Measure

Ch Freq 2.6175 GHz
Trig Free

Occupied Bandwidth
Averages: 2

Ref 30 dBm #Atten 30 dB

Center 2.617 500 GHz Span 10 MHz

#Res BW 100 kHz #VBW 300 kHz #Sweep 10 s (500 pts)

Occupied Bandwidth	Occ BW % Pwr	99.00 %
4.4919 MHz	x dB	-26.00 dB
Transmit Freq Error	472.827 Hz	
x dB Bandwidth	5.054 MHz	

Copyright 2000-2012 Agilent Technologies

Meas Off

Channel Power

Occupied BW

ACP


Multi Carrier Power

Power Stat CCDF

More
1 of 2

18.7. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:7, Channel:37800, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2575	99	26	0.2	Peak	8.981	10.3	10	Pass



18.8. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:8, Channel:37800, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2575	99	26	0.2	Peak	8.984	9.889	10	Pass

Agilent

Measure
 Meas Off
 Channel Power
 Occupied BW
 ACP
 Multi Carrier Power
 Power Stat CCDF
 More
 1 of 2

Ch Freq 2.575 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

Center 2.575 00 GHz Span 20 MHz

#Res BW 200 kHz #VBW 620 kHz #Sweep 10 s (500 pts)

Occupied Bandwidth Occ BW % Pwr 99.00 %

8.9837 MHz x dB -26.00 dB

Transmit Freq Error 7.342 kHz

x dB Bandwidth 9.889 MHz

Copyright 2000-2012 Agilent Technologies

18.9. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:9, Channel:38000, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2595	99	26	0.2	Peak	8.977	9.954	10	Pass

Agilent
Measure

Ch Freq 2.595 GHz
Trig Free

Occupied Bandwidth
Averages: 2

Ref 30 dBm
#Atten 30 dB

#Peak
Log

10
dB/

Offst
11.8

dB

Center 2.595 00 GHz
Span 20 MHz

#Res BW 200 kHz
#VBW 620 kHz
#Sweep 10 s (500 pts)

Occupied Bandwidth
Occ BW % Pwr 99.00 %

8.9766 MHz
x dB -26.00 dB

Transmit Freq Error -5.337 kHz

x dB Bandwidth 9.954 MHz

Power Stat CCDF

More
1 of 2

Copyright 2000-2012 Agilent Technologies

18.10. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:10, Channel:38000, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2595	99	26	0.2	Peak	8.954	10.251	10	Pass

Agilent

Measure

Ch Freq 2.595 GHz
Trig Free

Occupied Bandwidth
Averages: 2

Ref 30 dBm
#Atten 30 dB

#Peak
 Log
 10
 dB/
 Offst
 11.8
 dB

Center 2.595 00 GHz
Span 20 MHz

#Res BW 200 kHz
#VBW 620 kHz
#Sweep 10 s (500 pts)


Occupied Bandwidth	8.9539 MHz	Occ BW % Pwr	99.00 %
		x dB	-26.00 dB
Transmit Freq Error	-8.629 kHz		
x dB Bandwidth	10.251 MHz		

Power Stat
CCDF

More
1 of 2

Copyright 2000-2012 Agilent Technologies

18.11. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:11, Channel:38200, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)



18.12. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:12, Channel:38200, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2615	99	26	0.2	Peak	8.99	10.599	10	Pass

Agilent

Measure
 Meas Off
 Channel Power
 Occupied BW
 ACP
 Multi Carrier Power
 Power Stat CCDF
 More
 1 of 2

Ch Freq 2.615 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

#Peak Log 10 dB/Offst 12 dB

Center 2.615 00 GHz Span 20 MHz

#Res BW 200 kHz #VBW 620 kHz #Sweep 10 s (500 pts)

Occupied Bandwidth Occ BW % Pwr 99.00 %

8.9904 MHz x dB -26.00 dB

Transmit Freq Error -5.678 kHz

x dB Bandwidth 10.599 MHz

Copyright 2000-2012 Agilent Technologies

18.13. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:13, Channel:37825, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2577.5	99	26	0.3	Peak	13.498	15.421	15	Pass

Agilent

Measure
 Meas Off
 Channel Power
 Occupied BW
 ACP
 Multi Carrier Power
 Power Stat CCDF
 More
 1 of 2

Ch Freq 2.5775 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

Center 2.577 50 GHz Span 30 MHz

#Res BW 300 kHz #VBW 1 MHz #Sweep 10 s (500 pts)

Occupied Bandwidth	Occ BW % Pwr	99.00 %
13.4982 MHz	x dB	-26.00 dB
Transmit Freq Error	277.509 Hz	
x dB Bandwidth	15.421 MHz	

Copyright 2000-2012 Agilent Technologies

18.14. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:14, Channel:37825, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2577.5	99	26	0.3	Peak	13.472	15.902	15	Pass

Agilent
Measure

Ch Freq 2.5775 GHz
Trig Free

Occupied Bandwidth
Averages: 2

Ref 30 dBm #Atten 30 dB

Center 2.577 50 GHz Span 30 MHz

#Res BW 300 kHz #VBW 1 MHz #Sweep 10 s (500 pts)

Occupied Bandwidth	Occ BW % Pwr	99.00 %
13.4725 MHz	x dB	-26.00 dB
Transmit Freq Error		-3.873 kHz
x dB Bandwidth		15.902 MHz

Copyright 2000-2012 Agilent Technologies

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat CCDF

More
1 of 2

18.15. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:15, Channel:38000, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2595	99	26	0.3	Peak	13.447	15.37	15	Pass

Agilent

Measure

Ch Freq 2.595 GHz
Trig Free

Occupied Bandwidth

Averages: 2

Ref 30 dBm
#Atten 30 dB

#Peak
Log

10
dB/

Offst
11.8

dB

Center 2.595 00 GHz
Span 30 MHz

#Res BW 300 kHz
#VBW 1 MHz
#Sweep 10 s (500 pts)

Occupied Bandwidth	Occ BW % Pwr	99.00 %
13.4466 MHz	x dB	-26.00 dB
Transmit Freq Error		-3.939 kHz
x dB Bandwidth		15.370 MHz

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat CCDF

More

1 of 2

Copyright 2000-2012 Agilent Technologies

18.16. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:16, Channel:38000, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2595	99	26	0.3	Peak	13.513	15.693	15	Pass

Agilent

Measure
 Meas Off
 Channel Power
 Occupied BW
 ACP
 Multi Carrier Power
 Power Stat CCDF
 More
 1 of 2

Ch Freq 2.595 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

#Peak Log 10 dB/Offst 11.8 dB

Center 2.595 00 GHz Span 30 MHz

#Res BW 300 kHz #VBW 1 MHz #Sweep 10 s (500 pts)

Occupied Bandwidth	Occ BW % Pwr	99.00 %
13.5130 MHz	x dB	-26.00 dB
Transmit Freq Error		-3.669 kHz
x dB Bandwidth		15.693 MHz

Copyright 2000-2012 Agilent Technologies

18.17. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:17, Channel:38175, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2612.5	99	26	0.3	Peak	13.446	15.605	15	Pass

Agilent
Measure

Ch Freq 2.6125 GHz
Trig Free

Occupied Bandwidth
Averages: 2

Ref 30 dBm #Atten 30 dB

Center 2.612 50 GHz Span 30 MHz

#Res BW 300 kHz #VBW 1 MHz #Sweep 10 s (500 pts)

Occupied Bandwidth	Occ BW % Pwr	99.00 %
13.4457 MHz	x dB	-26.00 dB
Transmit Freq Error	-9.312 kHz	
x dB Bandwidth	15.605 MHz	

Copyright 2000-2012 Agilent Technologies

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat CCDF

More
1 of 2

18.18. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:18, Channel:38175, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2612.5	99	26	0.3	Peak	13.53	16.826	15	Pass

Agilent
Measure

Ch Freq 2.6125 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

#Peak Log 10 dB/Offst 12 dB

Center 2.612 50 GHz Span 30 MHz

#Res BW 300 kHz #VBW 1 MHz #Sweep 10 s (500 pts)

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat CCDF

More 1 of 2

Occupied Bandwidth

13.5304 MHz

Occ BW % Pwr 99.00 %

x dB -26.00 dB

Transmit Freq Error -9.964 kHz

x dB Bandwidth 16.826 MHz

Copyright 2000-2012 Agilent Technologies

18.19. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:19, Channel:37850, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2580	99	26	0.39	Peak	17.99	20.046	20	Pass

Agilent

Measure
 Meas Off
 Channel Power
 Occupied BW
 ACP
 Multi Carrier Power
 Power Stat CCDF
 More
 1 of 2

Ch Freq 2.58 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

#Peak Log 10 dB/Offst 11.9 dB

Center 2.580 00 GHz Span 40 MHz

#Res BW 390 kHz #VBW 1.2 MHz #Sweep 10 s (512 pts)

Occupied Bandwidth	Occ BW % Pwr	99.00 %
17.9898 MHz	x dB	-26.00 dB
Transmit Freq Error		-26.651 kHz
x dB Bandwidth		20.046 MHz

Copyright 2000-2012 Agilent Technologies

18.20. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:20, Channel:37850, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2580	99	26	0.39	Peak	17.931	20.287	20	Pass

Agilent
Measure

Ch Freq 2.58 GHz
Trig Free

Occupied Bandwidth
Averages: 2

Ref 30 dBm
#Atten 30 dB

#Peak
Log

10
dB/

Offst
11.9

dB

Center 2.580 00 GHz
Span 40 MHz

#Res BW 390 kHz
#VBW 1.2 MHz
#Sweep 10 s (512 pts)

Occupied Bandwidth	Occ BW % Pwr	99.00 %
17.9309 MHz	x dB	-26.00 dB
Transmit Freq Error	-18.701 kHz	
x dB Bandwidth	20.287 MHz	

Power Stat
CCDF

More
1 of 2

Copyright 2000-2012 Agilent Technologies

18.21. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:21, Channel:38000, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2595	99	26	0.39	Peak	17.914	19.536	20	Pass

Agilent

Measure

Ch Freq 2.595 GHz
Trig Free

Occupied Bandwidth

Averages: 2

Ref 30 dBm
#Atten 30 dB

#Peak
Log

10
dB/

Offst
11.8

dB

Center 2.595 00 GHz
Span 40 MHz

#Res BW 390 kHz
#VBW 1.2 MHz
#Sweep 10 s (512 pts)

Occupied Bandwidth	Occ BW % Pwr	99.00 %
17.9143 MHz	x dB	-26.00 dB
Transmit Freq Error	-6.578 kHz	
x dB Bandwidth	19.536 MHz	

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat CCDF

More

1 of 2

Copyright 2000-2012 Agilent Technologies

18.22. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:22, Channel:38000, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2595	99	26	0.39	Peak	17.953	21.518	20	Pass

Agilent
Measure

Ch Freq 2.595 GHz
Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB


Center 2.595 00 GHz Span 40 MHz
 #Res BW 390 kHz #VBW 1.2 MHz #Sweep 10 s (512 pts)

Occupied Bandwidth	Occ BW % Pwr	99.00 %
17.9534 MHz	x dB	-26.00 dB
Transmit Freq Error	-27.943 kHz	
x dB Bandwidth	21.518 MHz	

Power Stat CCDF
More 1 of 2

Copyright 2000-2012 Agilent Technologies

18.23. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:23, Channel:38150, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)



18.24. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:24, Channel:38150, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2610	99	26	0.39	Peak	17.918	19.683	20	Pass

Agilent

Measure
 Meas Off
 Channel Power
 Occupied BW
 ACP
 Multi Carrier Power
 Power Stat CCDF
 More
 1 of 2

Ch Freq 2.61 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

Center 2.610 00 GHz Span 40 MHz


#Res BW 390 kHz #VBW 1.2 MHz #Sweep 10 s (512 pts)

Occupied Bandwidth	Occ BW % Pwr	99.00 %
17.9183 MHz	x dB	-26.00 dB
Transmit Freq Error		-17.265 kHz
x dB Bandwidth		19.683 MHz

Copyright 2000-2012 Agilent Technologies

19. LTE_Band41 120M

19.1. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:1, Channel:40065, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)



19.2. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:2, Channel:40065, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2537.5	99	26	0.1	Peak	4.495	5.165	5	Pass

Agilent
Measure

Ch Freq 2.5375 GHz
Trig Free

Occupied Bandwidth
Averages: 2

Ref 30 dBm #Atten 30 dB

Center 2.537 500 GHz Span 10 MHz

#Res BW 100 kHz #VBW 300 kHz #Sweep 10 s (500 pts)

Occupied Bandwidth	Occ BW % Pwr 99.00 %
4.4951 MHz	x dB -26.00 dB
Transmit Freq Error -3.956 kHz	
x dB Bandwidth 5.165 MHz	

Copyright 2000-2012 Agilent Technologies

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat CCDF

More
1 of 2

19.3. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:3, Channel:40640, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2595	99	26	0.1	Peak	4.502	5.035	5	Pass

Agilent
Measure

Ch Freq 2.595 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

#Peak Log 10 dB/Offst 11.8 dB

Center 2.595 000 GHz Span 10 MHz
#Res BW 100 kHz #VBW 300 kHz #Sweep 10 s (500 pts)

Occupied Bandwidth

4.5017 MHz

Transmit Freq Error -4.046 kHz

x dB Bandwidth 5.035 MHz

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat CCDF

More

1 of 2

Copyright 2000-2012 Agilent Technologies

19.4. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:4, Channel:40640, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2595	99	26	0.1	Peak	4.486	5.074	5	Pass

Agilent
Measure

Ch Freq 2.595 GHz
Trig Free

Occupied Bandwidth
Averages: 2

Ref 30 dBm
#Atten 30 dB

#Peak
Log

10
dB/

Offst
11.8

dB

Center 2.595 000 GHz
Span 10 MHz

#Res BW 100 kHz
#VBW 300 kHz
#Sweep 10 s (500 pts)

Occupied Bandwidth
Occ BW % Pwr 99.00 %

4.4862 MHz
x dB -26.00 dB

Transmit Freq Error -4.729 kHz

x dB Bandwidth 5.074 MHz

Power Stat
CCDF

More
1 of 2

Copyright 2000-2012 Agilent Technologies

19.5. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:5, Channel:41215, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2652.5	99	26	0.1	Peak	4.497	5.214	5	Pass

Agilent
Measure

Ch Freq 2.6525 GHz **Trig** Free

Occupied Bandwidth Averages: 2

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat
CCDF

More
1 of 2

Ref 30 dBm #Atten 30 dB

#Peak

Log

10

dB/

Offst

12

dB

Center 2.652 500 GHz Span 10 MHz

#Res BW 100 kHz #VBW 300 kHz #Sweep 10 s (500 pts)

Occupied Bandwidth	Occ BW % Pwr	99.00 %
4.4966 MHz	x dB	-26.00 dB
Transmit Freq Error	2.520 kHz	
x dB Bandwidth	5.214 MHz	

Copyright 2000-2012 Agilent Technologies

19.6. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:6, Channel:41215, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2652.5	99	26	0.1	Peak	4.491	5.044	5	Pass

Agilent
Measure

Ch Freq 2.6525 GHz
Trig Free

Occupied Bandwidth
Averages: 2

Ref 30 dBm #Atten 30 dB

Center 2.652 500 GHz Span 10 MHz

#Res BW 100 kHz #VBW 300 kHz #Sweep 10 s (500 pts)

Occupied Bandwidth	Occ BW % Pwr	99.00 %
4.4914 MHz	x dB	-26.00 dB
Transmit Freq Error	-56.737 Hz	
x dB Bandwidth	5.044 MHz	

Copyright 2000-2012 Agilent Technologies

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat CCDF

More
1 of 2

19.7. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:7, Channel:40090, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2540	99	26	0.2	Peak	8.984	10.869	10	Pass

Agilent
Measure

Ch Freq 2.54 GHz
Trig Free

Occupied Bandwidth
Averages: 2

Ref 30 dBm #Atten 30 dB

Center 2.540 00 GHz Span 20 MHz
 #Res BW 200 kHz #VBW 620 kHz #Sweep 10 s (500 pts)

Occupied Bandwidth	Occ BW % Pwr	99.00 %
8.9836 MHz	x dB	-26.00 dB
Transmit Freq Error	13.968 kHz	
x dB Bandwidth	10.869 MHz	

Power Stat CCDF
More 1 of 2

Copyright 2000-2012 Agilent Technologies

19.8. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:8, Channel:40090, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2540	99	26	0.2	Peak	8.986	9.891	10	Pass

Agilent
Measure

Ch Freq 2.54 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

Center 2.540 00 GHz Span 20 MHz

#Res BW 200 kHz #VBW 620 kHz #Sweep 10 s (500 pts)

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat CCDF

More
1 of 2

Occupied Bandwidth

8.9856 MHz

Transmit Freq Error 464.138 Hz

x dB Bandwidth 9.891 MHz

Occ BW % Pwr 99.00 %

x dB -26.00 dB

Copyright 2000-2012 Agilent Technologies

19.9. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:9, Channel:40640, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2595	99	26	0.2	Peak	8.989	10.496	10	Pass

Agilent

Measure
 Meas Off
 Channel Power
 Occupied BW
 ACP
 Multi Carrier Power
 Power Stat CCDF
 More
 1 of 2

Ch Freq 2.595 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

Center 2.595 00 GHz Span 20 MHz

#Res BW 200 kHz #VBW 620 kHz #Sweep 10 s (500 pts)

Occupied Bandwidth	Occ BW % Pwr	99.00 %
8.9886 MHz	x dB	-26.00 dB
Transmit Freq Error	-4.755 kHz	
x dB Bandwidth	10.496 MHz	

Copyright 2000-2012 Agilent Technologies

19.10. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:10, Channel:40640, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2595	99	26	0.2	Peak	8.957	10.325	10	Pass

Agilent

Measure
 Meas Off
 Channel Power
Occupied BW
 ACP
 Multi Carrier Power
 Power Stat CCDF
 More
 1 of 2

Ch Freq 2.595 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

Center 2.595 00 GHz Span 20 MHz

#Res BW 200 kHz #VBW 620 kHz #Sweep 10 s (500 pts)

Occupied Bandwidth	Occ BW % Pwr	99.00 %
8.9570 MHz	x dB	-26.00 dB
Transmit Freq Error	-7.997 kHz	
x dB Bandwidth	10.325 MHz	

Copyright 2000-2012 Agilent Technologies

19.11. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:11, Channel:41190, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2650	99	26	0.2	Peak	9.006	10.569	10	Pass

Agilent
Measure

Ch Freq 2.65 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

Center 2.650 00 GHz Span 20 MHz

#Res BW 200 kHz #VBW 620 kHz #Sweep 10 s (500 pts)

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat CCDF

More 1 of 2

Occupied Bandwidth

9.0060 MHz

Transmit Freq Error -19.639 kHz

x dB Bandwidth 10.569 MHz

Occ BW % Pwr 99.00 %

x dB -26.00 dB

Copyright 2000-2012 Agilent Technologies

19.12. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:12, Channel:41190, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2650	99	26	0.2	Peak	8.981	10.479	10	Pass

Agilent

Measure
 Meas Off
 Channel Power
 Occupied BW
 ACP
 Multi Carrier Power
 Power Stat CCDF
 More
 1 of 2

Ch Freq 2.65 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

Center 2.650 00 GHz Span 20 MHz

#Res BW 200 kHz #VBW 620 kHz #Sweep 10 s (500 pts)

Occupied Bandwidth Occ BW % Pwr 99.00 %

8.9807 MHz

x dB -26.00 dB

Transmit Freq Error -4.171 kHz

x dB Bandwidth 10.479 MHz

Copyright 2000-2012 Agilent Technologies

19.13. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:13, Channel:40115, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2542.5	99	26	0.3	Peak	13.496	15.418	15	Pass

Agilent
Measure

Ch Freq 2.5425 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

#Peak

Log

10

dB/

Offst

11.8

dB

Center 2.542 50 GHz Span 30 MHz

#Res BW 300 kHz #VBW 1 MHz #Sweep 10 s (500 pts)

Occupied Bandwidth	Occ BW % Pwr	99.00 %
13.4957 MHz	x dB	-26.00 dB
Transmit Freq Error		6.804 kHz
x dB Bandwidth		15.418 MHz

Copyright 2000-2012 Agilent Technologies

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat CCDF

More
1 of 2

19.14. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:14, Channel:40115, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2542.5	99	26	0.3	Peak	13.478	15.608	15	Pass

Agilent

Measure
 Meas Off
 Channel Power
 Occupied BW
 ACP
 Multi Carrier Power
 Power Stat CCDF
 More
 1 of 2

Ch Freq 2.5425 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

Center 2.542 50 GHz Span 30 MHz

#Res BW 300 kHz #VBW 1 MHz #Sweep 10 s (500 pts)

Occupied Bandwidth	Occ BW % Pwr	99.00 %
13.4780 MHz	x dB	-26.00 dB
Transmit Freq Error	-3.592 kHz	
x dB Bandwidth	15.608 MHz	

Copyright 2000-2012 Agilent Technologies

19.15. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:15, Channel:40640, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2595	99	26	0.3	Peak	13.462	15.278	15	Pass

Agilent
Measure

Ch Freq 2.595 GHz
Trig Free

Occupied Bandwidth
Averages: 2

Ref 30 dBm #Atten 30 dB

Center 2.595 00 GHz Span 30 MHz
 #Res BW 300 kHz #VBW 1 MHz #Sweep 10 s (500 pts)

Occupied Bandwidth	Occ BW % Pwr	99.00 %
13.4619 MHz	x dB	-26.00 dB
Transmit Freq Error		-2.543 kHz
x dB Bandwidth		15.278 MHz

Copyright 2000-2012 Agilent Technologies

Meas Off

Channel Power

Occupied BW


ACP

Multi Carrier Power

Power Stat CCDF

More
1 of 2

19.16. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:16, Channel:40640, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)



19.17. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:17, Channel:41165, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2647.5	99	26	0.3	Peak	13.441	15.41	15	Pass

Agilent

Measure

Ch Freq 2.6475 GHz
Trig Free

Occupied Bandwidth

Averages: 2

Ref 30 dBm
#Atten 30 dB

#Peak
Log

10
dB/

Offst
12

dB

Center 2.647 50 GHz
Span 30 MHz

#Res BW 300 kHz
#VBW 1 MHz
#Sweep 10 s (500 pts)

Occupied Bandwidth	Occ BW % Pwr	99.00 %
13.4412 MHz	x dB	-26.00 dB
Transmit Freq Error		-12.663 kHz
x dB Bandwidth		15.410 MHz

Copyright 2000-2012 Agilent Technologies

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat CCDF

More
1 of 2

19.18. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:18, Channel:41165, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2647.5	99	26	0.3	Peak	13.521	16.47	15	Pass

Agilent

Measure
 Meas Off
 Channel Power
 Occupied BW
 ACP
 Multi Carrier Power
 Power Stat CCDF
 More
 1 of 2

Ch Freq 2.6475 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

#Peak Log 10 dB/Offst 12 dB

Center 2.647 50 GHz Span 30 MHz

#Res BW 300 kHz #VBW 1 MHz #Sweep 10 s (500 pts)

Occupied Bandwidth	Occ BW % Pwr	99.00 %
13.5207 MHz	x dB	-26.00 dB
Transmit Freq Error	-19.375 kHz	
x dB Bandwidth	16.470 MHz	

Copyright 2000-2012 Agilent Technologies

19.19. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:19, Channel:40140, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2545	99	26	0.39	Peak	17.978	20.132	20	Pass

Agilent

Measure
 Meas Off
 Channel Power
 Occupied BW
 ACP
 Multi Carrier Power
 Power Stat CCDF
 More
 1 of 2

Ch Freq 2.545 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

#Peak Log 10 dB/Offst 11.8 dB

Center 2.545 00 GHz Span 40 MHz

#Res BW 390 kHz #VBW 1.2 MHz #Sweep 10 s (512 pts)

Occupied Bandwidth	Occ BW % Pwr 99.00 %
17.9780 MHz	x dB -26.00 dB
Transmit Freq Error -18.224 kHz	
x dB Bandwidth 20.132 MHz	

Copyright 2000-2012 Agilent Technologies

19.20. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:20, Channel:40140, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2545	99	26	0.39	Peak	17.93	20.002	20	Pass

Agilent

Measure
 Meas Off
 Channel Power
 Occupied BW
 ACP
 Multi Carrier Power
 Power Stat CCDF
 More
 1 of 2

Ch Freq 2.545 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

#Peak Log 10 dB/Offst 11.8 dB

Center 2.545 00 GHz Span 40 MHz

#Res BW 390 kHz #VBW 1.2 MHz #Sweep 10 s (512 pts)

Occupied Bandwidth Occ BW % Pwr 99.00 %

17.9301 MHz x dB -26.00 dB

Transmit Freq Error -6.252 kHz

x dB Bandwidth 20.002 MHz

Copyright 2000-2012 Agilent Technologies

19.21. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:21, Channel:40640, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2595	99	26	0.39	Peak	17.917	20.064	20	Pass

Agilent
Measure

Ch Freq 2.595 GHz
Trig Free

Occupied Bandwidth
Averages: 2

Ref 30 dBm #Atten 30 dB

#Peak Log 10 dB/Offst 11.8 dB

Center 2.595 00 GHz Span 40 MHz

#Res BW 390 kHz #VBW 1.2 MHz #Sweep 10 s (512 pts)

Occupied Bandwidth	Occ BW % Pwr	99.00 %
17.9169 MHz	x dB	-26.00 dB
Transmit Freq Error		-11.537 kHz
x dB Bandwidth		20.064 MHz

Copyright 2000-2012 Agilent Technologies
More
1 of 2

19.22. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:22, Channel:40640, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2595	99	26	0.39	Peak	17.951	21.888	20	Pass

Agilent
Measure

Ch Freq 2.595 GHz
Trig Free

Occupied Bandwidth
Averages: 2

Ref 30 dBm #Atten 30 dB

Center 2.595 00 GHz Span 40 MHz

#Res BW 390 kHz #VBW 1.2 MHz #Sweep 10 s (512 pts)

Occupied Bandwidth	Occ BW % Pwr	99.00 %
17.9507 MHz	x dB	-26.00 dB
Transmit Freq Error		-22.165 kHz
x dB Bandwidth		21.888 MHz

Copyright 2000-2012 Agilent Technologies

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat CCDF

More
1 of 2

19.23. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:23, Channel:41140, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2645	99	26	0.39	Peak	17.964	20.689	20	Pass

Agilent
Measure

Ch Freq 2.645 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

Center 2.645 00 GHz Span 40 MHz
#Res BW 390 kHz #VBW 1.2 MHz #Sweep 10 s (512 pts)

Occupied Bandwidth

17.9639 MHz

Occ BW % Pwr 99.00 %
x dB -26.00 dB

Transmit Freq Error -25.525 kHz
x dB Bandwidth 20.689 MHz

Copyright 2000-2012 Agilent Technologies

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat CCDF

More
1 of 2

19.24. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:24, Channel:41140, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2645	99	26	0.39	Peak	17.924	19.525	20	Pass

Agilent
Measure

Ch Freq 2.645 GHz
Trig Free

Occupied Bandwidth
Averages: 2

Ref 30 dBm #Atten 30 dB

Center 2.645 00 GHz Span 40 MHz

#Res BW 390 kHz #VBW 1.2 MHz #Sweep 10 s (512 pts)

Occupied Bandwidth	Occ BW % Pwr	99.00 %
17.9241 MHz	x dB	-26.00 dB
Transmit Freq Error	-14.270 kHz	
x dB Bandwidth	19.525 MHz	

Copyright 2000-2012 Agilent Technologies

Meas Off

Channel Power

Occupied BW

ACP


Multi Carrier Power

Power Stat CCDF

More
1 of 2


20. LTE_Band66

20.1. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:1, Channel:131979, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)




20.2. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:2, Channel:131979, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1710.7	99	26	0.027	Peak	1.092	1.298	1.4	Pass



20.3. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:3, Channel:132322, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)



20.4. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:4, Channel:132322, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1745	99	26	0.027	Peak	1.084	1.268	1.4	Pass

Agilent

Measure
 Meas Off
 Channel Power
Occupied BW
 ACP
 Multi Carrier Power
 Power Stat CCDF
 More
 1 of 2

Ch Freq 1.745 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

#Peak Log 10 dB/Offst 10.6 dB

Center 1.745 000 GHz Span 2.8 MHz

#Res BW 27 kHz #VBW 100 kHz #Sweep 1 s (518 pts)

Occupied Bandwidth Occ BW % Pwr 99.00 %

1.0838 MHz

x dB -26.00 dB

Transmit Freq Error -1.612 kHz

x dB Bandwidth 1.268 MHz

Copyright 2000-2012 Agilent Technologies

20.5. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:5, Channel:132665, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1779.3	99	26	0.027	Peak	1.093	1.296	1.4	Pass

Agilent

Measure
 Meas Off
 Channel Power
 Occupied BW
 ACP
 Multi Carrier Power
 Power Stat CCDF
 More
 1 of 2

Ch Freq 1.7793 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

Center 1.779 300 GHz Span 2.8 MHz

#Res BW 27 kHz #VBW 100 kHz #Sweep 1 s (518 pts)

Occupied Bandwidth	Occ BW % Pwr	99.00 %
1.0929 MHz	x dB	-26.00 dB
Transmit Freq Error	-667.580 Hz	
x dB Bandwidth	1.296 MHz	

Copyright 2000-2012 Agilent Technologies

20.6. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:6, Channel:132665, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1779.3	99	26	0.027	Peak	1.085	1.262	1.4	Pass

Agilent

Measure

Ch Freq 1.7793 GHz
Trig Free

Occupied Bandwidth
Averages: 2

Ref 30 dBm
#Atten 30 dB

#Peak
 Log
 10
 dB/
 Offst
 10.7
 dB

Center 1.779 300 GHz
Span 2.8 MHz

#Res BW 27 kHz
#VBW 100 kHz
#Sweep 1 s (518 pts)

Occupied Bandwidth	Occ BW % Pwr	99.00 %
1.0852 MHz	x dB	-26.00 dB
Transmit Freq Error	-1.698 kHz	
x dB Bandwidth	1.262 MHz	

Power Stat
CCDF
More
1 of 2

Copyright 2000-2012 Agilent Technologies

20.7. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:7, Channel:131987, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1711.5	99	26	0.062	Peak	2.686	2.902	3	Pass

Agilent
Measure

Ch Freq 1.7115 GHz
Trig Free

Occupied Bandwidth
Averages: 2

Ref 30 dBm
#Atten 30 dB

#Peak
Log

10
dB/

Offst
10.6

dB

Center 1.711 500 GHz
Span 6 MHz

#Res BW 62 kHz
#VBW 200 kHz
#Sweep 1 s (483 pts)

Occupied Bandwidth	Occ BW % Pwr	99.00 %
2.6857 MHz	x dB	-26.00 dB
Transmit Freq Error	3.607 kHz	
x dB Bandwidth	2.902 MHz	

Power Stat
CCDF

More
1 of 2

Copyright 2000-2012 Agilent Technologies

20.8. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:8, Channel:131987, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1711.5	99	26	0.062	Peak	2.684	2.928	3	Pass

Agilent

Measure
 Meas Off
 Channel Power
 Occupied BW
 ACP
 Multi Carrier Power
 Power Stat CCDF
 More
 1 of 2

Ch Freq 1.7115 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

#Peak Log 10 dB/Offst 10.6 dB

Center 1.711 500 GHz Span 6 MHz

#Res BW 62 kHz #VBW 200 kHz #Sweep 1 s (483 pts)

Occupied Bandwidth Occ BW % Pwr 99.00 %

2.6844 MHz

x dB -26.00 dB

Transmit Freq Error 2.129 kHz

x dB Bandwidth 2.928 MHz

Copyright 2000-2012 Agilent Technologies

20.9. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:9, Channel:132322, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1745	99	26	0.062	Peak	2.684	2.916	3	Pass

Agilent

Measure

Ch Freq 1.745 GHz
Trig Free

Occupied Bandwidth
Averages: 2

Ref 30 dBm
#Atten 30 dB

#Peak
Log

10
dB/

Offst
10.6

dB

Center 1.745 000 GHz
Span 6 MHz

#Res BW 62 kHz
#VBW 200 kHz
#Sweep 1 s (483 pts)

Occupied Bandwidth	Occ BW % Pwr	99.00 %
2.6838 MHz	x dB	-26.00 dB
Transmit Freq Error	1.759 kHz	
x dB Bandwidth	2.916 MHz	

Copyright 2000-2012 Agilent Technologies

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat CCDF

More
1 of 2

20.10. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:10, Channel:132322, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1745	99	26	0.062	Peak	2.686	2.929	3	Pass

Agilent

Measure
 Meas Off
 Channel Power
 Occupied BW
 ACP
 Multi Carrier Power
 Power Stat CCDF
 More
 1 of 2

Ch Freq 1.745 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

#Peak Log 10 dB/Offst 10.6 dB

Center 1.745 000 GHz Span 6 MHz

#Res BW 62 kHz #VBW 200 kHz #Sweep 1 s (483 pts)

Occupied Bandwidth Occ BW % Pwr 99.00 %

2.6864 MHz

x dB -26.00 dB

Transmit Freq Error -1.528 kHz

x dB Bandwidth 2.929 MHz

Copyright 2000-2012 Agilent Technologies

20.11. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:11, Channel:132657, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1778.5	99	26	0.062	Peak	2.688	2.92	3	Pass

Agilent

Measure
 Meas Off
 Channel Power
 Occupied BW
 ACP
 Multi Carrier Power
 Power Stat CCDF
 More
 1 of 2

Ch Freq 1.7785 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

Center 1.778 500 GHz Span 6 MHz

#Res BW 62 kHz #VBW 200 kHz #Sweep 1 s (483 pts)

Occupied Bandwidth Occ BW % Pwr 99.00 %

2.6880 MHz x dB -26.00 dB

Transmit Freq Error 988.101 Hz

x dB Bandwidth 2.920 MHz

Copyright 2000-2012 Agilent Technologies

20.12. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:12, Channel:132657, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1778.5	99	26	0.062	Peak	2.683	2.918	3	Pass

Agilent

Measure
 Meas Off
 Channel Power
 Occupied BW
 ACP
 Multi Carrier Power
 Power Stat CCDF
 More
 1 of 2

Ch Freq 1.7785 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

#Peak Log 10 dB/Offst 10.7 dB

Center 1.778 500 GHz Span 6 MHz

#Res BW 62 kHz #VBW 200 kHz #Sweep 1 s (483 pts)

Occupied Bandwidth Occ BW % Pwr 99.00 %

2.6828 MHz


x dB -26.00 dB

Transmit Freq Error -2.080 kHz

x dB Bandwidth 2.918 MHz

Copyright 2000-2012 Agilent Technologies

20.13. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:13, Channel:131997, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)



20.14. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:14, Channel:131997, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1712.5	99	26	0.1	Peak	4.508	5.172	5	Pass

Agilent
Measure

Ch Freq 1.7125 GHz Trig Free

Occupied Bandwidth Averages: 2

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat CCDF

More
1 of 2

Ref 30 dBm #Atten 30 dB

Center 1.712 500 GHz Span 10 MHz
#Res BW 100 kHz #VBW 300 kHz #Sweep 1 s (500 pts)

Occupied Bandwidth

4.5078 MHz

Occ BW % Pwr 99.00 %

x dB -26.00 dB

Transmit Freq Error 1.704 kHz

x dB Bandwidth 5.172 MHz

Copyright 2000-2012 Agilent Technologies

20.15. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:15, Channel:132322, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1745	99	26	0.1	Peak	4.506	5.18	5	Pass

Agilent
Measure

Ch Freq 1.745 GHz
Trig Free

Occupied Bandwidth
Averages: 2

Ref 30 dBm #Atten 30 dB

Center 1.745 000 GHz Span 10 MHz

#Res BW 100 kHz #VBW 300 kHz #Sweep 1 s (500 pts)

Occupied Bandwidth	Occ BW % Pwr 99.00 %
4.5062 MHz	x dB -26.00 dB
Transmit Freq Error -1.947 kHz	
x dB Bandwidth 5.180 MHz	

Power Stat CCDF

More 1 of 2

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Copyright 2000-2012 Agilent Technologies

20.16. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:16, Channel:132322, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1745	99	26	0.1	Peak	4.518	5.153	5	Pass

Agilent

Measure

Ch Freq 1.745 GHz
Trig Free

Occupied Bandwidth
Averages: 2

Ref 30 dBm
#Atten 30 dB

#Peak
 Log
 10
 dB/
 Offst
 10.6
 dB

Center 1.745 000 GHz
Span 10 MHz

#Res BW 100 kHz
#VBW 300 kHz
#Sweep 1 s (500 pts)

Occupied Bandwidth	Occ BW % Pwr	99.00 %
4.5177 MHz	x dB	-26.00 dB
Transmit Freq Error	-1.796 kHz	
x dB Bandwidth	5.153 MHz	

Meas Off

 Channel Power

 Occupied BW

 ACP


 Multi Carrier Power

 Power Stat
 CCDF


 More
 1 of 2

Copyright 2000-2012 Agilent Technologies

20.17. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:17, Channel:132647, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)



20.18. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:18, Channel:132647, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)



20.19. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:19, Channel:132022, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1715	99	26	0.2	Peak	8.997	10.211	10	Pass

Agilent

Measure
 Meas Off
 Channel Power
 Occupied BW
 ACP
 Multi Carrier Power
 Power Stat CCDF
 More
 1 of 2

Ch Freq 1.715 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

#Peak Log 10 dB/Offst 10.6 dB

Center 1.715 00 GHz Span 20 MHz

#Res BW 200 kHz #VBW 620 kHz #Sweep 1 s (500 pts)

Occupied Bandwidth Occ BW % Pwr 99.00 %

8.9965 MHz

x dB -26.00 dB

Transmit Freq Error 15.103 kHz

x dB Bandwidth 10.211 MHz

Copyright 2000-2012 Agilent Technologies

20.20. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:20, Channel:132022, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1715	99	26	0.2	Peak	8.977	9.996	10	Pass

Agilent

Measure

Ch Freq 1.715 GHz
Trig Free

Occupied Bandwidth
Averages: 2

Ref 30 dBm
#Atten 30 dB

#Peak
Log

10
dB/

Offst
10.6

dB

Center 1.715 00 GHz
Span 20 MHz

#Res BW 200 kHz
#VBW 620 kHz
#Sweep 1 s (500 pts)

Occupied Bandwidth	Occ BW % Pwr	99.00 %
8.9766 MHz	x dB	-26.00 dB
Transmit Freq Error	16.214 kHz	
x dB Bandwidth	9.996 MHz	

Power Stat
CCDF

More
1 of 2

Copyright 2000-2012 Agilent Technologies

20.21. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:21, Channel:132322, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1745	99	26	0.2	Peak	8.963	10.077	10	Pass

Agilent

Measure

Ch Freq 1.745 GHz
Trig Free

Occupied Bandwidth
Averages: 2

Ref 30 dBm
#Atten 30 dB

#Peak
 Log
 10
 dB/
 Offst
 10.6
 dB

Center 1.745 00 GHz
Span 20 MHz

#Res BW 200 kHz
#VBW 620 kHz
#Sweep 1 s (500 pts)

Occupied Bandwidth	8.9633 MHz	Occ BW % Pwr	99.00 %
		x dB	-26.00 dB
Transmit Freq Error	1.317 kHz		
x dB Bandwidth	10.077 MHz		

Power Stat	CCDF
More	1 of 2

Copyright 2000-2012 Agilent Technologies

20.22. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:22, Channel:132322, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1745	99	26	0.2	Peak	8.978	10.146	10	Pass

Agilent
Measure

Ch Freq 1.745 GHz
Trig Free

Occupied Bandwidth
Averages: 2

Ref 30 dBm #Atten 30 dB

Center 1.745 00 GHz Span 20 MHz
 #Res BW 200 kHz #VBW 620 kHz #Sweep 1 s (500 pts)

Occupied Bandwidth	Occ BW % Pwr	99.00 %
8.9777 MHz	x dB	-26.00 dB
Transmit Freq Error	476.663 Hz	
x dB Bandwidth	10.146 MHz	

Power Stat CCDF
More 1 of 2

Copyright 2000-2012 Agilent Technologies

20.23. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:23, Channel:132622, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1775	99	26	0.2	Peak	8.985	10.124	10	Pass

Agilent
Measure

Ch Freq 1.775 GHz
Trig Free

Occupied Bandwidth
Averages: 2

Ref 30 dBm #Atten 30 dB

Center 1.775 00 GHz Span 20 MHz

#Res BW 200 kHz #VBW 620 kHz #Sweep 1 s (500 pts)

Occupied Bandwidth	Occ BW % Pwr 99.00 %
8.9855 MHz	x dB -26.00 dB
Transmit Freq Error -8.585 kHz	
x dB Bandwidth 10.124 MHz	

Copyright 2000-2012 Agilent Technologies

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat CCDF

More
1 of 2

20.24. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:24, Channel:132622, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1775	99	26	0.2	Peak	8.989	10.149	10	Pass

Agilent
Measure

Ch Freq 1.775 GHz
Trig Free

Occupied Bandwidth
Averages: 2

Ref 30 dBm #Atten 30 dB

Center 1.775 00 GHz Span 20 MHz

#Res BW 200 kHz #VBW 620 kHz #Sweep 1 s (500 pts)

Occupied Bandwidth	Occ BW % Pwr 99.00 %
8.9895 MHz	x dB -26.00 dB
Transmit Freq Error -20.525 kHz	
x dB Bandwidth 10.149 MHz	

Copyright 2000-2012 Agilent Technologies

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat CCDF

More
1 of 2

20.25. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:25, Channel:132047, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1717.5	99	26	0.3	Peak	13.466	15.113	15	Pass

Agilent
Measure

Ch Freq 1.7175 GHz
Trig Free

Occupied Bandwidth
Averages: 2

Ref 30 dBm #Atten 30 dB

Center 1.717 50 GHz Span 30 MHz

#Res BW 300 kHz #VBW 1 MHz #Sweep 1 s (500 pts)

Occupied Bandwidth	Occ BW % Pwr	99.00 %
13.4658 MHz	x dB	-26.00 dB
Transmit Freq Error	30.961 kHz	
x dB Bandwidth	15.113 MHz	

Power Stat CCDF
More 1 of 2

Copyright 2000-2012 Agilent Technologies

20.26. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:26, Channel:132047, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1717.5	99	26	0.3	Peak	13.48	15.015	15	Pass

Agilent

Measure
 Meas Off
 Channel Power
 Occupied BW
 ACP
 Multi Carrier Power
 Power Stat CCDF
 More
 1 of 2

Ch Freq 1.7175 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

Center 1.717 50 GHz Span 30 MHz

#Res BW 300 kHz #VBW 1 MHz #Sweep 1 s (500 pts)

Occupied Bandwidth	Occ BW % Pwr	99.00 %
13.4801 MHz	x dB	-26.00 dB
Transmit Freq Error	20.660 kHz	
x dB Bandwidth	15.015 MHz	

Copyright 2000-2012 Agilent Technologies

20.27. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:27, Channel:132322, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1745	99	26	0.3	Peak	13.448	15.118	15	Pass

Agilent

Measure

Ch Freq 1.745 GHz
Trig Free

Occupied Bandwidth

Averages: 2

Ref 30 dBm
#Atten 30 dB

#Peak
Log

10
dB/

Offst
10.6

dB

Center 1.745 00 GHz
Span 30 MHz

#Res BW 300 kHz
#VBW 1 MHz
#Sweep 1 s (500 pts)

Occupied Bandwidth	Occ BW % Pwr	99.00 %
13.4478 MHz	x dB	-26.00 dB
Transmit Freq Error		4.688 kHz
x dB Bandwidth		15.118 MHz

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat CCDF

More
1 of 2

Copyright 2000-2012 Agilent Technologies

20.28. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:28, Channel:132322, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1745	99	26	0.3	Peak	13.488	15.039	15	Pass

Agilent
Measure

Ch Freq 1.745 GHz Trig Free

Occupied Bandwidth Averages: 2

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat CCDF

More 1 of 2

Ref 30 dBm #Atten 30 dB

Center 1.745 00 GHz Span 30 MHz

#Res BW 300 kHz #VBW 1 MHz #Sweep 1 s (500 pts)

Occupied Bandwidth Occ BW % Pwr 99.00 %

13.4875 MHz x dB -26.00 dB

Transmit Freq Error -10.598 kHz

x dB Bandwidth 15.039 MHz

Copyright 2000-2012 Agilent Technologies

20.29. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:29, Channel:132597, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1772.5	99	26	0.3	Peak	13.481	15.17	15	Pass

Agilent

Measure

Ch Freq 1.7725 GHz
Trig Free

Occupied Bandwidth

Averages: 2

Ref 30 dBm
#Atten 30 dB

#Peak
Log

10
dB/

Offst
10.6

dB

Center 1.772 50 GHz
Span 30 MHz

#Res BW 300 kHz
#VBW 1 MHz
#Sweep 1 s (500 pts)

Occupied Bandwidth	Occ BW % Pwr	99.00 %
13.4809 MHz	x dB	-26.00 dB
Transmit Freq Error	-21.005 kHz	
x dB Bandwidth	15.170 MHz	

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat CCDF

More
1 of 2

Copyright 2000-2012 Agilent Technologies

20.30. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:30, Channel:132597, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1772.5	99	26	0.3	Peak	13.495	15.144	15	Pass

Agilent
Measure

Ch Freq 1.7725 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

Center 1.772 50 GHz Span 30 MHz

#Res BW 300 kHz #VBW 1 MHz #Sweep 1 s (500 pts)

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat CCDF

More
1 of 2

Occupied Bandwidth

13.4952 MHz

Transmit Freq Error -11.590 kHz

x dB Bandwidth 15.144 MHz

Occ BW % Pwr 99.00 %

x dB -26.00 dB

Copyright 2000-2012 Agilent Technologies

20.31. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:31, Channel:132072, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1720	99	26	0.39	Peak	17.914	19.527	20	Pass

Agilent

Measure
 Meas Off
 Channel Power
Occupied BW
 ACP
 Multi Carrier Power
 Power Stat CCDF
 More
 1 of 2

Ch Freq 1.72 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

#Peak Log 10 dB/Offst 10.6 dB

Center 1.720 00 GHz Span 40 MHz

#Res BW 390 kHz #VBW 1.2 MHz #Sweep 1 s (512 pts)

Occupied Bandwidth	Occ BW % Pwr	99.00 %
17.9142 MHz	x dB	-26.00 dB
Transmit Freq Error	27.726 kHz	
x dB Bandwidth	19.527 MHz	

Copyright 2000-2012 Agilent Technologies

20.32. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:32, Channel:132072, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1720	99	26	0.39	Peak	17.961	19.759	20	Pass

Agilent
Measure

Ch Freq 1.72 GHz
Trig Free

Occupied Bandwidth
Averages: 2

Ref 30 dBm
#Atten 30 dB

#Peak
Log

10
dB/

Offst
10.6

dB

Center 1.720 00 GHz
Span 40 MHz

#Res BW 390 kHz
#VBW 1.2 MHz
#Sweep 1 s (512 pts)

Occupied Bandwidth	Occ BW % Pwr	99.00 %
17.9611 MHz	x dB	-26.00 dB
Transmit Freq Error	40.653 kHz	
x dB Bandwidth	19.759 MHz	

Power Stat
CCDF

More
1 of 2

Copyright 2000-2012 Agilent Technologies

20.33. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:33, Channel:132322, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1745	99	26	0.39	Peak	17.944	19.731	20	Pass

Agilent
Measure

Ch Freq 1.745 GHz
Trig Free

Occupied Bandwidth
Averages: 2

Ref 30 dBm #Atten 30 dB

Center 1.745 00 GHz Span 40 MHz
 #Res BW 390 kHz #VBW 1.2 MHz #Sweep 1 s (512 pts)

Occupied Bandwidth	Occ BW % Pwr	99.00 %
17.9440 MHz	x dB	-26.00 dB
Transmit Freq Error	14.917 kHz	
x dB Bandwidth	19.731 MHz	

Power Stat CCDF
More 1 of 2

Copyright 2000-2012 Agilent Technologies

20.34. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:34, Channel:132322, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1745	99	26	0.39	Peak	17.939	19.681	20	Pass

Agilent

Measure

Ch Freq 1.745 GHz
Trig Free

Occupied Bandwidth
Averages: 2

Ref 30 dBm
#Atten 30 dB

#Peak
Log

10
dB/

Offst
10.6

dB

Center 1.745 00 GHz
Span 40 MHz

#Res BW 390 kHz
#VBW 1.2 MHz
#Sweep 1 s (512 pts)

Occupied Bandwidth	Occ BW % Pwr	99.00 %
17.9395 MHz	x dB	-26.00 dB
Transmit Freq Error	-15.439 kHz	
x dB Bandwidth	19.681 MHz	

Power Stat
CCDF

More
1 of 2

Copyright 2000-2012 Agilent Technologies

20.35. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:35, Channel:132572, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1770	99	26	0.39	Peak	17.989	20.001	20	Pass

Agilent
Measure

Ch Freq 1.77 GHz
Trig Free

Occupied Bandwidth
Averages: 2

Ref 30 dBm
#Atten 30 dB

#Peak
Log

10
dB/

Offst
10.6

dB

Center 1.770 00 GHz
Span 40 MHz

#Res BW 390 kHz
#VBW 1.2 MHz
#Sweep 1 s (512 pts)

Occupied Bandwidth
Occ BW % Pwr 99.00 %

17.9891 MHz
x dB -26.00 dB

Transmit Freq Error -56.336 kHz

x dB Bandwidth 20.001 MHz

Power Stat
CCDF

More
1 of 2

Copyright 2000-2012 Agilent Technologies

20.36. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:36, Channel:132572, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1770	99	26	0.39	Peak	17.955	19.795	20	Pass

Agilent
Measure

Ch Freq 1.77 GHz
Trig Free

Occupied Bandwidth
Averages: 2

Ref 30 dBm
#Atten 30 dB

#Peak
Log

10
dB/

Offst
10.6

dB

Center 1.770 00 GHz
Span 40 MHz

#Res BW 390 kHz
#VBW 1.2 MHz
#Sweep 1 s (512 pts)

Occupied Bandwidth
Occ BW % Pwr 99.00 %

17.9549 MHz
x dB -26.00 dB

Transmit Freq Error -14.622 kHz

x dB Bandwidth 19.795 MHz

Power Stat
CCDF

More
1 of 2

Copyright 2000-2012 Agilent Technologies

--BLANK BELOW--