


# **Annex A.5 Spurious Emission at Antenna Terminals**

# 1. GSM\_GSM850


## 1.1. GSM Spurious Emission at Antenna Terminals\_Part22-24(NTNV)(Channel:128)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-31.51	-13	Pass	401
0.15	30	0.01	Peak	0.15	-33.84	-13	Pass	2986
30	500	0.1	Peak	412.5	-42.95	-13	Pass	4701
500	1000	0.1	Peak	824.3	32.15	-13	N/A	5001
1000	10000	1	Peak	7746	-39.62	-13	Pass	9001




## 1.2. GSM Spurious Emission at Antenna Terminals\_Part22-24(NTNV)(Channel:190)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-31.74	-13	Pass	401
0.15	30	0.01	Peak	0.15	-33.69	-13	Pass	2986
30	500	0.1	Peak	482.3	-42.47	-13	Pass	4701
500	1000	0.1	Peak	836.6	32.22	-13	N/A	5001
1000	10000	1	Peak	9203	-39.46	-13	Pass	9001



### 1.3. GSM Spurious Emission at Antenna Terminals\_Part22-24(NTNV)(Channel:251)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-31.65	-13	Pass	401
0.15	30	0.01	Peak	0.15	-34.27	-13	Pass	2986
30	500	0.1	Peak	422	-42.38	-13	Pass	4701
500	1000	0.1	Peak	848.7	32.43	-13	N/A	5001
1000	10000	1	Peak	8147	-39.52	-13	Pass	9001



## 2. GSM\_PCS


### 2.1. GSM Spurious Emission at Antenna Terminals\_Part22-24(NTNV)(Channel:512)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-37.84	-13	Pass	401
0.15	30	0.01	Peak	0.16	-37.98	-13	Pass	2986
30	1000	0.1	Peak	940.9	-46.78	-13	Pass	9701
1000	3000	1	Peak	1851	28.54	-13	N/A	2001
3000	20000	1	Peak	19996	-39.66	-13	Pass	17001




## 2.2. GSM Spurious Emission at Antenna Terminals\_Part22-24(NTNV)(Channel:661)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-38.26	-13	Pass	401
0.15	30	0.01	Peak	0.15	-37.77	-13	Pass	2986
30	1000	0.1	Peak	899.8	-46.51	-13	Pass	9701
1000	3000	1	Peak	1880	29.32	-13	N/A	2001
3000	20000	1	Peak	19346	-39.59	-13	Pass	17001



### 2.3. GSM Spurious Emission at Antenna Terminals\_Part22-24(NTNV)(Channel:810)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-38.14	-13	Pass	401
0.15	30	0.01	Peak	0.15	-39.79	-13	Pass	2986
30	1000	0.1	Peak	882.3	-47.06	-13	Pass	9701
1000	3000	1	Peak	1910	29.25	-13	N/A	2001
3000	20000	1	Peak	19977	-38.88	-13	Pass	17001



### 3. EGPRS\_GSM850

#### 3.1. EGPRS Spurious Emission at Antenna Terminals\_Part22-24(NTNV)(Channel:128)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-31.74	-13	Pass	401
0.15	30	0.01	Peak	0.15	-32.51	-13	Pass	2986
30	500	0.1	Peak	474.9	-43	-13	Pass	4701
500	1000	0.1	Peak	824.2	28.71	-13	N/A	5001
1000	10000	1	Peak	7748	-40	-13	Pass	9001






### 3.2. EGPRS Spurious Emission at Antenna Terminals\_Part22-24(NTNV)(Channel:190)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-32	-13	Pass	401
0.15	30	0.01	Peak	0.15	-31.61	-13	Pass	2986
30	500	0.1	Peak	453.1	-42.98	-13	Pass	4701
500	1000	0.1	Peak	836.6	28.3	-13	N/A	5001
1000	10000	1	Peak	7763	-39.47	-13	Pass	9001



### 3.3. EGPRS Spurious Emission at Antenna Terminals\_Part22-24(NTNV)(Channel:251)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-32.69	-13	Pass	401
0.15	30	0.01	Peak	0.16	-33.78	-13	Pass	2986
30	500	0.1	Peak	484.5	-42.43	-13	Pass	4701
500	1000	0.1	Peak	848.8	28.69	-13	N/A	5001
1000	10000	1	Peak	9594	-39.86	-13	Pass	9001



## 4. EGPRS\_PCS


### 4.1. EGPRS Spurious Emission at Antenna Terminals\_Part22-24(NTNV)(Channel:512)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-36.97	-13	Pass	401
0.15	30	0.01	Peak	0.15	-39.84	-13	Pass	2986
30	1000	0.1	Peak	908.2	-47.07	-13	Pass	9701
1000	3000	1	Peak	1851	22.47	-13	N/A	2001
3000	20000	1	Peak	19931	-38.25	-13	Pass	17001




## 4.2. EGPRS Spurious Emission at Antenna Terminals\_Part22-24(NTNV)(Channel:661)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-39.85	-13	Pass	401
0.15	30	0.01	Peak	0.15	-39.86	-13	Pass	2986
30	1000	0.1	Peak	886.9	-46.54	-13	Pass	9701
1000	3000	1	Peak	1880	28.3	-13	N/A	2001
3000	20000	1	Peak	19773	-39.06	-13	Pass	17001



### 4.3. EGPRS Spurious Emission at Antenna Terminals\_Part22-24(NTNV)(Channel:810)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-37.25	-13	Pass	401
0.15	30	0.01	Peak	0.16	-38.67	-13	Pass	2986
30	1000	0.1	Peak	878.3	-46.85	-13	Pass	9701
1000	3000	1	Peak	1910	28.24	-13	N/A	2001
3000	20000	1	Peak	19997	-39.49	-13	Pass	17001



## 5. WCDMA\_Band4


### 5.1. WCDMA Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Channel:1312)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-42.64	-13	Pass	401
0.15	30	0.01	Peak	0.17	-43.42	-13	Pass	2986
30	1000	0.1	Peak	951.1	-51.27	-13	Pass	9701
1000	3000	1	Peak	1714	23.22	-13	N/A	2001
3000	20000	1	Peak	19752	-25.14	-13	Pass	17001




## 5.2. WCDMA Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Channel:1412)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-43.86	-13	Pass	401
0.15	30	0.01	Peak	0.15	-43.25	-13	Pass	2986
30	1000	0.1	Peak	902.6	-51.28	-13	Pass	9701
1000	3000	1	Peak	1731	23.3	-13	N/A	2001
3000	20000	1	Peak	19749	-25.57	-13	Pass	17001



### 5.3. WCDMA Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Channel:1513)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-42.07	-13	Pass	401
0.15	30	0.01	Peak	0.15	-42.58	-13	Pass	2986
30	1000	0.1	Peak	997.8	-50.6	-13	Pass	9701
1000	3000	1	Peak	1751	23.28	-13	N/A	2001
3000	20000	1	Peak	19998	-24.73	-13	Pass	17001






## 6. WCDMA\_Band5


### 6.1. WCDMA Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Channel:4132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-41.04	-13	Pass	401
0.15	30	0.01	Peak	0.15	-44.22	-13	Pass	2986
30	500	0.1	Peak	408.4	-52.91	-13	Pass	4701
500	1000	0.1	Peak	826.7	17.63	-13	N/A	5001
1000	10000	1	Peak	7799	-30.19	-13	Pass	9001




## 6.2. WCDMA Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Channel:4182)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-43.01	-13	Pass	401
0.15	30	0.01	Peak	0.15	-44.21	-13	Pass	2986
30	500	0.1	Peak	399.6	-52.64	-13	Pass	4701
500	1000	0.1	Peak	837.1	17.29	-13	N/A	5001
1000	10000	1	Peak	8118	-30.4	-13	Pass	9001



### 6.3. WCDMA Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Channel:4233)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-42.66	-13	Pass	401
0.15	30	0.01	Peak	0.15	-41.36	-13	Pass	2986
30	500	0.1	Peak	489.3	-52.72	-13	Pass	4701
500	1000	0.1	Peak	845.3	17.95	-13	N/A	5001
1000	10000	1	Peak	7712	-29.64	-13	Pass	9001



## 7. WCDMA\_Band2


### 7.1. WCDMA Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Channel:9262)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-42.98	-13	Pass	401
0.15	30	0.01	Peak	0.15	-40.87	-13	Pass	2986
30	1000	0.1	Peak	785.1	-51.03	-13	Pass	9701
1000	3000	1	Peak	1851	23.29	-13	N/A	2001
3000	20000	1	Peak	19988	-25	-13	Pass	17001




## 7.2. WCDMA Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Channel:9400)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-41.78	-13	Pass	401
0.15	30	0.01	Peak	0.15	-42.64	-13	Pass	2986
30	1000	0.1	Peak	971.9	-50.96	-13	Pass	9701
1000	3000	1	Peak	1879	23.32	-13	N/A	2001
3000	20000	1	Peak	19774	-25.42	-13	Pass	17001



### 7.3. WCDMA Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Channel:9538)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-42.51	-13	Pass	401
0.15	30	0.01	Peak	0.15	-44.23	-13	Pass	2986
30	1000	0.1	Peak	961.7	-50.8	-13	Pass	9701
1000	3000	1	Peak	1906	23.3	-13	N/A	2001
3000	20000	1	Peak	19709	-25.35	-13	Pass	17001



## 8. LTE\_Band2


### 8.1. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:1, Channel:18607, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.17	-13	Pass	401
0.15	30	0.01	RMS	0.15	-51.2	-13	Pass	2986
30	1000	0.1	RMS	940.4	-62.12	-13	Pass	9701
1000	1840	1	RMS	1840	-50.47	-13	Pass	841
1840	1920	1	RMS	1850.2	22.94	60	Pass	401
1920	3000	1	RMS	2653	-46.59	-13	Pass	1081
3000	12000	1	RMS	11978	-40.14	-13	Pass	9001
12000	20000	1	RMS	20000	-27.74	-13	Pass	8001



**8.2. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:2, Channel:18607, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.19	-13	Pass	401
0.15	30	0.01	RMS	0.15	-51.17	-13	Pass	2986
30	1000	0.1	RMS	928.1	-62.12	-13	Pass	9701
1000	1840	1	RMS	1837	-50.55	-13	Pass	841
1840	1920	1	RMS	1850.2	21.97	60	Pass	401
1920	3000	1	RMS	2654	-46.63	-13	Pass	1081
3000	12000	1	RMS	11936	-40.19	-13	Pass	9001
12000	20000	1	RMS	20000	-27.83	-13	Pass	8001






**8.3. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:3, Channel:18900, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.05	-13	Pass	401
0.15	30	0.01	RMS	0.15	-52.05	-13	Pass	2986
30	1000	0.1	RMS	904.2	-62.11	-13	Pass	9701
1000	1840	1	RMS	1840	-50.63	-13	Pass	841
1840	1920	1	RMS	1879.6	23	60	Pass	401
1920	3000	1	RMS	2645	-46.49	-13	Pass	1081
3000	12000	1	RMS	11948	-40.19	-13	Pass	9001
12000	20000	1	RMS	19997	-27.76	-13	Pass	8001




**8.4. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:4, Channel:18900, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.02	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.86	-13	Pass	2986
30	1000	0.1	RMS	927.6	-62.13	-13	Pass	9701
1000	1840	1	RMS	1838	-50.66	-13	Pass	841
1840	1920	1	RMS	1879.6	21.98	60	Pass	401
1920	3000	1	RMS	2650	-46.56	-13	Pass	1081
3000	12000	1	RMS	11960	-40.19	-13	Pass	9001
12000	20000	1	RMS	19998	-27.78	-13	Pass	8001




**8.5. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:5, Channel:19193, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.01	-13	Pass	401
0.15	30	0.01	RMS	0.15	-51.07	-13	Pass	2986
30	1000	0.1	RMS	925.7	-61.96	-13	Pass	9701
1000	1840	1	RMS	1834	-50.56	-13	Pass	841
1840	1920	1	RMS	1908.8	22.92	60	Pass	401
1920	3000	1	RMS	2651	-46.61	-13	Pass	1081
3000	12000	1	RMS	11947	-40.19	-13	Pass	9001
12000	20000	1	RMS	19999	-27.74	-13	Pass	8001




**8.6. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:6, Channel:19193, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.55	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.5	-13	Pass	2986
30	1000	0.1	RMS	908.7	-62.22	-13	Pass	9701
1000	1840	1	RMS	1834	-50.6	-13	Pass	841
1840	1920	1	RMS	1908.8	21.99	60	Pass	401
1920	3000	1	RMS	2653	-46.66	-13	Pass	1081
3000	12000	1	RMS	11939	-40.22	-13	Pass	9001
12000	20000	1	RMS	20000	-27.74	-13	Pass	8001




**8.7. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:7, Channel:18615, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.79	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.86	-13	Pass	2986
30	1000	0.1	RMS	941.3	-62.27	-13	Pass	9701
1000	1840	1	RMS	1840	-50.42	-13	Pass	841
1840	1920	1	RMS	1850.2	22.95	60	Pass	401
1920	3000	1	RMS	2649	-46.59	-13	Pass	1081
3000	12000	1	RMS	11852	-40.21	-13	Pass	9001
12000	20000	1	RMS	20000	-27.79	-13	Pass	8001




**8.8. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:8, Channel:18615, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-50.09	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.87	-13	Pass	2986
30	1000	0.1	RMS	938.8	-62.23	-13	Pass	9701
1000	1840	1	RMS	1840	-50.45	-13	Pass	841
1840	1920	1	RMS	1850.2	22.14	60	Pass	401
1920	3000	1	RMS	2649	-46.56	-13	Pass	1081
3000	12000	1	RMS	11952	-40.14	-13	Pass	9001
12000	20000	1	RMS	19999	-27.8	-13	Pass	8001



**8.9. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:9, Channel:18900, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.73	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.74	-13	Pass	2986
30	1000	0.1	RMS	953.9	-62.13	-13	Pass	9701
1000	1840	1	RMS	1837	-50.57	-13	Pass	841
1840	1920	1	RMS	1878.8	23.03	60	Pass	401
1920	3000	1	RMS	2656	-46.58	-13	Pass	1081
3000	12000	1	RMS	11952	-40.15	-13	Pass	9001
12000	20000	1	RMS	20000	-27.86	-13	Pass	8001



### 8.10. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:10, Channel:18900, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.23	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.53	-13	Pass	2986
30	1000	0.1	RMS	916	-62.12	-13	Pass	9701
1000	1840	1	RMS	1836	-50.62	-13	Pass	841
1840	1920	1	RMS	1878.8	22.04	60	Pass	401
1920	3000	1	RMS	2653	-46.64	-13	Pass	1081
3000	12000	1	RMS	11847	-40.19	-13	Pass	9001
12000	20000	1	RMS	19999	-27.83	-13	Pass	8001






### 8.11. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:11, Channel:19185, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.77	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.1	-13	Pass	2986
30	1000	0.1	RMS	944.3	-62.14	-13	Pass	9701
1000	1840	1	RMS	1838	-50.62	-13	Pass	841
1840	1920	1	RMS	1907.2	22.79	60	Pass	401
1920	3000	1	RMS	2647	-46.62	-13	Pass	1081
3000	12000	1	RMS	11930	-40.21	-13	Pass	9001
12000	20000	1	RMS	19996	-27.81	-13	Pass	8001



### 8.12. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:12, Channel:19185, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.24	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.78	-13	Pass	2986
30	1000	0.1	RMS	938.5	-62.13	-13	Pass	9701
1000	1840	1	RMS	1839	-50.63	-13	Pass	841
1840	1920	1	RMS	1907.2	22.1	60	Pass	401
1920	3000	1	RMS	2649	-46.65	-13	Pass	1081
3000	12000	1	RMS	11946	-40.15	-13	Pass	9001
12000	20000	1	RMS	19999	-27.8	-13	Pass	8001



### 8.13. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:13, Channel:18625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.24	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.89	-13	Pass	2986
30	1000	0.1	RMS	926.9	-62.15	-13	Pass	9701
1000	1840	1	RMS	1840	-50.17	-13	Pass	841
1840	1920	1	RMS	1850.4	22.86	60	Pass	401
1920	3000	1	RMS	2652	-46.62	-13	Pass	1081
3000	12000	1	RMS	11953	-40.14	-13	Pass	9001
12000	20000	1	RMS	19996	-27.8	-13	Pass	8001



### 8.14. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:14, Channel:18625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.07	-13	Pass	401
0.15	30	0.01	RMS	0.15	-51.64	-13	Pass	2986
30	1000	0.1	RMS	924	-62.25	-13	Pass	9701
1000	1840	1	RMS	1840	-50.25	-13	Pass	841
1840	1920	1	RMS	1850.4	21.93	60	Pass	401
1920	3000	1	RMS	2652	-46.6	-13	Pass	1081
3000	12000	1	RMS	11846	-40.12	-13	Pass	9001
12000	20000	1	RMS	19997	-27.83	-13	Pass	8001



### 8.15. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:15, Channel:18900, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.99	-13	Pass	401
0.15	30	0.01	RMS	0.15	-51.15	-13	Pass	2986
30	1000	0.1	RMS	917.3	-62	-13	Pass	9701
1000	1840	1	RMS	1840	-50.62	-13	Pass	841
1840	1920	1	RMS	1877.8	22.94	60	Pass	401
1920	3000	1	RMS	2649	-46.59	-13	Pass	1081
3000	12000	1	RMS	11946	-40.2	-13	Pass	9001
12000	20000	1	RMS	19999	-27.69	-13	Pass	8001



### 8.16. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:16, Channel:18900, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.3	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.89	-13	Pass	2986
30	1000	0.1	RMS	930.5	-62.17	-13	Pass	9701
1000	1840	1	RMS	1838	-50.62	-13	Pass	841
1840	1920	1	RMS	1877.8	22.11	60	Pass	401
1920	3000	1	RMS	2653	-46.62	-13	Pass	1081
3000	12000	1	RMS	11928	-40.17	-13	Pass	9001
12000	20000	1	RMS	19999	-27.84	-13	Pass	8001



### 8.17. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:17, Channel:19175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.38	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.7	-13	Pass	2986
30	1000	0.1	RMS	979.6	-62.14	-13	Pass	9701
1000	1840	1	RMS	1838	-50.64	-13	Pass	841
1840	1920	1	RMS	1905.4	22.8	60	Pass	401
1920	3000	1	RMS	3000	-46.67	-13	Pass	1081
3000	12000	1	RMS	11923	-40.16	-13	Pass	9001
12000	20000	1	RMS	19999	-27.75	-13	Pass	8001



### 8.18. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:18, Channel:19175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.86	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.17	-13	Pass	2986
30	1000	0.1	RMS	922.3	-62.22	-13	Pass	9701
1000	1840	1	RMS	1840	-50.6	-13	Pass	841
1840	1920	1	RMS	1905.4	22	60	Pass	401
1920	3000	1	RMS	2651	-46.55	-13	Pass	1081
3000	12000	1	RMS	11856	-40.2	-13	Pass	9001
12000	20000	1	RMS	19999	-27.72	-13	Pass	8001






### 8.19. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:19, Channel:18650, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.98	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.44	-13	Pass	2986
30	1000	0.1	RMS	894.8	-62.25	-13	Pass	9701
1000	1840	1	RMS	1833	-40.25	-13	Pass	841
1840	1920	1	RMS	1850.6	22.98	60	Pass	401
1920	3000	1	RMS	2654	-46.62	-13	Pass	1081
3000	12000	1	RMS	11949	-40.13	-13	Pass	9001
12000	20000	1	RMS	20000	-27.8	-13	Pass	8001



### 8.20. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:20, Channel:18650, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.81	-13	Pass	401
0.15	30	0.01	RMS	0.15	-51.42	-13	Pass	2986
30	1000	0.1	RMS	907.5	-62.11	-13	Pass	9701
1000	1840	1	RMS	1833	-42.08	-13	Pass	841
1840	1920	1	RMS	1850.6	22.08	60	Pass	401
1920	3000	1	RMS	2647	-46.64	-13	Pass	1081
3000	12000	1	RMS	11953	-40.19	-13	Pass	9001
12000	20000	1	RMS	20000	-27.79	-13	Pass	8001



### 8.21. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:21, Channel:18900, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.07	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.95	-13	Pass	2986
30	1000	0.1	RMS	925.3	-62.22	-13	Pass	9701
1000	1840	1	RMS	1840	-50.56	-13	Pass	841
1840	1920	1	RMS	1875.6	23.05	60	Pass	401
1920	3000	1	RMS	2647	-46.62	-13	Pass	1081
3000	12000	1	RMS	11960	-40.19	-13	Pass	9001
12000	20000	1	RMS	19996	-27.81	-13	Pass	8001



### 8.22. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:22, Channel:18900, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.22	-13	Pass	401
0.15	30	0.01	RMS	0.15	-51.14	-13	Pass	2986
30	1000	0.1	RMS	938.4	-62.25	-13	Pass	9701
1000	1840	1	RMS	1840	-50.62	-13	Pass	841
1840	1920	1	RMS	1875.6	22.06	60	Pass	401
1920	3000	1	RMS	2651	-46.61	-13	Pass	1081
3000	12000	1	RMS	11945	-40.2	-13	Pass	9001
12000	20000	1	RMS	19999	-27.75	-13	Pass	8001



### 8.23. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:23, Channel:19150, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.73	-13	Pass	401
0.15	30	0.01	RMS	0.15	-51.42	-13	Pass	2986
30	1000	0.1	RMS	945.7	-62.17	-13	Pass	9701
1000	1840	1	RMS	1840	-50.58	-13	Pass	841
1840	1920	1	RMS	1900.6	22.96	60	Pass	401
1920	3000	1	RMS	2650	-46.59	-13	Pass	1081
3000	12000	1	RMS	11845	-40.21	-13	Pass	9001
12000	20000	1	RMS	20000	-27.81	-13	Pass	8001



### 8.24. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:24, Channel:19150, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.74	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.66	-13	Pass	2986
30	1000	0.1	RMS	945.5	-62.24	-13	Pass	9701
1000	1840	1	RMS	1837	-50.66	-13	Pass	841
1840	1920	1	RMS	1900.6	22.01	60	Pass	401
1920	3000	1	RMS	2655	-46.61	-13	Pass	1081
3000	12000	1	RMS	11945	-40.16	-13	Pass	9001
12000	20000	1	RMS	20000	-27.83	-13	Pass	8001



### 8.25. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:25, Channel:18675, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.46	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.78	-13	Pass	2986
30	1000	0.1	RMS	934.9	-62.18	-13	Pass	9701
1000	1840	1	RMS	1838	-46.4	-13	Pass	841
1840	1920	1	RMS	1850.8	22.91	60	Pass	401
1920	3000	1	RMS	2650	-46.64	-13	Pass	1081
3000	12000	1	RMS	11946	-40.18	-13	Pass	9001
12000	20000	1	RMS	20000	-27.75	-13	Pass	8001



### 8.26. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:26, Channel:18675, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-50.18	-13	Pass	401
0.15	30	0.01	RMS	0.15	-51.19	-13	Pass	2986
30	1000	0.1	RMS	926	-62.06	-13	Pass	9701
1000	1840	1	RMS	1838	-46.72	-13	Pass	841
1840	1920	1	RMS	1850.8	22.03	60	Pass	401
1920	3000	1	RMS	2659	-46.57	-13	Pass	1081
3000	12000	1	RMS	11958	-40.2	-13	Pass	9001
12000	20000	1	RMS	19999	-27.84	-13	Pass	8001






### 8.27. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:27, Channel:18900, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.97	-13	Pass	401
0.15	30	0.01	RMS	0.16	-51.15	-13	Pass	2986
30	1000	0.1	RMS	931.5	-62.14	-13	Pass	9701
1000	1840	1	RMS	1839	-50.59	-13	Pass	841
1840	1920	1	RMS	1873.4	22.95	60	Pass	401
1920	3000	1	RMS	2640	-46.64	-13	Pass	1081
3000	12000	1	RMS	11853	-40.21	-13	Pass	9001
12000	20000	1	RMS	19998	-27.86	-13	Pass	8001



### 8.28. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:28, Channel:18900, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.02	-13	Pass	401
0.15	30	0.01	RMS	0.16	-51.15	-13	Pass	2986
30	1000	0.1	RMS	947.3	-62.23	-13	Pass	9701
1000	1840	1	RMS	1840	-50.66	-13	Pass	841
1840	1920	1	RMS	1873.4	21.93	60	Pass	401
1920	3000	1	RMS	2650	-46.62	-13	Pass	1081
3000	12000	1	RMS	11955	-40.18	-13	Pass	9001
12000	20000	1	RMS	19997	-27.75	-13	Pass	8001



### 8.29. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:29, Channel:19125, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.2	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.34	-13	Pass	2986
30	1000	0.1	RMS	886.1	-62.27	-13	Pass	9701
1000	1840	1	RMS	1833	-50.63	-13	Pass	841
1840	1920	1	RMS	1895.8	22.86	60	Pass	401
1920	3000	1	RMS	2657	-46.63	-13	Pass	1081
3000	12000	1	RMS	11928	-40.18	-13	Pass	9001
12000	20000	1	RMS	19999	-27.83	-13	Pass	8001



### 8.30. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:30, Channel:19125, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.08	-13	Pass	401
0.15	30	0.01	RMS	0.15	-51.13	-13	Pass	2986
30	1000	0.1	RMS	908.3	-62.22	-13	Pass	9701
1000	1840	1	RMS	1834	-50.62	-13	Pass	841
1840	1920	1	RMS	1895.8	22.02	60	Pass	401
1920	3000	1	RMS	2650	-46.6	-13	Pass	1081
3000	12000	1	RMS	11950	-40.2	-13	Pass	9001
12000	20000	1	RMS	19997	-27.77	-13	Pass	8001



### 8.31. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:31, Channel:18700, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.95	-13	Pass	401
0.15	30	0.01	RMS	0.15	-51.18	-13	Pass	2986
30	1000	0.1	RMS	972.9	-62.02	-13	Pass	9701
1000	1840	1	RMS	1840	-47.54	-13	Pass	841
1840	1920	1	RMS	1851	22.75	60	Pass	401
1920	3000	1	RMS	2646	-46.65	-13	Pass	1081
3000	12000	1	RMS	11940	-40.24	-13	Pass	9001
12000	20000	1	RMS	20000	-27.84	-13	Pass	8001



### 8.32. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:32, Channel:18700, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.96	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.81	-13	Pass	2986
30	1000	0.1	RMS	917.8	-62.13	-13	Pass	9701
1000	1840	1	RMS	1840	-47.78	-13	Pass	841
1840	1920	1	RMS	1851	21.91	60	Pass	401
1920	3000	1	RMS	2644	-46.62	-13	Pass	1081
3000	12000	1	RMS	11937	-40.19	-13	Pass	9001
12000	20000	1	RMS	20000	-27.75	-13	Pass	8001



### 8.33. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:33, Channel:18900, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.23	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.02	-13	Pass	2986
30	1000	0.1	RMS	897.5	-62.3	-13	Pass	9701
1000	1840	1	RMS	1835	-41.26	-13	Pass	841
1840	1920	1	RMS	1871	22.83	60	Pass	401
1920	3000	1	RMS	2655	-46.6	-13	Pass	1081
3000	12000	1	RMS	11973	-40.14	-13	Pass	9001
12000	20000	1	RMS	19998	-27.72	-13	Pass	8001



### 8.34. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:34, Channel:18900, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.18	-13	Pass	401
0.15	30	0.01	RMS	0.15	-51.89	-13	Pass	2986
30	1000	0.1	RMS	937.2	-62.27	-13	Pass	9701
1000	1840	1	RMS	1835	-44.29	-13	Pass	841
1840	1920	1	RMS	1871	21.84	60	Pass	401
1920	3000	1	RMS	2647	-46.58	-13	Pass	1081
3000	12000	1	RMS	11952	-40.2	-13	Pass	9001
12000	20000	1	RMS	19999	-27.76	-13	Pass	8001






### 8.35. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:35, Channel:19100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.41	-13	Pass	401
0.15	30	0.01	RMS	0.15	-51.06	-13	Pass	2986
30	1000	0.1	RMS	923.6	-62.16	-13	Pass	9701
1000	1840	1	RMS	1839	-50.62	-13	Pass	841
1840	1920	1	RMS	1891	22.75	60	Pass	401
1920	3000	1	RMS	2647	-46.66	-13	Pass	1081
3000	12000	1	RMS	11849	-40.15	-13	Pass	9001
12000	20000	1	RMS	20000	-27.78	-13	Pass	8001



### 8.36. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:36, Channel:19100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.29	-13	Pass	401
0.15	30	0.01	RMS	0.15	-51.21	-13	Pass	2986
30	1000	0.1	RMS	901.8	-62.09	-13	Pass	9701
1000	1840	1	RMS	1838	-50.64	-13	Pass	841
1840	1920	1	RMS	1891.2	21.74	60	Pass	401
1920	3000	1	RMS	2650	-46.62	-13	Pass	1081
3000	12000	1	RMS	11952	-40.17	-13	Pass	9001
12000	20000	1	RMS	20000	-27.75	-13	Pass	8001



## 9. LTE\_Band4


### 9.1. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:1, Channel:19957, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-49.84	-13	Pass	401
0.15	30	0.01	RMS	0.16	-51.62	-13	Pass	2986
30	1000	0.1	RMS	885.5	-62.17	-13	Pass	9701
1000	1700	1	RMS	1700	-51.14	-13	Pass	701
1700	1765	1	RMS	1710.238	22.4	60	Pass	401
1765	3000	1	RMS	2656	-46.59	-13	Pass	1236
3000	12000	1	RMS	11974	-40.15	-13	Pass	9001
12000	20000	1	RMS	19999	-27.78	-13	Pass	8001




**9.2. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:2, Channel:19957, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-50.21	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.33	-13	Pass	2986
30	1000	0.1	RMS	940	-62.14	-13	Pass	9701
1000	1700	1	RMS	1700	-51.12	-13	Pass	701
1700	1765	1	RMS	1710.238	21.63	60	Pass	401
1765	3000	1	RMS	2651	-46.63	-13	Pass	1236
3000	12000	1	RMS	11957	-40.2	-13	Pass	9001
12000	20000	1	RMS	20000	-27.8	-13	Pass	8001




**9.3. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:3, Channel:20175, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.91	-13	Pass	401
0.15	30	0.01	RMS	0.16	-51.34	-13	Pass	2986
30	1000	0.1	RMS	934.3	-62.14	-13	Pass	9701
1000	1700	1	RMS	1700	-51.22	-13	Pass	701
1700	1765	1	RMS	1732.013	22.74	60	Pass	401
1765	3000	1	RMS	2644	-46.61	-13	Pass	1236
3000	12000	1	RMS	11860	-40.11	-13	Pass	9001
12000	20000	1	RMS	20000	-27.85	-13	Pass	8001




**9.4. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:4, Channel:20175, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.45	-13	Pass	401
0.15	30	0.01	RMS	0.16	-51.66	-13	Pass	2986
30	1000	0.1	RMS	931.2	-62.2	-13	Pass	9701
1000	1700	1	RMS	1699	-51.23	-13	Pass	701
1700	1765	1	RMS	1732.013	21.82	60	Pass	401
1765	3000	1	RMS	2660	-46.56	-13	Pass	1236
3000	12000	1	RMS	11959	-40.17	-13	Pass	9001
12000	20000	1	RMS	19998	-27.86	-13	Pass	8001




**9.5. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:5, Channel:20393, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.44	-13	Pass	401
0.15	30	0.01	RMS	0.15	-51.44	-13	Pass	2986
30	1000	0.1	RMS	910	-62.19	-13	Pass	9701
1000	1700	1	RMS	1693	-51.22	-13	Pass	701
1700	1765	1	RMS	1753.788	22.83	60	Pass	401
1765	3000	1	RMS	2662	-46.62	-13	Pass	1236
3000	12000	1	RMS	11951	-40.19	-13	Pass	9001
12000	20000	1	RMS	19999	-27.85	-13	Pass	8001



**9.6. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:6, Channel:20393, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.65	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.53	-13	Pass	2986
30	1000	0.1	RMS	937.8	-62.15	-13	Pass	9701
1000	1700	1	RMS	1585	-51.22	-13	Pass	701
1700	1765	1	RMS	1753.788	21.83	60	Pass	401
1765	3000	1	RMS	2650	-46.66	-13	Pass	1236
3000	12000	1	RMS	11953	-40.15	-13	Pass	9001
12000	20000	1	RMS	19994	-27.87	-13	Pass	8001






**9.7. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:7, Channel:19965, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.12	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.52	-13	Pass	2986
30	1000	0.1	RMS	922.7	-62.22	-13	Pass	9701
1000	1700	1	RMS	1700	-51.06	-13	Pass	701
1700	1765	1	RMS	1710.238	22.54	60	Pass	401
1765	3000	1	RMS	2658	-46.52	-13	Pass	1236
3000	12000	1	RMS	11949	-40.15	-13	Pass	9001
12000	20000	1	RMS	19997	-27.85	-13	Pass	8001




**9.8. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:8, Channel:19965, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.2	-13	Pass	401
0.15	30	0.01	RMS	0.15	-51.6	-13	Pass	2986
30	1000	0.1	RMS	928.5	-62.24	-13	Pass	9701
1000	1700	1	RMS	1699	-51.09	-13	Pass	701
1700	1765	1	RMS	1710.238	21.87	60	Pass	401
1765	3000	1	RMS	2653	-46.61	-13	Pass	1236
3000	12000	1	RMS	11912	-40.17	-13	Pass	9001
12000	20000	1	RMS	19993	-27.82	-13	Pass	8001



**9.9. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:9, Channel:20175, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.23	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.81	-13	Pass	2986
30	1000	0.1	RMS	918.5	-62.23	-13	Pass	9701
1000	1700	1	RMS	1659	-51.24	-13	Pass	701
1700	1765	1	RMS	1731.2	22.7	60	Pass	401
1765	3000	1	RMS	2659	-46.59	-13	Pass	1236
3000	12000	1	RMS	11936	-40.18	-13	Pass	9001
12000	20000	1	RMS	20000	-27.79	-13	Pass	8001



### 9.10. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:10, Channel:20175, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.75	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.31	-13	Pass	2986
30	1000	0.1	RMS	929.7	-62.14	-13	Pass	9701
1000	1700	1	RMS	1694	-51.24	-13	Pass	701
1700	1765	1	RMS	1731.2	21.88	60	Pass	401
1765	3000	1	RMS	2652	-46.61	-13	Pass	1236
3000	12000	1	RMS	11949	-40.12	-13	Pass	9001
12000	20000	1	RMS	19999	-27.82	-13	Pass	8001



### 9.11. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:11, Channel:20385, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.88	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.58	-13	Pass	2986
30	1000	0.1	RMS	935.1	-62.19	-13	Pass	9701
1000	1700	1	RMS	1700	-51.09	-13	Pass	701
1700	1765	1	RMS	1752.163	22.86	60	Pass	401
1765	3000	1	RMS	2642	-46.58	-13	Pass	1236
3000	12000	1	RMS	11858	-40.21	-13	Pass	9001
12000	20000	1	RMS	19998	-27.86	-13	Pass	8001



### 9.12. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:12, Channel:20385, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.49	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.77	-13	Pass	2986
30	1000	0.1	RMS	923.9	-62.17	-13	Pass	9701
1000	1700	1	RMS	1697	-51.25	-13	Pass	701
1700	1765	1	RMS	1752.163	21.85	60	Pass	401
1765	3000	1	RMS	2650	-46.65	-13	Pass	1236
3000	12000	1	RMS	11963	-40.16	-13	Pass	9001
12000	20000	1	RMS	20000	-27.77	-13	Pass	8001



### 9.13. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:13, Channel:19975, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48	-13	Pass	401
0.15	30	0.01	RMS	0.15	-51.99	-13	Pass	2986
30	1000	0.1	RMS	931.9	-62.16	-13	Pass	9701
1000	1700	1	RMS	1700	-50.65	-13	Pass	701
1700	1765	1	RMS	1710.4	22.94	60	Pass	401
1765	3000	1	RMS	2662	-46.62	-13	Pass	1236
3000	12000	1	RMS	11926	-40.2	-13	Pass	9001
12000	20000	1	RMS	20000	-27.7	-13	Pass	8001



### 9.14. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:14, Channel:19975, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-47.85	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.7	-13	Pass	2986
30	1000	0.1	RMS	945	-62.2	-13	Pass	9701
1000	1700	1	RMS	1700	-50.85	-13	Pass	701
1700	1765	1	RMS	1710.4	22.16	60	Pass	401
1765	3000	1	RMS	2650	-46.62	-13	Pass	1236
3000	12000	1	RMS	11942	-40.18	-13	Pass	9001
12000	20000	1	RMS	19995	-27.79	-13	Pass	8001






### 9.15. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:15, Channel:20175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.41	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.85	-13	Pass	2986
30	1000	0.1	RMS	928	-62.25	-13	Pass	9701
1000	1700	1	RMS	1700	-50.75	-13	Pass	701
1700	1765	1	RMS	1730.388	22.95	60	Pass	401
1765	3000	1	RMS	2651	-46.63	-13	Pass	1236
3000	12000	1	RMS	11852	-40.17	-13	Pass	9001
12000	20000	1	RMS	19998	-27.7	-13	Pass	8001



### 9.16. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:16, Channel:20175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.31	-13	Pass	401
0.15	30	0.01	RMS	0.16	-51.11	-13	Pass	2986
30	1000	0.1	RMS	947.2	-62.17	-13	Pass	9701
1000	1700	1	RMS	1607	-51.23	-13	Pass	701
1700	1765	1	RMS	1730.388	22.01	60	Pass	401
1765	3000	1	RMS	2654	-46.63	-13	Pass	1236
3000	12000	1	RMS	11854	-40.18	-13	Pass	9001
12000	20000	1	RMS	19998	-27.96	-13	Pass	8001



### 9.17. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:17, Channel:20375, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.39	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.21	-13	Pass	2986
30	1000	0.1	RMS	920.4	-62.17	-13	Pass	9701
1000	1700	1	RMS	1687	-51.23	-13	Pass	701
1700	1765	1	RMS	1750.375	22.97	60	Pass	401
1765	3000	1	RMS	2653	-46.61	-13	Pass	1236
3000	12000	1	RMS	11921	-40.23	-13	Pass	9001
12000	20000	1	RMS	19996	-27.8	-13	Pass	8001



### 9.18. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:18, Channel:20375, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.06	-13	Pass	401
0.15	30	0.01	RMS	0.15	-51.55	-13	Pass	2986
30	1000	0.1	RMS	920.8	-62.19	-13	Pass	9701
1000	1700	1	RMS	1651	-51.24	-13	Pass	701
1700	1765	1	RMS	1750.375	22.07	60	Pass	401
1765	3000	1	RMS	2658	-46.6	-13	Pass	1236
3000	12000	1	RMS	11943	-40.22	-13	Pass	9001
12000	20000	1	RMS	20000	-27.71	-13	Pass	8001



### 9.19. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:19, Channel:20000, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.83	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.48	-13	Pass	2986
30	1000	0.1	RMS	939.1	-62.19	-13	Pass	9701
1000	1700	1	RMS	1693	-49.24	-13	Pass	701
1700	1765	1	RMS	1710.563	23.03	60	Pass	401
1765	3000	1	RMS	2650	-46.62	-13	Pass	1236
3000	12000	1	RMS	11925	-40.23	-13	Pass	9001
12000	20000	1	RMS	19995	-27.88	-13	Pass	8001



### 9.20. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:20, Channel:20000, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.84	-13	Pass	401
0.15	30	0.01	RMS	0.15	-51.03	-13	Pass	2986
30	1000	0.1	RMS	915.7	-62.2	-13	Pass	9701
1000	1700	1	RMS	1693	-50.03	-13	Pass	701
1700	1765	1	RMS	1710.563	22.21	60	Pass	401
1765	3000	1	RMS	2649	-46.6	-13	Pass	1236
3000	12000	1	RMS	11938	-40.21	-13	Pass	9001
12000	20000	1	RMS	20000	-27.86	-13	Pass	8001



### 9.21. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:21, Channel:20175, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.1	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.68	-13	Pass	2986
30	1000	0.1	RMS	930.4	-62.12	-13	Pass	9701
1000	1700	1	RMS	1699	-51.21	-13	Pass	701
1700	1765	1	RMS	1728.113	23.04	60	Pass	401
1765	3000	1	RMS	2652	-46.58	-13	Pass	1236
3000	12000	1	RMS	11945	-40.22	-13	Pass	9001
12000	20000	1	RMS	19997	-27.88	-13	Pass	8001



### 9.22. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:22, Channel:20175, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.85	-13	Pass	401
0.15	30	0.01	RMS	0.15	-51.14	-13	Pass	2986
30	1000	0.1	RMS	934.5	-62.25	-13	Pass	9701
1000	1700	1	RMS	1611	-51.21	-13	Pass	701
1700	1765	1	RMS	1728.113	22.11	60	Pass	401
1765	3000	1	RMS	2649	-46.59	-13	Pass	1236
3000	12000	1	RMS	11927	-40.22	-13	Pass	9001
12000	20000	1	RMS	20000	-27.84	-13	Pass	8001






### 9.23. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:23, Channel:20350, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.98	-13	Pass	401
0.15	30	0.01	RMS	0.15	-51.38	-13	Pass	2986
30	1000	0.1	RMS	928.3	-61.99	-13	Pass	9701
1000	1700	1	RMS	1662	-51.18	-13	Pass	701
1700	1765	1	RMS	1745.663	22.95	60	Pass	401
1765	3000	1	RMS	2652	-46.59	-13	Pass	1236
3000	12000	1	RMS	11952	-40.21	-13	Pass	9001
12000	20000	1	RMS	19997	-27.86	-13	Pass	8001



### 9.24. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:24, Channel:20350, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.36	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.61	-13	Pass	2986
30	1000	0.1	RMS	911.9	-62.23	-13	Pass	9701
1000	1700	1	RMS	1686	-51.21	-13	Pass	701
1700	1765	1	RMS	1745.663	22.05	60	Pass	401
1765	3000	1	RMS	2648	-46.64	-13	Pass	1236
3000	12000	1	RMS	11980	-40.21	-13	Pass	9001
12000	20000	1	RMS	19999	-27.83	-13	Pass	8001



### 9.25. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:25, Channel:20025, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-49.45	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.71	-13	Pass	2986
30	1000	0.1	RMS	929.5	-62.13	-13	Pass	9701
1000	1700	1	RMS	1698	-47.7	-13	Pass	701
1700	1765	1	RMS	1710.888	22.98	60	Pass	401
1765	3000	1	RMS	2651	-46.6	-13	Pass	1236
3000	12000	1	RMS	11856	-40.22	-13	Pass	9001
12000	20000	1	RMS	20000	-27.8	-13	Pass	8001



### 9.26. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:26, Channel:20025, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.43	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.63	-13	Pass	2986
30	1000	0.1	RMS	924.3	-62.08	-13	Pass	9701
1000	1700	1	RMS	1698	-48.05	-13	Pass	701
1700	1765	1	RMS	1710.888	22.14	60	Pass	401
1765	3000	1	RMS	2648	-46.66	-13	Pass	1236
3000	12000	1	RMS	11953	-40.16	-13	Pass	9001
12000	20000	1	RMS	19998	-27.84	-13	Pass	8001



### 9.27. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:27, Channel:20175, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.54	-13	Pass	401
0.15	30	0.01	RMS	0.15	-51.57	-13	Pass	2986
30	1000	0.1	RMS	891.8	-62.16	-13	Pass	9701
1000	1700	1	RMS	1699	-39.09	-13	Pass	701
1700	1765	1	RMS	1725.838	22.99	60	Pass	401
1765	3000	1	RMS	2651	-46.65	-13	Pass	1236
3000	12000	1	RMS	11957	-40.21	-13	Pass	9001
12000	20000	1	RMS	20000	-27.74	-13	Pass	8001



### 9.28. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:28, Channel:20175, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.37	-13	Pass	401
0.15	30	0.01	RMS	0.16	-51.37	-13	Pass	2986
30	1000	0.1	RMS	899.6	-62.16	-13	Pass	9701
1000	1700	1	RMS	1699	-40.94	-13	Pass	701
1700	1765	1	RMS	1725.838	22.07	60	Pass	401
1765	3000	1	RMS	2649	-46.64	-13	Pass	1236
3000	12000	1	RMS	11959	-40.16	-13	Pass	9001
12000	20000	1	RMS	19993	-27.87	-13	Pass	8001



### 9.29. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:29, Channel:20325, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.37	-13	Pass	401
0.15	30	0.01	RMS	0.15	-51.46	-13	Pass	2986
30	1000	0.1	RMS	931.3	-62.14	-13	Pass	9701
1000	1700	1	RMS	1587	-51.2	-13	Pass	701
1700	1765	1	RMS	1740.788	22.93	60	Pass	401
1765	3000	1	RMS	1767	-26.51	-13	Pass	1236
3000	12000	1	RMS	11951	-40.22	-13	Pass	9001
12000	20000	1	RMS	20000	-27.76	-13	Pass	8001



### 9.30. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:30, Channel:20325, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.69	-13	Pass	401
0.15	30	0.01	RMS	0.16	-51.6	-13	Pass	2986
30	1000	0.1	RMS	970.9	-62.25	-13	Pass	9701
1000	1700	1	RMS	1700	-51.09	-13	Pass	701
1700	1765	1	RMS	1740.788	22.14	60	Pass	401
1765	3000	1	RMS	1767	-26.96	-13	Pass	1236
3000	12000	1	RMS	11974	-40.15	-13	Pass	9001
12000	20000	1	RMS	19996	-27.68	-13	Pass	8001






### 9.31. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:31, Channel:20050, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.32	-13	Pass	401
0.15	30	0.01	RMS	0.16	-50.54	-13	Pass	2986
30	1000	0.1	RMS	922.9	-62.01	-13	Pass	9701
1000	1700	1	RMS	1700	-48.51	-13	Pass	701
1700	1765	1	RMS	1711.05	22.78	60	Pass	401
1765	3000	1	RMS	2652	-46.52	-13	Pass	1236
3000	12000	1	RMS	11953	-40.12	-13	Pass	9001
12000	20000	1	RMS	19992	-27.76	-13	Pass	8001



### 9.32. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:32, Channel:20050, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.08	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.38	-13	Pass	2986
30	1000	0.1	RMS	920.3	-62.09	-13	Pass	9701
1000	1700	1	RMS	1700	-48.73	-13	Pass	701
1700	1765	1	RMS	1711.05	22.06	60	Pass	401
1765	3000	1	RMS	2658	-46.51	-13	Pass	1236
3000	12000	1	RMS	11863	-40.16	-13	Pass	9001
12000	20000	1	RMS	19998	-27.72	-13	Pass	8001



### 9.33. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:33, Channel:20175, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.81	-13	Pass	401
0.15	30	0.01	RMS	0.16	-50.87	-13	Pass	2986
30	1000	0.1	RMS	878.4	-61.97	-13	Pass	9701
1000	1700	1	RMS	1688	-51.02	-13	Pass	701
1700	1765	1	RMS	1723.563	22.88	60	Pass	401
1765	3000	1	RMS	2652	-46.59	-13	Pass	1236
3000	12000	1	RMS	11959	-40.14	-13	Pass	9001
12000	20000	1	RMS	19997	-27.79	-13	Pass	8001



### 9.34. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:34, Channel:20175, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.13	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.85	-13	Pass	2986
30	1000	0.1	RMS	912.4	-62.13	-13	Pass	9701
1000	1700	1	RMS	1700	-51.07	-13	Pass	701
1700	1765	1	RMS	1723.563	21.98	60	Pass	401
1765	3000	1	RMS	2650	-46.56	-13	Pass	1236
3000	12000	1	RMS	11963	-40.1	-13	Pass	9001
12000	20000	1	RMS	20000	-27.71	-13	Pass	8001



### 9.35. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:35, Channel:20300, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.49	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.9	-13	Pass	2986
30	1000	0.1	RMS	898.5	-62.2	-13	Pass	9701
1000	1700	1	RMS	1700	-42.32	-13	Pass	701
1700	1765	1	RMS	1736.075	22.93	60	Pass	401
1765	3000	1	RMS	1772	-26.4	-13	Pass	1236
3000	12000	1	RMS	11950	-40.12	-13	Pass	9001
12000	20000	1	RMS	19999	-27.66	-13	Pass	8001



### 2.36. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:36, Channel:20300, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.37	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.97	-13	Pass	2986
30	1000	0.1	RMS	909.9	-62.08	-13	Pass	9701
1000	1700	1	RMS	1700	-43.72	-13	Pass	701
1700	1765	1	RMS	1736.075	21.95	60	Pass	401
1765	3000	1	RMS	1772	-28.12	-13	Pass	1236
3000	12000	1	RMS	11917	-40.12	-13	Pass	9001
12000	20000	1	RMS	20000	-27.7	-13	Pass	8001



## 10. LTE\_Band5


### 10.1. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:1, Channel:20407, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.5	-13	Pass	401
0.15	30	0.01	RMS	0.15	-51.8	-13	Pass	2986
30	814	0.1	RMS	812.2	-62.33	-13	Pass	7841
814	860	0.1	RMS	824.3	19.9	60	Pass	461
860	1000	0.1	RMS	934.2	-62.45	-13	Pass	1401
1000	3000	1	RMS	2650	-46.57	-13	Pass	2001
3000	10000	1	RMS	7743	-41.85	-13	Pass	7001



**10.2. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:2, Channel:20407, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.49	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.88	-13	Pass	2986
30	814	0.1	RMS	806.1	-62.39	-13	Pass	7841
814	860	0.1	RMS	824.3	18.95	60	Pass	461
860	1000	0.1	RMS	915.8	-62.36	-13	Pass	1401
1000	3000	1	RMS	2652	-46.56	-13	Pass	2001
3000	10000	1	RMS	7735	-41.85	-13	Pass	7001






**10.3. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:3, Channel:20525, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.02	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.5	-13	Pass	2986
30	814	0.1	RMS	777.8	-62.34	-13	Pass	7841
814	860	0.1	RMS	836.1	20	60	Pass	461
860	1000	0.1	RMS	886.2	-62.43	-13	Pass	1401
1000	3000	1	RMS	2657	-46.58	-13	Pass	2001
3000	10000	1	RMS	7722	-41.82	-13	Pass	7001




**10.4. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:4, Channel:20525, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.38	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.91	-13	Pass	2986
30	814	0.1	RMS	812.4	-62.39	-13	Pass	7841
814	860	0.1	RMS	836.1	19.03	60	Pass	461
860	1000	0.1	RMS	933.6	-62.45	-13	Pass	1401
1000	3000	1	RMS	2656	-46.6	-13	Pass	2001
3000	10000	1	RMS	7753	-41.88	-13	Pass	7001




**10.5. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:5, Channel:20643, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.47	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.79	-13	Pass	2986
30	814	0.1	RMS	790.3	-62.48	-13	Pass	7841
814	860	0.1	RMS	847.8	19.96	60	Pass	461
860	1000	0.1	RMS	924.4	-62.39	-13	Pass	1401
1000	3000	1	RMS	2650	-46.56	-13	Pass	2001
3000	10000	1	RMS	7732	-41.82	-13	Pass	7001




**10.6. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:6, Channel:20643, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-50.03	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.52	-13	Pass	2986
30	814	0.1	RMS	801.3	-62.37	-13	Pass	7841
814	860	0.1	RMS	847.9	19.12	60	Pass	461
860	1000	0.1	RMS	941.2	-62.51	-13	Pass	1401
1000	3000	1	RMS	2650	-46.57	-13	Pass	2001
3000	10000	1	RMS	7739	-41.86	-13	Pass	7001




**10.7. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:7, Channel:20415, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49	-13	Pass	401
0.15	30	0.01	RMS	0.15	-51.44	-13	Pass	2986
30	814	0.1	RMS	813.2	-62.02	-13	Pass	7841
814	860	0.1	RMS	824.2	20.13	60	Pass	461
860	1000	0.1	RMS	989.6	-62.37	-13	Pass	1401
1000	3000	1	RMS	2655	-46.6	-13	Pass	2001
3000	10000	1	RMS	7733	-41.8	-13	Pass	7001




**10.8. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:8, Channel:20415, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.89	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.48	-13	Pass	2986
30	814	0.1	RMS	812.3	-61.97	-13	Pass	7841
814	860	0.1	RMS	824.2	19.32	60	Pass	461
860	1000	0.1	RMS	925.2	-62.43	-13	Pass	1401
1000	3000	1	RMS	2653	-46.61	-13	Pass	2001
3000	10000	1	RMS	7735	-41.8	-13	Pass	7001



**10.9. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:9, Channel:20525, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-50	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.75	-13	Pass	2986
30	814	0.1	RMS	781	-62.37	-13	Pass	7841
814	860	0.1	RMS	835.2	20.2	60	Pass	461
860	1000	0.1	RMS	944.6	-62.34	-13	Pass	1401
1000	3000	1	RMS	2651	-46.61	-13	Pass	2001
3000	10000	1	RMS	7730	-41.78	-13	Pass	7001



### 10.10. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:10, Channel:20525, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.42	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.87	-13	Pass	2986
30	814	0.1	RMS	792.1	-62.45	-13	Pass	7841
814	860	0.1	RMS	835.2	19.34	60	Pass	461
860	1000	0.1	RMS	925.3	-62.5	-13	Pass	1401
1000	3000	1	RMS	2650	-46.58	-13	Pass	2001
3000	10000	1	RMS	7734	-41.81	-13	Pass	7001






### 10.11. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:11, Channel:20635, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-50.19	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.8	-13	Pass	2986
30	814	0.1	RMS	799.4	-62.29	-13	Pass	7841
814	860	0.1	RMS	846.2	20.27	60	Pass	461
860	1000	0.1	RMS	940	-62.37	-13	Pass	1401
1000	3000	1	RMS	2650	-46.54	-13	Pass	2001
3000	10000	1	RMS	7742	-41.86	-13	Pass	7001



### 10.12. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:12, Channel:20635, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.45	-13	Pass	401
0.15	30	0.01	RMS	0.15	-51.15	-13	Pass	2986
30	814	0.1	RMS	813.8	-62.37	-13	Pass	7841
814	860	0.1	RMS	846.2	19.33	60	Pass	461
860	1000	0.1	RMS	908	-62.49	-13	Pass	1401
1000	3000	1	RMS	2652	-46.57	-13	Pass	2001
3000	10000	1	RMS	9551	-41.8	-13	Pass	7001



### 10.13. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:13, Channel:20425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.61	-13	Pass	401
0.15	30	0.01	RMS	0.15	-51.27	-13	Pass	2986
30	814	0.1	RMS	813.7	-62.15	-13	Pass	7841
814	860	0.1	RMS	824.3	20.11	60	Pass	461
860	1000	0.1	RMS	920.1	-62.35	-13	Pass	1401
1000	3000	1	RMS	2657	-46.57	-13	Pass	2001
3000	10000	1	RMS	7740	-41.85	-13	Pass	7001



### 10.14. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:14, Channel:20425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.45	-13	Pass	401
0.15	30	0.01	RMS	0.15	-51.3	-13	Pass	2986
30	814	0.1	RMS	813.4	-62.33	-13	Pass	7841
814	860	0.1	RMS	824.3	19.09	60	Pass	461
860	1000	0.1	RMS	935.9	-62.4	-13	Pass	1401
1000	3000	1	RMS	2648	-46.58	-13	Pass	2001
3000	10000	1	RMS	7732	-41.82	-13	Pass	7001



### 10.15. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:15, Channel:20525, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.2	-13	Pass	401
0.15	30	0.01	RMS	0.15	-51.14	-13	Pass	2986
30	814	0.1	RMS	798.9	-62.42	-13	Pass	7841
814	860	0.1	RMS	834.3	20.12	60	Pass	461
860	1000	0.1	RMS	926.8	-62.44	-13	Pass	1401
1000	3000	1	RMS	2652	-46.56	-13	Pass	2001
3000	10000	1	RMS	7735	-41.83	-13	Pass	7001



### 10.16. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:16, Channel:20525, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.45	-13	Pass	401
0.15	30	0.01	RMS	0.15	-51.83	-13	Pass	2986
30	814	0.1	RMS	812.5	-62.4	-13	Pass	7841
814	860	0.1	RMS	834.3	19.42	60	Pass	461
860	1000	0.1	RMS	962.8	-62.47	-13	Pass	1401
1000	3000	1	RMS	2651	-46.57	-13	Pass	2001
3000	10000	1	RMS	7731	-41.83	-13	Pass	7001



### 10.17. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:17, Channel:20625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-50.18	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.89	-13	Pass	2986
30	814	0.1	RMS	799.2	-62.42	-13	Pass	7841
814	860	0.1	RMS	844.3	20.23	60	Pass	461
860	1000	0.1	RMS	929.3	-62.43	-13	Pass	1401
1000	3000	1	RMS	2658	-46.57	-13	Pass	2001
3000	10000	1	RMS	7725	-41.87	-13	Pass	7001



### 10.18. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:18, Channel:20625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.37	-13	Pass	401
0.15	30	0.01	RMS	0.15	-51.78	-13	Pass	2986
30	814	0.1	RMS	791.7	-62.48	-13	Pass	7841
814	860	0.1	RMS	844.3	19.27	60	Pass	461
860	1000	0.1	RMS	946.7	-62.44	-13	Pass	1401
1000	3000	1	RMS	2649	-46.58	-13	Pass	2001
3000	10000	1	RMS	7733	-41.89	-13	Pass	7001






### 10.19. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:19, Channel:20450, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.44	-13	Pass	401
0.15	30	0.01	RMS	0.15	-51.32	-13	Pass	2986
30	814	0.1	RMS	813.9	-60.36	-13	Pass	7841
814	860	0.1	RMS	824.6	20.65	60	Pass	461
860	1000	0.1	RMS	955.6	-62.42	-13	Pass	1401
1000	3000	1	RMS	2655	-46.56	-13	Pass	2001
3000	10000	1	RMS	7740	-41.86	-13	Pass	7001



### 10.20. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:20, Channel:20450, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.74	-13	Pass	401
0.15	30	0.01	RMS	0.15	-51.38	-13	Pass	2986
30	814	0.1	RMS	814	-60.21	-13	Pass	7841
814	860	0.1	RMS	824.6	19.88	60	Pass	461
860	1000	0.1	RMS	946.9	-62.41	-13	Pass	1401
1000	3000	1	RMS	2650	-46.56	-13	Pass	2001
3000	10000	1	RMS	7739	-41.87	-13	Pass	7001



### 10.21. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:21, Channel:20525, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.67	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.87	-13	Pass	2986
30	814	0.1	RMS	813.5	-62.25	-13	Pass	7841
814	860	0.1	RMS	832.1	20.64	60	Pass	461
860	1000	0.1	RMS	919.6	-62.35	-13	Pass	1401
1000	3000	1	RMS	2658	-46.57	-13	Pass	2001
3000	10000	1	RMS	7733	-41.91	-13	Pass	7001



### 10.22. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:22, Channel:20525, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.11	-13	Pass	401
0.15	30	0.01	RMS	0.15	-51.48	-13	Pass	2986
30	814	0.1	RMS	805.3	-62.54	-13	Pass	7841
814	860	0.1	RMS	832.1	19.74	60	Pass	461
860	1000	0.1	RMS	920.3	-62.48	-13	Pass	1401
1000	3000	1	RMS	2660	-46.58	-13	Pass	2001
3000	10000	1	RMS	7743	-41.82	-13	Pass	7001



### 10.23. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:23, Channel:20600, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.65	-13	Pass	401
0.15	30	0.01	RMS	0.16	-50.68	-13	Pass	2986
30	814	0.1	RMS	811.6	-62.26	-13	Pass	7841
814	860	0.1	RMS	839.6	20.7	60	Pass	461
860	1000	0.1	RMS	938.9	-62.39	-13	Pass	1401
1000	3000	1	RMS	2656	-46.53	-13	Pass	2001
3000	10000	1	RMS	7729	-41.88	-13	Pass	7001



### 10.24. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:24, Channel:20600, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.25	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.47	-13	Pass	2986
30	814	0.1	RMS	813	-62.54	-13	Pass	7841
814	860	0.1	RMS	839.6	19.83	60	Pass	461
860	1000	0.1	RMS	982.8	-62.42	-13	Pass	1401
1000	3000	1	RMS	2658	-46.62	-13	Pass	2001
3000	10000	1	RMS	7731	-41.82	-13	Pass	7001



## 11. LTE\_Band7


### 11.1. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:1, Channel:20775, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.03	-25	Pass	401
0.15	30	0.01	RMS	0.15	-50.96	-25	Pass	2986
30	1000	0.1	RMS	930.9	-62.24	-25	Pass	9701
1000	2490	1	RMS	2490	-47.66	-25	Pass	1491
2490	2580	1	RMS	2500.35	22.75	60	Pass	401
2580	3000	1	RMS	2653	-46.61	-25	Pass	421
3000	12000	1	RMS	5001	-60.88	-25	Pass	9001
12000	26000	1	RMS	25010	-45.61	-25	Pass	14001



**11.2. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:2, Channel:20775, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.98	-25	Pass	401
0.15	30	0.01	RMS	0.15	-50.58	-25	Pass	2986
30	1000	0.1	RMS	934.4	-62.24	-25	Pass	9701
1000	2490	1	RMS	2490	-47.68	-25	Pass	1491
2490	2580	1	RMS	2500.35	21.8	60	Pass	401
2580	3000	1	RMS	2645	-46.62	-25	Pass	421
3000	12000	1	RMS	11854	-63.55	-25	Pass	9001
12000	26000	1	RMS	25011	-40.76	-25	Pass	14001






**11.3. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:3, Channel:21100, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.94	-25	Pass	401
0.15	30	0.01	RMS	0.15	-50.33	-25	Pass	2986
30	1000	0.1	RMS	925.8	-62.14	-25	Pass	9701
1000	2490	1	RMS	2490	-47.77	-25	Pass	1491
2490	2580	1	RMS	2532.75	22.69	60	Pass	401
2580	3000	1	RMS	2646	-46.6	-25	Pass	421
3000	12000	1	RMS	11856	-63.52	-25	Pass	9001
12000	26000	1	RMS	25009	-40.89	-25	Pass	14001




**11.4. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:4, Channel:21100, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.26	-25	Pass	401
0.15	30	0.01	RMS	0.15	-51.09	-25	Pass	2986
30	1000	0.1	RMS	936.1	-62.11	-25	Pass	9701
1000	2490	1	RMS	2483	-47.9	-25	Pass	1491
2490	2580	1	RMS	2532.75	22.39	60	Pass	401
2580	3000	1	RMS	2653	-46.61	-25	Pass	421
3000	12000	1	RMS	11842	-63.45	-25	Pass	9001
12000	26000	1	RMS	25017	-40.92	-25	Pass	14001




**11.5. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:5, Channel:21425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.01	-25	Pass	401
0.15	30	0.01	RMS	0.15	-50.92	-25	Pass	2986
30	1000	0.1	RMS	929.9	-62.18	-25	Pass	9701
1000	2490	1	RMS	2489	-47.82	-25	Pass	1491
2490	2580	1	RMS	2565.375	22.76	60	Pass	401
2580	3000	1	RMS	2649	-46.64	-25	Pass	421
3000	12000	1	RMS	5131	-61.01	-25	Pass	9001
12000	26000	1	RMS	25014	-40.82	-25	Pass	14001




**11.6. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:6, Channel:21425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.97	-25	Pass	401
0.15	30	0.01	RMS	0.15	-51.44	-25	Pass	2986
30	1000	0.1	RMS	928.6	-62.23	-25	Pass	9701
1000	2490	1	RMS	2490	-47.88	-25	Pass	1491
2490	2580	1	RMS	2565.375	22.02	60	Pass	401
2580	3000	1	RMS	2651	-46.6	-25	Pass	421
3000	12000	1	RMS	5131	-61.4	-25	Pass	9001
12000	26000	1	RMS	25010	-40.88	-25	Pass	14001




**11.7. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:7, Channel:20800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.3	-25	Pass	401
0.15	30	0.01	RMS	0.16	-50.85	-25	Pass	2986
30	1000	0.1	RMS	918.9	-62.2	-25	Pass	9701
1000	2490	1	RMS	2483	-42.85	-25	Pass	1491
2490	2580	1	RMS	2500.575	22.87	60	Pass	401
2580	3000	1	RMS	2651	-46.57	-25	Pass	421
3000	12000	1	RMS	5001	-60.85	-25	Pass	9001
12000	26000	1	RMS	25013	-40.9	-25	Pass	14001




**11.8. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:8, Channel:20800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.9	-25	Pass	401
0.15	30	0.01	RMS	0.15	-51.35	-25	Pass	2986
30	1000	0.1	RMS	884	-62.21	-25	Pass	9701
1000	2490	1	RMS	2483	-43.75	-25	Pass	1491
2490	2580	1	RMS	2500.575	22.08	60	Pass	401
2580	3000	1	RMS	2650	-46.58	-25	Pass	421
3000	12000	1	RMS	5001	-63.02	-25	Pass	9001
12000	26000	1	RMS	25009	-40.9	-25	Pass	14001



**11.9. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:9, Channel:21100, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.34	-25	Pass	401
0.15	30	0.01	RMS	0.15	-50.53	-25	Pass	2986
30	1000	0.1	RMS	922.1	-62.22	-25	Pass	9701
1000	2490	1	RMS	2487	-47.78	-25	Pass	1491
2490	2580	1	RMS	2530.5	22.82	60	Pass	401
2580	3000	1	RMS	2656	-46.59	-25	Pass	421
3000	12000	1	RMS	11860	-63.47	-25	Pass	9001
12000	26000	1	RMS	25012	-40.9	-25	Pass	14001



### 11.10. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:10, Channel:21100, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.1	-25	Pass	401
0.15	30	0.01	RMS	0.15	-51.19	-25	Pass	2986
30	1000	0.1	RMS	912.1	-62.16	-25	Pass	9701
1000	2490	1	RMS	2487	-47.87	-25	Pass	1491
2490	2580	1	RMS	2530.5	22.25	60	Pass	401
2580	3000	1	RMS	2651	-46.56	-25	Pass	421
3000	12000	1	RMS	11847	-63.46	-25	Pass	9001
12000	26000	1	RMS	25018	-40.9	-25	Pass	14001






### 11.11. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:11, Channel:21400, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.37	-25	Pass	401
0.15	30	0.01	RMS	0.15	-50.33	-25	Pass	2986
30	1000	0.1	RMS	909.6	-62.09	-25	Pass	9701
1000	2490	1	RMS	2490	-47.89	-25	Pass	1491
2490	2580	1	RMS	2560.65	22.82	60	Pass	401
2580	3000	1	RMS	2580	-46.05	-25	Pass	421
3000	12000	1	RMS	5121	-59.13	-25	Pass	9001
12000	26000	1	RMS	25017	-40.88	-25	Pass	14001



### 11.12. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:12, Channel:21400, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.32	-25	Pass	401
0.15	30	0.01	RMS	0.15	-51.64	-25	Pass	2986
30	1000	0.1	RMS	940.5	-62.16	-25	Pass	9701
1000	2490	1	RMS	2490	-47.82	-25	Pass	1491
2490	2580	1	RMS	2560.65	21.92	60	Pass	401
2580	3000	1	RMS	2580	-46.38	-25	Pass	421
3000	12000	1	RMS	5121	-60.45	-25	Pass	9001
12000	26000	1	RMS	25021	-40.94	-25	Pass	14001



### 11.13. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:13, Channel:20825, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.32	-25	Pass	401
0.15	30	0.01	RMS	0.16	-51.7	-25	Pass	2986
30	1000	0.1	RMS	897.6	-62.2	-25	Pass	9701
1000	2490	1	RMS	2490	-45.87	-25	Pass	1491
2490	2580	1	RMS	2500.8	22.81	60	Pass	401
2580	3000	1	RMS	2650	-46.61	-25	Pass	421
3000	12000	1	RMS	5002	-61.45	-25	Pass	9001
12000	26000	1	RMS	25015	-40.94	-25	Pass	14001



### 11.14. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:14, Channel:20825, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.31	-25	Pass	401
0.15	30	0.01	RMS	0.15	-50.9	-25	Pass	2986
30	1000	0.1	RMS	920	-62.04	-25	Pass	9701
1000	2490	1	RMS	2490	-45.91	-25	Pass	1491
2490	2580	1	RMS	2500.8	21.98	60	Pass	401
2580	3000	1	RMS	2650	-46.61	-25	Pass	421
3000	12000	1	RMS	5002	-63.23	-25	Pass	9001
12000	26000	1	RMS	25010	-40.95	-25	Pass	14001



### 11.15. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:15, Channel:21100, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.42	-25	Pass	401
0.15	30	0.01	RMS	0.15	-50.58	-25	Pass	2986
30	1000	0.1	RMS	948.3	-62.1	-25	Pass	9701
1000	2490	1	RMS	2490	-47.77	-25	Pass	1491
2490	2580	1	RMS	2528.25	22.76	60	Pass	401
2580	3000	1	RMS	2651	-46.58	-25	Pass	421
3000	12000	1	RMS	11859	-63.51	-25	Pass	9001
12000	26000	1	RMS	25011	-40.93	-25	Pass	14001



### 11.16. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:16, Channel:21100, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.49	-25	Pass	401
0.15	30	0.01	RMS	0.15	-51.26	-25	Pass	2986
30	1000	0.1	RMS	912.8	-62.26	-25	Pass	9701
1000	2490	1	RMS	2486	-47.83	-25	Pass	1491
2490	2580	1	RMS	2528.25	22.15	60	Pass	401
2580	3000	1	RMS	2648	-46.61	-25	Pass	421
3000	12000	1	RMS	11844	-63.54	-25	Pass	9001
12000	26000	1	RMS	25013	-40.87	-25	Pass	14001



### 11.17. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:17, Channel:21375, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.31	-25	Pass	401
0.15	30	0.01	RMS	0.15	-50.44	-25	Pass	2986
30	1000	0.1	RMS	958.2	-62.12	-25	Pass	9701
1000	2490	1	RMS	2489	-47.86	-25	Pass	1491
2490	2595	1	RMS	2555.888	22.74	60	Pass	401
2595	3000	1	RMS	2656	-46.6	-25	Pass	406
3000	12000	1	RMS	5112	-60.42	-25	Pass	9001
12000	26000	1	RMS	25015	-40.97	-25	Pass	14001



### 11.18. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:18, Channel:21375, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-49.8	-25	Pass	401
0.15	30	0.01	RMS	0.15	-50.69	-25	Pass	2986
30	1000	0.1	RMS	919.7	-62.12	-25	Pass	9701
1000	2490	1	RMS	2490	-47.85	-25	Pass	1491
2490	2595	1	RMS	2555.888	21.93	60	Pass	401
2595	3000	1	RMS	2650	-46.59	-25	Pass	406
3000	12000	1	RMS	5112	-60.65	-25	Pass	9001
12000	26000	1	RMS	25014	-40.9	-25	Pass	14001






### 11.19. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:19, Channel:20850, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.9	-25	Pass	401
0.15	30	0.01	RMS	0.15	-51.03	-25	Pass	2986
30	1000	0.1	RMS	935.2	-62.13	-25	Pass	9701
1000	2490	1	RMS	2483	-45.15	-25	Pass	1491
2490	2580	1	RMS	2501.025	22.75	60	Pass	401
2580	3000	1	RMS	2650	-46.59	-25	Pass	421
3000	12000	1	RMS	5002	-61.2	-25	Pass	9001
12000	26000	1	RMS	25014	-40.91	-25	Pass	14001



### 11.20. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:20, Channel:20850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.9	-25	Pass	401
0.15	30	0.01	RMS	0.15	-50.32	-25	Pass	2986
30	1000	0.1	RMS	929.2	-62.13	-25	Pass	9701
1000	2490	1	RMS	2483	-45.68	-25	Pass	1491
2490	2580	1	RMS	2501.025	21.96	60	Pass	401
2580	3000	1	RMS	2653	-46.59	-25	Pass	421
3000	12000	1	RMS	5002	-62.98	-25	Pass	9001
12000	26000	1	RMS	25011	-40.89	-25	Pass	14001



### 11.21. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:21, Channel:21100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.84	-25	Pass	401
0.15	30	0.01	RMS	0.15	-50.3	-25	Pass	2986
30	1000	0.1	RMS	912.4	-62.07	-25	Pass	9701
1000	2490	1	RMS	2490	-44.44	-25	Pass	1491
2490	2580	1	RMS	2526	22.7	60	Pass	401
2580	3000	1	RMS	2650	-46.62	-25	Pass	421
3000	12000	1	RMS	5052	-62.34	-25	Pass	9001
12000	26000	1	RMS	25011	-40.91	-25	Pass	14001



### 11.22. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:22, Channel:21100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.28	-25	Pass	401
0.15	30	0.01	RMS	0.15	-50.21	-25	Pass	2986
30	1000	0.1	RMS	903.5	-62.14	-25	Pass	9701
1000	2490	1	RMS	2490	-45.62	-25	Pass	1491
2490	2580	1	RMS	2526	21.97	60	Pass	401
2580	3000	1	RMS	2649	-46.64	-25	Pass	421
3000	12000	1	RMS	5052	-62.95	-25	Pass	9001
12000	26000	1	RMS	25007	-40.84	-25	Pass	14001



### 11.23. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:23, Channel:21350, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.98	-25	Pass	401
0.15	30	0.01	RMS	0.15	-52.08	-25	Pass	2986
30	1000	0.1	RMS	922.5	-62.19	-25	Pass	9701
1000	2490	1	RMS	2489	-47.86	-25	Pass	1491
2490	2595	1	RMS	2551.163	22.6	60	Pass	401
2595	3000	1	RMS	2652	-46.61	-25	Pass	406
3000	12000	1	RMS	5102	-60.89	-25	Pass	9001
12000	26000	1	RMS	25011	-41.01	-25	Pass	14001



### 11.24. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:24, Channel:21350, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.64	-25	Pass	401
0.15	30	0.01	RMS	0.15	-50.42	-25	Pass	2986
30	1000	0.1	RMS	907.4	-62.16	-25	Pass	9701
1000	2490	1	RMS	2489	-47.84	-25	Pass	1491
2490	2595	1	RMS	2551.163	21.72	60	Pass	401
2595	3000	1	RMS	2652	-46.61	-25	Pass	406
3000	12000	1	RMS	5102	-63.38	-25	Pass	9001
12000	26000	1	RMS	25010	-40.93	-25	Pass	14001



## 12. LTE\_Band13


### 12.1. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:1, Channel:23205, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.24	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.85	-13	Pass	2986
30	767	0.1	RMS	766.4	-62.51	-13	Pass	7371
767	797	0.1	RMS	777.35	20.61	60	Pass	401
797	1000	0.1	RMS	922.6	-62.15	-13	Pass	2031
1000	3000	1	RMS	2647	-46.58	-13	Pass	2001
3000	10000	1	RMS	7736	-41.85	-13	Pass	7001



**12.2. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:2, Channel:23205, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.32	-13	Pass	401
0.15	30	0.01	RMS	0.15	-51.2	-13	Pass	2986
30	767	0.1	RMS	761.7	-62.75	-13	Pass	7371
767	797	0.1	RMS	777.35	19.82	60	Pass	401
797	1000	0.1	RMS	944.8	-62.41	-13	Pass	2031
1000	3000	1	RMS	2651	-46.57	-13	Pass	2001
3000	10000	1	RMS	7745	-41.78	-13	Pass	7001






**12.3. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:3, Channel:23230, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.99	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.77	-13	Pass	2986
30	767	0.1	RMS	755.6	-62.64	-13	Pass	7371
767	797	0.1	RMS	779.825	20.6	60	Pass	401
797	1000	0.1	RMS	921	-62.17	-13	Pass	2031
1000	3000	1	RMS	2651	-46.54	-13	Pass	2001
3000	10000	1	RMS	7747	-41.81	-13	Pass	7001




**12.4. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:4, Channel:23230, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-50.12	-13	Pass	401
0.15	30	0.01	RMS	0.16	-51.48	-13	Pass	2986
30	767	0.1	RMS	756.8	-62.83	-13	Pass	7371
767	797	0.1	RMS	779.825	19.86	60	Pass	401
797	1000	0.1	RMS	909.3	-62.27	-13	Pass	2031
1000	3000	1	RMS	2651	-46.57	-13	Pass	2001
3000	10000	1	RMS	7743	-41.85	-13	Pass	7001




**12.5. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:5, Channel:23255, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.22	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.85	-13	Pass	2986
30	767	0.1	RMS	760.7	-62.76	-13	Pass	7371
767	797	0.1	RMS	782.3	20.32	60	Pass	401
797	1000	0.1	RMS	930.7	-62.21	-13	Pass	2031
1000	3000	1	RMS	2655	-46.54	-13	Pass	2001
3000	10000	1	RMS	7733	-41.87	-13	Pass	7001




**12.6. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:6, Channel:23255, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.28	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.98	-13	Pass	2986
30	767	0.1	RMS	760	-62.71	-13	Pass	7371
767	797	0.1	RMS	782.375	19.55	60	Pass	401
797	1000	0.1	RMS	944.1	-62.17	-13	Pass	2031
1000	3000	1	RMS	2651	-46.56	-13	Pass	2001
3000	10000	1	RMS	7731	-41.84	-13	Pass	7001




**12.7. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:7, Channel:23230, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.09	-13	Pass	401
0.15	30	0.01	RMS	0.15	-51.53	-13	Pass	2986
30	767	0.1	RMS	766.1	-62.55	-13	Pass	7371
767	797	0.1	RMS	777.575	20.87	60	Pass	401
797	1000	0.1	RMS	932.3	-62.27	-13	Pass	2031
1000	3000	1	RMS	2652	-46.59	-13	Pass	2001
3000	10000	1	RMS	7743	-41.85	-13	Pass	7001



**12.8. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:8, Channel:23230, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.22	-13	Pass	401
0.15	30	0.01	RMS	0.15	-51.84	-13	Pass	2986
30	767	0.1	RMS	753.4	-62.85	-13	Pass	7371
767	797	0.1	RMS	777.575	19.98	60	Pass	401
797	1000	0.1	RMS	797	-62.21	-13	Pass	2031
1000	3000	1	RMS	2650	-46.61	-13	Pass	2001
3000	10000	1	RMS	7732	-41.79	-13	Pass	7001



### 13. LTE\_Band26(part22)


13.1. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:1, Channel:26797, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.76	-13	Pass	401
0.15	30	0.01	RMS	0.15	-51.55	-13	Pass	2986
30	814	0.1	RMS	811.1	-62.21	-13	Pass	7841
814	860	0.1	RMS	824.3	20	60	Pass	461
860	1000	0.1	RMS	947.4	-62.45	-13	Pass	1401
1000	3000	1	RMS	2648	-46.59	-13	Pass	2001
3000	10000	1	RMS	9543	-41.88	-13	Pass	7001



**13.2. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:2, Channel:26797, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.25	-13	Pass	2986
30	814	0.1	RMS	813.1	-62.41	-13	Pass	7841
814	860	0.1	RMS	824.3	19.04	60	Pass	461
860	1000	0.1	RMS	957.4	-62.37	-13	Pass	1401
1000	3000	1	RMS	2647	-46.61	-13	Pass	2001
3000	10000	1	RMS	7738	-41.9	-13	Pass	7001






**13.3. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:3, Channel:26915, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.44	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.81	-13	Pass	2986
30	814	0.1	RMS	798.3	-62.39	-13	Pass	7841
814	860	0.1	RMS	836.1	20.15	60	Pass	461
860	1000	0.1	RMS	932.7	-62.37	-13	Pass	1401
1000	3000	1	RMS	2654	-46.59	-13	Pass	2001
3000	10000	1	RMS	7730	-41.89	-13	Pass	7001




**13.4. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:4, Channel:26915, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.13	-13	Pass	401
0.15	30	0.01	RMS	0.15	-51.74	-13	Pass	2986
30	814	0.1	RMS	805.7	-62.36	-13	Pass	7841
814	860	0.1	RMS	836.1	19.18	60	Pass	461
860	1000	0.1	RMS	932.3	-62.33	-13	Pass	1401
1000	3000	1	RMS	2644	-46.61	-13	Pass	2001
3000	10000	1	RMS	7744	-41.87	-13	Pass	7001




**13.5. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:5, Channel:27033, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.75	-13	Pass	401
0.15	30	0.01	RMS	0.15	-51.09	-13	Pass	2986
30	814	0.1	RMS	796.4	-62.48	-13	Pass	7841
814	860	0.1	RMS	847.9	20.19	60	Pass	461
860	1000	0.1	RMS	950.3	-62.52	-13	Pass	1401
1000	3000	1	RMS	2649	-46.58	-13	Pass	2001
3000	10000	1	RMS	7729	-41.9	-13	Pass	7001




**13.6. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:6, Channel:27033, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.13	-13	Pass	401
0.15	30	0.01	RMS	0.17	-52.41	-13	Pass	2986
30	814	0.1	RMS	783.1	-62.38	-13	Pass	7841
814	860	0.1	RMS	847.9	19.25	60	Pass	461
860	1000	0.1	RMS	945.3	-62.42	-13	Pass	1401
1000	3000	1	RMS	2656	-46.6	-13	Pass	2001
3000	10000	1	RMS	7725	-41.84	-13	Pass	7001




**13.7. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:7, Channel:26805, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.1	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.99	-13	Pass	2986
30	814	0.1	RMS	813.3	-62.19	-13	Pass	7841
814	860	0.1	RMS	824.2	20.32	60	Pass	461
860	1000	0.1	RMS	918.2	-62.49	-13	Pass	1401
1000	3000	1	RMS	2649	-46.61	-13	Pass	2001
3000	10000	1	RMS	7729	-41.87	-13	Pass	7001




**13.8. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:8, Channel:26805, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.81	-13	Pass	401
0.15	30	0.01	RMS	0.15	-51.16	-13	Pass	2986
30	814	0.1	RMS	793.8	-62.29	-13	Pass	7841
814	860	0.1	RMS	824.2	19.35	60	Pass	461
860	1000	0.1	RMS	900.8	-62.51	-13	Pass	1401
1000	3000	1	RMS	2651	-46.58	-13	Pass	2001
3000	10000	1	RMS	7745	-41.88	-13	Pass	7001



**13.9. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:9, Channel:26915, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.7	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.89	-13	Pass	2986
30	814	0.1	RMS	809.1	-62.25	-13	Pass	7841
814	860	0.1	RMS	835.2	20.38	60	Pass	461
860	1000	0.1	RMS	946.4	-62.4	-13	Pass	1401
1000	3000	1	RMS	2653	-46.58	-13	Pass	2001
3000	10000	1	RMS	7733	-41.91	-13	Pass	7001



### 13.10. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:10, Channel:26915, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.13	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.05	-13	Pass	2986
30	814	0.1	RMS	779.7	-62.52	-13	Pass	7841
814	860	0.1	RMS	835.2	19.3	60	Pass	461
860	1000	0.1	RMS	928.4	-62.44	-13	Pass	1401
1000	3000	1	RMS	2651	-46.6	-13	Pass	2001
3000	10000	1	RMS	7732	-41.85	-13	Pass	7001






### 13.11. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:11, Channel:27025, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-49.73	-13	Pass	401
0.15	30	0.01	RMS	0.15	-51.24	-13	Pass	2986
30	814	0.1	RMS	777.3	-62.48	-13	Pass	7841
814	860	0.1	RMS	846.2	20.37	60	Pass	461
860	1000	0.1	RMS	951.6	-62.35	-13	Pass	1401
1000	3000	1	RMS	2655	-46.61	-13	Pass	2001
3000	10000	1	RMS	7732	-41.92	-13	Pass	7001



### 13.12. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:12, Channel:27025, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.78	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.72	-13	Pass	2986
30	814	0.1	RMS	811.3	-62.5	-13	Pass	7841
814	860	0.1	RMS	846.2	19.39	60	Pass	461
860	1000	0.1	RMS	897.7	-62.48	-13	Pass	1401
1000	3000	1	RMS	2654	-46.64	-13	Pass	2001
3000	10000	1	RMS	9538	-41.94	-13	Pass	7001



### 13.13. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:13, Channel:26815, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.59	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.63	-13	Pass	2986
30	814	0.1	RMS	811.4	-62.26	-13	Pass	7841
814	860	0.1	RMS	824.3	20.11	60	Pass	461
860	1000	0.1	RMS	949.3	-62.41	-13	Pass	1401
1000	3000	1	RMS	2651	-46.62	-13	Pass	2001
3000	10000	1	RMS	7732	-41.9	-13	Pass	7001



### 13.14. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:14, Channel:26815, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.24	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.32	-13	Pass	2986
30	814	0.1	RMS	812.9	-62.3	-13	Pass	7841
814	860	0.1	RMS	824.3	19.12	60	Pass	461
860	1000	0.1	RMS	930.5	-62.5	-13	Pass	1401
1000	3000	1	RMS	2653	-46.62	-13	Pass	2001
3000	10000	1	RMS	7737	-41.92	-13	Pass	7001



### 13.15. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:15, Channel:26915, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.87	-13	Pass	401
0.15	30	0.01	RMS	0.15	-51.24	-13	Pass	2986
30	814	0.1	RMS	804.9	-62.4	-13	Pass	7841
814	860	0.1	RMS	834.3	20.28	60	Pass	461
860	1000	0.1	RMS	878.5	-62.49	-13	Pass	1401
1000	3000	1	RMS	2656	-46.58	-13	Pass	2001
3000	10000	1	RMS	9549	-41.88	-13	Pass	7001



### 13.16. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:16, Channel:26915, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.11	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.72	-13	Pass	2986
30	814	0.1	RMS	809.6	-62.44	-13	Pass	7841
814	860	0.1	RMS	834.3	19.43	60	Pass	461
860	1000	0.1	RMS	943.3	-62.54	-13	Pass	1401
1000	3000	1	RMS	2645	-46.62	-13	Pass	2001
3000	10000	1	RMS	7726	-41.89	-13	Pass	7001



### 13.17. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:17, Channel:27015, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.6	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.33	-13	Pass	2986
30	814	0.1	RMS	771.5	-62.49	-13	Pass	7841
814	860	0.1	RMS	844.3	20.27	60	Pass	461
860	1000	0.1	RMS	931.5	-62.49	-13	Pass	1401
1000	3000	1	RMS	2533	-46.55	-13	Pass	2001
3000	10000	1	RMS	9546	-41.89	-13	Pass	7001



### 13.18. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:18, Channel:27015, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.01	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.73	-13	Pass	2986
30	814	0.1	RMS	810.7	-62.43	-13	Pass	7841
814	860	0.1	RMS	844.3	19.53	60	Pass	461
860	1000	0.1	RMS	912.2	-62.45	-13	Pass	1401
1000	3000	1	RMS	2648	-46.61	-13	Pass	2001
3000	10000	1	RMS	7735	-41.93	-13	Pass	7001






### 13.19. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:19, Channel:26840, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.26	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.3	-13	Pass	2986
30	814	0.1	RMS	813.9	-60.22	-13	Pass	7841
814	860	0.1	RMS	824.6	20.69	60	Pass	461
860	1000	0.1	RMS	936.5	-62.39	-13	Pass	1401
1000	3000	1	RMS	2658	-46.62	-13	Pass	2001
3000	10000	1	RMS	7726	-41.91	-13	Pass	7001



### 13.20. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:20, Channel:26840, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.3	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.62	-13	Pass	2986
30	814	0.1	RMS	813.9	-60.56	-13	Pass	7841
814	860	0.1	RMS	824.6	19.88	60	Pass	461
860	1000	0.1	RMS	957.3	-62.4	-13	Pass	1401
1000	3000	1	RMS	2649	-46.57	-13	Pass	2001
3000	10000	1	RMS	7730	-41.91	-13	Pass	7001



### 13.21. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:21, Channel:26915, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.48	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.82	-13	Pass	2986
30	814	0.1	RMS	809.7	-62.41	-13	Pass	7841
814	860	0.1	RMS	832.1	20.86	60	Pass	461
860	1000	0.1	RMS	929.6	-62.42	-13	Pass	1401
1000	3000	1	RMS	2657	-46.57	-13	Pass	2001
3000	10000	1	RMS	7752	-41.9	-13	Pass	7001



### 13.22. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:22, Channel:26915, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.11	-13	Pass	401
0.15	30	0.01	RMS	0.15	-51.41	-13	Pass	2986
30	814	0.1	RMS	790.8	-62.45	-13	Pass	7841
814	860	0.1	RMS	832.1	19.85	60	Pass	461
860	1000	0.1	RMS	921.7	-62.38	-13	Pass	1401
1000	3000	1	RMS	2649	-46.59	-13	Pass	2001
3000	10000	1	RMS	7735	-41.88	-13	Pass	7001



### 13.23. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:23, Channel:26990, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.47	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.52	-13	Pass	2986
30	814	0.1	RMS	809.4	-62.38	-13	Pass	7841
814	860	0.1	RMS	839.6	20.87	60	Pass	461
860	1000	0.1	RMS	948.6	-62.48	-13	Pass	1401
1000	3000	1	RMS	2652	-46.59	-13	Pass	2001
3000	10000	1	RMS	7739	-41.89	-13	Pass	7001



### 13.24. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:24, Channel:26990, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.01	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.4	-13	Pass	2986
30	814	0.1	RMS	783.5	-62.36	-13	Pass	7841
814	860	0.1	RMS	839.6	19.89	60	Pass	461
860	1000	0.1	RMS	925	-62.49	-13	Pass	1401
1000	3000	1	RMS	2659	-46.61	-13	Pass	2001
3000	10000	1	RMS	7737	-41.84	-13	Pass	7001



### 13.25. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:25, Channel:26865, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.18	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.97	-13	Pass	2986
30	814	0.1	RMS	811.5	-49.36	-13	Pass	7841
814	860	0.1	RMS	824.8	20.26	60	Pass	461
860	1000	0.1	RMS	921.5	-62.34	-13	Pass	1401
1000	3000	1	RMS	2653	-46.61	-13	Pass	2001
3000	10000	1	RMS	7728	-41.94	-13	Pass	7001



### 13.26. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:26, Channel:26865, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.13	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.59	-13	Pass	2986
30	814	0.1	RMS	811.5	-50.36	-13	Pass	7841
814	860	0.1	RMS	824.8	19.36	60	Pass	461
860	1000	0.1	RMS	954.1	-62.46	-13	Pass	1401
1000	3000	1	RMS	2652	-46.56	-13	Pass	2001
3000	10000	1	RMS	7741	-41.93	-13	Pass	7001






### 13.27. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:27, Channel:26915, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.15	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.65	-13	Pass	2986
30	814	0.1	RMS	813.9	-60.85	-13	Pass	7841
814	860	0.1	RMS	829.8	20.25	60	Pass	461
860	1000	0.1	RMS	931.2	-62.36	-13	Pass	1401
1000	3000	1	RMS	2651	-46.59	-13	Pass	2001
3000	10000	1	RMS	7735	-41.88	-13	Pass	7001



### 13.28. LTE Spurious Emission at Antenna


Terminals\_Part22-24-27(NTNV)(Subtest:28, Channel:26915, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-49.18	-13	Pass	401
0.15	30	0.01	RMS	0.16	-51.38	-13	Pass	2986
30	814	0.1	RMS	814	-60.94	-13	Pass	7841
814	860	0.1	RMS	829.8	19.24	60	Pass	461
860	1000	0.1	RMS	871.4	-62.46	-13	Pass	1401
1000	3000	1	RMS	2649	-46.58	-13	Pass	2001
3000	10000	1	RMS	7744	-41.91	-13	Pass	7001



**13.29. LTE Spurious Emission at Antenna**  
**Terminals\_Part22-24-27(NTNV)(Subtest:29, Channel:26965, Bandwidth:15,**  
**Modulation:QPSK, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.35	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.16	-13	Pass	2986
30	814	0.1	RMS	808.2	-60.25	-13	Pass	7841
814	860	0.1	RMS	834.8	20.15	60	Pass	461
860	1000	0.1	RMS	928.7	-62.33	-13	Pass	1401
1000	3000	1	RMS	2650	-46.6	-13	Pass	2001
3000	10000	1	RMS	7736	-41.91	-13	Pass	7001



### 13.30. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:30, Channel:26965, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.9	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.79	-13	Pass	2986
30	814	0.1	RMS	808.2	-60.68	-13	Pass	7841
814	860	0.1	RMS	834.8	19.35	60	Pass	461
860	1000	0.1	RMS	948.8	-62.52	-13	Pass	1401
1000	3000	1	RMS	2645	-46.61	-13	Pass	2001
3000	10000	1	RMS	7731	-41.89	-13	Pass	7001



## 14. LTE\_Band26(part90)


14.1. LTE Spurious Emission at Antenna Terminals\_Part90(NTNV)(Subtest:1, Channel:26697, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-42.8	-13	Pass	401
0.15	30	0.01	Peak	0.15	-43.81	-13	Pass	2986
30	809	0.1	Peak	516.5	-51.79	-13	Pass	7791
809	829	0.1	Peak	814.2	25.52	60	Pass	401
829	1000	0.1	Peak	903	-50.88	-13	Pass	1711
1000	3000	1	Peak	2987	-34.89	-13	Pass	2001
3000	10000	1	Peak	7705	-30.44	-13	Pass	7001




**14.2. LTE Spurious Emission at Antenna Terminals\_Part90(NTNV)(Subtest:2, Channel:26697, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-41.89	-13	Pass	401
0.15	30	0.01	Peak	0.16	-43.52	-13	Pass	2986
30	809	0.1	Peak	781.5	-51.76	-13	Pass	7791
809	829	0.1	Peak	814.25	26.03	60	Pass	401
829	1000	0.1	Peak	835.1	-51.67	-13	Pass	1711
1000	3000	1	Peak	2655	-35.11	-13	Pass	2001
3000	10000	1	Peak	7721	-30.62	-13	Pass	7001




**14.3. LTE Spurious Emission at Antenna Terminals\_Part90(NTNV)(Subtest:3, Channel:26740, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-43.02	-13	Pass	401
0.15	30	0.01	Peak	0.16	-43.61	-13	Pass	2986
30	809	0.1	Peak	806.9	-51.37	-13	Pass	7791
809	829	0.1	Peak	818.55	25.62	60	Pass	401
829	1000	0.1	Peak	849.4	-51.15	-13	Pass	1711
1000	3000	1	Peak	2664	-35.04	-13	Pass	2001
3000	10000	1	Peak	7743	-29.54	-13	Pass	7001



**14.4. LTE Spurious Emission at Antenna Terminals\_Part90(NTNV)(Subtest:4, Channel:26740, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-43.64	-13	Pass	401
0.15	30	0.01	Peak	0.16	-44.63	-13	Pass	2986
30	809	0.1	Peak	727	-51.4	-13	Pass	7791
809	829	0.1	Peak	818.55	25.53	60	Pass	401
829	1000	0.1	Peak	980.7	-51.4	-13	Pass	1711
1000	3000	1	Peak	2779	-34.39	-13	Pass	2001
3000	10000	1	Peak	7694	-29.99	-13	Pass	7001






**14.5. LTE Spurious Emission at Antenna Terminals\_Part90(NTNV)(Subtest:5, Channel:26783, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-41.89	-13	Pass	401
0.15	30	0.01	Peak	0.15	-43.19	-13	Pass	2986
30	809	0.1	Peak	798.2	-51.64	-13	Pass	7791
809	829	0.1	Peak	822.9	25.5	60	Pass	401
829	1000	0.1	Peak	931.9	-51.28	-13	Pass	1711
1000	3000	1	Peak	2895	-35.02	-13	Pass	2001
3000	10000	1	Peak	7446	-30.18	-13	Pass	7001




**14.6. LTE Spurious Emission at Antenna Terminals\_Part90(NTNV)(Subtest:6, Channel:26783, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-41.99	-13	Pass	401
0.15	30	0.01	Peak	0.15	-43.2	-13	Pass	2986
30	809	0.1	Peak	758	-52.26	-13	Pass	7791
809	829	0.1	Peak	822.85	25.87	60	Pass	401
829	1000	0.1	Peak	886.3	-51.39	-13	Pass	1711
1000	3000	1	Peak	2640	-34.96	-13	Pass	2001
3000	10000	1	Peak	7688	-30.15	-13	Pass	7001




**14.7. LTE Spurious Emission at Antenna Terminals\_Part90(NTNV)(Subtest:7, Channel:26705, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-43.47	-13	Pass	401
0.15	30	0.01	Peak	0.15	-42.43	-13	Pass	2986
30	809	0.1	Peak	808.9	-44.69	-13	Pass	7791
809	829	0.1	Peak	814.2	25.59	60	Pass	401
829	1000	0.1	Peak	918.7	-51.07	-13	Pass	1711
1000	3000	1	Peak	2634	-34.74	-13	Pass	2001
3000	10000	1	Peak	7727	-30.39	-13	Pass	7001




**14.8. LTE Spurious Emission at Antenna Terminals\_Part90(NTNV)(Subtest:8, Channel:26705, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-43.05	-13	Pass	401
0.15	30	0.01	Peak	0.15	-41.17	-13	Pass	2986
30	809	0.1	Peak	809	-42.98	-13	Pass	7791
809	829	0.1	Peak	814.2	26.03	60	Pass	401
829	1000	0.1	Peak	900.4	-51.32	-13	Pass	1711
1000	3000	1	Peak	2817	-35.09	-13	Pass	2001
3000	10000	1	Peak	7750	-29.68	-13	Pass	7001




**14.9. LTE Spurious Emission at Antenna Terminals\_Part90(NTNV)(Subtest:9, Channel:26740, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-41.48	-13	Pass	401
0.15	30	0.01	Peak	0.15	-42.44	-13	Pass	2986
30	809	0.1	Peak	808.8	-44.47	-13	Pass	7791
809	829	0.1	Peak	817.75	25.95	60	Pass	401
829	1000	0.1	Peak	829	-44.97	-13	Pass	1711
1000	3000	1	Peak	2776	-34.74	-13	Pass	2001
3000	10000	1	Peak	7728	-29.88	-13	Pass	7001




**14.10. LTE Spurious Emission at Antenna Terminals\_Part90(NTNV)(Subtest:10, Channel:26740, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-40.52	-13	Pass	401
0.15	30	0.01	Peak	0.15	-44.91	-13	Pass	2986
30	809	0.1	Peak	792.4	-51.86	-13	Pass	7791
809	829	0.1	Peak	817.75	25.81	60	Pass	401
829	1000	0.1	Peak	831.8	-48.28	-13	Pass	1711
1000	3000	1	Peak	2925	-35.43	-13	Pass	2001
3000	10000	1	Peak	7739	-30.3	-13	Pass	7001




**14.11. LTE Spurious Emission at Antenna Terminals\_Part90(NTNV)(Subtest:11, Channel:26775, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-41.98	-13	Pass	401
0.15	30	0.01	Peak	0.15	-43.23	-13	Pass	2986
30	809	0.1	Peak	808.2	-47.92	-13	Pass	7791
809	829	0.1	Peak	821.25	25.84	60	Pass	401
829	1000	0.1	Peak	829.7	-37.29	-13	Pass	1711
1000	3000	1	Peak	2671	-35.25	-13	Pass	2001
3000	10000	1	Peak	7720	-30.36	-13	Pass	7001



**14.12. LTE Spurious Emission at Antenna Terminals\_Part90(NTNV)(Subtest:12, Channel:26775, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-43.97	-13	Pass	401
0.15	30	0.01	Peak	0.15	-42.53	-13	Pass	2986
30	809	0.1	Peak	807.8	-48.82	-13	Pass	7791
809	829	0.1	Peak	821.3	26.25	60	Pass	401
829	1000	0.1	Peak	829.4	-35.78	-13	Pass	1711
1000	3000	1	Peak	2650	-34.98	-13	Pass	2001
3000	10000	1	Peak	7755	-30.29	-13	Pass	7001






**14.13. LTE Spurious Emission at Antenna Terminals\_Part90(NTNV)(Subtest:13, Channel:26715, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-40.62	-13	Pass	401
0.15	30	0.01	Peak	0.15	-42.81	-13	Pass	2986
30	809	0.1	Peak	808.8	-49.78	-13	Pass	7791
809	829	0.1	Peak	814.35	26.08	60	Pass	401
829	1000	0.1	Peak	962.8	-51.47	-13	Pass	1711
1000	3000	1	Peak	2622	-35.3	-13	Pass	2001
3000	10000	1	Peak	7796	-30.1	-13	Pass	7001




**14.14. LTE Spurious Emission at Antenna Terminals\_Part90(NTNV)(Subtest:14, Channel:26715, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-42.03	-13	Pass	401
0.15	30	0.01	Peak	0.16	-42.4	-13	Pass	2986
30	809	0.1	Peak	808.8	-49.07	-13	Pass	7791
809	829	0.1	Peak	814.25	26.1	60	Pass	401
829	1000	0.1	Peak	918.7	-51.3	-13	Pass	1711
1000	3000	1	Peak	2893	-35.5	-13	Pass	2001
3000	10000	1	Peak	8095	-30.43	-13	Pass	7001




**14.15. LTE Spurious Emission at Antenna Terminals\_Part90(NTNV)(Subtest:15, Channel:26740, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-43.09	-13	Pass	401
0.15	30	0.01	Peak	0.15	-42.3	-13	Pass	2986
30	809	0.1	Peak	808.3	-46.03	-13	Pass	7791
809	829	0.1	Peak	816.85	25.77	60	Pass	401
829	1000	0.1	Peak	986.7	-51.82	-13	Pass	1711
1000	3000	1	Peak	2788	-35.13	-13	Pass	2001
3000	10000	1	Peak	8163	-29.92	-13	Pass	7001




**14.16. LTE Spurious Emission at Antenna Terminals\_Part90(NTNV)(Subtest:16, Channel:26740, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-42.99	-13	Pass	401
0.15	30	0.01	Peak	0.15	-41.04	-13	Pass	2986
30	809	0.1	Peak	808.2	-48.33	-13	Pass	7791
809	829	0.1	Peak	816.8	25.53	60	Pass	401
829	1000	0.1	Peak	936.5	-51.54	-13	Pass	1711
1000	3000	1	Peak	2775	-35.02	-13	Pass	2001
3000	10000	1	Peak	8147	-30.48	-13	Pass	7001




**14.17. LTE Spurious Emission at Antenna Terminals\_Part90(NTNV)(Subtest:17, Channel:26765, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-42.77	-13	Pass	401
0.15	30	0.01	Peak	0.15	-44.26	-13	Pass	2986
30	809	0.1	Peak	793.4	-51.36	-13	Pass	7791
809	829	0.1	Peak	819.35	25.63	60	Pass	401
829	1000	0.1	Peak	829	-47.83	-13	Pass	1711
1000	3000	1	Peak	2992	-35.24	-13	Pass	2001
3000	10000	1	Peak	7693	-28.88	-13	Pass	7001




**14.18. LTE Spurious Emission at Antenna Terminals\_Part90(NTNV)(Subtest:18, Channel:26765, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-42.17	-13	Pass	401
0.15	30	0.01	Peak	0.16	-44.31	-13	Pass	2986
30	809	0.1	Peak	803.9	-51.18	-13	Pass	7791
809	829	0.1	Peak	819.3	25.81	60	Pass	401
829	1000	0.1	Peak	829	-47.52	-13	Pass	1711
1000	3000	1	Peak	2911	-35.2	-13	Pass	2001
3000	10000	1	Peak	7096	-30.33	-13	Pass	7001




**14.19. LTE Spurious Emission at Antenna Terminals\_Part90(NTNV)(Subtest:19, Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-43.35	-13	Pass	401
0.15	30	0.01	Peak	0.16	-44.47	-13	Pass	2986
30	809	0.1	Peak	808.6	-46.51	-13	Pass	7791
809	829	0.1	Peak	814.6	25.92	60	Pass	401
829	1000	0.1	Peak	832.2	-37.44	-13	Pass	1711
1000	3000	1	Peak	2945	-34.83	-13	Pass	2001
3000	10000	1	Peak	8356	-30.64	-13	Pass	7001



**14.20. LTE Spurious Emission at Antenna Terminals\_Part90(NTNV)(Subtest:20, Channel:26740, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-43.89	-13	Pass	401
0.15	30	0.01	Peak	0.15	-42.63	-13	Pass	2986
30	809	0.1	Peak	807.5	-46.8	-13	Pass	7791
809	829	0.1	Peak	814.55	25.83	60	Pass	401
829	1000	0.1	Peak	832.2	-37.31	-13	Pass	1711
1000	3000	1	Peak	2789	-34.82	-13	Pass	2001
3000	10000	1	Peak	7719	-29.93	-13	Pass	7001






## 15. LTE\_Band38


### 15.1. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:1, Channel:37775, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.07	-25	Pass	401
0.15	30	0.01	RMS	0.15	-46.92	-25	Pass	2986
30	1000	0.1	RMS	993.4	-58.27	-25	Pass	9701
1000	2560	1	RMS	2560	-43.42	-25	Pass	1561
2560	2630	1	RMS	2570.325	24.01	60	Pass	401
2630	3000	1	RMS	2650.35	-42.65	-25	Pass	401
3000	12000	1	RMS	11849	-59.49	-25	Pass	9001
12000	26500	1	RMS	25009	-41.62	-25	Pass	14501




**15.2. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:2, Channel:37775, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-45.19	-25	Pass	401
0.15	30	0.01	RMS	0.16	-47.31	-25	Pass	2986
30	1000	0.1	RMS	902.8	-58.16	-25	Pass	9701
1000	2560	1	RMS	2546	-43.09	-25	Pass	1561
2560	2630	1	RMS	2570.325	22.5	60	Pass	401
2630	3000	1	RMS	2645.725	-42.62	-25	Pass	401
3000	12000	1	RMS	11850	-59.57	-25	Pass	9001
12000	26500	1	RMS	25008	-41.57	-25	Pass	14501




**15.3. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:3, Channel:38000, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-45.3	-25	Pass	401
0.15	30	0.01	RMS	0.15	-46.22	-25	Pass	2986
30	1000	0.1	RMS	932.8	-58.08	-25	Pass	9701
1000	2560	1	RMS	2534	-43.7	-25	Pass	1561
2560	2630	1	RMS	2592.9	24.12	60	Pass	401
2630	3000	1	RMS	2650.35	-42.65	-25	Pass	401
3000	12000	1	RMS	11850	-59.54	-25	Pass	9001
12000	26500	1	RMS	25008	-41.73	-25	Pass	14501




**15.4. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:4, Channel:38000, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-44.76	-25	Pass	401
0.15	30	0.01	RMS	0.15	-46.67	-25	Pass	2986
30	1000	0.1	RMS	932.8	-58.06	-25	Pass	9701
1000	2560	1	RMS	2553	-43.72	-25	Pass	1561
2560	2630	1	RMS	2592.9	23.27	60	Pass	401
2630	3000	1	RMS	2654.05	-42.64	-25	Pass	401
3000	12000	1	RMS	11855	-59.51	-25	Pass	9001
12000	26500	1	RMS	25011	-41.64	-25	Pass	14501




**15.5. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:5, Channel:38225, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.29	-25	Pass	401
0.15	30	0.01	RMS	0.15	-46.72	-25	Pass	2986
30	1000	0.1	RMS	905.3	-58.18	-25	Pass	9701
1000	2560	1	RMS	2535	-43.65	-25	Pass	1561
2560	2630	1	RMS	2615.3	23.6	60	Pass	401
2630	3000	1	RMS	2640.175	-42.55	-25	Pass	401
3000	12000	1	RMS	11857	-59.61	-25	Pass	9001
12000	26500	1	RMS	25013	-41.66	-25	Pass	14501




**15.6. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:6, Channel:38225, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-44.9	-25	Pass	401
0.15	30	0.01	RMS	0.15	-46.13	-25	Pass	2986
30	1000	0.1	RMS	914.4	-58.05	-25	Pass	9701
1000	2560	1	RMS	2535	-43.71	-25	Pass	1561
2560	2630	1	RMS	2615.3	22.84	60	Pass	401
2630	3000	1	RMS	2640.175	-42.55	-25	Pass	401
3000	12000	1	RMS	11853	-59.6	-25	Pass	9001
12000	26500	1	RMS	25022	-41.72	-25	Pass	14501




**15.7. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:7, Channel:37800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-44.77	-25	Pass	401
0.15	30	0.01	RMS	0.15	-45.95	-25	Pass	2986
30	1000	0.1	RMS	932	-58.2	-25	Pass	9701
1000	2560	1	RMS	2560	-41.45	-25	Pass	1561
2560	2630	1	RMS	2570.5	24.13	60	Pass	401
2630	3000	1	RMS	2653.125	-42.65	-25	Pass	401
3000	12000	1	RMS	11859	-59.62	-25	Pass	9001
12000	26500	1	RMS	25018	-41.68	-25	Pass	14501



**15.8. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:8, Channel:37800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-45.23	-25	Pass	401
0.15	30	0.01	RMS	0.15	-46.7	-25	Pass	2986
30	1000	0.1	RMS	950	-58.26	-25	Pass	9701
1000	2560	1	RMS	2560	-41.83	-25	Pass	1561
2560	2630	1	RMS	2570.5	22.97	60	Pass	401
2630	3000	1	RMS	2652.2	-42.65	-25	Pass	401
3000	12000	1	RMS	11855	-59.56	-25	Pass	9001
12000	26500	1	RMS	25017	-41.7	-25	Pass	14501





**15.9. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:9, Channel:38000, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-45.97	-25	Pass	401
0.15	30	0.01	RMS	0.15	-46.82	-25	Pass	2986
30	1000	0.1	RMS	928.8	-58.28	-25	Pass	9701
1000	2560	1	RMS	2525	-43.67	-25	Pass	1561
2560	2630	1	RMS	2590.45	23.62	60	Pass	401
2630	3000	1	RMS	2659.6	-42.64	-25	Pass	401
3000	12000	1	RMS	11860	-59.61	-25	Pass	9001
12000	26500	1	RMS	25011	-41.61	-25	Pass	14501



### 15.10. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:10, Channel:38000, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-43.29	-25	Pass	401
0.15	30	0.01	RMS	0.15	-46.47	-25	Pass	2986
30	1000	0.1	RMS	918	-58.19	-25	Pass	9701
1000	2560	1	RMS	2544	-43.67	-25	Pass	1561
2560	2630	1	RMS	2590.45	22.64	60	Pass	401
2630	3000	1	RMS	2653.125	-42.66	-25	Pass	401
3000	12000	1	RMS	11845	-59.6	-25	Pass	9001
12000	26500	1	RMS	25012	-41.59	-25	Pass	14501



### 15.11. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:11, Channel:38200, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-44.79	-25	Pass	401
0.15	30	0.01	RMS	0.15	-46.59	-25	Pass	2986
30	1000	0.1	RMS	921.9	-58.01	-25	Pass	9701
1000	2560	1	RMS	2531	-43.67	-25	Pass	1561
2560	2630	1	RMS	2610.75	23.74	60	Pass	401
2630	3000	1	RMS	2630	-42.27	-25	Pass	401
3000	12000	1	RMS	11853	-59.58	-25	Pass	9001
12000	26500	1	RMS	25013	-41.63	-25	Pass	14501



### 15.12. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:12, Channel:38200, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-45.44	-25	Pass	401
0.15	30	0.01	RMS	0.15	-47.77	-25	Pass	2986
30	1000	0.1	RMS	905	-58.16	-25	Pass	9701
1000	2560	1	RMS	2549	-43.73	-25	Pass	1561
2560	2630	1	RMS	2610.75	22.81	60	Pass	401
2630	3000	1	RMS	2630	-42.2	-25	Pass	401
3000	12000	1	RMS	11855	-59.54	-25	Pass	9001
12000	26500	1	RMS	25016	-41.79	-25	Pass	14501



### 15.13. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:13, Channel:37825, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-44.77	-25	Pass	401
0.15	30	0.01	RMS	0.15	-47.6	-25	Pass	2986
30	1000	0.1	RMS	937.3	-58.1	-25	Pass	9701
1000	2560	1	RMS	2558	-39.52	-25	Pass	1561
2560	2630	1	RMS	2570.675	23.87	60	Pass	401
2630	3000	1	RMS	2646.65	-42.65	-25	Pass	401
3000	12000	1	RMS	11849	-59.62	-25	Pass	9001
12000	26500	1	RMS	25011	-41.68	-25	Pass	14501



### 15.14. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:14, Channel:37825, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.31	-25	Pass	401
0.15	30	0.01	RMS	0.15	-46.92	-25	Pass	2986
30	1000	0.1	RMS	935.7	-58.2	-25	Pass	9701
1000	2560	1	RMS	2560	-39.48	-25	Pass	1561
2560	2630	1	RMS	2570.85	22.65	60	Pass	401
2630	3000	1	RMS	2650.35	-42.64	-25	Pass	401
3000	12000	1	RMS	11849	-59.61	-25	Pass	9001
12000	26500	1	RMS	25008	-41.64	-25	Pass	14501



### 15.15. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:15, Channel:38000, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-45.75	-25	Pass	401
0.15	30	0.01	RMS	0.16	-47.27	-25	Pass	2986
30	1000	0.1	RMS	946.9	-58.26	-25	Pass	9701
1000	2560	1	RMS	2532	-43.71	-25	Pass	1561
2560	2630	1	RMS	2588.35	24.03	60	Pass	401
2630	3000	1	RMS	2653.125	-42.65	-25	Pass	401
3000	12000	1	RMS	11848	-59.57	-25	Pass	9001
12000	26500	1	RMS	25009	-41.76	-25	Pass	14501



### 15.16. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:16, Channel:38000, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-44.51	-25	Pass	401
0.15	30	0.01	RMS	0.15	-46.01	-25	Pass	2986
30	1000	0.1	RMS	945.4	-58.23	-25	Pass	9701
1000	2560	1	RMS	2520	-43.7	-25	Pass	1561
2560	2630	1	RMS	2588.175	22.57	60	Pass	401
2630	3000	1	RMS	2652.2	-42.67	-25	Pass	401
3000	12000	1	RMS	11850	-59.57	-25	Pass	9001
12000	26500	1	RMS	25013	-41.7	-25	Pass	14501






### 15.17. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:17, Channel:38175, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.9	-25	Pass	401
0.15	30	0.01	RMS	0.15	-46.13	-25	Pass	2986
30	1000	0.1	RMS	923.1	-58.18	-25	Pass	9701
1000	2560	1	RMS	2525	-43.72	-25	Pass	1561
2560	2645	1	RMS	2605.688	23.54	60	Pass	401
2645	3000	1	RMS	2647.663	-42.64	-25	Pass	401
3000	12000	1	RMS	11844	-59.62	-25	Pass	9001
12000	26500	1	RMS	25013	-41.53	-25	Pass	14501



### 15.18. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:18, Channel:38175, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-44.44	-25	Pass	401
0.15	30	0.01	RMS	0.15	-46.38	-25	Pass	2986
30	1000	0.1	RMS	948.2	-58.21	-25	Pass	9701
1000	2560	1	RMS	2534	-43.66	-25	Pass	1561
2560	2645	1	RMS	2605.9	23.08	60	Pass	401
2645	3000	1	RMS	2650.325	-42.61	-25	Pass	401
3000	12000	1	RMS	11852	-59.56	-25	Pass	9001
12000	26500	1	RMS	25011	-41.63	-25	Pass	14501



### 15.19. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:19, Channel:37850, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.99	-25	Pass	401
0.15	30	0.01	RMS	0.15	-46.7	-25	Pass	2986
30	1000	0.1	RMS	934.5	-58.25	-25	Pass	9701
1000	2560	1	RMS	2560	-38.53	-25	Pass	1561
2560	2630	1	RMS	2571.2	23.75	60	Pass	401
2630	3000	1	RMS	2654.05	-42.61	-25	Pass	401
3000	12000	1	RMS	11848	-59.55	-25	Pass	9001
12000	26500	1	RMS	25013	-41.58	-25	Pass	14501



### 15.20. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:20, Channel:37850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-44.35	-25	Pass	401
0.15	30	0.01	RMS	0.15	-46.16	-25	Pass	2986
30	1000	0.1	RMS	910.9	-58.14	-25	Pass	9701
1000	2560	1	RMS	2558	-39.97	-25	Pass	1561
2560	2630	1	RMS	2571.2	23.14	60	Pass	401
2630	3000	1	RMS	2654.975	-42.65	-25	Pass	401
3000	12000	1	RMS	11848	-59.51	-25	Pass	9001
12000	26500	1	RMS	25011	-41.67	-25	Pass	14501



### 15.21. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:21, Channel:38000, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-44.78	-25	Pass	401
0.15	30	0.01	RMS	0.15	-47.17	-25	Pass	2986
30	1000	0.1	RMS	925.9	-58.21	-25	Pass	9701
1000	2560	1	RMS	2551	-43.28	-25	Pass	1561
2560	2630	1	RMS	2586.075	24.07	60	Pass	401
2630	3000	1	RMS	2648.5	-42.64	-25	Pass	401
3000	12000	1	RMS	11852	-59.58	-25	Pass	9001
12000	26500	1	RMS	25013	-41.72	-25	Pass	14501



### 15.22. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:22, Channel:38000, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-44.49	-25	Pass	401
0.15	30	0.01	RMS	0.15	-46.58	-25	Pass	2986
30	1000	0.1	RMS	927.4	-58.23	-25	Pass	9701
1000	2560	1	RMS	2551	-43.28	-25	Pass	1561
2560	2630	1	RMS	2586.075	22.58	60	Pass	401
2630	3000	1	RMS	2656.825	-42.66	-25	Pass	401
3000	12000	1	RMS	11854	-59.61	-25	Pass	9001
12000	26500	1	RMS	25011	-41.68	-25	Pass	14501



### 15.23. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:23, Channel:38150, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-44.55	-25	Pass	401
0.15	30	0.01	RMS	0.15	-46.7	-25	Pass	2986
30	1000	0.1	RMS	955.8	-58.2	-25	Pass	9701
1000	2560	1	RMS	2552	-43.72	-25	Pass	1561
2560	2645	1	RMS	2601.013	24.07	60	Pass	401
2645	3000	1	RMS	2645.888	-42.64	-25	Pass	401
3000	12000	1	RMS	11865	-59.56	-25	Pass	9001
12000	26500	1	RMS	25012	-41.67	-25	Pass	14501



### 15.24. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:24, Channel:38150, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-44.82	-25	Pass	401
0.15	30	0.01	RMS	0.15	-46.78	-25	Pass	2986
30	1000	0.1	RMS	918.7	-58.2	-25	Pass	9701
1000	2560	1	RMS	2539	-43.66	-25	Pass	1561
2560	2645	1	RMS	2601.225	22.75	60	Pass	401
2645	3000	1	RMS	2650.325	-42.61	-25	Pass	401
3000	12000	1	RMS	11846	-59.57	-25	Pass	9001
12000	26500	1	RMS	25008	-41.64	-25	Pass	14501






## 16. LTE\_Band41 120M


### 16.1. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:1, Channel:40065, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.38	-25	Pass	401
0.15	30	0.01	RMS	0.15	-46.56	-25	Pass	2986
30	1000	0.1	RMS	921.7	-58.23	-25	Pass	9701
1000	2486	1	RMS	2483	-43.94	-25	Pass	1487
2486	2700	1	RMS	2535.22	22.08	60	Pass	401
2700	3000	1	RMS	2999.25	-42.75	-25	Pass	401
3000	12000	1	RMS	11850	-59.59	-25	Pass	9001
12000	27000	1	RMS	25012	-36.94	-25	Pass	15001




**16.2. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:2, Channel:40065, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-44.3	-25	Pass	401
0.15	30	0.01	RMS	0.15	-45.81	-25	Pass	2986
30	1000	0.1	RMS	951.8	-58.18	-25	Pass	9701
1000	2486	1	RMS	2486	-44.05	-25	Pass	1487
2486	2700	1	RMS	2535.22	21.19	60	Pass	401
2700	3000	1	RMS	2999.25	-42.78	-25	Pass	401
3000	12000	1	RMS	11853	-59.63	-25	Pass	9001
12000	27000	1	RMS	25012	-37.07	-25	Pass	15001




**16.3. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:3, Channel:40640, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-44.65	-25	Pass	401
0.15	30	0.01	RMS	0.15	-47.67	-25	Pass	2986
30	1000	0.1	RMS	927.5	-58.23	-25	Pass	9701
1000	2486	1	RMS	2486	-44.02	-25	Pass	1487
2486	2700	1	RMS	2592.465	22.5	60	Pass	401
2700	3000	1	RMS	2997.75	-42.78	-25	Pass	401
3000	12000	1	RMS	11837	-59.58	-25	Pass	9001
12000	27000	1	RMS	25016	-37.02	-25	Pass	15001




**16.4. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:4, Channel:40640, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.05	-25	Pass	401
0.15	30	0.01	RMS	0.15	-46.68	-25	Pass	2986
30	1000	0.1	RMS	967.1	-58.21	-25	Pass	9701
1000	2486	1	RMS	2486	-44.02	-25	Pass	1487
2486	2700	1	RMS	2593	21.74	60	Pass	401
2700	3000	1	RMS	3000	-42.81	-25	Pass	401
3000	12000	1	RMS	11855	-59.55	-25	Pass	9001
12000	27000	1	RMS	25018	-36.99	-25	Pass	15001




**16.5. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:5, Channel:41215, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.73	-25	Pass	401
0.15	30	0.01	RMS	0.15	-47.27	-25	Pass	2986
30	1000	0.1	RMS	964.3	-58.2	-25	Pass	9701
1000	2486	1	RMS	2485	-44.06	-25	Pass	1487
2486	2700	1	RMS	2650.245	22.93	60	Pass	401
2700	3000	1	RMS	2997.75	-42.79	-25	Pass	401
3000	12000	1	RMS	11850	-59.56	-25	Pass	9001
12000	27000	1	RMS	25011	-37.05	-25	Pass	15001




**16.6. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:6, Channel:41215, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-45.56	-25	Pass	401
0.15	30	0.01	RMS	0.15	-45.77	-25	Pass	2986
30	1000	0.1	RMS	943.3	-58.24	-25	Pass	9701
1000	2486	1	RMS	2486	-44.01	-25	Pass	1487
2486	2700	1	RMS	2650.245	21.23	60	Pass	401
2700	3000	1	RMS	3000	-42.8	-25	Pass	401
3000	12000	1	RMS	11853	-59.55	-25	Pass	9001
12000	27000	1	RMS	25019	-37	-25	Pass	15001




**16.7. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:7, Channel:40090, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-44.96	-25	Pass	401
0.15	30	0.01	RMS	0.16	-47.36	-25	Pass	2986
30	1000	0.1	RMS	901.6	-58.24	-25	Pass	9701
1000	2486	1	RMS	2484	-44.01	-25	Pass	1487
2486	2700	1	RMS	2535.755	22.48	60	Pass	401
2700	3000	1	RMS	3000	-42.72	-25	Pass	401
3000	12000	1	RMS	11858	-59.57	-25	Pass	9001
12000	27000	1	RMS	25010	-36.92	-25	Pass	15001



**16.8. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:8, Channel:40090, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-45.24	-25	Pass	401
0.15	30	0.01	RMS	0.15	-47.57	-25	Pass	2986
30	1000	0.1	RMS	902	-58.19	-25	Pass	9701
1000	2486	1	RMS	2481	-43.98	-25	Pass	1487
2486	2700	1	RMS	2535.22	21.55	60	Pass	401
2700	3000	1	RMS	3000	-42.81	-25	Pass	401
3000	12000	1	RMS	11845	-59.57	-25	Pass	9001
12000	27000	1	RMS	25012	-37.01	-25	Pass	15001





**16.9. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:9, Channel:40640, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-44.68	-25	Pass	401
0.15	30	0.01	RMS	0.15	-46.67	-25	Pass	2986
30	1000	0.1	RMS	931.7	-58.16	-25	Pass	9701
1000	2486	1	RMS	2479	-43.99	-25	Pass	1487
2486	2700	1	RMS	2590.86	23.05	60	Pass	401
2700	3000	1	RMS	2997.75	-42.82	-25	Pass	401
3000	12000	1	RMS	11855	-59.57	-25	Pass	9001
12000	27000	1	RMS	25013	-36.99	-25	Pass	15001



### 16.10. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:10, Channel:40640, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-44.74	-25	Pass	401
0.15	30	0.01	RMS	0.15	-47.05	-25	Pass	2986
30	1000	0.1	RMS	927.6	-58.21	-25	Pass	9701
1000	2486	1	RMS	2484	-43.98	-25	Pass	1487
2486	2700	1	RMS	2590.86	22.23	60	Pass	401
2700	3000	1	RMS	3000	-42.81	-25	Pass	401
3000	12000	1	RMS	11858	-59.56	-25	Pass	9001
12000	27000	1	RMS	25012	-36.92	-25	Pass	15001



### 16.11. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:11, Channel:41190, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.61	-25	Pass	401
0.15	30	0.01	RMS	0.15	-47.07	-25	Pass	2986
30	1000	0.1	RMS	912.4	-58.13	-25	Pass	9701
1000	2486	1	RMS	2486	-44.02	-25	Pass	1487
2486	2700	1	RMS	2645.43	23.34	60	Pass	401
2700	3000	1	RMS	2999.25	-42.78	-25	Pass	401
3000	12000	1	RMS	11853	-59.58	-25	Pass	9001
12000	27000	1	RMS	25012	-36.97	-25	Pass	15001



### 16.12. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:12, Channel:41190, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-44.29	-25	Pass	401
0.15	30	0.01	RMS	0.15	-46.56	-25	Pass	2986
30	1000	0.1	RMS	906.2	-58.19	-25	Pass	9701
1000	2486	1	RMS	2484	-44	-25	Pass	1487
2486	2700	1	RMS	2645.965	21.32	60	Pass	401
2700	3000	1	RMS	3000	-42.76	-25	Pass	401
3000	12000	1	RMS	11859	-59.59	-25	Pass	9001
12000	27000	1	RMS	25014	-37.06	-25	Pass	15001



### 16.13. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:13, Channel:40115, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-44.47	-25	Pass	401
0.15	30	0.01	RMS	0.15	-46.9	-25	Pass	2986
30	1000	0.1	RMS	943.4	-58.28	-25	Pass	9701
1000	2486	1	RMS	2484	-44.01	-25	Pass	1487
2486	2700	1	RMS	2535.755	23.69	60	Pass	401
2700	3000	1	RMS	2999.25	-42.77	-25	Pass	401
3000	12000	1	RMS	11855	-59.58	-25	Pass	9001
12000	27000	1	RMS	25012	-36.93	-25	Pass	15001



### 16.14. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:14, Channel:40115, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-44.68	-25	Pass	401
0.15	30	0.01	RMS	0.15	-45.66	-25	Pass	2986
30	1000	0.1	RMS	917.9	-58.24	-25	Pass	9701
1000	2486	1	RMS	2486	-43.99	-25	Pass	1487
2486	2700	1	RMS	2535.755	22.81	60	Pass	401
2700	3000	1	RMS	2998.5	-42.77	-25	Pass	401
3000	12000	1	RMS	11854	-59.55	-25	Pass	9001
12000	27000	1	RMS	25010	-36.95	-25	Pass	15001



### 16.15. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:15, Channel:40640, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.02	-25	Pass	401
0.15	30	0.01	RMS	0.15	-46.57	-25	Pass	2986
30	1000	0.1	RMS	954	-58.18	-25	Pass	9701
1000	2486	1	RMS	2480	-44.06	-25	Pass	1487
2486	2700	1	RMS	2588.72	22.52	60	Pass	401
2700	3000	1	RMS	2999.25	-42.8	-25	Pass	401
3000	12000	1	RMS	11843	-59.6	-25	Pass	9001
12000	27000	1	RMS	25017	-36.96	-25	Pass	15001



### 16.16. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:16, Channel:40640, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-44.91	-25	Pass	401
0.15	30	0.01	RMS	0.15	-48.18	-25	Pass	2986
30	1000	0.1	RMS	953.5	-58.19	-25	Pass	9701
1000	2486	1	RMS	2482	-44.03	-25	Pass	1487
2486	2700	1	RMS	2588.185	22.19	60	Pass	401
2700	3000	1	RMS	3000	-42.78	-25	Pass	401
3000	12000	1	RMS	11859	-59.59	-25	Pass	9001
12000	27000	1	RMS	25015	-37.01	-25	Pass	15001






### 16.17. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:17, Channel:41165, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-44.08	-25	Pass	401
0.15	30	0.01	RMS	0.15	-47.78	-25	Pass	2986
30	1000	0.1	RMS	915.2	-58.2	-25	Pass	9701
1000	2486	1	RMS	2486	-44	-25	Pass	1487
2486	2680	1	RMS	2640.715	23.61	60	Pass	401
2680	3000	1	RMS	3000	-42.78	-25	Pass	401
3000	12000	1	RMS	11856	-59.61	-25	Pass	9001
12000	27000	1	RMS	25012	-36.89	-25	Pass	15001



### 16.18. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:18, Channel:41165, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.77	-25	Pass	401
0.15	30	0.01	RMS	0.15	-46.77	-25	Pass	2986
30	1000	0.1	RMS	944	-58.16	-25	Pass	9701
1000	2486	1	RMS	2486	-44.03	-25	Pass	1487
2486	2680	1	RMS	2640.715	21.82	60	Pass	401
2680	3000	1	RMS	3000	-42.79	-25	Pass	401
3000	12000	1	RMS	11849	-59.54	-25	Pass	9001
12000	27000	1	RMS	25013	-37.04	-25	Pass	15001



### 16.19. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:19, Channel:40140, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-44.25	-25	Pass	401
0.15	30	0.01	RMS	0.15	-46.98	-25	Pass	2986
30	1000	0.1	RMS	935.3	-58.15	-25	Pass	9701
1000	2486	1	RMS	2485	-43.98	-25	Pass	1487
2486	2700	1	RMS	2536.29	23.32	60	Pass	401
2700	3000	1	RMS	3000	-42.75	-25	Pass	401
3000	12000	1	RMS	11863	-59.57	-25	Pass	9001
12000	27000	1	RMS	25012	-37.05	-25	Pass	15001



### 16.20. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:20, Channel:40140, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-45.26	-25	Pass	401
0.15	30	0.01	RMS	0.15	-46.45	-25	Pass	2986
30	1000	0.1	RMS	946.7	-58.26	-25	Pass	9701
1000	2486	1	RMS	2486	-44.02	-25	Pass	1487
2486	2700	1	RMS	2535.755	21.58	60	Pass	401
2700	3000	1	RMS	3000	-42.8	-25	Pass	401
3000	12000	1	RMS	11844	-59.54	-25	Pass	9001
12000	27000	1	RMS	25014	-37.03	-25	Pass	15001



### 16.21. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:21, Channel:40640, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-44.69	-25	Pass	401
0.15	30	0.01	RMS	0.15	-45.9	-25	Pass	2986
30	1000	0.1	RMS	939.7	-58.12	-25	Pass	9701
1000	2486	1	RMS	2481	-43.99	-25	Pass	1487
2486	2700	1	RMS	2586.045	22.39	60	Pass	401
2700	3000	1	RMS	2997.75	-42.82	-25	Pass	401
3000	12000	1	RMS	11861	-59.55	-25	Pass	9001
12000	27000	1	RMS	25011	-36.96	-25	Pass	15001



### 16.22. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:22, Channel:40640, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-45.19	-25	Pass	401
0.15	30	0.01	RMS	0.15	-47.18	-25	Pass	2986
30	1000	0.1	RMS	930.2	-58.29	-25	Pass	9701
1000	2486	1	RMS	2485	-43.98	-25	Pass	1487
2486	2700	1	RMS	2586.045	21.8	60	Pass	401
2700	3000	1	RMS	3000	-42.79	-25	Pass	401
3000	12000	1	RMS	11845	-59.57	-25	Pass	9001
12000	27000	1	RMS	25012	-36.98	-25	Pass	15001



### 16.23. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:23, Channel:41140, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-45.5	-25	Pass	401
0.15	30	0.01	RMS	0.15	-46.08	-25	Pass	2986
30	1000	0.1	RMS	933.2	-58.26	-25	Pass	9701
1000	2486	1	RMS	2486	-43.93	-25	Pass	1487
2486	2680	1	RMS	2635.865	22.71	60	Pass	401
2680	3000	1	RMS	3000	-42.75	-25	Pass	401
3000	12000	1	RMS	11854	-59.62	-25	Pass	9001
12000	27000	1	RMS	25013	-36.96	-25	Pass	15001



### 16.24. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:24, Channel:41140, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-44.99	-25	Pass	401
0.15	30	0.01	RMS	0.15	-46.52	-25	Pass	2986
30	1000	0.1	RMS	942.9	-58.11	-25	Pass	9701
1000	2486	1	RMS	2485	-44.04	-25	Pass	1487
2486	2680	1	RMS	2636.35	21.97	60	Pass	401
2680	3000	1	RMS	2999.2	-42.82	-25	Pass	401
3000	12000	1	RMS	11862	-59.6	-25	Pass	9001
12000	27000	1	RMS	25010	-37.02	-25	Pass	15001






## 17. LTE\_Band66


**17.1. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:1, Channel:131979, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.64	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.77	-13	Pass	2986
30	1000	0.1	RMS	922.3	-62.16	-13	Pass	9701
1000	1700	1	RMS	1699	-51.08	-13	Pass	701
1700	1790	1	RMS	1710.35	23.12	60	Pass	401
1790	3000	1	RMS	2654	-46.61	-13	Pass	1211
3000	12000	1	RMS	11922	-40.12	-13	Pass	9001
12000	20000	1	RMS	19999	-27.79	-13	Pass	8001




**17.2. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:2, Channel:131979, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.59	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.95	-13	Pass	2986
30	1000	0.1	RMS	931.7	-62.29	-13	Pass	9701
1000	1700	1	RMS	1700	-51.2	-13	Pass	701
1700	1790	1	RMS	1710.35	22.09	60	Pass	401
1790	3000	1	RMS	2650	-46.63	-13	Pass	1211
3000	12000	1	RMS	11935	-40.19	-13	Pass	9001
12000	20000	1	RMS	19999	-27.85	-13	Pass	8001




**17.3. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:3, Channel:132322, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-49.55	-13	Pass	401
0.15	30	0.01	RMS	0.15	-51.59	-13	Pass	2986
30	1000	0.1	RMS	940.2	-62.11	-13	Pass	9701
1000	1700	1	RMS	1622	-51.21	-13	Pass	701
1700	1790	1	RMS	1744.55	23.15	60	Pass	401
1790	3000	1	RMS	2656	-46.5	-13	Pass	1211
3000	12000	1	RMS	11964	-40.16	-13	Pass	9001
12000	20000	1	RMS	19998	-27.85	-13	Pass	8001




**17.4. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:4, Channel:132322, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.69	-13	Pass	401
0.15	30	0.01	RMS	0.15	-51.38	-13	Pass	2986
30	1000	0.1	RMS	917.3	-62.14	-13	Pass	9701
1000	1700	1	RMS	1588	-51.15	-13	Pass	701
1700	1790	1	RMS	1744.55	22.11	60	Pass	401
1790	3000	1	RMS	2652	-46.64	-13	Pass	1211
3000	12000	1	RMS	11856	-40.24	-13	Pass	9001
12000	20000	1	RMS	19998	-27.85	-13	Pass	8001




**17.5. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:5, Channel:132665, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.39	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.88	-13	Pass	2986
30	1000	0.1	RMS	922.3	-62.15	-13	Pass	9701
1000	1700	1	RMS	1700	-51.18	-13	Pass	701
1700	1790	1	RMS	1778.975	22.87	60	Pass	401
1790	3000	1	RMS	2653	-46.63	-13	Pass	1211
3000	12000	1	RMS	11932	-40.17	-13	Pass	9001
12000	20000	1	RMS	20000	-27.79	-13	Pass	8001




**17.6. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:6, Channel:132665, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.64	-13	Pass	401
0.15	30	0.01	RMS	0.15	-51.23	-13	Pass	2986
30	1000	0.1	RMS	939	-62.12	-13	Pass	9701
1000	1700	1	RMS	1607	-51.21	-13	Pass	701
1700	1790	1	RMS	1778.75	22.13	60	Pass	401
1790	3000	1	RMS	2650	-46.55	-13	Pass	1211
3000	12000	1	RMS	11949	-40.18	-13	Pass	9001
12000	20000	1	RMS	19996	-27.78	-13	Pass	8001




**17.7. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:7, Channel:131987, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.97	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.57	-13	Pass	2986
30	1000	0.1	RMS	916.7	-62.18	-13	Pass	9701
1000	1700	1	RMS	1699	-51	-13	Pass	701
1700	1790	1	RMS	1710.125	22.97	60	Pass	401
1790	3000	1	RMS	2659	-46.58	-13	Pass	1211
3000	12000	1	RMS	11950	-40.18	-13	Pass	9001
12000	20000	1	RMS	20000	-27.87	-13	Pass	8001



**17.8. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:8, Channel:131987, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.29	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.66	-13	Pass	2986
30	1000	0.1	RMS	925.9	-62.27	-13	Pass	9701
1000	1700	1	RMS	1700	-51.02	-13	Pass	701
1700	1790	1	RMS	1710.35	22.3	60	Pass	401
1790	3000	1	RMS	2651	-46.57	-13	Pass	1211
3000	12000	1	RMS	11926	-40.17	-13	Pass	9001
12000	20000	1	RMS	19998	-27.73	-13	Pass	8001





**17.9. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:9, Channel:132322, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.38	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.19	-13	Pass	2986
30	1000	0.1	RMS	923.4	-62.22	-13	Pass	9701
1000	1700	1	RMS	1588	-51.2	-13	Pass	701
1700	1790	1	RMS	1743.65	23.09	60	Pass	401
1790	3000	1	RMS	2652	-46.56	-13	Pass	1211
3000	12000	1	RMS	11945	-40.17	-13	Pass	9001
12000	20000	1	RMS	19995	-27.85	-13	Pass	8001



### 17.10. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:10, Channel:132322, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.85	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.67	-13	Pass	2986
30	1000	0.1	RMS	822.2	-62.21	-13	Pass	9701
1000	1700	1	RMS	1596	-51.17	-13	Pass	701
1700	1790	1	RMS	1743.65	22.06	60	Pass	401
1790	3000	1	RMS	2649	-46.62	-13	Pass	1211
3000	12000	1	RMS	11952	-40.18	-13	Pass	9001
12000	20000	1	RMS	19997	-27.81	-13	Pass	8001



### 17.11. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:11, Channel:132657, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.81	-13	Pass	401
0.15	30	0.01	RMS	0.16	-51.57	-13	Pass	2986
30	1000	0.1	RMS	884.5	-62.07	-13	Pass	9701
1000	1700	1	RMS	1698	-51.15	-13	Pass	701
1700	1790	1	RMS	1777.175	22.84	60	Pass	401
1790	3000	1	RMS	2642	-46.58	-13	Pass	1211
3000	12000	1	RMS	11870	-40.19	-13	Pass	9001
12000	20000	1	RMS	20000	-27.84	-13	Pass	8001



### 17.12. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:12, Channel:132657, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.75	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.43	-13	Pass	2986
30	1000	0.1	RMS	938.2	-62.09	-13	Pass	9701
1000	1700	1	RMS	1696	-51.19	-13	Pass	701
1700	1790	1	RMS	1777.175	22.27	60	Pass	401
1790	3000	1	RMS	2653	-46.59	-13	Pass	1211
3000	12000	1	RMS	11862	-40.19	-13	Pass	9001
12000	20000	1	RMS	19998	-27.8	-13	Pass	8001



### 17.13. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:13, Channel:131997, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.6	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.87	-13	Pass	2986
30	1000	0.1	RMS	933.9	-62.16	-13	Pass	9701
1000	1700	1	RMS	1700	-50.63	-13	Pass	701
1700	1790	1	RMS	1710.35	22.92	60	Pass	401
1790	3000	1	RMS	2655	-46.55	-13	Pass	1211
3000	12000	1	RMS	11950	-40.16	-13	Pass	9001
12000	20000	1	RMS	19996	-27.75	-13	Pass	8001



### 17.14. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:14, Channel:131997, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.26	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.67	-13	Pass	2986
30	1000	0.1	RMS	911.8	-62.16	-13	Pass	9701
1000	1700	1	RMS	1700	-50.88	-13	Pass	701
1700	1790	1	RMS	1710.35	22.22	60	Pass	401
1790	3000	1	RMS	2655	-46.59	-13	Pass	1211
3000	12000	1	RMS	11852	-40.11	-13	Pass	9001
12000	20000	1	RMS	19997	-27.82	-13	Pass	8001



### 17.15. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:15, Channel:132322, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.32	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.47	-13	Pass	2986
30	1000	0.1	RMS	922.6	-62.15	-13	Pass	9701
1000	1700	1	RMS	1699	-51.18	-13	Pass	701
1700	1790	1	RMS	1742.75	22.97	60	Pass	401
1790	3000	1	RMS	2649	-46.59	-13	Pass	1211
3000	12000	1	RMS	11936	-40.22	-13	Pass	9001
12000	20000	1	RMS	19989	-27.86	-13	Pass	8001



### 17.16. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:16, Channel:132322, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.5	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.41	-13	Pass	2986
30	1000	0.1	RMS	908.6	-62.18	-13	Pass	9701
1000	1700	1	RMS	1699	-51.11	-13	Pass	701
1700	1790	1	RMS	1742.75	22.15	60	Pass	401
1790	3000	1	RMS	2648	-46.63	-13	Pass	1211
3000	12000	1	RMS	11958	-40.19	-13	Pass	9001
12000	20000	1	RMS	20000	-27.8	-13	Pass	8001






### 17.17. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:17, Channel:132647, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.94	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.62	-13	Pass	2986
30	1000	0.1	RMS	937	-62.13	-13	Pass	9701
1000	1700	1	RMS	1660	-51.18	-13	Pass	701
1700	1790	1	RMS	1775.375	22.91	60	Pass	401
1790	3000	1	RMS	2648	-46.59	-13	Pass	1211
3000	12000	1	RMS	11921	-40.18	-13	Pass	9001
12000	20000	1	RMS	20000	-27.82	-13	Pass	8001



### 17.18. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:18, Channel:132647, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.8	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.87	-13	Pass	2986
30	1000	0.1	RMS	929.5	-62.09	-13	Pass	9701
1000	1700	1	RMS	1695	-51.2	-13	Pass	701
1700	1790	1	RMS	1775.375	22.29	60	Pass	401
1790	3000	1	RMS	2656	-46.59	-13	Pass	1211
3000	12000	1	RMS	11976	-40.18	-13	Pass	9001
12000	20000	1	RMS	19995	-27.82	-13	Pass	8001



### 17.19. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:19, Channel:132022, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-49.8	-13	Pass	401
0.15	30	0.01	RMS	0.15	-51.53	-13	Pass	2986
30	1000	0.1	RMS	926.7	-62.11	-13	Pass	9701
1000	1700	1	RMS	1700	-49.55	-13	Pass	701
1700	1790	1	RMS	1710.575	22.87	60	Pass	401
1790	3000	1	RMS	2653	-46.55	-13	Pass	1211
3000	12000	1	RMS	11948	-40.2	-13	Pass	9001
12000	20000	1	RMS	19998	-27.8	-13	Pass	8001



### 17.20. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:20, Channel:132022, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.52	-13	Pass	401
0.15	30	0.01	RMS	0.15	-51.15	-13	Pass	2986
30	1000	0.1	RMS	925.3	-61.93	-13	Pass	9701
1000	1700	1	RMS	1700	-50.02	-13	Pass	701
1700	1790	1	RMS	1710.575	22.39	60	Pass	401
1790	3000	1	RMS	2652	-46.61	-13	Pass	1211
3000	12000	1	RMS	11950	-40.18	-13	Pass	9001
12000	20000	1	RMS	19997	-27.86	-13	Pass	8001



### 17.21. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:21, Channel:132322, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.27	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.91	-13	Pass	2986
30	1000	0.1	RMS	906.6	-62.24	-13	Pass	9701
1000	1700	1	RMS	1610	-51.19	-13	Pass	701
1700	1790	1	RMS	1740.5	23.1	60	Pass	401
1790	3000	1	RMS	2652	-46.62	-13	Pass	1211
3000	12000	1	RMS	11965	-40.21	-13	Pass	9001
12000	20000	1	RMS	20000	-27.81	-13	Pass	8001



### 17.22. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:22, Channel:132322, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.79	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.37	-13	Pass	2986
30	1000	0.1	RMS	923	-62.17	-13	Pass	9701
1000	1700	1	RMS	1695	-51.19	-13	Pass	701
1700	1790	1	RMS	1740.5	22.11	60	Pass	401
1790	3000	1	RMS	2649	-46.57	-13	Pass	1211
3000	12000	1	RMS	11852	-40.2	-13	Pass	9001
12000	20000	1	RMS	19999	-27.87	-13	Pass	8001



### 17.23. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:23, Channel:132622, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-50.38	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.24	-13	Pass	2986
30	1000	0.1	RMS	923	-62.18	-13	Pass	9701
1000	1700	1	RMS	1690	-51.21	-13	Pass	701
1700	1790	1	RMS	1770.65	23.18	60	Pass	401
1790	3000	1	RMS	2642	-46.59	-13	Pass	1211
3000	12000	1	RMS	11959	-40.19	-13	Pass	9001
12000	20000	1	RMS	19997	-27.81	-13	Pass	8001



### 17.24. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:24, Channel:132622, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-49.28	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.7	-13	Pass	2986
30	1000	0.1	RMS	928.7	-62.15	-13	Pass	9701
1000	1700	1	RMS	1599	-51.21	-13	Pass	701
1700	1790	1	RMS	1770.65	22.21	60	Pass	401
1790	3000	1	RMS	2652	-46.61	-13	Pass	1211
3000	12000	1	RMS	11946	-40.17	-13	Pass	9001
12000	20000	1	RMS	19999	-27.84	-13	Pass	8001






### 17.25. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:25, Channel:132047, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.43	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.28	-13	Pass	2986
30	1000	0.1	RMS	922.4	-62.11	-13	Pass	9701
1000	1700	1	RMS	1700	-48.02	-13	Pass	701
1700	1790	1	RMS	1710.8	22.89	60	Pass	401
1790	3000	1	RMS	2655	-46.6	-13	Pass	1211
3000	12000	1	RMS	11849	-40.16	-13	Pass	9001
12000	20000	1	RMS	20000	-27.65	-13	Pass	8001



### 17.26. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:26, Channel:132047, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.33	-13	Pass	401
0.15	30	0.01	RMS	0.15	-51.16	-13	Pass	2986
30	1000	0.1	RMS	910.4	-62.11	-13	Pass	9701
1000	1700	1	RMS	1700	-48.32	-13	Pass	701
1700	1790	1	RMS	1710.8	22.29	60	Pass	401
1790	3000	1	RMS	2647	-46.61	-13	Pass	1211
3000	12000	1	RMS	11926	-40.2	-13	Pass	9001
12000	20000	1	RMS	20000	-27.81	-13	Pass	8001



### 17.27. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:27, Channel:132322, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.41	-13	Pass	401
0.15	30	0.01	RMS	0.16	-51.4	-13	Pass	2986
30	1000	0.1	RMS	884.7	-62.08	-13	Pass	9701
1000	1700	1	RMS	1622	-51.17	-13	Pass	701
1700	1790	1	RMS	1738.25	23.03	60	Pass	401
1790	3000	1	RMS	2644	-46.62	-13	Pass	1211
3000	12000	1	RMS	11845	-40.15	-13	Pass	9001
12000	20000	1	RMS	19994	-27.79	-13	Pass	8001



### 17.28. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:28, Channel:132322, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.18	-13	Pass	401
0.15	30	0.01	RMS	0.15	-51.74	-13	Pass	2986
30	1000	0.1	RMS	933.5	-62.17	-13	Pass	9701
1000	1700	1	RMS	1581	-51.21	-13	Pass	701
1700	1790	1	RMS	1738.25	22.05	60	Pass	401
1790	3000	1	RMS	2655	-46.6	-13	Pass	1211
3000	12000	1	RMS	11852	-40.21	-13	Pass	9001
12000	20000	1	RMS	19999	-27.85	-13	Pass	8001



### 17.29. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:29, Channel:132597, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.4	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.99	-13	Pass	2986
30	1000	0.1	RMS	929.4	-62.04	-13	Pass	9701
1000	1700	1	RMS	1585	-51.2	-13	Pass	701
1700	1790	1	RMS	1765.925	23.08	60	Pass	401
1790	3000	1	RMS	1792	-33.56	-13	Pass	1211
3000	12000	1	RMS	11852	-40.19	-13	Pass	9001
12000	20000	1	RMS	19999	-27.78	-13	Pass	8001



### 17.30. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:30, Channel:132597, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.51	-13	Pass	401
0.15	30	0.01	RMS	0.16	-50.81	-13	Pass	2986
30	1000	0.1	RMS	958	-62.2	-13	Pass	9701
1000	1700	1	RMS	1698	-51.19	-13	Pass	701
1700	1790	1	RMS	1765.925	22.13	60	Pass	401
1790	3000	1	RMS	1792	-34.47	-13	Pass	1211
3000	12000	1	RMS	11973	-40.19	-13	Pass	9001
12000	20000	1	RMS	20000	-27.86	-13	Pass	8001



### 17.31. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:31, Channel:132072, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.99	-13	Pass	401
0.15	30	0.01	RMS	0.16	-51.6	-13	Pass	2986
30	1000	0.1	RMS	922.8	-62.13	-13	Pass	9701
1000	1700	1	RMS	1700	-48.37	-13	Pass	701
1700	1790	1	RMS	1711.025	23.03	60	Pass	401
1790	3000	1	RMS	2651	-46.58	-13	Pass	1211
3000	12000	1	RMS	11948	-40.21	-13	Pass	9001
12000	20000	1	RMS	19996	-27.81	-13	Pass	8001



### 17.32. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:32, Channel:132072, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.49	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.28	-13	Pass	2986
30	1000	0.1	RMS	916.5	-62.05	-13	Pass	9701
1000	1700	1	RMS	1700	-48.51	-13	Pass	701
1700	1790	1	RMS	1711.025	22.23	60	Pass	401
1790	3000	1	RMS	2652	-46.55	-13	Pass	1211
3000	12000	1	RMS	11853	-40.21	-13	Pass	9001
12000	20000	1	RMS	19993	-27.8	-13	Pass	8001






### 17.33. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:33, Channel:132322, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.09	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.81	-13	Pass	2986
30	1000	0.1	RMS	925	-61.98	-13	Pass	9701
1000	1700	1	RMS	1700	-42.47	-13	Pass	701
1700	1790	1	RMS	1736	22.9	60	Pass	401
1790	3000	1	RMS	2660	-46.61	-13	Pass	1211
3000	12000	1	RMS	11949	-40.07	-13	Pass	9001
12000	20000	1	RMS	19997	-27.75	-13	Pass	8001



### 17.34. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:34, Channel:132322, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-50.16	-13	Pass	401
0.15	30	0.01	RMS	0.15	-51.04	-13	Pass	2986
30	1000	0.1	RMS	904.7	-62.07	-13	Pass	9701
1000	1700	1	RMS	1700	-44.78	-13	Pass	701
1700	1790	1	RMS	1736	22.01	60	Pass	401
1790	3000	1	RMS	2650	-46.61	-13	Pass	1211
3000	12000	1	RMS	11933	-40.15	-13	Pass	9001
12000	20000	1	RMS	19999	-27.88	-13	Pass	8001



### 17.35. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:35, Channel:132572, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.6	-13	Pass	401
0.15	30	0.01	RMS	0.15	-51.32	-13	Pass	2986
30	1000	0.1	RMS	936.8	-61.89	-13	Pass	9701
1000	1700	1	RMS	1700	-51.2	-13	Pass	701
1700	1790	1	RMS	1760.975	22.9	60	Pass	401
1790	3000	1	RMS	1797	-43.4	-13	Pass	1211
3000	12000	1	RMS	11842	-40.16	-13	Pass	9001
12000	20000	1	RMS	19995	-27.79	-13	Pass	8001



### 17.36. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:36, Channel:132572, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-49.66	-13	Pass	401
0.15	30	0.01	RMS	0.16	-52.16	-13	Pass	2986
30	1000	0.1	RMS	927	-62.12	-13	Pass	9701
1000	1700	1	RMS	1614	-51.22	-13	Pass	701
1700	1790	1	RMS	1760.975	21.83	60	Pass	401
1790	3000	1	RMS	1797	-44.19	-13	Pass	1211
3000	12000	1	RMS	11945	-40.18	-13	Pass	9001
12000	20000	1	RMS	20000	-27.75	-13	Pass	8001



--BLANK BELOW--