



SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

Report No.: SZCR240400116001
Rev.: 01
Page: 390 of 395

Test Band = 2A-5A_TM1
Test Channel = low

Final Data List								
NO	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3702.0000	45.32	29.02	-47.47	-68.39	-13.00	55.39	Horizontal
2	5553.0000	44.07	32.58	-47.04	-65.65	-13.00	52.65	Horizontal
3	7404.0000	42.92	36.29	-45.07	-61.12	-13.00	48.12	Horizontal
4	9255.0000	40.78	36.69	-42.41	-60.20	-13.00	47.20	Horizontal
5	11106.0000	37.32	39.62	-39.37	-57.69	-13.00	44.69	Horizontal
6	12957.0000	36.07	39.70	-38.62	-58.11	-13.00	45.11	Horizontal

Final Data List								
NO	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3702.0000	45.88	29.02	-47.47	-67.83	-13.00	54.83	Vertical
2	5553.0000	43.88	32.58	-47.04	-65.84	-13.00	52.84	Vertical
3	7404.0000	42.73	36.29	-45.07	-61.31	-13.00	48.31	Vertical
4	9255.0000	40.38	36.69	-42.41	-60.60	-13.00	47.60	Vertical
5	11106.0000	37.04	39.62	-39.37	-57.97	-13.00	44.97	Vertical
6	12957.0000	36.63	39.70	-38.62	-57.55	-13.00	44.55	Vertical



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 sgs.china@sgs.com



SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

Report No.: SZCR240400116001
Rev.: 01
Page: 391 of 395

Test Band = 2A-5A_ TM1
Test Channel = mid

Final Data List								
NO	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3742.0000	44.46	29.09	-47.37	-69.08	-13.00	56.08	Horizontal
2	5613.0000	44.02	32.55	-46.93	-65.62	-13.00	52.62	Horizontal
3	7484.0000	42.84	36.38	-45.09	-61.13	-13.00	48.13	Horizontal
4	9355.0000	40.05	36.92	-41.98	-60.27	-13.00	47.27	Horizontal
5	11226.0000	37.70	39.65	-39.00	-56.91	-13.00	43.91	Horizontal
6	13097.0000	36.07	39.87	-38.84	-58.16	-13.00	45.16	Horizontal

Final Data List								
NO	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3742.0000	44.08	29.09	-47.37	-69.46	-13.00	56.46	Vertical
2	5613.0000	43.79	32.55	-46.93	-65.85	-13.00	52.85	Vertical
3	7484.0000	42.39	36.38	-45.09	-61.58	-13.00	48.58	Vertical
4	9355.0000	39.85	36.92	-41.98	-60.47	-13.00	47.47	Vertical
5	11226.0000	37.97	39.65	-39.00	-56.64	-13.00	43.64	Vertical
6	13097.0000	37.16	39.87	-38.84	-57.07	-13.00	44.07	Vertical



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 sgs.china@sgs.com



SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

Report No.: SZCR240400116001

Rev.: 01

Page: 392 of 395

Test Band = 2A-5A_TM1
Test Channel = high

Final Data List								
NO	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3782.0000	44.75	29.15	-47.26	-68.62	-13.00	55.62	Horizontal
2	5673.0000	43.63	32.53	-46.79	-65.89	-13.00	52.89	Horizontal
3	7564.0000	42.30	36.37	-44.79	-61.38	-13.00	48.38	Horizontal
4	9455.0000	39.59	37.15	-41.78	-60.30	-13.00	47.30	Horizontal
5	11346.0000	37.14	39.67	-39.06	-57.51	-13.00	44.51	Horizontal
6	13237.0000	36.45	40.13	-38.33	-57.01	-13.00	44.01	Horizontal

Final Data List								
NO	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3782.0000	44.18	29.15	-47.26	-69.19	-13.00	56.19	Vertical
2	5673.0000	43.94	32.53	-46.79	-65.58	-13.00	52.58	Vertical
3	7564.0000	43.04	36.37	-44.79	-60.64	-13.00	47.64	Vertical
4	9455.0000	39.32	37.15	-41.78	-60.57	-13.00	47.57	Vertical
5	11346.0000	37.30	39.67	-39.06	-57.35	-13.00	44.35	Vertical
6	13237.0000	36.64	40.13	-38.33	-56.82	-13.00	43.82	Vertical



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 sgs.china@sgs.com



SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

Report No.: SZCR240400116001
Rev.: 01
Page: 393 of 395

Test Band = 2A-7A_TM1
Test Channel = low

Final Data List								
NO	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	5002.0000	45.11	31.41	-47.19	-65.93	-25.00	40.93	Horizontal
2	7503.0000	43.25	36.40	-45.08	-60.69	-25.00	35.69	Horizontal
3	10004.0000	38.74	38.40	-41.26	-59.38	-25.00	34.38	Horizontal
4	12505.0000	37.06	39.75	-38.86	-57.31	-25.00	32.31	Horizontal
5	15006.0000	35.51	41.58	-37.35	-55.52	-25.00	30.52	Horizontal
6	17507.0000	33.86	44.29	-35.75	-52.86	-25.00	27.86	Horizontal

Final Data List								
NO	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	5002.0000	44.26	31.41	-47.19	-66.78	-25.00	41.78	Vertical
2	7503.0000	43.10	36.40	-45.08	-60.84	-25.00	35.84	Vertical
3	10004.0000	39.06	38.40	-41.26	-59.06	-25.00	34.06	Vertical
4	12505.0000	36.54	39.75	-38.86	-57.83	-25.00	32.83	Vertical
5	15006.0000	35.30	41.58	-37.35	-55.73	-25.00	30.73	Vertical
6	17507.0000	33.90	44.29	-35.75	-52.82	-25.00	27.82	Vertical



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch, Wireless Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 www.sgsgroup.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 sgs.china@sgs.com



SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

Report No.: SZCR240400116001
Rev.: 01
Page: 394 of 395

Test Band = 2A-7A_TM1
Test Channel = mid

Final Data List								
NO	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	5052.0000	44.69	31.52	-47.13	-66.18	-25.00	41.18	Horizontal
2	7578.0000	43.27	36.37	-44.73	-60.35	-25.00	35.35	Horizontal
3	10104.0000	38.17	38.53	-40.80	-59.36	-25.00	34.36	Horizontal
4	12630.0000	36.71	39.74	-38.63	-57.44	-25.00	32.44	Horizontal
5	15156.0000	35.63	41.07	-36.90	-55.46	-25.00	30.46	Horizontal
6	17682.0000	34.52	45.22	-36.39	-51.91	-25.00	26.91	Horizontal

Final Data List								
NO	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	5052.0000	44.07	31.52	-47.13	-66.80	-25.00	41.80	Vertical
2	7578.0000	42.62	36.37	-44.73	-61.00	-25.00	36.00	Vertical
3	10104.0000	38.07	38.53	-40.80	-59.46	-25.00	34.46	Vertical
4	12630.0000	36.63	39.74	-38.63	-57.52	-25.00	32.52	Vertical
5	15156.0000	35.88	41.07	-36.90	-55.21	-25.00	30.21	Vertical
6	17682.0000	35.06	45.22	-36.39	-51.37	-25.00	26.37	Vertical



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch, Wireless Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 sgs.china@sgs.com



SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

Report No.: SZCR240400116001
Rev.: 01
Page: 395 of 395

Test Band = 2A-7A_TM1
Test Channel = high

Final Data List								
NO	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3756.6303	45.41	29.11	-47.33	-68.07	-25.00	43.07	Horizontal
2	5102.0000	44.45	31.65	-47.07	-66.23	-25.00	41.23	Horizontal
3	7653.0000	42.74	36.34	-44.31	-60.49	-25.00	35.49	Horizontal
4	10204.000	38.32	38.65	-41.20	-59.49	-25.00	34.49	Horizontal
5	12755.000	35.51	39.72	-38.54	-58.57	-25.00	33.57	Horizontal
6	15306.000	35.74	40.56	-36.57	-55.53	-25.00	30.53	Horizontal

Final Data List								
NO	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3654.0262	45.43	28.95	-47.47	-68.35	-25.00	43.35	Vertical
2	5102.0000	44.41	31.65	-47.07	-66.27	-25.00	41.27	Vertical
3	7653.0000	42.43	36.34	-44.31	-60.80	-25.00	35.80	Vertical
4	10204.000	37.96	38.65	-41.20	-59.85	-25.00	34.85	Vertical
5	12755.000	35.50	39.72	-38.54	-58.58	-25.00	33.58	Vertical
6	15306.000	36.01	40.56	-36.57	-55.26	-25.00	30.26	Vertical

Remark:

1) The field strength is calculated by adding the Antenna Factor, Cable Factor & AMP. The basic equation with a sample calculation is as follows:

AF = Antenna Factor(dB/m)

Factor = Cable Factor(dB) - Pre-amplifier (dB)

Level = Reading Level + AF + Factor -95.26

Margin = Limit – Level

2) All antennas of RSE are tested, and only the worst data is presented.

---End of Attachment---



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 sgs.china@sgs.com