Report No.:
 SZCR240400116001

 Rev.:
 01

 Page:
 1 of 45

TEST REPORT

Test Result :	PASS *		
Date of Issue:	2024/05/07		
Date of Test:	2024/04/13 to 2024/05/06		
Date of Receipt:	2024/04/09		
	47 CFR Part 90		
otanualus.	47 CFR Part 27		
Standards:	47 CFR Part 24		
	47 CFR Part 2		
FCC ID:	2AUCY-V2341		
Trade Mark:	vivo		
Model No.:	V2341		
EUI Description:	Mobile phone		
Address of Manufacturer:	No. 1, Wo Road, Chang an, Dongguan, Guangdong, China		
Manufacturor:			
Address of Applicant:	No 1 vivo Road, Chang'an, Dongguan Guangdong China		
Applicant:	vivo Mobile Communication Co., Ltd.		
Application No.:	SZCR2404001160WM		

In the configuration tested, the EUT detailed in this report complied with the standards specified above.

Authorized Signature:

Keny. KN

Keny Xu Laboratory Manager



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>https://www.sgs.com/en/Terms-and-Conditions</u>, Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document (sei nawfu) and be proscuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: (SN_Doccheck@ags.com)

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 tt (86–755) 26012053 中国・广东・深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 tt (86–755) 26012053 www.sgsgroup.com.cn

 Report No.:
 SZCR240400116001

 Rev.:
 01

 Page:
 2 of 45

1 Version

Revision Record				
Version	Chapter	Date	Modifier	Remark
01		2024/05/07		Original

Prepared By	Jack Huang) / Test Engineer
Checked By	Flora Wang (Flora Wang) / Reviewer



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@sgs.com"

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86–755) 28012053 www.sgsgroup.com.cn

中国・广东・深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t(86-755)26012053

-755) 26012053 sgs.china@sgs.com

 Report No.:
 SZCR240400116001

 Rev.:
 01

 Page:
 3 of 45

Contents

1	Versio	on	2
2	Test S	Summary	5
	2.1	GSM850/UMTS Band 5/LTE Band 5/26(824~849 MHz)	5
	2.2	GSM 1900/UMTS Band 2 /LTE Band 2	6
	2.3	UMTS Band 4 /LTE Band 4 /66	7
	2.4	LTE Band 7/38/41	8
	2.5	LTE Band 12/17	9
	2.6	LTE Band 13	10
	2.7	LTE Band 26(814~824 MHz)	11
	2.8	LTE CA_7C/CA_41C	12
	2.9	CDMA BC0	13
3	Gener	al Information	14
	3.1	Details of Client	14
	3.2	Test Location	14
	3.3	Test Facility	14
	3.4	General Description of EUT	15
	3.5	Test Mode	17
	3.6	Test Environment	17
	3.7	Description of Support Units	17
	3.8	Technical Specification	18
	3.9	Test Frequencies	20
4	Descr	iption of Tests	30
	4.1	Conducted Output Power	30
	4.2	Effective (Isotropic) Radiated Power of Transmitter	31
	4.3	Occupied Bandwidth	32
	4.4	Band Edge at Antenna Terminals	33
	4.5	Spurious And Harmonic Emissions at Antenna Terminal	34
	4.6	Peak-Average Ratio	35
	4.7	Field Strength of Spurious Radiation	36
	4.8	Frequency Stability / Temperature Variation	37



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company's sole to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 83071443, or email: CM. Joccheck dags.com

中国・广东・深圳市南山区科技园中区M-10栋1号厂房

邮编: 518057 t (86-755) 26012053 sgs.china@sgs.com

 Report No.:
 SZCR240400116001

 Rev.:
 01

 Page:
 4 of 45

	4.9 Test Setups	38
	4.9.1 Test Setup 1	
	4.9.2 Test Setup 2	
	4.9.3 Test Setup 3	
	4.10 Test Conditions	40
5	Main Test Instruments	42
6	Measurement Uncertainty	44
7	Appendixes	45
	••	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@sgs.com"

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86–755) 26012053 www.sgsgroup.com.cn

no. Holisalop, mr. b, minute docum, ocenice a recinitogy fails, finishian balance, dienziele, deargooing, diana 510057 t (66-755) 26012053 中国・广东・深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch Report No.: SZCR240400116001

Report No.:	SZCR2404001160
Rev.:	01
Page:	5 of 45

2 Test Summary

2.1 GSM850/UMTS Band 5/LTE Band 5/26(824~849 MHz)

Test Item	FCC Rule No.	Requirements	Test Result	Verdict
Effective (Isotropic) Radiated Power Output Data	§2.1046, §22.913(a)(5)	ERP ≤ 7 W	Section 1 of Appendix B.1&B.5&B.9&B.15	Pass
Peak-Average Ratio	§22.913(d)	Limit≤13 dB	Section 4 of Appendix B.1&B.5&B.9&B.15	Pass
Bandwidth	§2.1049	OBW: No limit. EBW: No limit.	Section 3 of Appendix B.1&B.5&B.9&B.15	Pass
Band Edges Compliance	§2.1051, §22.917(a)	≤ -13 dBm/1%*EBW, in 1 MHz bands immediately outside and adjacent to the frequency block.	Section 5 of Appendix B.1&B.5&B.9&B.15	Pass
Spurious Emission at Antenna Terminals	§2.1051, §22.917(a)	FCC: ≤ -13 dBm/100 kHz, from 9 kHz to 10th harmonics but outside authorized operating frequency ranges.	Section 5 of Appendix B.1&B.5&B.9&B.15	Pass
Field Strength of Spurious Radiation	§2.1053, §22.917(a)	FCC: ≤ -13 dBm/100 kHz.	Section 6 of Appendix B.1&B.5&B.9&B.15	Pass
Frequency Stability	§2.1055(a)(1)(b) §2.1055(d)(2) §22.355	±2.5ppm.	Section 2 of Appendix B.1&B.5&B.9&B.15	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@ags.com"

or email: <u>CN.Doccheck@sgs.com</u> No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86–755) 26012053 www.sgsgroup.com.cn

中国・广东・深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057

Report No.: SZCR240400116001 Rev.: 01 6 of 45 Page:

2.2 GSM 1900/UMTS Band 2 /LTE Band 2

Test Item	FCC Rule No.	Requirements	Test Result	Verdict
Effective (Isotropic) Radiated Power Output Data	§2.1046, §24.232(c)	EIRP ≤ 2 W	Section 1 of Appendix B.2&B.3&B.7	Pass
Peak-Average Ratio	§24.232(d)	Limit≤13 dB	Section 4 of Appendix B.2&B.3&B.7	Pass
Bandwidth	§2.1049	OBW: No limit. EBW: No limit.	Section 3 of Appendix B.2&B.3&B.7	Pass
Band Edges Compliance	§2.1051, §24.238(a)	≤ -13 dBm/1%*EBW, in 1 MHz bands immediately outside and adjacent to the frequency block.	Section 5 of Appendix B.2&B.3&B.7	Pass
Spurious Emission at Antenna Terminals	§2.1051, §24.238(a)	 ≤ -13 dBm/1 MHz, from 9 kHz to 10th harmonics but outside authorized operating frequency ranges. 	Section 5 of Appendix B.2&B.3&B.7	Pass
Field Strength of Spurious Radiation	§2.1053, §24.238(a)	≤ -13 dBm/1 MHz.	Section 6 of Appendix B.2&B.3&B.7	Pass
Frequency Stability	§2.1055(a)(1)(b) §2.1055(d) (2) §24.235	Within authorized bands of operation/frequency block.	Section 2 of Appendix B.2&B.3&B.7	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unliess otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CM. Doccheck@sgs.com"

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86–755) 26012053 www.sgsgroup.com.cn

中国・广东・深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057

 Report No.:
 SZCR240400116001

 Rev.:
 01

 Page:
 7 of 45

2.3 UMTS Band 4 /LTE Band 4 /66

Test Item	FCC Rule No.	Requirements	Test Result	Verdict
Effective (Isotropic) Radiated Power Output Data	§2.1046, §27.50(d)(4)	EIRP ≤ 1 W	Section 1 of Appendix B.4&B.8&B.18	Pass
Peak-Average Ratio	§27.50(d)(5)	Limit≤13 dB	Section 4 of Appendix B.4&B.8&B.18	Pass
Bandwidth	§2.1049	OBW: No limit. EBW: No limit.	Section 3 of Appendix B.4&B.8&B.18	Pass
Band Edges Compliance	§2.1051, §27.53(h)	≤ -13 dBm/1%*EBW, in 1 MHz bands immediately outside and adjacent to the frequency block.	Section 5 of Appendix B.4&B.8&B.18	Pass
Spurious Emission at Antenna Terminals	§2.1051, §27.53(h)	 ≤ -13 dBm/1 MHz, from 9 kHz to 10th harmonics but outside authorized operating frequency ranges. 	Section 5 of Appendix B.4&B.8&B.18	Pass
Field Strength of Spurious Radiation	§2.1053, §27.53(h)	≤ -13 dBm/1 MHz.	Section 6 of Appendix B.4&B.8&B.18	Pass
Frequency Stability	§2.1055(a)(1)(b) §2.1055(d) (2) §27.54	Within authorized bands of operation/frequency block.	Section 2 of Appendix B.4&B.8&B.18	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@sgs.com"

remail: To Eneck the admenticity of testing inspection report a certificate, please contact us at temptone. (ee) rsg/sc/mac, or email: 0.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86–755) 26012053 www.sgsgroup.com.cn

中国・广东・深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057

Report No.: Rev.: 01 8 of 45 Page:

2.4 LTE Band 7/38/41

Test Item	FCC Rule No.	Requirements	Test Result	Verdict
Effective (Isotropic) Radiated Power Output Data	§2.1046, §27.50(h)(2)	EIRP ≤ 2W	Section 1 of Appendix B.10&B.16&B.17	Pass
Peak-Average Ratio		≤13 dB	Section 4 of Appendix B.10&B.16&B.17	Pass
Bandwidth	§2.1049	OBW: No limit. EBW: No limit.	Section 3 of Appendix B.10&B.16&B.17	Pass
Band Edges Compliance	§2.1051, §27.53(m4)	For mobile digital stations, the attenuation factor shall be not less than $40 + 10 \log$ (P) dB on all frequencies between the channel edge and 5 megahertz from the channel edge, $43 + 10 \log$ (P) dB on all frequencies between 5 megahertz and X megahertz from the channel edge, and 55 + 10 log (P) dB on all frequencies more than X megahertz from the channel edge, where X is the greater of 6 megahertz or the actual emission bandwidth as de ned in paragraph (m)(6) of this section. In addition, the attenuation factor shall not be less that $43 + 10 \log$ (P) dB on all frequencies between 2490.5 MHz and 2496 MHz and 55 + 10 log (P) dB at or below 2490.5 MHz.	Section 5 of Appendix B.10&B.16&B.17	Pass
Spurious Emission at Antenna Terminals	§2.1051, §27.53(m)	Channel Edge -25 dBm/ 1 MHz 9 kHz \$5 MHz XMHz 10 th harmonics X=Max [6MHz, EBW]	Section 5 of Appendix B.10&B.16&B.17	Pass
Field Strength of Spurious Radiation	§2.1053, §27.53(m)	9 kHz 9.5 MHz XMHz 10th harmonics X=Max {6MHz, EBW}	Section 6 of Appendix B.10&B.16&B.17	Pass
Frequency Stability	§2.1055(a)(1)(b) §2.1055(d) (2) §27.54	Within authorized bands of operation/frequency block.	Section 2 of Appendix B.10&B.16&B.17	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@sgs.com"

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86–755) 26012053 www.sgsgroup.com.cn 中国・广东・深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86–755) 26012053 sgs.china@sgs.com

Report No.: SZCR240400116001 Rev.: 01 9 of 45 Page:

2.5 LTE Band 12/17

Test Item	FCC Rule No.	Requirements	Test Result	Verdict
Effective (Isotropic) Radiated Power Output Data	§2.1046 §27.50(c)(10)	ERP ≤ 3 W.	Section 1 of Appendix B.11&B.13	Pass
Peak-Average Ratio		Limit≤13 dB	Section 4 of Appendix B.11&B.13	Pass
Bandwidth	§2.1049	OBW: No limit. EBW: No limit.	Section 3 of Appendix B.11&B.13	Pass
Band Edges Compliance	§2.1051, §27.53(g)	≤ -13 dBm/1%*EBW, in 1 MHz bands immediately outside and adjacent to the frequency block.	Section 5 of Appendix B.11&B.13	Pass
Spurious Emission at Antenna Terminals	§2.1051, §27.53(g)	FCC: ≤ -13 dBm/100 kHz, from 9 kHz to 10 th harmonics but outside authorized operating frequency ranges.	Section 5 of Appendix B.11&B.13	Pass
Field Strength of Spurious Radiation	§2.1053, §27.53(g)	FCC: ≤ -13 dBm/100 kHz.	Section 6 of Appendix B.11&B.13	Pass
Frequency Stability	§2.1055(a)(1)(b) §2.1055(d) (2) §27.54	Within authorized bands of operation/frequency block.	Section 2 of Appendix B.11&B.13	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@sgs.com"

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86–755) 26012053 www.sgsgroup.com.cn

中国・广东・深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057

Report No.: Rev.: 01 10 of 45 Page:

SZCR240400116001

2.6 LTE Band 13

Test Item	FCC Rule No.	Requirements	Test Result	Verdict
Effective (Isotropic) Radiated Power Output Data	§2.1046, §27.50(b)(10)	ERP ≤ 3 W.	Section 1 of Appendix B.12	Pass
Peak-Average Ratio		Limit≤13 dB	Section 4 of Appendix B.12	Pass
Bandwidth	§2.1049,	OBW: No limit. EBW: No limit.	Section 3 of Appendix B.12	Pass
Band Edges Compliance	§2.1051, §27.53(c)	≤ -13 dBm/1%*EBW, in 1 MHz bands immediately outside and adjacent to the frequency block.	Section 5 of Appendix B.12	Pass
Spurious Emission at Antenna Terminals	§2.1051, §27.53(c) §27.53(f)	 ≤ -13 dBm/100 kHz, from 9 kHz to 10th harmonics but outside authorized operating frequency ranges. On all frequencies between 763–775 MHz and 793–805 MHz, by a factor not less than 65 + 10 log (P) dB in a 6.25 kHz band segment, for mobile and portable stations. For operations in the 746-758 MHz, 775-788 MHz, and 805-806 MHz bands, emissions in the band 1559-1610 MHz shall be limited to −70 dBW/MHz equivalent isotropically radiated power (EIRP) for wideband signals, and −80 dBW EIRP for discrete emissions of less than 700 Hz bandwidth. 	Section 5 of Appendix B.12	Pass
Field Strength of Spurious Radiation	§2.1053, §27.53(c) §27.53(f)	FCC: ≤ -13 dBm/100 kHz. For operations in the 746-758 MHz, 775- 788 MHz, and 805-806 MHz bands, emissions in the band 1559-1610 MHz shall be limited to −70 dBW/MHz equivalent isotropically radiated power (EIRP) for wideband signals, and −80 dBW EIRP for discrete emissions of less than 700 Hz bandwidth.	Section 6 of Appendix B.12	Pass
Frequency Stability	§2.1055(a)(1)(b) §2.1055(d) (2) §27.54	Within authorized bands of operation/frequency block.	Section 2 of Appendix B.12	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@sgs.com"

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86–755) 26012053 www.sgsgroup.com.cn

中国・广东・深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86–755) 26012053

Report No.: SZCR240400116001 Rev.: 01 11 of 45 Page:

2.7 LTE Band 26(814~824 MHz)

Test Item	FCC Rule No.	Requirements	Test Result	Verdict
Transmitter Conducted Power Output	§2.1046, §90.635(b)	< 100 W.	Section 1 of Appendix B.14	Pass
Peak-Average Ratio		Limit≤13 dB	Section 4 of Appendix B.14	Pass
Bandwidth	§2.1049	OBW: No limit. EBW: No limit.	Section 3 of Appendix B.14	Pass
Emission Mask	§2.1051 § 90.691(a)	For any frequency removed from the EA licensee's frequency block by up to and including 37.5 kHz, the power of any emission shall be attenuated below the transmitter power (P) in watts by at least 116 Log10(f/6.1) decibels or 50+10Log10(P) decibels or 80 decibels, whichever is the lesser attenuation, where f is the frequency removed from the center of the outer channel in the block in kilohertz and where f is greater than 12.5 kHz.	Section 5 of Appendix B.14	Pass
Spurious Emission at Antenna Terminals	§2.1051, §90.691	< 43 + 10Log10(P[Watts]) for all out-of-band emissions	Section 5 of Appendix B.14	Pass
Field Strength of Spurious Radiation	§2.1053, §90.691	< 43 + 10Log10(P[Watts]) for all out-of-band emissions	Section 6 of Appendix B.14	Pass
Frequency Stability	§2.1055(a)(1)(b) §2.1055(d) (2) §90.213	Within authorized bands of operation/frequency block.	Section 2 of Appendix B.14	Pass



中国・广东・深圳市南山区科技园中区M-10栋1号厂房



No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86–755) 26012053 邮编: 518057 t (86–755) 26012053 sgs.china@sgs.com

www.sgsgroup.com.cn

Report No.: SZCR240400116001 Rev.: 01 12 of 45 Page:

2.8 LTE CA 7C/CA 41C

Test Item	FCC Rule No.	Requirements	Test Result	Verdict
Effective (Isotropic) Radiated Power Output Data	§2.1046, §27.50(h)(2)	EIRP ≤ 2W	Section 1 of Appendix B.19&B.20	Pass
Bandwidth	§2.1049	OBW: No limit. EBW: No limit.	Section 2 of Appendix B.19&B.20	Pass
Band Edges Compliance	§2.1051, §27.53(m4)	For mobile digital stations, the attenuation factor shall be not less than $40 + 10 \log (P) dB$ on all frequencies between the channel edge and 5 megahertz from the channel edge, 43 + $10 \log (P) dB$ on all frequencies between 5 megahertz and X megahertz from the channel edge, and 55 + 10 log (P) dB on all frequencies more than X megahertz from the channel edge, where X is the greater of 6 megahertz or the actual emission bandwidth as de ned in paragraph (m)(6) of this section. In addition, the attenuation factor shall not be less that 43 + 10 log (P) dB on all frequencies between 2490.5 MHz and 2496 MHz and 55 + 10 log (P) dB at or below 2490.5 MHz.	Section 3 of Appendix B.19&B.20	Pass
Spurious Emission at Antenna Terminals	§2.1051, §27.53(m)	25 dBm/ 1 MHz 9 kHz 25 dBm/ 1 MHz 9 kHz 25 dBm/ 1 MHz 25 dBm/ 1 MHz 4 1 MHz 1 MHz	Section 3 of Appendix B.19&B.20	Pass
Field Strength of Spurious Radiation	§2.1053, §27.53(m)	25 dBm/ 1 MHz 9 kHz 25 dBm/ 1 MHz 9 kHz 25 dBm/ 1 MHz 1 MHz 25 dBm/ 1 MHz 1 MHz 25 dBm/ 1 MHz 1 MHz 1 MHz 1 MHz 25 dBm/ 1 MHz 1 MH	Section 4 of Appendix B.19&B.20	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@sgs.com"

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86–755) 26012053 www.sgsgroup.com.cn 中国・广东・深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057

t (86–755) 26012053 sgs.china@sgs.com

 Report No.:
 SZCR240400116001

 Rev.:
 01

 Page:
 13 of 45

2.9 CDMA BC0

Test Item	FCC Rule No.	Requirements	Test Result	Verdict
Effective (Isotropic) Radiated Power Output Data	§2.1046, §22.913(a)(5)	ERP ≤ 7 W	Section 1 of Appendix B.6	Pass
Peak-Average Ratio	§22.913(d)	Limit≤13 dB	Section 2 of Appendix B.6	Pass
Bandwidth	§2.1049	OBW: No limit. EBW: No limit.	Section 3 of Appendix B.6	Pass
Band Edges Compliance	§2.1051, §22.917(a)	≤ -13 dBm/1%*EBW, in 1 MHz bands immediately outside and adjacent to the frequency block.	Section 4 of Appendix B.6	Pass
Spurious Emission at Antenna Terminals	§2.1051, §22.917(a)	FCC: ≤ -13 dBm/100 kHz, from 9 kHz to 10th harmonics but outside authorized operating frequency ranges.	Section 5 of Appendix B.6	Pass
Field Strength of Spurious Radiation	§2.1053, §22.917(a)	FCC: ≤ -13 dBm/100 kHz.	Section 6 of Appendix B.6	Pass
Frequency Stability	§2.1055(a)(1)(b) §2.1055(d)(2) §22.355	±2.5ppm.	Section 7 of Appendix B.6	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@sgs.com"

or email: CN_Doccheck@sgs.com No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86–755) 26012053 www.sgsgroup.com.cn

中国・广东・深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t(86-755)

Report No.: SZCR240400116001 Rev.: 01 Page: 14 of 45

General Information 3

3.1 Details of Client

Applicant:	vivo Mobile Communication Co., Ltd.
Address of Applicant:	No.1, vivo Road, Chang'an, Dongguan,Guangdong,China
Manufacturer:	vivo Mobile Communication Co., Ltd.
Address of Manufacturer:	No.1, vivo Road, Chang'an, Dongguan, Guangdong, China

3.2 Test Location

Company:	SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch
Address:	No. 1 Workshop, M-10, Middle section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China
Post code:	518057
Test engineer:	Jinhua Wei, Xing Guo

3.3 Test Facility

The test facility is recognized, certified, or accredited by the following organizations:

A2LA (Certificate No. 3816.01)

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch is accredited by the American Association for Laboratory Accreditation(A2LA). Certificate No. 3816.01.

VCCI

The 3m Fully-anechoic chamber for above 1GHz, 10m Semi-anechoic chamber for below 1GHz, Shielded Room for Mains Port Conducted Interference Measurement and Telecommunication Port Conducted Interference Measurement of SGS-CSTC Standards Technical Services Co., Ltd. have been registered in accordance with the Regulations for Voluntary Control Measures with Registration No.: G-20026, R-14188, C-12383 and T-11153 respectively.

Innovation, Science and Economic Development Canada

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch has been recognized by ISED as an accredited testing laboratory.

CAB identifier: CN0006.

IC#: 4620C.

FCC –Designation Number: CN1336

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch has been recognized as an accredited testing laboratory.

中国・广东・深圳市南山区科技园中区M-10栋1号厂房

Designation Number: CN1336.

Test Firm Registration Number: 787754



邮编: 518057

sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch Report No.: SZCR240400116001

 Report No.:
 SZCR240400

 Rev.:
 01

 Page:
 15 of 45

3.4 General Description of EUT

EUT Description:	Mobile phone					
Model No.:	V2341					
Trade Mark:	vivo					
Hardware Version:	MP_0.1					
Software Version:	PD2343KF_EX_A_1	4.0.8.8.V	V30			
Power Supply:	3.91V					
	RF Conducted		IMEI1:863223079997171 IMEI2:863223079997163			
	RSE		IMEI1:863223079997973 IMEI2:863223079997965			
Antenna Type:	PIFA Antenna					
	GSM850:	-5.61dB	i(Ant11); -6.30dBi(Ant31);			
	GSM1900:	-3.43dB	i(Ant13); -2.21dBi(Ant41);			
	WCDMA Band II:	-3.43dB	i(Ant13); -2.21dBi(Ant41);			
	WCDMA Band IV:	-4.10dB	i(Ant13); -2.20dBi(Ant41);			
	WCDMA Band V:	-5.61dB	i(Ant11); -6.30dBi(Ant31);			
	CDMA BC0:	-5.61dB	i(Ant11); -6.30dBi(Ant31);			
	LTE Band 2:	-5.51dB	i(Ant12); -3.43dBi(Ant13); -2.21dBi(Ant41);			
	LTE Band 4:	-4.71dB	i(Ant12); -4.10dBi(Ant13); -2.20dBi(Ant41);			
	LTE Band 5:	-5.61dB	i(Ant11); -6.30dBi(Ant31);			
	LTE Band 7:	0.19dBi	(Ant12); -1.39dBi(Ant13); 0.03dBi(Ant41);			
Antenna Gain:	LTE Band 12: -8.8		i(Ant11); -8.55dBi(Ant31);			
	LTE Band 13: -9.2		9.21dBi(Ant11); -7.03dBi(Ant31);			
	LTE Band 17:	-8.80dB	i(Ant11); -8.97dBi(Ant31);			
	LTE Band 26: -5.61		1dBi(Ant11); -6.19dBi(Ant31);			
	LTE Band 38:	-0.86dB	i(Ant13); 0.30dBi(Ant41);			
	LTE Band 41:	-0.35dB	i(Ant13); 0.30dBi(Ant41);			
	LTE Band 66:	-4.71dB	i(Ant12); -4.10dBi(Ant13); -2.20dBi(Ant41);			
	LTE CA_7C:	0.19dBi	(Ant12); -1.39dBi(Ant13); 0.03dBi(Ant41);			
	LTE CA_41C:	-0.35dB	i(Ant13); 0.30dBi(Ant41);			
	Note: The antenna gain are manufacturer.	e derived	from the gain information report provided by the			



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf,
available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability,
indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects
the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole
responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations
under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any
unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted
to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such
sample(s) are retained for 30 days only.
Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,
or email: <u>CN.Doccheck@sgs.com</u>
No 4Wedness M 40 Middle Centres & Technology Dark Merchan District Characters China 5400577 1 (00 7755) 00040050

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 中国・广东・深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057

Report No.: SZCR240400116001 Rev.: 01 Page: 16 of 45

	9kHz ~ 30MHz (0.3dB)	30MHz ~ 1000MHz (0.6dB)	1000MHz ~ 2000MHz (0.8dB)				
RF Cable:	2000MHz ~ 4000MHz	4000MHz ~ 6000MHz	6000MHz ~ 12750MHz				
	(1.1dB) (1.8dB)		(2.6dB)				
	Above 12750MHz (3.5dB)						
Remark:							
1.Conduction Power & EIRP of all antennas are tested, and only the worst data is presented.							

2.As above information is provided and confirmed by the applicant. SGS is not liable to the accuracy, suitability, reliability or/and integrity of the information.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com"

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86–755) 26012053 www.sgsgroup.com.cn

中国・广东・深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053

sgs.china@sgs.com

 Report No.:
 SZCR240400116001

 Rev.:
 01

 Page:
 17 of 45

3.5 Test Mode

Test Mode	Test Modes Description			
GSM/TM1	GSM system, GSM/GPRS, GMSK modulation			
GSM/TM2	GSM system, EGPRS, 8PSK modulation			
UMTS/TM1	UMTS system, WCDMA, QPSK modulation			
CDMA/TM1	CDMA system, OQPSK modulation			
LTE/TM1	LTE system, QPSK modulation			
LTE/TM2	LTE system, 16QAM modulation			
LTE/TM3	LTE system, 64QAM modulation			
Remark: The test mode(s) are selected according to relevant radio technology specifications.				

3.6 Test Environment

Environment Parameter		101.0 kPa Selected Values During Tests			
Relative Humidity		44-46 % RH Ambient			
Value		Temperature(°C)	Voltage(V)		
NTNV		22~23	3.91		
LTLV		-30	3.7		
LTHV		-30	4.4		
HTLV		50	3.7		
HTHV		50	4.4		
Remark:					
NV: Normal Voltage LV: Low		Extreme Test Voltage	HV: High Extreme Test Voltage		
NT: Normal Temperature LT: Low		Extreme Test Temperature	HT: High Extreme Test Temperature		

3.7 Description of Support Units

The EUT has been tested as an independent unit.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com"

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 tt (86-755) 26012053 www.sgsgroup.com.cn 中国・广东・深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 tt (86-755) 26012053 sgs.china@sgs.com

Report No.: SZCR240400116001 Rev.: 01 18 of 45 Page:

3.8 Technical Specification

Characteristics	Description						
Radio System Type	GSM UMTS		🛛 LTE	XC	DMA		
	Band		ТХ		RX	RX	
	GSM850		824 to 849 MHz		869 to 89	4 MHz	
	GSM1900		1850 to 1910 MHz		1930 to 1	990 MHz	
	UMTS Band II		1850 to 1910 MHz		1930 to 1	1930 to 1990 MHz	
	UMTS Band IV		1710 to 1755 MHz		2110 to 2	2110 to 2155 MHz	
	UMTS Band V	,	824 to 849 MHz		869 to 89	869 to 894 MHz	
	CDMA/EVDO	BC0	824 to 849	824 to 849 MHz		4 MHz	
	LTE Band 2		1850 to 19	10 MHz	1930 to 1	990 MHz	
	LTE Band 4		1710 to 17	55 MHz	2110 to 2	155 MHz	
	LTE Band 5		824 to 849	MHz	869 to 89	4 MHz	
	LTE Band 7		2500 to 2570 MHz		2620 to 2	2620 to 2690 MHz	
Supported Frequency Range	LTE Band 12		699 to 716 MHz		729 to 74	729 to 746 MHz	
Supported Trequency Mange	LTE Band 13		777 to 787 MHz		746 to 75	746 to 756 MHz	
	LTE Band 17		704 to 716	MHz	734 to 74	6 MHz	
	LTE Band 26		814 to 824MHz		859 to 86	859 to 869 MHz	
	(814 to 824 MHz)				009 10 00		
	LTE Band 26		824 to 849 MHz		869 to 89	869 to 894 MHz	
	(824 to 849 MI	Hz)					
	LTE Band 38		2570 to 2620 MHz		2570 to 2	620 MHz	
	LTE Band 41		2496 to 2690MHz		2496 to 2	690MHz	
	LTE Band 66		1710 to 1780 MHz		2110 to 2	200 MHz	
	UL CA : LTE C CA_2A-4A, CA CA_5A-66A,	UL CA : LTE CA_7C , LTE CA_41C CA_2A-4A, CA_2A-5A, CA_2A-7A, CA_4A-5A, CA_4A-7A, CA_5A-7A, CA_5A-66A,			5A-7A,		
	Remark: ULCA inter-band (Only test RSE, report only show worst mode.				
	GSM system:		⊠0.2 MHz				
	UMTS system:		⊠5 MHz				
Supported Channel Bandwidth	CDMA/EVDO	BC0	⊠1.23 MH	z			
	LTE Band 2		⊠1.4 MHz	⊠3 MHz	⊠5 MHz	⊠10 MHz	
			⊠15 MHz	⊠20 MHz			



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@sgs.com"

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 tt (86–755) 26012053 www.sgsgroup.com.cn 中国・广东・深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057

 Report No.:
 SZCR240400116001

 Rev.:
 01

 Page:
 19 of 45

	LTE Band 4	⊠1.4 MHz	⊠3 MHz	⊠5 MHz	⊠10 MHz
		⊠15 MHz	20 MHz		
	LTE Band 5	⊠1.4 MHz	3 MHz	⊠5 MHz	⊠10 MHz
	LTE Band 7	⊠5 MHz	⊠10 MHz	⊠15 MHz	20 MHz
	LTE Band 12	⊠1.4 MHz	🖾 3 MHz	⊠5 MHz	⊠10 MHz
	LTE Band 13	⊠5 MHz	⊠10 MHz		
	LTE Band 17	⊠5 MHz	⊠10 MHz		
	LTE Band 26(814-824)	⊠1.4 MHz	🖾 3 MHz	⊠5 MHz	⊠10 MHz
LTE Band 26(824-849)		⊠1.4 MHz	🖾 3 MHz	⊠5 MHz	⊠10 MHz
	LTE Banu 20(024-049)				
	LTE Band38	⊠5 MHz	⊠10 MHz	⊠15 MHz	⊠20 MHz
	LTE Band41	⊠5 MHz	⊠10 MHz	⊠15 MHz	20 MHz
	LTE Band66	⊠1.4 MHz	🖾 3 MHz	⊠5 MHz	⊠10 MHz
		⊠15MHz	20MHz		
		⊠10MHz+20MHz		⊠15MHz+1	0MHz
	ITE Bond CA 7C	⊠15MHz+15MHz		⊠15MHz+2	20MHz
	LTE Band CA_7C	⊠20MHz+10MHz		⊠20MHz+15MHz	
		20MHz+20MHz			
		⊠5MHz+20MHz		⊠10MHz+15MHz	
		⊠10MHz+20MHz		⊠15MHz+10MHz	
	LTE Band CA_41C	⊠15MHz+1	15MHz	15MHz+20MHz	
		20MHz+5	5MHz	20MHz+10MHz	
	20MHz+15MHz		15MHz	20MHz+2	20MHz
	Note1: WCDMA supports HSUPA, HSDPA, DC-HSDPA, HSPA+, but only				
	the worst case was tested and the data displayed in this report.				
	Note2:CDMA supports BPS	SK, QPSK, C	-QPSK,H-PS	5K, but only t	he worst
	case was tested and the data displayed in this report.				



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. **Attention:** To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@ags.com"

of email: <u>CHLOGENER (WSgs.Com</u>erk<u>(WSgs.Com</u>erk<u>)</u> NA: Worksbo, W-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86–755) 26012053 www.sgsgroup.com.cn 中国・广东・深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86–755) 26012053 sgs.china@sgs.com

Report No.:	SZCR2404001160
Rev.:	01
Page:	20 of 45

3.9 Test Frequencies

Tost Modo	TY / PY	RF Channel			
Test Would		Low (L)	Middle (M)	High (H)	
	τv	Channel 128	Channel 190	Channel 251	
GSM850 -		824.2MHz	836.6 MHz	848.8 MHz	
	υV	Channel 128	Channel 190	Channel 251	
	ΓΛ	869.2 MHz	881.6 MHz	893.8 MHz	

Tost Modo	TY / PY	RF Channel			
Test Mode		Low (L)	Middle (M)	High (H)	
GSM1900 -	τv	Channel 512	Channel 661	Channel 810	
		1850.2MHz	1880.0 MHz	1909.8 MHz	
	RX	Channel 512	Channel 661	Channel 810	
		1930.2 MHz	1960.0 MHz	1989.8 MHz	

Tost Modo	TY / PY	TY / PY		RF Channel		
Test Mode		Low (L)	Middle (M)	High (H)		
WCDMA Band II	τv	Channel 9262	Channel 9400	Channel 9538		
		1852.4 MHz	1880.0 MHz	1907.6 MHz		
	N	Channel 9662	Channel 9800	Channel 9938		
	ĸ۸	1932.4 MHz	1960.0 MHz	1987.6 MHz		

Test Mode	TY / PY	RF Channel			
		Low (L)	Middle (M)	High (H)	
		Channel 1312	Channel 1413	Channel 1513	
MCDMA Bood IV	TX	1712.4MHz	1732.6 MHz	1752.6 MHz	
	٦V	Channel 1537	Channel 1638	Channel 1738	
	ĸ٨	2112.4 MHz	2132.6 MHz	2152.6 MHz	

Tost Modo	TV / PV	RF Channel			
Test Would		Low (L)	Middle (M)	High (H)	
	τv	Channel 4132	Channel 4182	Channel 4233	
WCDMA Band V		826.4MHz	836.4 MHz	846.6 MHz	
	N	Channel 4357	Channel 4407	Channel 4458	
	ĸ٨	871.4 MHz	881.4 MHz	891.6 MHz	

Test Mode	TY / PY	RF Channel			
		Low (L)	Middle (M)	High (H)	
CDMA BC0	Roverse	Channel 1013	Channel 384	Channel 777	
	I CEVEI SE	824.7 MHz	836.52 MHz	848.31 MHz	
	Forward	Channel 1013	Channel 384	Channel 777	
		869.7 MHz	881.52 MHz	893.31 MHz	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unliess otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com"

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 tt (86–755) 26012053 www.sgsgroup.com.cn 中国・广东・深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057

t (86–755) 26012053 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch Report No.: SZCR240400116001

Report No.:	SZCR2404001160
Rev.:	01
Page:	21 of 45

Teet Mede	Pondwidth	TV / DV		RF Channel	
rest wode	Danowidin	IA / KA	Low (L)	Middle (M)	High (H)
			Channel 18607	Channel 18900	Channel 19193
	1.4MHz	TX	1850.7 MHz	1880 MHz	1909.3 MHz
		RX	Channel 607	Channel 900	Channel 1193
			1930.7 MHz	1960 MHz	1989.3 MHz
			Channel 18615	Channel 18900	Channel 19185
		TX	1851.5 MHz	1880 MHz	1908.5 MHz
	3MHz	DV	Channel 615	Channel 900	Channel 1185
		ΓΛ	1931.5 MHz	1960 MHz	1988.5 MHz
LTE Band 2	5MHz	_ ``	Channel 18625	Channel 18900	Channel 19175
		IX	1852.5 MHz	1880 MHz	1907.5 MHz
		RX	Channel 625	Channel 900	Channel1175
			1932.5 MHz	1960 MHz	1987.5 MHz
	10MHz	тх	Channel 18650	Channel 18900	Channel 19150
			1855 MHz	1880 MHz	1905 MHz
		RX	Channel 650	Channel 900	Channel 1150
			1935 MHz	1960 MHz	1985 MHz
			Channel 18675	Channel 18900	Channel 19125
		IX	1857.5 MHz	1880 MHz	1902.5 MHz
	15MHz	ΡY	Channel 675	Channel 900	Channel 1125
			1937.5 MHz	1960 MHz	1982.5 MHz
			Channel 18700	Channel 18900	Channel 19100
		IX	1860 MHz	1880 MHz	1900 MHz
	20MHz	ΡY	Channel 700	Channel 900	Channel 1100
		ΓΛ	1940 MHz	1960 MHz	1980 MHz



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@ags.com"

 No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057
 t (86–755) 26012053
 www.ssgggroup.com.cn

中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755)26012053

sgs.china@sgs.com

 Report No.:
 SZCR240400116001

 Rev.:
 01

 Page:
 22 of 45

Teet Mede	Dondwidth	TV / DV		RF Channel	
Test Mode	Danowidin	1A / KA	Low (L)	Middle (M)	High (H)
LTE Band 4			Channel 19957	Channel 20175	Channel 20393
		TX	1710.7 MHz	1732.5 MHz	1754.3 MHz
	1.4MHz	ΒV	Channel 1975	Channel 2175	Channel 2375
		RΛ	2112.5 MHz	2132.5MHz	2152.5 MHz
			Channel 19965	Channel 20175	Channel 20385
		IX	1711.5 MHz	1732.5 MHz	1753.5 MHz
	3MHz	DV	Channel 2000	Channel 2175	Channel 2350
		ΓA	2115 MHz	2132.5MHz	2150 MHz
	5MHz -		Channel 19975	Channel 20175	Channel 20375
		TX	1712.5 MHz	1732.5 MHz	1752.5 MHz
		RX	Channel 1975	Channel 2175	Channel 2375
			2112.5 MHz	2132.5MHz	2152.5 MHz
	10MHz	тх	Channel 20000	Channel 20175	Channel 20350
			1715 MHz	1732.5 MHz	1750 MHz
		ΡY	Channel 2000	Channel 2175	Channel 2350
		ΓA	2115 MHz	2132.5MHz	2150 MHz
		_ \ <i>i</i>	Channel 20025	Channel 20175	Channel 20325
		IX	1717.5 MHz	1732.5 MHz	1747.5 MHz
	15MHz	RX	Channel 2025	Channel 2175	Channel 2325
-			2117.5 MHz	2132.5MHz	2147.5 MHz
			Channel 20050	Channel 20175	Channel 20300
		TX	1720 MHz	1732.5 MHz	1745 MHz
	20MHz	PV	Channel 2050	Channel 2175	Channel 2300
		ſΛ	2120 MHz	2132.5MHz	2145 MHz

Toot Modo	Pondwidth	TV / DV		RF Channel	
Test Mode	Danuwidin	IA / KA	Low (L)	Middle (M)	High (H)
1.4M 3MF LTE Band 5			Channel 20407	Channel 20525	Channel 20643
		IX	824.7 MHz	836.5 MHz	848.3 MHz
	1.4MHz	DΥ	Channel 2407	Channel 2525	Channel 2643
		ΓΛ	869.7 MHz	881.5 MHz	893.3 MHz
			Channel 20415	Channel 20525	Channel 20635
	3MHz	ТХ	825.5 MHz	836.5 MHz	847.5 MHz
		RX	Channel 2415	Channel 2525	Channel 2635
			870.5 MHz	881.5 MHz	892.5 MHz
	5MHz	ТХ	Channel 20425	Channel 20525	Channel 20625
			826.5 MHz	836.5 MHz	846.5 MHz
		RX	Channel 2425	Channel 2525	Channel 2625
_			871.5 MHz	881.5 MHz	891.5 MHz
			Channel 20450	Channel 20525	Channel 20600
		TX	829 MHz	836.5 MHz	844 MHz
	10MHz	PV	Channel 2450	Channel 2525	Channel 2600
		ΓΛ	874 MHz	881.5 MHz	889 MHz



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@sgs.com"

No. 1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86–755) 26012053 www.sgsgroup.com.cn

中国・广东・深圳市南山区科技园中区W-10栋1号厂房 邮编: 518057

Member of the SGS Group (SGS SA)

sgs.china@sgs.com

t (86–755) 26012053

Report No.: SZCR240400116001 Rev.: 01 Page: 23 of 45

			RF Channel				
Test Mode	Bandwidth	TX / RX			Ligh (L)		
			LOW (L)		пigri (п)		
			Channel 20775	Channel 21100	Channel 21425		
		TX	2502.5 MHz	2535 MHz	2567.5 MHz		
	5MHz	ΒV	Channel 2775	Channel 3100	Channel 5825		
		КЛ	2622.5 MHz	2655 MHz	2687.5 MHz		
			Channel 20800	Channel 21100	Channel 21400		
		TX	2505 MHz	2535 MHz	2565 MHz		
	10MHz	RX	Channel 2800	Channel 3100	Channel 3400		
			2625 MHz	2655 MHz	2685 MHz		
LIE Band /		ТХ	Channel 20825	Channel 21100	Channel 21375		
			2507.5 MHz	2535 MHz	2562.5 MHz		
	15MHz	DV	Channel 2825	Channel 3100	Channel 3375		
		κ <i>λ</i>	2627.5 MHz	2655 MHz	2682.5 MHz		
			Channel 20850	Channel 21100	Channel 21350		
		ТΧ	2510 MHz	2535 MHz	2560 MHz		
	20MHz	BV	Channel 2850	Channel 3100	Channel 3350		
		۳۸	2630 MHz	2655 MHz	2680 MHz		

Toot Modo	Pandwidth	TV / DV	RF Channel				
I est Mode	Danuwiuun		Low (L)	Middle (M)	High (H)		
			Channel 23017	Channel 23095	Channel 23173		
		TX	699.7 MHz	707.5 MHz	715.3 MHz		
	1.4MHz	DΥ	Channel 5017	Channel 5095	Channel 5173		
		ΓΛ	729.7 MHz	737.5 MHz	745.3 MHz		
			Channel 23025	Channel 23095	Channel 23165		
		TX	700.5 MHz	707.5 MHz	714.5 MHz		
	3MHz	RX	Channel 5025	Channel 5095	Channel 5165		
			730.5 MHz	737.5 MHz	744.5 MHz		
LIE Band 12		ТХ	Channel 23035	Channel 23095	Channel 23155		
			701.5 MHz	707.5 MHz	713.5 MHz		
	5MHZ	DΥ	Channel 5035	Channel 5095	Channel 5155		
		RX	731.5 MHz	737.5 MHz	743.5 MHz		
			Channel 23060	Channel 23095	Channel 23130		
		TX	704 MHz	707.5 MHz	711 MHz		
	10MHz	PV	Channel 5060	Channel 5095	Channel 5130		
		ΓΛ	734 MHz	737.5 MHz	741 MHz		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@sgs.com"

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86–755) 26012053 www.sgsgroup.com.cn

中国・广东・深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057

t (86–755) 26012053 sgs.china@sgs.com

 Report No.:
 SZCR240400116001

 Rev.:
 01

 Page:
 24 of 45

Toot Modo	Pandwidth	TV / DV	RF Channel			
Test Mode	Danuwiutii		Low (L)	Middle (M)	High (H)	
			Channel 23025	Channel 23230	Channel 23255	
		TX	779.5 MHz	782 MHz	784.5 MHz	
	5MHz	DΥ	Channel 5205	Channel 5230	Channel 5255	
LTE Dond 12		КЛ	748.5 MHz	751 MHz	753.5 MHz	
LIE Danu 13			Channel 23230	Channel 23230	Channel 23230	
		TX	782 MHz	782 MHz	782 MHz	
	10MHz	RX	Channel 5230	Channel 5230	Channel 5230	
			751 MHz	751 MHz	751 MHz	
Teet Mede	Dondwidth	TV / DV		RF Channel		
Test Mode	Danuwiuun		Low (L)	Middle (M)	High (H)	
			Channel 23755	Channel 23790	Channel 23825	
		TX	706.5 MHz	710 MHz	713.5 MHz	
	5MHz	ΒV	Channel 5755	Channel 5790	Channel 5825	
ITE Bond 17		КЛ	736.5 MHz	740 MHz	743.5 MHz	
LIE Band 17			Channel 23780	Channel 23790	Channel 23800	
		TX	709 MHz	710 MHz	711 MHz	
	10MHz	DV	Channel 5780	Channel 5790	Channel 5800	
		КХ	739 MHz	740 MHz	741 MHz	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@sgs.com"

or email: 10. Doccheck file admenticity of testing inspection eport a contracte, prease contact us at tempine, (as is so is a contact us at tempine). (as is a contact us at tempine), (as is a contact us at tempine), (as is a contact us at tempine), (as is a contact us at tempine). (as is a contact us at tempine), (as is a contac

中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755)26012053

 Report No.:
 SZCR240400116001

 Rev.:
 01

 Page:
 25 of 45

Teet Mede	Dondwidth			RF Channel	
Test Mode	Danuwiutn		Low (L)	Middle (M)	High (H)
			Channel 26697	Channel 26740	Channel 26783
		TX	814.7 MHz	819 MHz	823.3 MHz
	1.4MHz	DΥ	Channel 8697	Channel 8740	Channel 8783
		ΓΛ	859.7 MHz	864MHz	868.3 MHz
			Channel 26705	Channel 26740	Channel 26775
		TX	815.5 MHz	819 MHz	822.5 MHz
	3MHz	RX	Channel 8705	Channel 8740	Channel 8775
LTE Band 26			860.5 MHz	864MHz	867.5 MHz
(814-824)		ТХ	Channel 26715	Channel 26740	Channel 26765
(011021)			816.5 MHz	819 MHz	821.5 MHz
	5MHz	DV	Channel 8715	Channel 8740	Channel 8755
		KΛ	861.5 MHz	864MHz	866.5 MHz
			Channel 26740	Channel 26740	Channel 26740
		TX	819 MHz	819 MHz	819 MHz
	10MHz	DV	Channel 8740	Channel 8740	Channel 8740
		ΓΛ	864MHz	864MHz	864MHz

Toot Modo	Pandwidth	TV / DV	RF Channel				
Test Mode	Danuwiuun		Low (L)	Middle (M)	High (H)		
			Channel 26797	Channel 26915	Channel 27033		
		TX	824.7 MHz	836.5 MHz	848.3 MHz		
	1.4MHz	DΥ	Channel 8697	Channel 8915	Channel 9033		
		ΓΛ	859.7 MHz	881.5 MHz	893.3 MHz		
			Channel 26805	Channel 26915	Channel 27025		
		TX	825.5 MHz	836.5 MHz	847.5 MHz		
	3MHz	DΥ	Channel 8805	Channel 8915	Channel 9025		
		ΓΛ	860.5 MHz	881.5 MHz	892.5 MHz		
	5MHz	TX RX	Channel 26815	Channel 26915	Channel 27015		
LTE Band26			826.5 MHz	836.5 MHz	846.5 MHz		
(824-849)			Channel 8815	Channel 8915	Channel 9015		
(02:0:0)			871.5 MHz	881.5 MHz	891.5 MHz		
			Channel 26840	Channel 26915	Channel 26990		
		TX	829 MHz	836.5 MHz	844 MHz		
	10MHz	DΥ	Channel 8840	Channel 8915	Channel 8990		
		ΓΛ	874 MHz	881.5 MHz	889 MHz		
			Channel 26865	Channel 26915	Channel 26965		
		TX	831.5 MHz	836.5 MHz	841.5 MHz		
	15MHz	RX	Channel 8865	Channel 8915	Channel 8965		
		INA	876.5 MHz	881.5 MHz	886.5 MHz		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.ags.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document does not exonerate parties to a transaction forw exercising all their rights and obligations under the transaction documents. This document to anot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@sgs.com"

or email: <u>CNLOoccheck@sgs.com</u> No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 tt (86-755) 26012053 www.sgsgroup.com.cn 中国・广东・深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 tt (86-755) 26012053 sgs.china@sgs.com

Member of the SGS Group (SGS SA)

 Report No.:
 SZCR240400116001

 Rev.:
 01

 Page:
 26 of 45

Test Made	Pandwidth	TV / DV	RF Channel				
Test Mode	Danuwiuth		Low (L)	Middle (M)	High (H)		
		TY/PY	Channel 37775	Channel38000	Channel 38225		
			2572.5 MHz	2595 MHz	2617.5 MHz		
	10MHz	TX/RX	Channel 37800	Channel38000	Channel 38200		
ITE Dond 20			2575 MHz	2595 MHz	2615 MHz		
LIE Danu So		TX/RX	Channel 37825	Channel38000	Channel 38175		
			2577.5 MHz	2595 MHz	2612.5 MHz		
	20141-	TY/RY	Channel 37850	Channel38000	Channel 38150		
	ZUIVIHZ		2580 MHz	2595 MHz	2610 MHz		

Toot Modo	Bondwidth		RF Channel				
rest mode	Danuwiutn		Low (L)	Middle (M)	High (H)		
			Channel 39675	Channel40620	Channel 41565		
	5MHz	TX / RX	2498.5 MHz	2593 MHz	2687.5 MHz		
			Channel 39700	Channel40620	Channel 41540		
LTE Band 41	10MHz	TX / RX	2501 MHz	2593 MHz	2685 MHz		
(2496-2690)			Channel 39725	Channel40620	Channel 41515		
(21002000)	15MHz	TX / RX	2503.5 MHz	2593 MHz	2682.5 MHz		
			Channel 39750	Channel40620	Channel 41490		
	20MHz	TX / RX	2506 MHz	2593 MHz	2680 MHz		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@sgs.com"

 Artendon: To Check the automatication of the string inspection report & certificate, please contact us at telephone: (eo-/53) 530/ 1443, or email: Ch.Doccheck@isgs.com
 (No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86–755) 26012053 www.sgsgroup.com.cn

中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755)26012053

sgs.china@sgs.com

Report No.:	SZCR2404001160
Rev.:	01
Page:	27 of 45

Toot Modo	Pandwidth	TV/DV	RF Channel				
Test Mode	Danuwiutn		Low (L)	Middle (M)	High (H)		
			Channel 131979	Channel 132322	Channel 132665		
-		TX	1710.7 MHz	1745 MHz	1779.3 MHz		
	1.4MHz	ΒV	Channel 66443	Channel 66786	Channel 67329		
		ΓЛ	2110.7 MHz	2145MHz	2199.3 MHz		
			Channel 131987	Channel 132322	Channel 132657		
		ТХ	1711.5 MHz	1745 MHz	1778.5MHz		
	3MHz	ΒV	Channel 66451	Channel 66786	Channel 67321		
		ΓЛ	2111.5 MHz	2145MHz	2198.5MHz		
			Channel 131997	Channel 132322	Channel 132647		
		ТХ	1712.5 MHz	1745 MHz	1777.5 MHz		
	5MHz	RX	Channel 66461	Channel 66786	Channel 67311		
			2112.5 MHz	2145MHz	2197.5 MHz		
LIE Bandoo			Channel 132022	Channel 132322	Channel 132622		
		TX	1715 MHz	1745 MHz	1775 MHz		
	10MHz	DV	Channel 66486	Channel 66786	Channel 67286		
		ΓЛ	2115 MHz	2145MHz	2195 MHz		
			Channel 132047	Channel 132322	Channel 132597		
		ТХ	1717.5 MHz	1745 MHz	1772.5 MHz		
	15MHz	RX	Channel 66511	Channel 66786	Channel 67261		
			2117.5 MHz	2145MHz	2192.5 MHz		
			Channel 132072	Channel 132322	Channel 132572		
		ТХ	1720 MHz	1745 MHz	1770 MHz		
	20MHz	PV	Channel 66536	Channel 66786	Channel 67236		
		КХ	2120 MHz	2145MHz	2190 MHz		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@sgs.com"

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 tt (86–755) 26012053 www.sgsgroup.com.cn

中国・广东・深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057

Report No.: SZCR240400116001 Rev.: 01 Page: 28 of 45

	CC-Combo /										
	NRB_agg			CC1					CC2		
Range	[RB]			Note1					Note1		
		BW		ful		fDL	BW		ful		fol
		[RB]	NUL	[MHz]	NDL	[MHz]	[RB]	NUL	[MHz]	NDL	[MHz]
Low	50+100	50	20805	2505.5	2805	2625.5	100	20949	2519.9	2949	2639.9
		100	20850	2510	2850	2630	50	20994	2524.4	2994	2644.4
	75+50	75	20825	2507.5	2825	2627.5	50	20945	2519.5	2945	2639.5
	75+75	75	20825	2507.5	2825	2627.5	75	20975	2522.5	2975	2642.5
	75+100	75	20828	2507.8	2828	2627.8	100	20999	2524.9	2999	2644.9
		100	20850	2510	2850	2630	75	21021	2527.1	3021	2647.1
	100+100	100	20850	2510	2850	2630	100	21048	2529.8	3048	2649.8
Mid	50+100	50	21006	2525.6	3006	2645.6	100	21150	2540	3150	2660
		100	21051	2530.1	3051	2650.1	50	21195	2544.5	3195	2664.5
	75+50	75	21051	2530.1	3051	2650.1	50	21171	2542.1	3171	2662.1
	75+75	75	21025	2527.5	3025	2647.5	75	21175	2542.5	3175	2662.5
	75+100	75	21003	2525.3	3003	2645.3	100	21174	2542.4	3174	2662.4
		100	21026	2527.6	3026	2647.6	75	21197	2544.7	3197	2664.7
	100+100	100	21001	2525.1	3001	2645.1	100	21199	2544.9	3199	2664.9
High	50+100	50	21206	2545.6	3206	2665.6	100	21350	2560	3350	2680
		100	21251	2550.1	3251	2670.1	50	21395	2564.5	3395	2684.5
	75+50	75	21277	2552.7	3277	2672.7	50	21397	2564.7	3397	2684.7
	75+75	75	21225	2547.5	3225	2667.5	75	21375	2562.5	3375	2682.5
	75+100	75	21179	2542.9	3179	2662.9	100	21350	2560	3350	2680
		100	21201	2545.1	3201	2665.1	75	21372	2562.2	3372	2682.2
	100+100	100	21152	2540.2	3152	2660.2	100	21350	2560	3350	2680
Note 1:	Carriers in ind	creasing f	requency	order.							

Table 4.3.1.1.7A-1: Test frequencies for CA_7C



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unliess otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CM. Doccheck@sgs.com"

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86–755) 26012053

中国・广东・深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch Report No.: SZCR240400116001

Report No.:	SZCR2404001160
Rev.:	01
Page:	29 of 45

Range	CC- Combo / NRB_agg [RB]		CC1 Note1			CC2 Note1	
		BW [RB]	N _{UL/DL}	ful/dl [MHz]	BW [RB]	N _{UL/DL}	ful/dl [MHz]
Low	25+100	25	39683	2499.3	100	39800	2511
		100	39750	2506	25	39867	2517.7
	50+75	50	39703	2501.3	75	39823	2513.3
		75	39725	2503.5	50	39845	2515.5
	50+100	50	39705	2501.5	100	39849	2515.9
		100	39750	2506	50	39894	2520.4
	75+75	75	39725	2503.5	75	39875	2518.5
	75+100	75	39728	2503.8	100	39899	2520.9
		100	39750	2506	75	39921	2523.1
	100+100	100	39750	2506	100	39948	2525.8
Mid	25+100	25	40528	2583.8	100	40645	2595.5
		100	40595	2590.5	25	40712	2602.2
	50+75	50	40549	2585.9	75	40669	2597.9
		75	40571	2588.1	50	40691	2600.1
	50+100	50	40526	2583.6	100	40670	2598.0
		100	40571	2588.1	50	40715	2602.5
	75+75	75	40545	2585.5	75	40695	2600.5
	75+100	75	40523	2583.3	100	40694	2600.4
		100	40546	2585.6	75	40717	2602.7
	100+100	100	40521	2583.1	100	40719	2602.9
High	25+100	25	41373	2668.3	100	41490	2680
		100	41440	2675	25	41557	2686.7
	50+75	50	41395	2670.5	75	41515	2682.5
		75	41417	2672.7	50	41537	2684.7
	50+100	50	41346	2665.6	100	41490	2680
		100	41391	2670.1	50	41535	2684.5
	75+75	75	41365	2667.5	75	41515	2682.5
	75+100	75	41319	2662.9	100	41490	2680
		100	41341	2665.1	75	41512	2682.2
	100+100	100	41292	2660.2	100	41490	2680
Note 1:	Carriers in i	ncreasing fr	requency order.				

Table 4.3.1.2.9A-1: Test frequencies for CA_41C



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@sgs.com"

or email: <u>CN.Doccheck@sgs.com</u> No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 www.sgsgroup.com.cn 中国・广东・深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 sgs.china@sgs.com

 Report No.:
 SZCR240400116001

 Rev.:
 01

 Page:
 30 of 45

4 Description of Tests

4.1 Conducted Output Power

Measurement Procedure: FCC KDB 971168 D01 V03r01 Section 5.2.1

The transmitter output was connected to a calibrated coaxial cable, attenuator and power meter, the other end of which was connected to a Base Station Simulator. The Base Station Simulator was set to force the EUT to its maximum power setting. The power output at the transmitter antenna port was determined by adding the value of the cable insertion loss to the power reading. The tests were performed at three frequencies (low channel, middle channel and high channel) and on the highest power levels, which can be setup on the transmitters.

Remark: Reference test setup 1



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>https://www.sgs.com/en/Terms-and-Conditions</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falisification of the content or appearance of this document is unavful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@sgs.com

or email: <u>CN.Doccheck@sgs.com</u> No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 tt (86-755) 26012053 www.sgsgroup.com.cn 中国・广东・深圳市南山区科技园中区M-10株1号厂房 邮编: 518057 tt (86-755) 26012053 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch Report No.: SZCR240400116001

Report No.:	SZCR24040011600
Rev.:	01
Page:	31 of 45

4.2 Effective (Isotropic) Radiated Power of Transmitter

Measurement Procedure: FCC KDB 971168 D01 V03r01 Section 5.8.4

Calculate power in dBm by the following formula:

ERP (dBm) = Conducted Power (dBm) + antenna gain (dBd)

EIRP(dBm) = Conducted Power (dBm) + antenna gain (dBi)

EIRP=ERP+2.15dB



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>https://www.sgs.com/en/Terms-and-Conditions</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falisfication of the content or appearance of this document is landwil and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@ags.com

or email: <u>CN.Doccheck@sgs.com</u> No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 www.sgsgroup.com.cn 中国 · 广东 · 深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 sgs.china@sgs.com

Report No.:	SZCR240400116001
Rev.:	01
Page:	32 of 45

4.3 Occupied Bandwidth

Measurement Procedure: FCC KDB 971168 D01 V03r01 Section 4.2 & 4.3

The occupied bandwidth, that is the frequency bandwidth such that, below its lower and above its upper frequency limits, the mean powers radiated are each equal to 0.5 percent of the total mean power radiated by a given emission shall be measured. The transmitter output was connected to a calibrated coaxial cable, attenuator and Spectrum analyser, the other end of which was connected to a Base Station Simulator. The Base Station Simulator was set to force the EUT to its maximum power setting. The tests were performed at three frequencies (low channel, middle channel and high channel). The span of the analyzer shall be set to capture all products of the modulation process, including the emission skirts. The resolution bandwidth shall be set to as close to 1 percent of the selected span as is possible without being below 1 percent. The video bandwidth shall be set to 3 times the resolution bandwidth. Video averaging is not permitted. Where practical, a sampling detector shall be used since a peak or, peak hold, may produce a wider bandwidth than actual. The trace data points are recovered and are directly summed in linear terms. The recovered amplitude data points, beginning at the lowest frequency, are placed in a running sum until 0.5 percent of the total is reached and that frequency recorded. The process is repeated for the highest frequency data points. This frequency is recorded. The span between the two recorded frequencies is the occupied bandwidth.

Remark: Reference test setup 1

Test Settings

- The signal analyzer's automatic bandwidth measurement capability was used to perform the 99% occupied bandwidth and the 26dB bandwidth. The bandwidth measurement was not influenced by any intermediate power nulls in the fundamental emission.
- 2. RBW = 1 5% of the expected OBW
- 3. VBW ≥ 3 x RBW
- 4. Detector = Peak
- 5. Trace mode = max hold
- 6. Sweep = auto couple
- 7. The trace was allowed to stabilize
- 8. If necessary, steps 2 7 were repeated after changing the RBW such that it would be within
 - 1 5% of the 99% occupied bandwidth observed in Step 7



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>https://www.sgs.com/en/Terms-and-Conditions</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falisification of the content or appearance of this document is unavful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 tt (86-755) 26012053 www.sgsgroup.com.cn 中国・广东・深圳市南山区科技园中区M-10株1号厂房 邮编: 518057 tt (86-755) 26012053 sgs.china@sgs.com

 Report No.:
 SZCR240400116001

 Rev.:
 01

 Page:
 33 of 45

4.4 Band Edge at Antenna Terminals

Measurement Procedure: FCC KDB 971168 D01 V03r01 Section 6.0

The transmitter output was connected to a calibrated coaxial cable, attenuator and Spectrum analyser, the other end of which was connected to a Base Station Simulator. The Base Station Simulator was set to force the EUT to its maximum power setting. The tests were performed at two frequencies (low channel and high channel).in the 1MHz bands immediately outside and adjacent to the frequency block a resolution bandwidth of 100kHz or 1% of the emission bandwidth of the fundamental emission of the transmitter may be employed. The EUT emission bandwidth is measured as the width of the signal between two points, outside of which all emission are attenuated at least 26dB below the transmitter power. The video bandwidth of the spectrum analyzer was set at thrice the resolution bandwidth. Detector Mode was set to rms.

Remark: Reference test setup 1

Test Settings

- 1. Start and stop frequency were set such that the band edge would be placed in the center of the plot
- 2. Span was set large enough so as to capture all out of band emissions near the band edge
- 3. RBW ≥ 1% of the emission bandwidth
- 4. $VBW \ge 3 \times RBW$
- 5. Detector = RMS
- 6. Number of sweep points ≥ 2 x Span/RBW
- 7. Trace mode = trace average for continuous emissions, max hold for pulse emissions
- 8. Sweep time = auto couple
- 9. The trace was allowed to stabilize



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>https://www.sgs.com/en/Terms-and-Conditions</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document does not exonerate parties to a transaction from exercising all their rights and obligations unauthorized alteration, forgery or falsification of the content or appearance of this document tide offender smay be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 tt (86–755) 26012053 www.sgsgroup.com.cn

Report No.:	SZCR240400116001
Rev.:	01
Page:	34 of 45

4.5 Spurious And Harmonic Emissions at Antenna Terminal

Measurement Procedure: FCC KDB 971168 D01 V03r01 Section 6.0

The transmitter output was connected to a calibrated coaxial cable, attenuator and Spectrum analyzer, the other end of which was connected to a Base Station Simulator. The Base Station Simulator was set to force the EUT to its maximum power setting. The tests were performed at three frequencies (low channel and high channel). The level of the carrier and the various conducted spurious and harmonic frequencies is measured by means of a calibrated spectrum analyzer. The spectrum is scanned from the lowest frequency generated in the equipment up to a frequency including its 10th harmonic. On any frequency outside a licensee's frequency block, the power of any emission shall be attenuated below the transmitter power (P) by at least 43 + 10 log(P) dB. Compliance with these provisions is based on the use of measurement instrumentation employing a resolution bandwidth of 1 MHz or greater. However, in the 1 MHz bands immediately outside and adjacent to the frequency block a resolution bandwidth of at least one percent of the emission bandwidth is defined as the width of the signal between two points, one below the carrier center frequency and one above the carrier center frequency, outside of which all emission are attenuated at least 26 dB below the transmitter power.

Remark: Reference test setup 1

Test Settings

1. Start frequency was set to 9kHz and stop frequency was set to at least 10* the fundamental

frequency(Separated into at least two plots per channel)

- 2. Detector = RMS
- 3. Trace mode = trace average for continuous emissinos, max hold for pulse emissions
- 4. Sweep time = auto couple
- 5. The trace was allowed to stabilize
- 6. Please see test notes below for RBW and VBW settings



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>https://www.sgs.com/en/Terms-and-Conditions</u>, Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or failsfication of the content or appearance of this document (sin andvia and obligations sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN. Doccheck@ags.com

or email: <u>CN. Doccheck@sgs.com</u> No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 www.sgsgroup.com.cn 中国・广东・深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 sgs.china@sgs.com

 Report No.:
 SZCR240400116001

 Rev.:
 01

 Page:
 35 of 45

4.6 Peak-Average Ratio

Measurement Procedure: FCC KDB 971168 D01 V03r01 Section 5.7.2

A peak to average ratio measurement is performed at the conducted port of the EUT. For WCDMA signals, the spectrum analyzers Complementary Cumulative Distribution Function (CCDF) measurement profile is used to determine the largest deviation between the average and the peak power of the EUT in a given bandwidth. The CCDF curve shows how much time the peak waveform spends at or above a given average power level. The percent of time the signal spends at or above the level defines the probability for that particular power level. For GSM signals, an average and a peak trace are used on a spectrum analyzer to determine the largest deviation between the average and the peak power of the EUT in a bandwidth greater than the emission bandwidth. The traces are generated with the spectrum analyzer set to zero span mode.

Remark: Reference test setup 1

Test Settings

- 1. The signal analyzer's CCDF measurement profile is enabled
- 2. Frequency = carrier center frequency
- 3. Measurement BW > Emission bandwidth of signal
- 4. The signal analyzer was set to collect one million samples to generate the CCDF curve
- 5. The measurement interval was set depending on the type of signal analyzed. For continuous signals (>98% duty cycle), the measurement interval was set to 1ms. For burst transmissions, the spectrum analyzer is set to use an internal "RF Burst" trigger that is synced with an incoming pulse and the measurement interval is set to less than the duration of the "on time" of one burst to ensure that energy is only captured during a time in which the transmitter is operating at maximum power



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>https://www.sgs.com/en/Terms-and-Conditions</u>, Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is landwil and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. **Attention:** To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN, Doccheck@ass.com

邮编: 518057

or email: <u>CN.Doccheck@sgs.com</u> No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86–755) 26012053 www.sgsgroup.com.cn

中国・广东・深圳市南山区科技园中区M-10栋1号厂房

sgs.china@sgs.com

t (86-755) 26012053

 Report No.:
 SZCR240400116001

 Rev.:
 01

 Page:
 36 of 45

4.7 Field Strength of Spurious Radiation

Measurement Procedure: FCC KDB 971168 D01 V03r01 Section 5.8

Below 1GHz test procedure as below:

- 1). The EUT was powered ON and placed on a 80cm high table in the chamber. The antenna of the transmitter was extended to its maximum length.
- 2). The disturbance of the transmitter was maximized on the test receiver display by raising and lowering from 1m to 4m (for the test frequency of below 30MHz, the antenna was tuned to heights 1 meter) the receive antenna and by rotating through 360° the turntable. After the fundamental emission was maximized, a field strength measurement was made.
- 3). Steps 1) and 2) were performed with the EUT and the receive antenna in both vertical and horizontal polarization.
- 4). Test the EUT in the lowest channel, the middle channel ,the Highest channel.
- 5). The radiation measurements are performed in X, Y, Z axis positioning. And found the X axis positioning which it is worse case, Only the test worst case mode is recorded in the report.
- 6). Repeat above procedures until all frequencies measured was complete. E (dBµV/m) = Measured amplitude level (dBµV) + (Cable Loss (dB) + Antenna Factor (dB/m) – AMP(dB)) EIRP (dBm) = E (dBµV/m) + 20 log D – 104.8; where D is the measurement distance in meters

Above 1GHz test procedure as below:

- 1) Different between above is the test site, change from Semi- Anechoic
- Chamber to fully Anechoic Chamber
- 2) Calculate power in dBm by the following formula:
 E (dBµV/m) = Measured amplitude level (dBµV) + (Cable Loss (dB) + Antenna Factor (dB/m) AMP(dB))
 EIRP (dBm) = E (dBµV/m) + 20 log D 104.8; where D is the measurement distance in meters
- 3). Test the EUT in the lowest channel, the middle channel the Highest channel
- 4). The radiation measurements are performed in X, Y, Z axis positioning. And found the X axis positioning which it is worse case, Only the test worst case mode is recorded in the report.
- 5). Repeat above procedures until all frequencies measured was complete

Remark1: Reference test setup 2

Remark2: The emission below 18G were measured at a 3m test distance, while emissions above 18GHz were measured at a 1m test distance. At a measurement distance of 1 meter the limit line was increased by 20*LOG(3/1) = 9.54 dB.

Remark: Reference test setup 2

Remark:

1) The field strength is calculated by adding the Antenna Factor, Cable Factor & AMP. The basic equation with a sample calculation is as follows:

AF = Antenna Factor(dB/m)

Factor = Cable Factor(dB) - Preamplifier (dB)

Level = Reading Level + ÁF + Factor -95.26

Margin = Limit – Level

2) Scan from 9kHz to 40GHz, The disturbance between 9KHz to 30MHz and 18GHz to 40GHz was very low, and the harmonics were the highest point could be found when testing, so only the harmonics

had been displayed. The amplitude of spurious emissions from the radiator which are attenuated more than 20dB below the limit need not be reported.

3) All modes have been tested, but only the worst case data displayed in this report.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf,
available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability,
indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects
the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole
responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations
under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any
unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted
to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such
sample(s) are retained for 30 days only.
Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443
or email: <u>CN.Doccheck@sgs.com</u>
No 1 Workshop M 10 Middle Section Science & Technology Dark Nanshop District Shanshop Clanadong China E100E7 + (96 755) 96019059 water science of cu

no.1 wonshop, m-ro, mode section, Science & recliniougy rain, reinstand District, Scienzzien, Suangoung, Simita 518057 中国・广东・深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057

sgs.china@sgs.com

t (86-755) 26012053

 Report No.:
 SZCR240400116001

 Rev.:
 01

 Page:
 37 of 45

4.8 Frequency Stability / Temperature Variation

Measurement Procedure:

Frequency stability testing is performed in accordance with the guidelines of FCC KDB 971168 D01 V03r01; Section 9

- . The frequency stability of the transmitter is measured by:
- a.) **Temperature:** The temperature is varied from -30°C to +50°C in 10°C increments using an environmental chamber.
- b.) **Primary Supply Voltage:** The primary supply voltage is varied from 85% to 115% of the nominal value for non hand-carried battery and AC powered equipment. For hand-carried, battery-powered equipment, primary supply voltage is reduced to the battery operating end point which shall be specified by the manufacturer.

Specification – The frequency stability shall be sufficient to ensure that the fundamental emission stays within the authorized frequency block. The frequency stability of the transmitter shall be maintained within $\pm 0.00025\%$ (± 2.5 ppm) of the center frequency.

Time Period and Procedure:

- 1. The carrier frequency of the transmitter is measured at room temperature (20°C to provide a reference).
- 2. The equipment is turned on in a "standby" condition for fifteen minutes before applying power to the transmitter. Measurement of the carrier frequency of the transmitter is made within one minute after applying power to the transmitter.
- 3. Frequency measurements are made at 10°C intervals ranging from -30°C to +50°C. A period of at least one half-hour is provided to allow stabilization of the equipment at each temperature level.

Remark: Reference test setup 3



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>https://www.sgs.com/en/Terms-and-Conditions</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document does not exonerate parties to a transaction from exercising all their rights and obligations unauthorized alteration, forgrey or falsification of the content or appearance of this document ties unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: (CN_Doccheck@sgs.com)

or email: 10. Check the authenticity or testing /inspection report & certificate, please contact us at telephone: (86-755) 630/1443, No.1 Workshop, M-10, Middle Section, Science & Technology Part, Nanshan District, Shenzhen, Guangdong, China 518057 tt (86-755) 26012053 www.sgsgroup.com.cn

中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755)26012053

sgs.china@sgs.com

 Report No.:
 SZCR240400116001

 Rev.:
 01

 Page:
 38 of 45

4.9 Test Setups

4.9.1 Test Setup 1



4.9.2 Test Setup 2





SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch Report No.: SZCR240400116001

Report No.:	SZCR2404		
Rev.:	01		
Page:	39 of 45		



4.9.3 Test Setup 3





 Report No.:
 SZCR240400116001

 Rev.:
 01

 Page:
 40 of 45

4.10Test Conditions

Transmit Output Power Data - Average Power, Total			
Test Case	Test Conditions		
Test Environment	Ambient Climate & Rated Voltage		
Test Setup	Test Setup 1		
RF Channels (TX)	L, M, H (L= low channel, M= middle channel, H= high channel)		
Test Mode	GSM/TM1;GSM/TM2;UMTS/TM1;CDMA/TM1; LTE/TM1;LTE/TM2; LTE/TM3		
Peak-to-Average Ratio			
Test Case	Test Conditions		
Test Environment	Ambient Climate & Rated Voltage		
Test Setup	Test Setup 1		
RF Channels (TX)	L, M, H (L= low channel, M= middle channel, H= high channel)		
Test Mode	GSM/TM1;GSM/TM2;UMTS/TM1;CDMA/TM1; LTE/TM1;LTE/TM2; LTE/TM3		
Bandwidth - Occupied Bandwidth			
Test Case	Test Conditions		
Test Environment	Ambient Climate & Rated Voltage		
Test Setup	Test Setup 1		
RF Channels (TX)	L, M, H (L= low channel, M= middle channel, H= high channel)		
Test Mode	GSM/TM1;GSM/TM2;UMTS/TM1;CDMA/TM1; LTE/TM1;LTE/TM2; LTE/TM3		
Bandwidth - Emission Bandwidth			
Test Case	Test Conditions		
Test Environment	Ambient Climate & Rated Voltage		
Test Setup	Test Setup 1		
RF Channels (TX)	L, M, H (L= low channel, M= middle channel, H= high channel)		
Test Mode	GSM/TM1;GSM/TM2;UMTS/TM1;CDMA/TM1; LTE/TM1;LTE/TM2; LTE/TM3		
Band Edges Compliance			
Test Case	Test Conditions		
Test Environment	Ambient Climate & Rated Voltage		
Test Setup	Test Setup 1		
RF Channels (TX)	L, H (L= low channel, H= high channel)		



中国・广东・深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755)26012053

sgs.china@sgs.com

 Report No.:
 SZCR240400116001

 Rev.:
 01

 Page:
 41 of 45

Test Mode	GSM/TM1;GSM/TM2;UMTS/TM1;CDMA/TM1; LTE/TM1;LTE/TM2; LTE/TM3	
	Spurious Emission at Antenna Terminals	
Test Case	Test Conditions	
Test Environment	Ambient Climate & Rated Voltage	
Test Setup	Test Setup 1	
RF Channels (TX)	L, M, H (L= low channel, M= middle channel, H= high channel)	
Test Mode	GSM/TM1;GSM/TM2;UMTS/TM1;CDMA/TM1; LTE/TM1;LTE/TM2; LTE/TM3	
	Field Strength of Spurious Radiation	
Test Case	Test Conditions	
Test Environment	Ambient Climate & Rated Voltage	
Test Setup	Test Setup 2	
RF Channels (TX)	L, M, H (L= low channel, M= middle channel, H= high channel)	
Test Mode	GSM/TM1; UMTS/TM1;CDMA/TM1; LTE/TM1 Remark: All bandwidth and modulation of GSM/ UMTS/LTE have been pre tested, and only the worst results are reflected in the report.	
lest Case	Test Conditions	
Test Environment	(1) -30 °C to +50 °C with step 10 °C at Rated Voltage	
	(2) VL, VN and VH of Rated Voltage at Ambient Climate.	
Test Setup	Test Setup 3	
RF Channels (TX)	M (M= middle channel)	
Tost Modo	GSM/TM1;GSM/TM2;UMTS/TM1;CDMA/TM1; LTE/TM1;LTE/TM2; LTE/TM3	
	The report only show the bandwidth with the worst case.	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@sgs.com"

or email: <u>CN.Doccheck@gs.com</u> No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 tt (86–755) 26012053 www.sgsgroup.com.cn

中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86

t (86–755) 26012053 www.sgsgroup.com.

Report No.: SZCR240400116001 Rev.: 01 Page: 42 of 45

5 **Main Test Instruments**

RF Test System					
Test Equipment	Manufacturer	Model No.	Inventory No.	Cal. date (yyyy/mm/dd)	Cal.Due date (yyyy/mm/dd)
Humidity/ Temperature Indicator	Shanghai Meteorological Industry Factory	HTC-1	SZ-WRG-M-077	2023/05/25	2024/05/24
Spectrum Analyzer	Rohde & Schwarz	FSV	SZ-WRG-M-012	2024/01/30	2025/01/29
Spectrum Analyzer	Agilent	N9020A	SZ-WRG-M-018	2023/05/25	2024/05/24
DC power supply	HYELEC	HY3005B	SZ-WRG-M-044	2023/09/14	2024/09/13
INSULATION TESTER	FLUKE	1508	SZ-WRG-M-060	2023/12/22	2024/12/21
Wideband Radio Communication Tester	Rohde & Schwarz	CMW500	SZ-WRG-M-033	2024/01/30	2025/01/29
Wideband Radio Communication Tester	Anristu	MT8821C	SZ-WRG-M-042	2023/05/25	2024/05/24
Programmable Temperature & Humidity Chamber	Votsch Industrietechnik GmbH	VT 4002	SZ-WRG-M-017	2023/12/21	2024/12/20
Signal Generator	KEYSIGHT	N5182A	SZ-WRG-M-041	2024/01/30	2025/01/29
Test Software	Tonscend	JS1120 V3.1.46	N/A	NCR	NCR
Test Software	TST PASS	TST PASS V2.0	N/A	NCR	NCR



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@sgs.com"

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 tt (86–755) 26012053 www.sgsgroup.com.cn

中国・广东・深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057

t (86–755) 26012053 sgs.china@sgs.com Member of the SGS Group (SGS SA)

 Report No.:
 SZCR240400116001

 Rev.:
 01

 Page:
 43 of 45

Radiated spurious emissions					
Test Equipment	Manufacturer	Model No.	Inventory No.	Cal. date (yyyy/mm/dd)	Cal.Due date (yyyy/mm/dd)
EMI TEST RECEIVER	Rohde & Schwarz	ESR	SZ-WRG-M-047	2024/01/30	2025/01/29
Signal &Spectrum Analyzer	Rohde & Schwarz	FSV	SZ-WRG-M-048	2024/01/30	2025/01/29
Low Noise Amplifier 9K- 3GHz	Tonscend	TAP9K3G32	SEM005-23	2024/03/05	2025/03/04
Low Noise Amplifier 30M-8GHz	Tonscend	TAP30M8G30	SZ-WRG-M-050	2024/01/30	2025/01/29
Low Noise Amplifier 1G-18GHz	Tonscend	TAP01018050	SZ-WRG-M-051	2024/01/30	2025/01/29
Low Noise Amplifier 18G-40GHz	Tonscend	TAP18040048	SZ-WRG-M-052	2024/01/30	2025/01/29
Active Loop Antenna 9kHz-30MHz	SCHWARZBECK	FMZB 1519B	SZ-WRG-M-053	2023/12/25	2024/12/24
TRILOG Breitband Antenne 30MHz-1GHz	SCHWARZBECK	VULB 9168	SZ-WRG-M-054	2023/12/25	2024/12/24
Double Ridge Horn Antenna 1GHz-18GHz	SCHWARZBECK	BBHA 9120 D	SZ-WRG-M-055	2023/12/21	2024/12/20
SHF-EHF Horn 15GHz-40GHz	SCHWARZBECK	BBHA 9170	SZ-WRG-M-056	2023/12/25	2024/12/24
RSE Test Software	Tonscend	JS32-RSE V4.0.0	SZ-WRG-S-058	NCR	NCR
RE Test Software	Tonscend	JS32-RE V4.0.0	SZ-WRG-S-059	NCR	NCR
Chamber	CRTSGSSAC966	N/A	SZ-WRG-C-063	2022/01/05	2025/01/04
Humidity/ Temperature Indicator	Shanghai Meteorological Industry Factory	HTC-1	SZ-WRG-M-078	2023/05/25	2024/05/24
Spectrum Analyzer	Keysight	N9020A	SZ-WRG-M-002	2023/09/14	2024/09/13
Radio Communication Tester	Anritsu	MT8821C	SZ-WRG-M-042	2023/05/25	2024/05/24

Remark: NCR=No Calibration Requirement



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.ags.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document does not exonerate parties to a transaction forw exercising all their rights and obligations under the transaction documents. This document to anot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@sgs.com"

or email: <u>CN.Doccheck@sgs.com</u> No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 tt (86-755) 26012053 www.sgsgroup.com.cn 中国・广东・深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 tt (86-755) 26012053 sgs.china@sgs.com

Member of the SGS Group (SGS SA)

 Report No.:
 SZCR240400116001

 Rev.:
 01

 Page:
 44 of 45

6 Measurement Uncertainty

For a 95% confidence level (k = 2), the measurement expanded uncertainties for defined systems, in

No.	Item	Measurement Uncertainty	
1	Total RF power, conducted	±0.41dB	
2	RF power density, conducted	±1.96dB	
3	Spurious emissions, conducted	±0.41dB	
4	Radio Frequency	±7.10 x 10 ⁻⁸ GHz	
5	Duty Cycle	±0.49%	
6	Occupied Bandwidth	±0.2%	
7		±4.8dB (30MHz-1GHz)	
	Dedicted Sourious emission test(UE)	±4.68dB (1GHz-6GHz)	
	Radiated Spunous emission test(UE)	±4.52dB (6GHz-18GHz)	
		±5.26dB (18GHz-40GHz)	

accordance with the recommendations of ISO 17025 as following:

Remark:

The Ulab (lab Uncertainty) is less than Ucispr/ETSI (CISPR/ETSI Uncertainty), so the test results

- compliance is deemed to occur if no measured disturbance level exceeds the disturbance limit;

- non-compliance is deemed to occur if any measured disturbance level exceeds the disturbance limit.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>https://www.sgs.com/en/Terms-and-Conditions</u>, Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or failsfication of the content or appearance of this document (sin andvia and obligations sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN. Doccheck@ags.com

or email: <u>CN.Doccheck@sgs.com</u> No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 tt (86-755) 26012053 www.sgsgroup.com.cn 中国・广东・深圳市南山区科技园中区M-10株1号厂房 邮编: 518057 tt (86-755) 26012053 sgs.china@sgs.com

 Report No.:
 SZCR240400116001

 Rev.:
 01

 Page:
 45 of 45

7 Appendixes

Appendix A.1	WWAN Setup Photos
Appendix B.1	GSM 850
Appendix B.2	PCS 1900
Appendix B.3	WCDMA Band II
Appendix B.4	WCDMA Band IV
Appendix B.5	WCDMA Band V
Appendix B.6	CDMA BC0
Appendix B.7	LTE Band 2
Appendix B.8	LTE Band 4
Appendix B.9	LTE Band 5
Appendix B.10	LTE Band 7
Appendix B.11	LTE Band 12
Appendix B.12	LTE Band 13
Appendix B.13	LTE Band 17
Appendix B.14	LTE Band 26(814-824)
Appendix B.15	LTE Band 26(824-849)
Appendix B.16	LTE Band 38
Appendix B.17	LTE Band 41
Appendix B.18	LTE Band 66
Appendix B.19	LTE CA_7C
Appendix B.20	LTE CA_41C

---End of Report---



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>https://www.sgs.com/en/Terms-and-Conditions</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. **Attention:** To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: (SU.Doccheck@gsgs.com)

or email: <u>CN.Doccheck@sgs.com</u> No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86–755) 26012053 www.sgsgroup.com.cn

中国・广东・深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057