

1. Effective (Isotropic) Radiated Power Output Data

1.1 B13_5MHz_ERP(ANT31)

1.1.1 Test Result

Band: 13 / Bandwidth: 5MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	779.5	1	0	23.15	-6.12	14.88	<=34.77	Pass
			13	23.16	-6.12	14.89	<=34.77	Pass
			24	23.00	-6.12	14.73	<=34.77	Pass
		12	0	22.22	-6.12	13.95	<=34.77	Pass
			6	22.20	-6.12	13.93	<=34.77	Pass
			13	22.12	-6.12	13.85	<=34.77	Pass
		25	0	22.19	-6.12	13.92	<=34.77	Pass
	782	1	0	23.07	-6.12	14.80	<=34.77	Pass
			13	23.26	-6.12	14.99	<=34.77	Pass
			24	23.26	-6.12	14.99	<=34.77	Pass
		12	0	22.18	-6.12	13.91	<=34.77	Pass
			6	22.21	-6.12	13.94	<=34.77	Pass
			13	22.06	-6.12	13.79	<=34.77	Pass
		25	0	22.16	-6.12	13.89	<=34.77	Pass
	784.5	1	0	23.09	-6.12	14.82	<=34.77	Pass
			13	23.20	-6.12	14.93	<=34.77	Pass
			24	23.06	-6.12	14.79	<=34.77	Pass
		12	0	22.18	-6.12	13.91	<=34.77	Pass
			6	22.14	-6.12	13.87	<=34.77	Pass
			13	22.09	-6.12	13.82	<=34.77	Pass
		25	0	22.14	-6.12	13.87	<=34.77	Pass
16QAM	779.5	1	0	23.15	-6.12	14.88	<=34.77	Pass
			13	22.97	-6.12	14.70	<=34.77	Pass
			24	23.05	-6.12	14.78	<=34.77	Pass
		12	0	21.28	-6.12	13.01	<=34.77	Pass
			6	21.28	-6.12	13.01	<=34.77	Pass
			13	21.24	-6.12	12.97	<=34.77	Pass
		25	0	21.21	-6.12	12.94	<=34.77	Pass
	782	1	0	23.06	-6.12	14.79	<=34.77	Pass
			13	22.99	-6.12	14.72	<=34.77	Pass
			24	22.99	-6.12	14.72	<=34.77	Pass
		12	0	21.24	-6.12	12.97	<=34.77	Pass
			6	21.29	-6.12	13.02	<=34.77	Pass
			13	21.20	-6.12	12.93	<=34.77	Pass
		25	0	21.17	-6.12	12.90	<=34.77	Pass
	784.5	1	0	22.95	-6.12	14.68	<=34.77	Pass
			13	23.10	-6.12	14.83	<=34.77	Pass
			24	22.87	-6.12	14.60	<=34.77	Pass
		12	0	21.18	-6.12	12.91	<=34.77	Pass
			6	21.07	-6.12	12.80	<=34.77	Pass
			13	21.17	-6.12	12.90	<=34.77	Pass
		25	0	21.21	-6.12	12.94	<=34.77	Pass
64QAM	779.5	1	0	23.00	-6.12	14.73	<=34.77	Pass
			13	22.80	-6.12	14.53	<=34.77	Pass
			24	22.66	-6.12	14.39	<=34.77	Pass
		12	0	21.26	-6.12	12.99	<=34.77	Pass
			6	21.27	-6.12	13.00	<=34.77	Pass
			13	21.15	-6.12	12.88	<=34.77	Pass
		25	0	21.21	-6.12	12.94	<=34.77	Pass

	782	1	0	22.90	-6.12	14.63	<=34.77	Pass
			13	22.82	-6.12	14.55	<=34.77	Pass
			24	22.76	-6.12	14.49	<=34.77	Pass
		12	0	21.22	-6.12	12.95	<=34.77	Pass
			6	21.23	-6.12	12.96	<=34.77	Pass
			13	21.20	-6.12	12.93	<=34.77	Pass
		25	0	21.23	-6.12	12.96	<=34.77	Pass
	784.5	1	0	22.82	-6.12	14.55	<=34.77	Pass
			13	22.87	-6.12	14.60	<=34.77	Pass
			24	22.71	-6.12	14.44	<=34.77	Pass
		12	0	21.07	-6.12	12.80	<=34.77	Pass
			6	21.15	-6.12	12.88	<=34.77	Pass
			13	21.18	-6.12	12.91	<=34.77	Pass
		25	0	21.13	-6.12	12.86	<=34.77	Pass
256QAM	779.5	1	0	20.20	-6.12	11.93	<=34.77	Pass
			13	20.45	-6.12	12.18	<=34.77	Pass
			24	20.07	-6.12	11.80	<=34.77	Pass
		12	0	20.22	-6.12	11.95	<=34.77	Pass
			6	20.21	-6.12	11.94	<=34.77	Pass
			13	20.16	-6.12	11.89	<=34.77	Pass
		25	0	20.20	-6.12	11.93	<=34.77	Pass
	782	1	0	20.24	-6.12	11.97	<=34.77	Pass
			13	20.44	-6.12	12.17	<=34.77	Pass
			24	20.17	-6.12	11.90	<=34.77	Pass
		12	0	20.26	-6.12	11.99	<=34.77	Pass
			6	20.28	-6.12	12.01	<=34.77	Pass
			13	20.18	-6.12	11.91	<=34.77	Pass
		25	0	20.22	-6.12	11.95	<=34.77	Pass
	784.5	1	0	20.18	-6.12	11.91	<=34.77	Pass
			13	20.46	-6.12	12.19	<=34.77	Pass
			24	19.99	-6.12	11.72	<=34.77	Pass
		12	0	20.04	-6.12	11.77	<=34.77	Pass
			6	20.13	-6.12	11.86	<=34.77	Pass
			13	20.17	-6.12	11.90	<=34.77	Pass
		25	0	20.20	-6.12	11.93	<=34.77	Pass
Note1: ERP=Conducted Power+Antenna Gain-2.15								

1.2 B13_10MHz_ERP

1.2.1 Test Result

Band: 13 / Bandwidth: 10MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	782	1	0	23.24	-6.12	14.97	<=34.77	Pass
			25	23.13	-6.12	14.86	<=34.77	Pass
			49	22.93	-6.12	14.66	<=34.77	Pass
		25	0	22.14	-6.12	13.87	<=34.77	Pass
			13	22.18	-6.12	13.91	<=34.77	Pass
			25	22.16	-6.12	13.89	<=34.77	Pass
		50	0	22.19	-6.12	13.92	<=34.77	Pass
16QAM	782	1	0	23.04	-6.12	14.77	<=34.77	Pass
			25	23.04	-6.12	14.77	<=34.77	Pass
			49	22.85	-6.12	14.58	<=34.77	Pass
		25	0	21.16	-6.12	12.89	<=34.77	Pass
			13	21.23	-6.12	12.96	<=34.77	Pass
			25	21.17	-6.12	12.90	<=34.77	Pass

		50	0	21.23	-6.12	12.96	<=34.77	Pass
64QAM	782	1	0	22.99	-6.12	14.72	<=34.77	Pass
			25	22.91	-6.12	14.64	<=34.77	Pass
			49	22.70	-6.12	14.43	<=34.77	Pass
			0	21.18	-6.12	12.91	<=34.77	Pass
		25	13	21.15	-6.12	12.88	<=34.77	Pass
			25	21.18	-6.12	12.91	<=34.77	Pass
			50	0	21.24	-6.12	12.97	<=34.77
256QAM	782	1	0	20.28	-6.12	12.01	<=34.77	Pass
			25	20.31	-6.12	12.04	<=34.77	Pass
			49	20.17	-6.12	11.90	<=34.77	Pass
		25	0	20.22	-6.12	11.95	<=34.77	Pass
			13	20.21	-6.12	11.94	<=34.77	Pass
			25	20.17	-6.12	11.90	<=34.77	Pass
		50	0	20.12	-6.12	11.85	<=34.77	Pass
Note1: ERP=Conducted Power+Antenna Gain-2.15								

2. Frequency Stability

2.1 B13_10MHz

2.1.1 Test Result

Band: 13 / Bandwidth: 10MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	782	50	0	20	3.6	-2.500	-0.0032	/	Pass
					3.86	-0.800	-0.0010	/	Pass
					4.3	-1.500	-0.0019	/	Pass
				-30	3.86	0.200	0.0003	/	Pass
				-20	3.86	2.100	0.0027	/	Pass
				-10	3.86	0.700	0.0009	/	Pass
				0	3.86	0.000	0.0000	/	Pass
				10	3.86	0.100	0.0001	/	Pass
				30	3.86	-0.600	-0.0008	/	Pass
				40	3.86	1.400	0.0018	/	Pass
				50	3.86	-2.000	-0.0026	/	Pass

3. 99% & 26dB Bandwidth


3.1 Band13_OBW

3.1.1 Test Result


Band: 13 / NTNV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		99% Occupied Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
5	QPSK	779.5	25	0	4.517	/	Pass
		782	25	0	4.542	/	Pass
		784.5	25	0	4.520	/	Pass
	16QAM	779.5	25	0	4.516	/	Pass
		782	25	0	4.502	/	Pass
		784.5	25	0	4.521	/	Pass
	64QAM	779.5	25	0	4.524	/	Pass

	256QAM	782	25	0	4.513	/	Pass
		784.5	25	0	4.518	/	Pass
		779.5	25	0	4.504	/	Pass
		782	25	0	4.505	/	Pass
		784.5	25	0	4.513	/	Pass
10	QPSK	782	50	0	8.948	/	Pass
	16QAM	782	50	0	9.013	/	Pass
	64QAM	782	50	0	8.996	/	Pass
	256QAM	782	50	0	9.008	/	Pass


3.1.2 Test Graph




Band13 5MHz QPSK HCH 784.5MHz RB 25 0 NTNV




Band13_5MHz_16QAM_LCH_779.5MHz_RB_25_0_NTNV




Band13 5MHz 16QAM MCH 782MHz RB 25 0 NTNV




Band13 5MHz 16QAM HCH 784.5MHz RB 25 0 NTNV




Band13_5MHz_64QAM_LCH_779.5MHz_RB_25_0_NTNV




Band13_5MHz_64QAM_MCH_782MHz_RB_25_0_NTNV




Band13 5MHz 64QAM HCH 784.5MHz RB 25 0 NTV




Band13 5MHz 256QAM LCH 779.5MHz RB 25 0 NTV




Band13_5MHz_256QAM_MCH_782MHz_RB_25_0_NTNV




Band13_5MHz_256QAM_HCH_784.5MHz_RB_25_0_NTNV




Band13_10MHz_QPSK_MCH_782MHz_RB_50_0_NTNV




Band13_10MHz_16QAM_MCH_782MHz_RB_50_0_NTNV



Band13 10MHz 64QAM MCH 782MHz RB 50 0 NTNV



Band13 10MHz 256QAM MCH 782MHz RB 50 0 NTNV




3.2 Band13_XDB


3.2.1 Test Result

Band: 13 / NTN							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		26dB Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
5	QPSK	779.5	25	0	5.079	/	Pass
		782	25	0	5.170	/	Pass
		784.5	25	0	4.996	/	Pass
	16QAM	779.5	25	0	5.052	/	Pass
		782	25	0	5.020	/	Pass
		784.5	25	0	5.139	/	Pass
	64QAM	779.5	25	0	5.193	/	Pass
		782	25	0	5.053	/	Pass
		784.5	25	0	5.074	/	Pass
	256QAM	779.5	25	0	5.136	/	Pass
		782	25	0	5.108	/	Pass
		784.5	25	0	5.146	/	Pass
10	QPSK	782	50	0	9.885	/	Pass
	16QAM	782	50	0	9.827	/	Pass
	64QAM	782	50	0	9.823	/	Pass
	256QAM	782	50	0	9.930	/	Pass


3.2.2 Test Graph




Band13 5MHz QPSK HCH 784.5MHz RB 25 0 NTN




Band13_5MHz_16QAM_LCH_779.5MHz_RB_25_0 NTN




Band13 5MHz 16QAM MCH 782MHz RB 25 0 NTNV




Band13 5MHz 16QAM HCH 784.5MHz RB 25 0 NTNV




Band13_5MHz_64QAM_LCH_779.5MHz_RB_25_0_NTNV




Band13_5MHz_64QAM_MCH_782MHz_RB_25_0_NTNV




Band13 5MHz 64QAM HCH 784.5MHz RB 25 0 NTNV




Band13 5MHz 256QAM LCH 779.5MHz RB 25 0 NTNV




Band13_5MHz_256QAM_MCH_782MHz_RB_25_0_NTNV




Band13_5MHz_256QAM_HCH_784.5MHz_RB_25_0_NTNV




Band13 10MHz QPSK MCH 782MHz RB 50 0 NTN




Band13 10MHz 16QAM MCH 782MHz RB 50 0 NTN



Band13 10MHz 64QAM MCH 782MHz RB 50 0 NTN



Band13 10MHz 256QAM MCH 782MHz RB 50 0 NTN




4. Peak-Average Ratio

4.1 B13_10MHz


4.1.1 Test Result

Band: 13 / Bandwidth: 10MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	782	50	0	4.87	<=13	Pass
16QAM	782	50	0	5.80	<=13	Pass
64QAM	782	50	0	5.80	<=13	Pass
256QAM	782	50	0	6.29	<=13	Pass


4.1.2 Test Graph



Band13 10MHz 64QAM MCH 782MHz RB 50 0 NTNV



Band13 10MHz 256QAM MCH 782MHz RB 50 0 NTNV




5. Spurious Emission & Band Edges

5.1 B13_5MHz


5.1.1 Test Result

Band: 13 / Bandwidth: 5MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	779.5	1	0	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass
	782	1	0	Refer To Test Graph		Pass
	784.5	1	0	Refer To Test Graph		Pass
			24	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass

5.1.2 Test Graph




Band13 5MHz QPSK LCH 779.5MHz RB 25 0 NTN




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
758	763	0.1	CHP	1	760.757	-64.93	-13	Pass
763	775	0.00625	/	2	774.966	-48.13	-35	Pass
775	776.9	0.1	CHP	3	776.850	-28.68	-13	Pass
776.9	777	0.03	/	4	776.989	-38.28	-13	Pass
777	784.5	0.03	/	/	/	/	/	/


Band13 5MHz QPSK MCH 782MHz RB 1 0 NTN



Band13 5MHz QPSK HCH 784.5MHz RB 1 0 NTNV




Band13 5MHz QPSK HCH 784.5MHz RB 1 24 NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
779.5	787	0.03	/	/	/	/	/	/
787	787.1	0.03	/	1	787.000	-31.83	-13	Pass
787.1	793	0.1	CHP	2	787.150	-32.61	-13	Pass
793	805	0.00625	/	3	795.480	-73.20	-35	Pass
805	810	0.1	CHP	4	806.770	-64.72	-13	Pass

Band13 5MHz QPSK HCH 784.5MHz RB 25 0 NTN




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
779.5	787	0.03	/	/	/	/	/	/
787	787.1	0.03	/	1	787.015	-37.58	-13	Pass
787.1	793	0.1	CHP	2	787.150	-27.21	-13	Pass
793	805	0.00625	/	3	793.168	-58.12	-35	Pass
805	810	0.1	CHP	4	807.588	-64.92	-13	Pass

5.2 B13_10MHz


5.2.1 Test Result

Band: 13 / Bandwidth: 10MHz / NTVN						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	782	1	0	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass
	782	1	49	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass

5.2.2 Test Graph




Band13 10MHz QPSK LCH 782MHz RB 50 0 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
758	763	0.1	CHP	1	760.259	-64.99	-13	Pass
763	775	0.00625	/	2	774.703	-49.01	-35	Pass
775	776.9	0.1	CHP	3	776.850	-32.41	-13	Pass
776.9	777	0.03	/	4	776.935	-44.50	-13	Pass
777	787	0.03	/	/	/	/	/	/
787	787.1	0.03	/	5	787.003	-43.13	-13	Pass
787.1	792	0.1	CHP	6	787.150	-32.00	-13	Pass

Band13 10MHz QPSK HCH 782MHz RB 1 49 NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
772	775	0.00625	/	1	773.572	-73.75	-35	Pass
775	776.9	0.1	CHP	2	776.196	-62.93	-13	Pass
776.9	777	0.03	/	3	776.979	-77.58	-13	Pass
777	787	0.03	/	/	/	/	/	/
787	787.1	0.03	/	4	787.003	-44.73	-13	Pass
787.1	793	0.1	CHP	5	787.213	-40.03	-13	Pass
793	805	0.00625	/	6	794.173	-74.24	-35	Pass
805	810	0.1	CHP	7	808.792	-64.88	-13	Pass

Band13 10MHz QPSK HCH 782MHz RB 50 0 NTV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
772	775	0.00625	/	1	774.732	-48.35	-35	Pass
775	776.9	0.1	CHP	2	776.848	-32.38	-13	Pass
776.9	777	0.03	/	3	776.950	-44.78	-13	Pass
777	787	0.03	/	/	/	/	/	/
787	787.1	0.03	/	4	787.003	-43.56	-13	Pass
787.1	793	0.1	CHP	5	787.153	-31.90	-13	Pass
793	805	0.00625	/	6	793.093	-51.87	-35	Pass
805	810	0.1	CHP	7	808.570	-64.77	-13	Pass

6. Field Strength of Spurious Radiation

LTE Band 13_5M ANT31-Low channel								
Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable Loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
1554.5	-71.12	-13	-58.12	-74.26	2.6	5.74	Horizontal	Pass
2331.75	-70.36	-13	-57.36	-72.82	2.96	5.42	Horizontal	Pass
3109.0	-67.64	-13	-54.64	-71.63	3.2	7.19	Horizontal	Pass
1554.5	-70.97	-13	-57.97	-74.11	2.6	5.74	Vertical	Pass
2331.75	-69.88	-13	-56.88	-72.34	2.96	5.42	Vertical	Pass
3109.0	-67.79	-13	-54.79	-71.78	3.2	7.19	Vertical	Pass

LTE Band 13_5M ANT31- Middle channel								
Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable Loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
1559.5	-71.46	-40	-31.46	-74.59	2.6	5.73	Horizontal	Pass
2339.25	-70.28	-13	-57.28	-72.75	2.96	5.43	Horizontal	Pass
3119.0	-67.7	-13	-54.7	-71.71	3.21	7.22	Horizontal	Pass
1559.5	-71.22	-40	-31.22	-74.35	2.6	5.73	Vertical	Pass
2339.25	-70.46	-13	-57.46	-72.93	2.96	5.43	Vertical	Pass
3119.0	-68.09	-13	-55.09	-72.1	3.21	7.22	Vertical	Pass

LTE Band 13_5M ANT31-High channel								
Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable Loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
1564.5	-71.57	-40	-31.57	-74.69	2.6	5.72	Horizontal	Pass
2346.75	-70.49	-13	-57.49	-72.97	2.97	5.45	Horizontal	Pass
3129.0	-67.89	-13	-54.89	-71.92	3.21	7.24	Horizontal	Pass
1564.5	-71.04	-40	-31.04	-74.16	2.6	5.72	Vertical	Pass
2346.75	-70.72	-13	-57.72	-73.2	2.97	5.45	Vertical	Pass
3129.0	-67.82	-13	-54.82	-71.85	3.21	7.24	Vertical	Pass

LTE Band 13_10M ANT31- Middle channel								
Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable Loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
1555.0	-71.05	-13	-58.05	-74.19	2.6	5.74	Horizontal	Pass
2332.5	-70.25	-13	-57.25	-72.71	2.96	5.42	Horizontal	Pass
3110.0	-67.98	-13	-54.98	-71.98	3.2	7.2	Horizontal	Pass
1555.0	-70.52	-13	-57.52	-73.66	2.6	5.74	Vertical	Pass
2332.5	-70.49	-13	-57.49	-72.95	2.96	5.42	Vertical	Pass
3110.0	-67.73	-13	-54.73	-71.73	3.2	7.2	Vertical	Pass

1) All antennas of RSE are tested, and only the worst data is presented.

---End of Attachment---