






Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2660	2690	0.5	/	1	2690.000	-28.73	-10	Pass
2690	2691	0.5	/	1	2690.000	-28.73	-10	Pass
2691	2700	1	CHP	2	2691.080	-42.52	-10	Pass




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2660	2690	0.5						
2690	2691	0.5		1	2690.920	-33.32	-10	Pass
2691	2700	1	CHP	2	2695.360	-34.96	-13	Pass











Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2485	2495	1	CHP	1	2494.471	-44.86	-13	Pass
2495	2496	0.5	/	2	2495.988	-31.96	-13	Pass
2496	2526	0.5	/	/	/	/	/	/













Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2485	2495	1	CHP	1	2493.446	-34.80	-13	Pass
2495	2496	0.5	/	2	2495.783	-33.76	-13	Pass
2496	2526	0.5	/	/	/	/	/	/














Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2682.5	2690	0.1	/	1	2690.000	-24.89	-10	Pass
2690	2691	0.1	/	1	2690.000	-24.89	-10	Pass
2691	2707.5	1	CHP	2	2699.500	-39.46	-25	Pass




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2682.5	2690	0.1	/	1	2690.000	-32.39	-10	Pass
2691	2707.5	1	CHP	2	2699.625	-32.03	-25	Pass











Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2485	2495	1	CHP	1	2494.471	-45.24	-13	Pass
2495	2496	0.5	/	2	2495.988	-32.74	-13	Pass
2496	2526	0.5	/	/	/	/	/	/













Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2485	2495	1	CHP	1	2494.717	-35.85	-13	Pass
2495	2496	0.5	/	2	2495.742	-33.44	-13	Pass
2496	2526	0.5	/	/	/	/	/	/











Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2675	2690	0.2	/	1	2690.000	-26.88	-10	Pass
2690	2691	0.2	/	1	2690.000	-26.88	-10	Pass
2691	2705	1	CHP	2	2699.210	-27.99	-13	Pass






Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2675	2690	0.2	/	1	2690.000	-36.89	-10	Pass
2690	2691	0.2	/	1	2690.000	-36.89	-10	Pass
2691	2705	1	CHP	2	2700.950	-31.91	-25	Pass




Ant: Ant1
 Start: 30 MHz
 Stop: 10 GHz
 RBW: 1 MHz
 VBW: 3 MHz
 Detector: RMS
 TraceType: Average
 AverageCount: 30
 SweepPoint: 19941
 SweepTime: 30 ms
 Sweep: Single



Marker:
 1 2711.000 MHz
 -28.78 dBm







Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2485	2495	1	CHP	1	2494.471	-43.61	-13	Pass
2495	2496	0.5	/	2	2495.988	-29.91	-13	Pass
2496	2526	0.5	/	/	/	/	/	/













Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2485	2495	1	CHP	1	2493.282	-35.48	-13	Pass
2495	2496	0.5	/	2	2495.865	-34.46	-13	Pass
2496	2526	0.5	/	/	/	/	/	/














Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2667.5	2690	0.3	/	1	2690.005	-29.13	-10	Pass
2690	2691	0.3	/	1	2690.005	-29.13	-10	Pass
2691	2702.5	1	CHP	2	2691.510	-41.22	-10	Pass




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2667.5	2690	0.3	/	1	2690.600	-31.95	-10	Pass
2691	2702.5	1	CHP	2	2697.635	-33.70	-13	Pass











Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2485	2495	1	CHP	1	2494.471	-40.66	-13	Pass
2495	2496	0.5	/	2	2495.988	-28.23	-13	Pass
2496	2526	0.5	/	/	/	/	/	/













Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2485	2495	1	CHP	1	2494.676	-35.00	-13	Pass
2495	2496	0.5	/	2	2495.045	-34.69	-13	Pass
2496	2526	0.5	/	/	/	/	/	/













Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2660	2690	0.5	/	1	2690.000	-28.38	-10	Pass
2690	2691	0.5	/	1	2690.000	-28.38	-10	Pass
2691	2700	1	CHP	2	2691.520	-41.24	-10	Pass



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2660	2690	0.5	/	1	2690.120	-34.06	-10	Pass
2691	2700	1	CHP	2	2695.760	-33.78	-13	Pass





4. Field Strength of Spurious Radiation

CA 41C -Low channel								
Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable Loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
4994.0	-62.98	-25	-37.98	-68.54	4.57	10.13	Horizontal	Pass
7491.0	-61.02	-25	-36.02	-67.81	4.94	11.73	Horizontal	Pass
9988.0	-56.34	-25	-31.34	-63.92	5.46	13.04	Horizontal	Pass
4994.0	-62.85	-25	-37.85	-68.41	4.57	10.13	Vertical	Pass
7491.0	-60.85	-25	-35.85	-67.64	4.94	11.73	Vertical	Pass
9988.0	-57.08	-25	-32.08	-64.66	5.46	13.04	Vertical	Pass

CA 41C -Middle channel								
Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable Loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
5148.2	-63.13	-25	-38.13	-68.74	4.62	10.23	Horizontal	Pass
7722.3	-58.95	-25	-33.95	-65.99	4.96	12.0	Horizontal	Pass
10296.4	-56.81	-25	-31.81	-64.38	5.51	13.08	Horizontal	Pass
5148.2	-62.55	-25	-37.55	-68.16	4.62	10.23	Vertical	Pass
7722.3	-59.25	-25	-34.25	-66.29	4.96	12.0	Vertical	Pass
10296.4	-56.75	-25	-31.75	-64.32	5.51	13.08	Vertical	Pass

CA 41C -High channel								
Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable Loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
5302.4	-62.85	-25	-37.85	-68.51	4.67	10.33	Horizontal	Pass
7953.6	-58.57	-25	-33.57	-65.87	4.98	12.28	Horizontal	Pass
10604.8	-56.24	-25	-31.24	-63.8	5.59	13.15	Horizontal	Pass
5302.4	-62.52	-25	-37.52	-68.18	4.67	10.33	Vertical	Pass
7953.6	-58.5	-25	-33.5	-65.8	4.98	12.28	Vertical	Pass
10604.8	-56.48	-25	-31.48	-64.04	5.59	13.15	Vertical	Pass

1) All antennas of RSE are tested, and only the worst data is presented.

---End of Attachment---