




1-N66-PC3-15-40-L-4-CP-QPSK-Edge\_1RB\_Left-1@0-Ant31-1710.00-23.23--36.33-PASS




1-N66-PC3-15-40-L-6-CP-QPSK-Outer\_Full-216@0-Ant31-1709.98-24.38--37.48-PASS




1-N66-PC3-15-40-H-2-DFT-PI2BPSK-Edge\_1RB\_Right-1@215-Ant31-1780.00-21.87--34.97-PASS



1-N66-PC3-15-40-H-3-DFT-PI2BPSK-Outer\_Full-216@0-Ant31-1780.01-27.23--40.33-PASS



1-N66-PC3-15-40-H-5-CP-QPSK-Edge\_1RB\_Right-1@215-Ant31-1780.01-25.43--38.53-PASS



1-N66-PC3-15-40-H-6-CP-QPSK-Outer\_Full-216@0-Ant31-1780.01-25.18--38.28-PASS

## Conducted Spurious Emission for SA


### Test Result

Band	SCS	Bandwidth	Modulation	Channel	StartFreq	StopFreq	RB Config	Result	Limit	Verdict
N66	15	40	DFT-PI2BPSK	L	0.009	0.15	1@1	-65.26	-43	PASS
N66	15	40	DFT-PI2BPSK	L	0.15	30	1@1	-66.41	-33	PASS
N66	15	40	DFT-PI2BPSK	L	30	1000	1@1	-53.64	-23	PASS
N66	15	40	DFT-PI2BPSK	L	1000	3000	1@1	-35.25	-13	PASS
N66	15	40	DFT-PI2BPSK	L	3000	12000	1@1	-46.76	-13	PASS
N66	15	40	DFT-PI2BPSK	L	12000	20000	1@1	-43.77	-13	PASS
N66	15	40	DFT-PI2BPSK	M	0.009	0.15	1@1	-64.31	-43	PASS
N66	15	40	DFT-PI2BPSK	M	0.15	30	1@1	-64.99	-33	PASS
N66	15	40	DFT-PI2BPSK	M	30	1000	1@1	-53.50	-23	PASS
N66	15	40	DFT-PI2BPSK	M	1000	3000	1@1	-37.87	-13	PASS
N66	15	40	DFT-PI2BPSK	M	3000	12000	1@1	-45.30	-13	PASS
N66	15	40	DFT-PI2BPSK	M	12000	20000	1@1	-43.76	-13	PASS
N66	15	40	DFT-PI2BPSK	H	0.009	0.15	1@1	-64.52	-43	PASS
N66	15	40	DFT-PI2BPSK	H	0.15	30	1@1	-66.44	-33	PASS
N66	15	40	DFT-PI2BPSK	H	30	1000	1@1	-53.60	-23	PASS
N66	15	40	DFT-PI2BPSK	H	1000	3000	1@1	-37.03	-13	PASS
N66	15	40	DFT-PI2BPSK	H	3000	12000	1@1	-46.87	-13	PASS
N66	15	40	DFT-PI2BPSK	H	12000	20000	1@1	-43.80	-13	PASS

# Test Graphs



1-N66-PC3-15-40-L-1-NS\_01-DFT-PI2BPSK-Inner\_1RB\_Left-1@1-0.009-0.15-Ant31-0.01--65.26--43-PASS



1-N66-PC3-15-40-L-1-NS\_01-DFT-PI2BPSK-Inner\_1RB\_Left-1@1-0.15-30-Ant31-0.15--66.41--33-PASS



1-N66-PC3-15-40-L-1-NS\_01-DFT-PI2BPSK-Inner\_1RB\_Left-1@1-30-1000-Ant31-918.71--53.64--23-PASS



1-N66-PC3-15-40-L-1-NS\_01-DFT-PI2BPSK-Inner\_1RB\_Left-1@1-1000-3000-Ant31-1708.20--35.25--13-PASS




1-N66-PC3-15-40-L-1-NS\_01-DFT-PI2BPSK-Inner\_1RB\_Left-1@1-3000-12000-Ant31-5869.65--46.76--13-PASS



1-N66-PC3-15-40-L-1-NS\_01-DFT-PI2BPSK-Inner\_1RB\_Left-1@1-12000-20000-Ant31-18789.20--43.77--1  
 3-PASS



1-N66-PC3-15-40-M-1-NS\_01-DFT-PI2BPSK-Inner\_1RB\_Left-1@1-0.009-0.15-Ant31-0.01--64.31--43-PASS



1-N66-PC3-15-40-M-1-NS\_01-DFT-PI2BPSK-Inner\_1RB\_Left-1@1-0.15-30-Ant31-0.15--64.99--33-PASS



1-N66-PC3-15-40-M-1-NS\_01-DFT-PI2BPSK-Inner\_1RB\_Left-1@1-30-1000-Ant31-879.24--53.50--23-PASS



1-N66-PC3-15-40-M-1-NS\_01-DFT-PI2BPSK-Inner\_1RB\_Left-1@1-1000-3000-Ant31-1784.40--37.87--13-PASS




1-N66-PC3-15-40-M-1-NS\_01-DFT-PI2BPSK-Inner\_1RB\_Left-1@1-3000-12000-Ant31-5745.90--45.30--13-PASS



1-N66-PC3-15-40-M-1-NS\_01-DFT-PI2BPSK-Inner\_1RB\_Left-1@1-12000-20000-Ant31-18716.40--43.76--1  
 3-PASS



1-N66-PC3-15-40-H-1-NS\_01-DFT-PI2BPSK-Inner\_1RB\_Left-1@1-0.009-0.15-Ant31-0.01--64.52--43-PASS



1-N66-PC3-15-40-H-1-NS\_01-DFT-PI2BPSK-Inner\_1RB\_Left-1@1-0.15-30-Ant31-0.16--66.44--33-PASS





1-N66-PC3-15-40-H-1-NS\_01-DFT-PI2BPSK-Inner\_1RB\_Left-1@1-30-1000-Ant31-886.61--53.60--23-PASS



1-N66-PC3-15-40-H-1-NS\_01-DFT-PI2BPSK-Inner\_1RB\_Left-1@1-1000-3000-Ant31-1787.20--37.03--13-PASS



1-N66-PC3-15-40-H-1-NS\_01-DFT-PI2BPSK-Inner\_1RB\_Left-1@1-3000-12000-Ant31-5908.80--46.87--13-PASS



1-N66-PC3-15-40-H-1-NS\_01-DFT-PI2BPSK-Inner\_1RB\_Left-1@1-12000-20000-Ant31-18753.60--43.80--1  
 3-PASS

## Field Strength of Spurious Radiation

SA Band 66 ANT13-Low channel								
Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable Loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
3424.0	-66.68	-13	-53.68	-71.3	3.36	7.98	Horizontal	Pass
5136.0	-62.84	-13	-49.84	-68.45	4.61	10.22	Horizontal	Pass
6848.0	-61.17	-13	-48.17	-67.21	4.9	10.94	Horizontal	Pass
3424.0	-65.67	-13	-52.67	-70.29	3.36	7.98	Vertical	Pass
5136.0	-62.91	-13	-49.91	-68.52	4.61	10.22	Vertical	Pass
6848.0	-61.52	-13	-48.52	-67.56	4.9	10.94	Vertical	Pass

SA Band 66 ANT13-Middle channel								
Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable Loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
3454.0	-67.05	-13	-54.05	-71.73	3.38	8.06	Horizontal	Pass
5181.0	-63.01	-13	-50.01	-68.63	4.63	10.25	Horizontal	Pass
6908.0	-61.26	-13	-48.26	-67.36	4.91	11.01	Horizontal	Pass
3454.0	-60.56	-13	-47.56	-65.24	3.38	8.06	Vertical	Pass
5181.0	-63.02	-13	-50.02	-68.64	4.63	10.25	Vertical	Pass
6908.0	-60.98	-13	-47.98	-67.08	4.91	11.01	Vertical	Pass

SA Band 66 ANT13-High channel								
Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable Loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
3484.0	-66.74	-13	-53.74	-71.48	3.39	8.13	Horizontal	Pass
5226.0	-62.51	-13	-49.51	-68.15	4.64	10.28	Horizontal	Pass
6968.0	-61.42	-13	-48.42	-67.6	4.91	11.09	Horizontal	Pass
3484.0	-59.88	-13	-46.88	-64.62	3.39	8.13	Vertical	Pass
5226.0	-63.21	-13	-50.21	-68.85	4.64	10.28	Vertical	Pass
6968.0	-61.64	-13	-48.64	-67.82	4.91	11.09	Vertical	Pass

Remark:

1) All antennas of RSE are tested, and only the worst data is presented.

## Frequency Stability for SA

### Test Result

#### Frequency Error VS. Voltage

Voltage										
Band	SCS	Bandwidth	Modulation	Channel	RB Config	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Verdict
N66	15	40	DFT-PI2BPSK	M	216@0	VH	NT	-2.70	0.00	PASS
N66	15	40	DFT-PI2BPSK	M	216@0	VN	NT	-4.20	0.00	PASS
N66	15	40	DFT-PI2BPSK	M	216@0	VL	NT	3.70	0.00	PASS
N66	15	40	CP-QPSK	M	216@0	VH	NT	-4.40	0.00	PASS
N66	15	40	CP-QPSK	M	216@0	VN	NT	-3.10	0.00	PASS
N66	15	40	CP-QPSK	M	216@0	VL	NT	1.80	0.00	PASS

#### Frequency Error VS. Temperature

Temperature										
Band	SCS	Bandwidth	Modulation	Channel	RB Config	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Verdict
N66	15	40	DFT-PI2BPSK	M	216@0	NV	50	5.200000	0.002980	PASS
N66	15	40	DFT-PI2BPSK	M	216@0	NV	-20	5.300000	0.003037	PASS
N66	15	40	DFT-PI2BPSK	M	216@0	NV	-10	2.400000	0.001375	PASS
N66	15	40	DFT-PI2BPSK	M	216@0	NV	0	-1.400000	-0.000802	PASS
N66	15	40	DFT-PI2BPSK	M	216@0	NV	10	-1.900000	-0.001089	PASS
N66	15	40	DFT-PI2BPSK	M	216@0	NV	20	3.100000	0.001777	PASS
N66	15	40	DFT-PI2BPSK	M	216@0	NV	30	5.800000	0.003324	PASS
N66	15	40	DFT-PI2BPSK	M	216@0	NV	-30	-2.300000	-0.001318	PASS
N66	15	40	DFT-PI2BPSK	M	216@0	NV	40	4.300000	0.002464	PASS
N66	15	40	CP-QPSK	M	216@0	NV	50	-1.500000	-0.000860	PASS
N66	15	40	CP-QPSK	M	216@0	NV	-20	-3.800000	-0.002178	PASS
N66	15	40	CP-QPSK	M	216@0	NV	-10	-2.800000	-0.001605	PASS
N66	15	40	CP-QPSK	M	216@0	NV	0	-2.400000	-0.001375	PASS
N66	15	40	CP-QPSK	M	216@0	NV	10	-2.400000	-0.001375	PASS
N66	15	40	CP-QPSK	M	216@0	NV	20	-2.300000	-0.001318	PASS
N66	15	40	CP-QPSK	M	216@0	NV	30	2.300000	0.001318	PASS
N66	15	40	CP-QPSK	M	216@0	NV	40	3.000000	0.001719	PASS
N66	15	40	CP-QPSK	M	216@0	NV	-30	-2.500000	-0.001433	PASS

---End of Attachment---