

RF Test Data for 2.4G WiFi (Conducted Measurements)

General Description of EUT	
Product Name:	Smart Battery Camera
Test Model:	CG6
Sample ID:	202405-0026-5-2#
Environmental Conditions	
Temperature:	25°C
Relative Humidity:	55%
Test Voltage:	DC 3.6V
Test Engineer:	Mike Yan
Note: For a more detailed features description, please refer to the report TBR-C-202405-0026-151 The report only show the worst case data.	

Contents


1. Duty Cycle.....	3
2. Maximum Conducted Output Power.....	9
3. -6dB Bandwidth.....	10
4. Occupied Channel Bandwidth.....	16
5. Maximum Power Spectral Density Level.....	22
6. Band Edge.....	28
7. Conducted RF Spurious Emission.....	35
8. Restrict Band.....	45

1. Duty Cycle


Condition	Mode	Frequency (MHz)	Antenna	Duty Cycle (%)	Correction Factor (dB)	1/T (kHz)
NVNT	b	2412	Ant1	99.82	0.01	0.06
NVNT	b	2437	Ant1	99.82	0.01	0.06
NVNT	b	2462	Ant1	99.94	0	0.03
NVNT	g	2412	Ant1	98.91	0.05	0.37
NVNT	g	2437	Ant1	98.56	0.06	0.37
NVNT	g	2462	Ant1	98.91	0.05	0.37
NVNT	n(HT20)	2412	Ant1	99.22	0.03	0.39
NVNT	n(HT20)	2437	Ant1	98.45	0.07	0.39
NVNT	n(HT20)	2462	Ant1	98.44	0.07	0.4

Test Graphs


Duty Cycle NVNT b 2412MHz Ant1




Duty Cycle NVNT b 2437MHz Ant1




Duty Cycle NVNT b 2462MHz Ant1




Duty Cycle NVNT g 2412MHz Ant1




Duty Cycle NVNT g 2437MHz Ant1




Duty Cycle NVNT g 2462MHz Ant1




Duty Cycle NVNT n(HT20) 2412MHz Ant1



Duty Cycle NVNT n(HT20) 2437MHz Ant1





2. Maximum Conducted Output Power

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Limit (dBm)	Verdict
NVNT	b	2412	Ant1	16.71	30	Pass
NVNT	b	2437	Ant1	17.11	30	Pass
NVNT	b	2462	Ant1	16.15	30	Pass
NVNT	g	2412	Ant1	15.35	30	Pass
NVNT	g	2437	Ant1	15.26	30	Pass
NVNT	g	2462	Ant1	14.73	30	Pass
NVNT	n(HT20)	2412	Ant1	15	30	Pass
NVNT	n(HT20)	2437	Ant1	14.72	30	Pass
NVNT	n(HT20)	2462	Ant1	14.21	30	Pass


Note: The duty factor has been compensated into the result.

3. -6dB Bandwidth


Condition	Mode	Frequency (MHz)	Antenna	-6 dB Bandwidth (MHz)	Limit -6 dB Bandwidth (MHz)	Verdict
NVNT	b	2412	Ant1	10.09	0.5	Pass
NVNT	b	2437	Ant1	10.07	0.5	Pass
NVNT	b	2462	Ant1	10.09	0.5	Pass
NVNT	g	2412	Ant1	16.4	0.5	Pass
NVNT	g	2437	Ant1	16.37	0.5	Pass
NVNT	g	2462	Ant1	16.41	0.5	Pass
NVNT	n(HT20)	2412	Ant1	17.59	0.5	Pass
NVNT	n(HT20)	2437	Ant1	17.63	0.5	Pass
NVNT	n(HT20)	2462	Ant1	17.6	0.5	Pass

Test Graphs


-6dB Bandwidth NVNT b 2412MHz Ant1




-6dB Bandwidth NVNT b 2437MHz Ant1




-6dB Bandwidth NVNT b 2462MHz Ant1




-6dB Bandwidth NVNT g 2412MHz Ant1




-6dB Bandwidth NVNT g 2437MHz Ant1




-6dB Bandwidth NVNT g 2462MHz Ant1




-6dB Bandwidth NVNT n(HT20) 2412MHz Ant1



-6dB Bandwidth NVNT n(HT20) 2437MHz Ant1






4. Occupied Channel Bandwidth


Condition	Mode	Frequency (MHz)	Antenna	99% OBW (MHz)
NVNT	b	2412	Ant1	13.125
NVNT	b	2437	Ant1	13.088
NVNT	b	2462	Ant1	13.098
NVNT	g	2412	Ant1	16.514
NVNT	g	2437	Ant1	16.519
NVNT	g	2462	Ant1	16.504
NVNT	n(HT20)	2412	Ant1	17.614
NVNT	n(HT20)	2437	Ant1	17.617
NVNT	n(HT20)	2462	Ant1	17.616

Test Graphs


OBW NVNT b 2412MHz Ant1




OBW NVNT b 2437MHz Ant1




OBW NVNT b 2462MHz Ant1




OBW NVNT g 2412MHz Ant1




OBW NVNT g 2437MHz Ant1




OBW NVNT g 2462MHz Ant1




OBV NVNT n(HT20) 2412MHz Ant1



OBV NVNT n(HT20) 2437MHz Ant1






5. Maximum Power Spectral Density Level

Condition	Mode	Frequency (MHz)	Antenna	Max PSD (dBm)	Limit (dBm)	Verdict
NVNT	b	2412	Ant1	-21.996	8	Pass
NVNT	b	2437	Ant1	-15.14	8	Pass
NVNT	b	2462	Ant1	-14.868	8	Pass
NVNT	g	2412	Ant1	-16.719	8	Pass
NVNT	g	2437	Ant1	-18.799	8	Pass
NVNT	g	2462	Ant1	-19.023	8	Pass
NVNT	n(HT20)	2412	Ant1	-18.132	8	Pass
NVNT	n(HT20)	2437	Ant1	-19.478	8	Pass
NVNT	n(HT20)	2462	Ant1	-19.846	8	Pass


Note: The duty factor has been compensated into the result.

Test Graphs


PSD NVNT b 2412MHz Ant1




PSD NVNT b 2437MHz Ant1




PSD NVNT b 2462MHz Ant1




PSD NVNT g 2412MHz Ant1




PSD NVNT g 2437MHz Ant1




PSD NVNT g 2462MHz Ant1




PSD NVNT n(HT20) 2412MHz Ant1



PSD NVNT n(HT20) 2437MHz Ant1






6. Band Edge


Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	b	2412	Ant1	-51.3	-30	Pass
NVNT	b	2462	Ant1	-55.13	-30	Pass
NVNT	g	2412	Ant1	-44.27	-30	Pass
NVNT	g	2462	Ant1	-45.79	-30	Pass
NVNT	n(HT20)	2412	Ant1	-41.54	-30	Pass
NVNT	n(HT20)	2462	Ant1	-46.26	-30	Pass

Test Graphs


Band Edge NVNT b 2412MHz Ant1 Ref




Band Edge NVNT b 2412MHz Ant1 Emission




Band Edge NVNT b 2462MHz Ant1 Ref




Band Edge NVNT b 2462MHz Ant1 Emission




Band Edge NVNT g 2412MHz Ant1 Ref




Band Edge NVNT g 2412MHz Ant1 Emission




Band Edge NVNT g 2462MHz Ant1 Ref




Band Edge NVNT g 2462MHz Ant1 Emission




Band Edge NVNT n(HT20) 2412MHz Ant1 Ref




Band Edge NVNT n(HT20) 2412MHz Ant1 Emission



Band Edge NVNT n(HT20) 2462MHz Ant1 Ref



Band Edge NVNT n(HT20) 2462MHz Ant1 Emission




7. Conducted RF Spurious Emission


Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	b	2412	Ant1	-48.68	-30	Pass
NVNT	b	2437	Ant1	-48.82	-30	Pass
NVNT	b	2462	Ant1	-48.22	-30	Pass
NVNT	g	2412	Ant1	-35.97	-30	Pass
NVNT	g	2437	Ant1	-44.88	-30	Pass
NVNT	g	2462	Ant1	-42.89	-30	Pass
NVNT	n(HT20)	2412	Ant1	-45.29	-30	Pass
NVNT	n(HT20)	2437	Ant1	-43.18	-30	Pass
NVNT	n(HT20)	2462	Ant1	-42.58	-30	Pass

Test Graphs


Tx. Spurious NVNT b 2412MHz Ant1 Ref




Tx. Spurious NVNT b 2412MHz Ant1 Emission




Tx. Spurious NVNT b 2437MHz Ant1 Ref




Tx. Spurious NVNT b 2437MHz Ant1 Emission




Tx. Spurious NVNT b 2462MHz Ant1 Ref




Tx. Spurious NVNT b 2462MHz Ant1 Emission




Tx. Spurious NVNT g 2412MHz Ant1 Ref




Tx. Spurious NVNT g 2412MHz Ant1 Emission




Tx. Spurious NVNT g 2437MHz Ant1 Ref




Tx. Spurious NVNT g 2437MHz Ant1 Emission




Tx. Spurious NVNT g 2462MHz Ant1 Ref




Tx. Spurious NVNT g 2462MHz Ant1 Emission




Tx. Spurious NVNT n(HT20) 2412MHz Ant1 Ref




Tx. Spurious NVNT n(HT20) 2412MHz Ant1 Emission




Tx. Spurious NVNT n(HT20) 2437MHz Ant1 Ref




Tx. Spurious NVNT n(HT20) 2437MHz Ant1 Emission



Tx. Spurious NVNT n(HT20) 2462MHz Ant1 Ref



Tx. Spurious NVNT n(HT20) 2462MHz Ant1 Emission




8. Restrict Band


Condition	Mode	Frequency (MHz)	Antenna	Spur Freq (MHz)	Power (dBm)	Gain (dBi)	Duty Factor (dB)	E (dBuV/m)	Detector	Limit (dBuV/m)	Verdict
NVNT	b	2412	Ant1	2310	-50.08	-2.485	-	42.695	Peak	74	Pass
NVNT	b	2412	Ant1	2310	-58.78	-2.485	0.01	34.01	Average	54	Pass
NVNT	b	2412	Ant1	2387.688	-38.02	-2.485	-	54.755	Peak	74	Pass
NVNT	b	2412	Ant1	2386.284	-46.16	-2.485	0.01	46.63	Average	54	Pass
NVNT	b	2412	Ant1	2390	-41.75	-2.485	-	51.025	Peak	74	Pass
NVNT	b	2412	Ant1	2390	-48.58	-2.485	0.01	44.21	Average	54	Pass
NVNT	b	2462	Ant1	2483.5	-40.56	-2.485	-	52.215	Peak	74	Pass
NVNT	b	2462	Ant1	2483.5	-48.32	-2.485	0	44.46	Average	54	Pass
NVNT	b	2462	Ant1	2483.835	-38.02	-2.485	-	54.755	Peak	74	Pass
NVNT	b	2462	Ant1	2487.916	-47.77	-2.485	0	45.01	Average	54	Pass
NVNT	b	2462	Ant1	2500	-41.22	-2.485	-	51.555	Peak	74	Pass
NVNT	b	2462	Ant1	2500	-48.67	-2.485	0	44.11	Average	54	Pass
NVNT	g	2412	Ant1	2310	-51.72	-2.485	-	41.055	Peak	74	Pass
NVNT	g	2412	Ant1	2310	-58.71	-2.485	0.05	34.12	Average	54	Pass
NVNT	g	2412	Ant1	2387.454	-32.36	-2.485	-	60.415	Peak	74	Pass
NVNT	g	2412	Ant1	2389.209	-44.32	-2.485	0.05	48.51	Average	54	Pass
NVNT	g	2412	Ant1	2390	-34.41	-2.485	-	58.365	Peak	74	Pass
NVNT	g	2412	Ant1	2390	-44.29	-2.485	0.05	48.54	Average	54	Pass
NVNT	g	2462	Ant1	2483.5	-33.64	-2.485	-	59.135	Peak	74	Pass
NVNT	g	2462	Ant1	2483.5	-46.14	-2.485	0.05	46.69	Average	54	Pass
NVNT	g	2462	Ant1	2483.888	-29.34	-2.485	-	63.435	Peak	74	Pass
NVNT	g	2462	Ant1	2483.623	-45.2	-2.485	0.05	47.63	Average	54	Pass
NVNT	g	2462	Ant1	2500	-44.86	-2.485	-	47.915	Peak	74	Pass
NVNT	g	2462	Ant1	2500	-54.08	-2.485	0.05	38.75	Average	54	Pass
NVNT	n(HT20)	2412	Ant1	2310	-50.31	-2.485	-	42.465	Peak	74	Pass
NVNT	n(HT20)	2412	Ant1	2310	-58.64	-2.485	0.03	34.17	Average	54	Pass
NVNT	n(HT20)	2412	Ant1	2389.677	-30.83	-2.485	-	61.945	Peak	74	Pass
NVNT	n(HT20)	2412	Ant1	2389.794	-43.82	-2.485	0.03	48.99	Average	54	Pass
NVNT	n(HT20)	2412	Ant1	2390	-33.53	-2.485	-	59.245	Peak	74	Pass
NVNT	n(HT20)	2412	Ant1	2390	-44.16	-2.485	0.03	48.65	Average	54	Pass
NVNT	n(HT20)	2462	Ant1	2483.5	-36.75	-2.485	-	56.025	Peak	74	Pass
NVNT	n(HT20)	2462	Ant1	2483.5	-46.92	-2.485	0.07	45.93	Average	54	Pass
NVNT	n(HT20)	2462	Ant1	2484.418	-30.5	-2.485	-	62.275	Peak	74	Pass
NVNT	n(HT20)	2462	Ant1	2483.782	-45.35	-2.485	0.07	47.50	Average	54	Pass
NVNT	n(HT20)	2462	Ant1	2500	-45.25	-2.485	-	47.525	Peak	74	Pass
NVNT	n(HT20)	2462	Ant1	2500	-54.24	-2.485	0.07	38.61	Average	54	Pass

Test Graphs

Restrict Band NVNT b 2412MHz Ant1 Peak



Restrict Band NVNT b 2412MHz Ant1 Average




Restrict Band NVNT b 2462MHz Ant1 Peak



Restrict Band NVNT b 2462MHz Ant1 Average



Restrict Band NVNT g 2412MHz Ant1 Peak



Restrict Band NVNT g 2412MHz Ant1 Average




Restrict Band NVNT g 2462MHz Ant1 Peak



Restrict Band NVNT g 2462MHz Ant1 Average



Restrict Band NVNT n(HT20) 2412MHz Ant1 Peak



Restrict Band NVNT n(HT20) 2412MHz Ant1 Average



Restrict Band NVNT n(HT20) 2462MHz Ant1 Peak



Restrict Band NVNT n(HT20) 2462MHz Ant1 Average



-----END OF THE REPORT-----