

# RF Test Data for 2.4G WiFi (Conducted Measurements)


General Description of EUT	
<b>Product Name:</b>	IP Camera
<b>Test Model:</b>	CK1
<b>Sample ID:</b>	HC-C-202309-0193-01-01-2#
Environmental Conditions	
<b>Temperature:</b>	24°C
<b>Relative Humidity:</b>	50%
<b>Test Voltage:</b>	DC 5V
<b>Test Engineer:</b>	Zhangchenxi
Note: For a more detailed features description, please refer to the report TBR-C-202309-0193-81 The report only show the worst case data.	

## Duty Cycle


Condition	Mode	Frequency (MHz)	Antenna	Duty Cycle (%)	Correction Factor (dB)	1/T (kHz)
NVNT	b	2412	Ant1	14.29	8.45	100
NVNT	b	2437	Ant1	50	3.01	33.33
NVNT	b	2462	Ant1	0	0	∞?
NVNT	g	2412	Ant1	99.29	0.03	0.36
NVNT	g	2437	Ant1	97.87	0.09	0.72
NVNT	g	2462	Ant1	97.9	0.09	0.71
NVNT	n(HT20)	2412	Ant1	97.78	0.1	0.76
NVNT	n(HT20)	2437	Ant1	99.5	0.02	0.25
NVNT	n(HT20)	2462	Ant1	98.5	0.07	0.76

Test Graphs


Duty Cycle NVNT b 2412MHz Ant1




Duty Cycle NVNT b 2437MHz Ant1




Duty Cycle NVNT b 2462MHz Ant1




Duty Cycle NVNT g 2412MHz Ant1




Duty Cycle NVNT g 2437MHz Ant1




Duty Cycle NVNT g 2462MHz Ant1




Duty Cycle NVNT n(HT20) 2412MHz Ant1



Duty Cycle NVNT n(HT20) 2437MHz Ant1





## Maximum Conducted Output Power

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Limit (dBm)	Verdict
NVNT	b	2412	Ant1	17.268	30	Pass
NVNT	b	2437	Ant1	17.707	30	Pass
NVNT	b	2462	Ant1	17.979	30	Pass
NVNT	g	2412	Ant1	15.053	30	Pass
NVNT	g	2437	Ant1	15.788	30	Pass
NVNT	g	2462	Ant1	15.744	30	Pass
NVNT	n(HT20)	2412	Ant1	14.977	30	Pass
NVNT	n(HT20)	2437	Ant1	15.685	30	Pass
NVNT	n(HT20)	2462	Ant1	15.701	30	Pass






## -6dB Bandwidth


Condition	Mode	Frequency (MHz)	Antenna	-6 dB Bandwidth (MHz)	Limit -6 dB Bandwidth (MHz)	Verdict
NVNT	b	2412	Ant1	10.03	0.5	Pass
NVNT	b	2437	Ant1	9.09	0.5	Pass
NVNT	b	2462	Ant1	9.1	0.5	Pass
NVNT	g	2412	Ant1	16.35	0.5	Pass
NVNT	g	2437	Ant1	16.34	0.5	Pass
NVNT	g	2462	Ant1	16.36	0.5	Pass
NVNT	n(HT20)	2412	Ant1	17.05	0.5	Pass
NVNT	n(HT20)	2437	Ant1	17.55	0.5	Pass
NVNT	n(HT20)	2462	Ant1	16.97	0.5	Pass

Test Graphs


-6dB Bandwidth NVNT b 2412MHz Ant1




-6dB Bandwidth NVNT b 2437MHz Ant1




-6dB Bandwidth NVNT b 2462MHz Ant1




-6dB Bandwidth NVNT g 2412MHz Ant1




-6dB Bandwidth NVNT g 2437MHz Ant1




-6dB Bandwidth NVNT g 2462MHz Ant1




-6dB Bandwidth NVNT n(HT20) 2412MHz Ant1



-6dB Bandwidth NVNT n(HT20) 2437MHz Ant1






## Occupied Channel Bandwidth


Condition	Mode	Frequency (MHz)	Antenna	99% OBW (MHz)
NVNT	b	2412	Ant1	14.936
NVNT	b	2437	Ant1	14.914
NVNT	b	2462	Ant1	14.919
NVNT	g	2412	Ant1	16.531
NVNT	g	2437	Ant1	16.534
NVNT	g	2462	Ant1	16.529
NVNT	n(HT20)	2412	Ant1	17.531
NVNT	n(HT20)	2437	Ant1	17.533
NVNT	n(HT20)	2462	Ant1	17.534

Test Graphs

OBW NVNT b 2412MHz Ant1




OBW NVNT b 2437MHz Ant1







OBW NVNT b 2462MHz Ant1




OBW NVNT g 2412MHz Ant1




OBW NVNT g 2437MHz Ant1




OBW NVNT g 2462MHz Ant1




OBW NVNT n(HT20) 2412MHz Ant1



OBW NVNT n(HT20) 2437MHz Ant1






## Maximum Power Spectral Density Level


Condition	Mode	Frequency (MHz)	Antenna	Max PSD (dBm)	Limit (dBm)	Verdict
NVNT	b	2412	Ant1	-3.897	8	Pass
NVNT	b	2437	Ant1	-3.918	8	Pass
NVNT	b	2462	Ant1	-2.827	8	Pass
NVNT	g	2412	Ant1	-9.818	8	Pass
NVNT	g	2437	Ant1	-8.89	8	Pass
NVNT	g	2462	Ant1	-10.043	8	Pass
NVNT	n(HT20)	2412	Ant1	-9.489	8	Pass
NVNT	n(HT20)	2437	Ant1	-9.349	8	Pass
NVNT	n(HT20)	2462	Ant1	-9.985	8	Pass

Test Graphs


PSD NVNT b 2412MHz Ant1




PSD NVNT b 2437MHz Ant1





PSD NVNT b 2462MHz Ant1




PSD NVNT g 2412MHz Ant1









PSD NVNT n(HT20) 2412MHz Ant1



PSD NVNT n(HT20) 2437MHz Ant1






## Band Edge


Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	b	2412	Ant1	-52.66	-20	Pass
NVNT	b	2462	Ant1	-50.5	-20	Pass
NVNT	g	2412	Ant1	-44.58	-20	Pass
NVNT	g	2462	Ant1	-44.76	-20	Pass
NVNT	n(HT20)	2412	Ant1	-44.79	-20	Pass
NVNT	n(HT20)	2462	Ant1	-41.32	-20	Pass

Test Graphs


Band Edge NVNT b 2412MHz Ant1 Ref




Band Edge NVNT b 2412MHz Ant1 Emission




Band Edge NVNT b 2462MHz Ant1 Ref




Band Edge NVNT b 2462MHz Ant1 Emission




Band Edge NVNT g 2412MHz Ant1 Ref




Band Edge NVNT g 2412MHz Ant1 Emission




Band Edge NVNT g 2462MHz Ant1 Ref



Band Edge NVNT g 2462MHz Ant1 Emission





Band Edge NVNT n(HT20) 2412MHz Ant1 Ref



Band Edge NVNT n(HT20) 2412MHz Ant1 Emission








## Conducted RF Spurious Emission


Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	b	2412	Ant1	-38.56	-20	Pass
NVNT	b	2437	Ant1	-38.89	-20	Pass
NVNT	b	2462	Ant1	-38.55	-20	Pass
NVNT	g	2412	Ant1	-33.22	-20	Pass
NVNT	g	2437	Ant1	-35.17	-20	Pass
NVNT	g	2462	Ant1	-33.74	-20	Pass
NVNT	n(HT20)	2412	Ant1	-33.53	-20	Pass
NVNT	n(HT20)	2437	Ant1	-34.92	-20	Pass
NVNT	n(HT20)	2462	Ant1	-34.86	-20	Pass

Test Graphs


Tx. Spurious NVNT b 2412MHz Ant1 Ref




Tx. Spurious NVNT b 2412MHz Ant1 Emission




Tx. Spurious NVNT b 2437MHz Ant1 Ref




Tx. Spurious NVNT b 2437MHz Ant1 Emission




Tx. Spurious NVNT b 2462MHz Ant1 Ref




Tx. Spurious NVNT b 2462MHz Ant1 Emission




Tx. Spurious NVNT g 2412MHz Ant1 Ref




Tx. Spurious NVNT g 2412MHz Ant1 Emission




Tx. Spurious NVNT g 2437MHz Ant1 Ref




Tx. Spurious NVNT g 2437MHz Ant1 Emission



Tx. Spurious NVNT g 2462MHz Ant1 Ref




Tx. Spurious NVNT g 2462MHz Ant1 Emission







Tx. Spurious NVNT n(HT20) 2412MHz Ant1 Ref




Tx. Spurious NVNT n(HT20) 2412MHz Ant1 Emission




Tx. Spurious NVNT n(HT20) 2437MHz Ant1 Ref




Tx. Spurious NVNT n(HT20) 2437MHz Ant1 Emission



Tx. Spurious NVNT n(HT20) 2462MHz Ant1 Ref



Tx. Spurious NVNT n(HT20) 2462MHz Ant1 Emission




## Restrict Band


Condition	Mode	Frequency (MHz)	Antenna	Spur Freq (MHz)	Power (dBm)	Gain (dBi)	E (dBuV/m)	Detector	Limit (dBuV/m)	Verdict
NVNT	b	2412	Ant1	2310	-45.4	2	51.86	Peak	74	Pass
NVNT	b	2412	Ant1	2310	-52.68	2	44.58	Average	54	Pass
NVNT	b	2412	Ant1	2375.871	-42.53	2	54.73	Peak	74	Pass
NVNT	b	2412	Ant1	2387.454	-48.34	2	48.92	Average	54	Pass
NVNT	b	2412	Ant1	2390	-45.52	2	51.74	Peak	74	Pass
NVNT	b	2412	Ant1	2390	-51.94	2	45.32	Average	54	Pass
NVNT	b	2462	Ant1	2483.5	-36.1	2	61.16	Peak	74	Pass
NVNT	b	2462	Ant1	2483.5	-44.93	2	52.33	Average	54	Pass
NVNT	b	2462	Ant1	2488.711	-34.52	2	62.74	Peak	74	Pass
NVNT	b	2462	Ant1	2484.047	-44.56	2	52.7	Average	54	Pass
NVNT	b	2462	Ant1	2500	-42.6	2	54.66	Peak	74	Pass
NVNT	b	2462	Ant1	2500	-52.16	2	45.1	Average	54	Pass
NVNT	g	2412	Ant1	2310	-36.51	2	60.75	Peak	74	Pass
NVNT	g	2412	Ant1	2310	-47.08	2	50.18	Average	54	Pass
NVNT	g	2412	Ant1	2389.677	-30.46	2	66.8	Peak	74	Pass
NVNT	g	2412	Ant1	2389.911	-44.06	2	53.2	Average	54	Pass
NVNT	g	2412	Ant1	2390	-29.79	2	67.47	Peak	74	Pass
NVNT	g	2412	Ant1	2390	-44.01	2	53.25	Average	54	Pass
NVNT	g	2462	Ant1	2483.5	-31.53	2	65.73	Peak	74	Pass
NVNT	g	2462	Ant1	2483.5	-44.46	2	52.8	Average	54	Pass
NVNT	g	2462	Ant1	2483.835	-28.25	2	69.01	Peak	74	Pass
NVNT	g	2462	Ant1	2483.517	-44.46	2	52.8	Average	54	Pass
NVNT	g	2462	Ant1	2500	-42.3	2	54.96	Peak	74	Pass
NVNT	g	2462	Ant1	2500	-52.71	2	44.55	Average	54	Pass
NVNT	n(HT20)	2412	Ant1	2310	-46.27	2	50.99	Peak	74	Pass
NVNT	n(HT20)	2412	Ant1	2310	-55.92	2	41.34	Average	54	Pass
NVNT	n(HT20)	2412	Ant1	2389.911	-30.85	2	66.41	Peak	74	Pass
NVNT	n(HT20)	2412	Ant1	2389.911	-45.8	2	51.46	Average	54	Pass
NVNT	n(HT20)	2412	Ant1	2390	-33.46	2	63.8	Peak	74	Pass
NVNT	n(HT20)	2412	Ant1	2390	-45.69	2	51.57	Average	54	Pass
NVNT	n(HT20)	2462	Ant1	2483.5	-24.72	2	72.54	Peak	74	Pass
NVNT	n(HT20)	2462	Ant1	2483.5	-44.58	2	52.68	Average	54	Pass
NVNT	n(HT20)	2462	Ant1	2483.517	-24.72	2	72.54	Peak	74	Pass
NVNT	n(HT20)	2462	Ant1	2483.517	-44.58	2	52.68	Average	54	Pass
NVNT	n(HT20)	2462	Ant1	2500	-43.67	2	53.59	Peak	74	Pass
NVNT	n(HT20)	2462	Ant1	2500	-53.1	2	44.16	Average	54	Pass

Test Graphs

Restrict Band NVNT b 2412MHz Ant1 Peak



Restrict Band NVNT b 2412MHz Ant1 Average



Restrict Band NVNT b 2462MHz Ant1 Peak




Restrict Band NVNT b 2462MHz Ant1 Average



Restrict Band NVNT g 2412MHz Ant1 Peak



Restrict Band NVNT g 2412MHz Ant1 Average



Restrict Band NVNT g 2462MHz Ant1 Peak




Restrict Band NVNT g 2462MHz Ant1 Average






Restrict Band NVNT n(HT20) 2412MHz Ant1 Peak



Restrict Band NVNT n(HT20) 2412MHz Ant1 Average



Restrict Band NVNT n(HT20) 2462MHz Ant1 Peak



Restrict Band NVNT n(HT20) 2462MHz Ant1 Average

