2 in 1 Wireless Charger Stand

Apple Watch & AirPods




Model: V8A

User Manual

Thank you for purchasing and using this product!

Please read this operation instruction carefully before using this product.

Product Description



1. 2 in 1 Wireless Charger, a wireless charging standsolves the charging of 2 devices.

2. Folding design, easy to carry when traveling.

Product Parameters

Input: 5V===2A AirPods Output: 5W Apple Watch Output: 3W



Any changes or modifications not expressly approved by the party responsible for compliance could void the user' s authority to operate the equipment.

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions:

(1) this device may not cause harmful interference, and

(2) this device must accept any interference received, including interference that may cause undesired operation.

Note: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Meals. These limits are designed to provide reasonable protection against harmal interference in a relativation in the singlement permeters, uses, and can nadate radio frequency energy, and if not installed and used in accordance with the instructions, may cause harmful interference in a summary and the singlement does used a manufacture to radio communications. However, there is an organance that interference will not occur in a particular installation. If this explorement does use the interference to radio cort television neeting the singlement does cause harmful interference to radio or television measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

This equipment complies with FCC radiation exposure limits set forth for an uncontrolled environment. This equipment should be installed and

operated with a minimum distance of 20cm between the radiator & your body. This transmitter must not be co-located or operating in conjunction with

any other antenna or transmitter.