

客戶名稱 : 和暢科技  
CUSTOMER

Documnet No.: ENS000170810

Approval Sheet Rev.: A0

Spec. Rev. P0

# 承認書

## APPROVAL SHEET

產品品名/Product Model No. : NF-C-F9-R0-180

客戶料號/Customer No. : KXNFCA1800PA1

案名/Model Name: HC-0870

發行日期/ Issue Date : 2022/9/29

承認日期/ Approved Date :

Approved by customer: (signing or stamping here)



佳邦科技股份有限公司  
INPAQ TECHNOLOGY CO., LTD.

- 350 苗栗縣竹南鎮公義里11鄰科義街11號     428 台中市大雅區科雅路27號4樓  
電話 : 037-585-555    電話 : 04-2560-6555  
傳真 : 037-585-511    傳真 : 04-2560-5151

No. 11, Ke-Yi St., Chunan, Miaoli 350,  
Taiwan, R.O.C.  
Tel. : +886-37-585-555  
Fax : +886-37-585-511


4F, No. 27, Keya Road, Daya Dist., Taichung City  
428, Taiwan, R.O.C.  
Tel. : +886-4-25606555  
Fax : +886-4-25605151

# NF-C-F9-R0-180 Specification

## 1. Applications :

Near Filed Communication (NFC) 、RFID

## 2. Explanation of Part Number :



- (1) Product type : Near Field Communication
- (2) Material : FPCB+ Ferrite
- (3) Substrate : F9-Ferrite Type
- (4) Frequency : R0-13.56MHz (RFID, HF Band)
- (5) Suffix : 180

UNLESS OTHER SPECIFIED TOLERANCES ON :

X = ±            X.X = ±            X.XX =  
 ANGLES = ±            HOLE DIA = ±



**INPAQ TECHNOLOGY CO., LTD.**

SCALE : N/A

UNIT : mm

DRAWN BY : 王聖元

CHECKED BY : 鄭榮謀

DESIGNED BY : 鍾政全

APPROVED BY : 許博凱

THIS DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF INPAQ TECHNOLOGY CO.,LTD.AND SHALL NOT BE REPRODUCED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS OR DEVICES WITHOUT PERMISSION

TITLE : NF-C-F9-R0-180 specifications

DOCUMENT NO.


**ENS000170810**

SPEC REV.

**P0**

### 3. Dimensions :

Unit : mm



- NOTE:
1. 材質: Material :
  2. 外觀標準: 需完整無破損, 不可有變形、髒污、毛邊、翹曲、裂縫、褶疊等情形。  
Appearance standard : They must be complete. It means those must not have the deformations, dirt, burrs, warps, cracks, folds, etc.
  3. 工程圖上"\*\*\*"號為重點尺寸標註指示  
Mark "\*\*\*" are the key dimensions.
  4. 工程圖上"#">#號為Cpk量測尺寸標註指示  
Mark "#"># are CPK dimensions.

Drawing Rev.P1

ITEM	DESCRIPTION	MATERIAL SPECIFICATION	QUANTITY	UNIT
1	FPCB (with 3M467)	L94.24xW40xT0.2mm	1	PCS
2	Ferrite	L39.7xW12.7xT0.12mm	1	PCS

UNLESS OTHER SPECIFIED TOLERANCES ON :

X = ±                      X.X = ±                      X.XX = ±  
 ANGLES = ±                      HOLE DIA = ±



INPAQ TECHNOLOGY CO., LTD.

SCALE : N/A  
 DRAWN BY : 王聖元  
 DESIGNED BY : 鍾政全

UNIT : mm  
 CHECKED BY : 鄭榮謀  
 APPROVED BY : 許博凱

THIS DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF INPAQ TECHNOLOGY CO.,LTD.AND SHALL NOT BE REPRODUCED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS OR DEVICES WITHOUT PERMISSION

TITLE : NF-C-F9-R0-180 specifications

DOCUMENT NO.

ENS000170810

SPEC REV. P0