Certification designating a U.S. Agent for service of process:

As required by section 2.911(d)(7), the applicant must designate a contact located in the United States for purposes of acting as the applicant's agent for service of process, regardless of whether the applicant is a domestic or foreign entity. An applicant located in the United States may designate itself as the agent for service of process.

In either scenario, the designation of the U.S. agent for service of process should be provided as an attachment to the equipment authorization application. The applicant must provide a written certification, which must:

- i. Be signed <u>by both</u> the applicant and designated agent for service of process, if the agent is different from the applicant.
- ii. Acknowledge the applicant's consent and the designated agent's obligation to accept service of process.
- iii. Provide a physical U.S. address and email for the designated agent.
- iv. Acknowledge the applicant's acceptance to maintain an agent for no less than one year after the grantee has terminated all marketing and importation or the conclusion of any Commission-related proceeding involving the equipment.

<u>Unofficial information provided by FCC personnel on February 14, 2023, via the monthly call with the TCB Council:</u>

The Agent for Process of Service:

- cannot be a TCB or affiliated with a TCB (e.g. could not be a person who works for a TCB or a company that owns or is owned by the TCB)
- cannot be a [FCC recognised] Lab or affiliated with a test lab (e.g. could not be a person who works for a Lab or a company that owns or is owned by the Lab)
- Agent can be Individual Entity or a Company Entity
- Agent Entity must be located in US, US address/phone
- Entity acting as Agent must have FRN (best practice, put FRN on Agent Letter)
- Agent letter does not have to be FCC ID specific, can be general Agent for Grantee

For devices being marketed or for which marketing has ceased for less than 1 year, if the Agent for Process of Service changes, then for every TC Number the TCB must request the FCC to put application into Audit Mode and Agent Letter needs to be updated (superseded).

NOTE: The U.S. Agent for Service of Process should not be confused with the authorized agent used for signing the 731 form, other cover letters within the application, and/or the agent who may interface with the TCB.



U.S. Agent Designation for Service of Process

ATTENTION: Federal Communications Commission Authorization and Evaluation Division 7435 Oakland Mills Road Columbia, MD 21046 USA

REGARDING: FCC Certification – Section 2.911(d)(7) Information

Designated U.S. Agent

Company Name: Approve-IT, Inc. Contact Name: Nathan J Grinager Street Address: 8011 34th Ave South, Suite 342 City/Province/Zip: Bloomington, MN 55425 Telephone No: 651-247-1678 Email: team@approve-it.net FRN #: 0027533835

This letter is to confirm that we ("the Designated U.S. Agent) have accepted the responsibility to act as the Designated U.S. Agent for Service of Process as required by section 47 CFR 2.911(d)(7) on behalf of the **Applicant** noted below.

U.S. Agent Signature:

Date: April 09, 2024

Signed by (Printed Name/Title): Nathan J Grinager / Co-President *This letter must be dated within 1-year of the date the application is submitted to the TCB for device certification

The Applicant confirms its explicit consent and acknowledges that they must maintain an agent for no less than one year after terminating all marketing and importation OR the conclusion of any Commission-related proceeding involving the equipment. The applicant further acknowledges their responsibility to inform the FCC whenever the Designated U.S. Agent information above changes.

Applicant

Company name: Artika For Living Inc. Grantee Code: 2AUHG Contact Name: Mathieu Seguin Street Address: 1756 50th avenue, City/Province/Zip: Montreal (Lachine)/ Quebec/ Canada/ H8T 2V5 FCCID:2AUHG-FM-GV5C

Vet dy

Applicant Signature:

Date: 2024-04-09

Signed by (Printed Name/Title): Mathieu Seguin/ Engineering and Quality Control Director