




Appendix A

RF Test Data for BT V5.0(Conducted Measurement)

Product Name: Under-cabinet luminaires



Trade Mark:

Test Model: GE-SMRT-UCL-30-20W-2765-WH-WFBT-01


Environmental Conditions

Temperature:	24.6° C
Relative Humidity:	54.1%
ATM Pressure:	100.0 kPa
Test Engineer:	Jay Li
Supervised by:	Li Huan

A.1 Duty Cycle

BT LE


Test Mode	Test Channel	Ant	Duty Cycle[%]	Verdict
BT LE	2440	Ant1	100	PASS





BT 2LE

Test Mode	Test Channel	Ant	Duty Cycle[%]	Verdict
BT LE	2440	Ant1	100	PASS







A.2 Maximum Conducted Peak Output Power

BT LE


Mode	Channel	Conduct Peak Power[dBm]	Limit [dBm]	Verdict
BT LE	LCH	-0.689	30	PASS
BT LE	MCH	-1.494	30	PASS
BT LE	HCH	-1.74	30	PASS





BT 2LE

Mode	Channel	Conduct Peak Power[dBm]	Limit [dBm]	Verdict
BT LE	LCH	-0.985	30	PASS
BT LE	MCH	-1.835	30	PASS
BT LE	HCH	-2.021	30	PASS






MCH	<p>Agilent Spectrum Analyzer - Swept SA RL RF 50 Ω AC SENSE:INT ALIGN:AUTO 07:28:12 PM Jun 28, 2021 Center Freq 2.44000000 GHz Avg Type: Log-Pwr AvgHold: 10/10 PNO: Fast Trig: Free Run #Atten: 30 dB IFGain:Low Ref Offset 8.05 dB Mkr1 2.439 470 625 GHz Ref 20.00 dBm -1.835 dBm 10 dB/div Log Center 2.440000 GHz Span 5.000 MHz #Res BW 1.0 MHz #VBW 3.0 MHz Sweep 1.067 ms (8001 pts)</p>	<p>Frequency</p> <p>Auto Tune</p> <p>Center Freq 2.440000000 GHz</p> <p>Start Freq 2.437500000 GHz</p> <p>Stop Freq 2.442500000 GHz</p> <p>CF Step 500.000 kHz Auto Man</p> <p>Freq Offset 0 Hz</p>
	HCH	<p>Agilent Spectrum Analyzer - Swept SA RL RF 50 Ω AC SENSE:INT ALIGN:AUTO 07:30:04 PM Jun 28, 2021 Center Freq 2.48000000 GHz Avg Type: Log-Pwr AvgHold: 10/10 PNO: Fast Trig: Free Run #Atten: 30 dB IFGain:Low Ref Offset 8.05 dB Mkr1 2.480 436 875 GHz Ref 20.00 dBm -2.021 dBm 10 dB/div Log Center 2.480000 GHz Span 5.000 MHz #Res BW 1.0 MHz #VBW 3.0 MHz Sweep 1.067 ms (8001 pts)</p>




A.3 Maximum Power Spectral Density

BT LE


Mode	Channel	PSD [dBm/3KHz]	Limit [dBm/3KHz]	Verdict
BT LE	LCH	-16.769	8	PASS
BT LE	MCH	-17.190	8	PASS
BT LE	HCH	-17.878	8	PASS





BT 2LE

Mode	Channel	PSD [dBm/3KHz]	Limit [dBm/3KHz]	Verdict
BT LE	LCH	-19.733	8	PASS
BT LE	MCH	-20.727	8	PASS
BT LE	HCH	-20.657	8	PASS






MCH	<p>Agilent Spectrum Analyzer - Swept SA</p> <p>RL RF 50 Ω AC SENSE:INT ALIGN:AUTO 07:28:26 PM Jun 28, 2021</p> <p>Center Freq 2.44000000 GHz PNO: Wide → Trig: Free Run Avg Type: Log-Pwr IFGain:Low #Atten: 30 dB AvgHold: 10/10</p> <p>Ref Offset 8.05 dB Mkr1 2.439 976 GHz Ref 20.00 dBm -20.727 dBm</p> <p>Center 2.440000 GHz Span 3.000 MHz #Res BW 3.0 kHz #VBW 10 kHz Sweep 316.3 ms (1001 pts)</p> <p>MSG STATUS</p>	<p>Frequency</p> <p>Auto Tune</p> <p>Center Freq 2.440000000 GHz</p> <p>Start Freq 2.438500000 GHz</p> <p>Stop Freq 2.441500000 GHz</p> <p>CF Step 300.000 kHz Auto Man</p> <p>Freq Offset 0 Hz</p>
	HCH	<p>Agilent Spectrum Analyzer - Swept SA</p> <p>RL RF 50 Ω AC SENSE:INT ALIGN:AUTO 07:30:17 PM Jun 28, 2021</p> <p>Center Freq 2.48000000 GHz PNO: Wide → Trig: Free Run Avg Type: Log-Pwr IFGain:Low #Atten: 30 dB AvgHold: 10/10</p> <p>Ref Offset 8.05 dB Mkr1 2.479 973 GHz Ref 20.00 dBm -20.657 dBm</p> <p>Center 2.480000 GHz Span 3.000 MHz #Res BW 3.0 kHz #VBW 10 kHz Sweep 316.3 ms (1001 pts)</p> <p>MSG STATUS</p>



A.4 6dB Bandwidth

BT LE

Mode	Channel	6dB Bandwidth [MHz]	Limit [MHz]	Verdict
BT LE	LCH	0.7071	≥0.5	PASS
BT LE	MCH	0.7033	≥0.5	PASS
BT LE	HCH	0.6981	≥0.5	PASS






MCH	<p>Agilent Spectrum Analyzer - Occupied BW</p> <p>Center Freq: 2.440000000 GHz</p> <p>Center Freq: 2.440000000 GHz</p> <p>Trig: Free Run AvgHold: 1/1</p> <p>#IFGain: Low #Atten: 30 dB</p> <p>Radio Std: None</p> <p>Radio Device: BTS</p> <p>10 dB/div Ref Offset 8.05 dB Mkr1 2.4401823 GHz</p> <p>Log Ref 20.00 dBm -2.6453 dBm</p> <p>Center 2.44 GHz Span 3 MHz</p> <p>#Res BW 100 kHz #VBW 300 kHz Sweep 1.067 ms</p> <table border="1"> <tr> <td>Occupied Bandwidth</td> <td>Total Power</td> <td>4.59 dBm</td> </tr> <tr> <td>1.0322 MHz</td> <td></td> <td></td> </tr> <tr> <td>Transmit Freq Error</td> <td>OBW Power</td> <td>99.00 %</td> </tr> <tr> <td>-58.646 kHz</td> <td></td> <td></td> </tr> <tr> <td>x dB Bandwidth</td> <td>x dB</td> <td>-6.00 dB</td> </tr> <tr> <td>703.3 kHz</td> <td></td> <td></td> </tr> </table> <p>MSG STATUS</p>	Occupied Bandwidth	Total Power	4.59 dBm	1.0322 MHz			Transmit Freq Error	OBW Power	99.00 %	-58.646 kHz			x dB Bandwidth	x dB	-6.00 dB	703.3 kHz			<p>Frequency</p> <p>Center Freq 2.440000000 GHz</p> <p>CF Step 300.000 kHz</p> <p>Auto Man</p> <p>Freq Offset 0 Hz</p>
	Occupied Bandwidth	Total Power	4.59 dBm																	
1.0322 MHz																				
Transmit Freq Error	OBW Power	99.00 %																		
-58.646 kHz																				
x dB Bandwidth	x dB	-6.00 dB																		
703.3 kHz																				
HCH	<p>Agilent Spectrum Analyzer - Occupied BW</p> <p>Center Freq: 2.480000000 GHz</p> <p>Center Freq: 2.480000000 GHz</p> <p>Trig: Free Run AvgHold: 1/1</p> <p>#IFGain: Low #Atten: 30 dB</p> <p>Radio Std: None</p> <p>Radio Device: BTS</p> <p>10 dB/div Ref Offset 8.05 dB Mkr1 2.4801834 GHz</p> <p>Log Ref 20.00 dBm -2.8332 dBm</p> <p>Center 2.48 GHz Span 3 MHz</p> <p>#Res BW 100 kHz #VBW 300 kHz Sweep 1.067 ms</p> <table border="1"> <tr> <td>Occupied Bandwidth</td> <td>Total Power</td> <td>4.34 dBm</td> </tr> <tr> <td>1.0322 MHz</td> <td></td> <td></td> </tr> <tr> <td>Transmit Freq Error</td> <td>OBW Power</td> <td>99.00 %</td> </tr> <tr> <td>-63.034 kHz</td> <td></td> <td></td> </tr> <tr> <td>x dB Bandwidth</td> <td>x dB</td> <td>-6.00 dB</td> </tr> <tr> <td>698.1 kHz</td> <td></td> <td></td> </tr> </table> <p>MSG STATUS</p>	Occupied Bandwidth	Total Power	4.34 dBm	1.0322 MHz			Transmit Freq Error	OBW Power	99.00 %	-63.034 kHz			x dB Bandwidth	x dB	-6.00 dB	698.1 kHz			<p>Frequency</p> <p>Center Freq 2.480000000 GHz</p> <p>CF Step 300.000 kHz</p> <p>Auto Man</p> <p>Freq Offset 0 Hz</p>
Occupied Bandwidth	Total Power	4.34 dBm																		
1.0322 MHz																				
Transmit Freq Error	OBW Power	99.00 %																		
-63.034 kHz																				
x dB Bandwidth	x dB	-6.00 dB																		
698.1 kHz																				



BT 2LE

Mode	Channel	6dB Bandwidth [MHz]	Limit [MHz]	Verdict
BT LE	LCH	1.164	≥0.5	PASS
BT LE	MCH	1.234	≥0.5	PASS
BT LE	HCH	1.258	≥0.5	PASS

Test Graphs	
LCH	<div style="border: 1px solid black; padding: 5px;"> <p>Agilent Spectrum Analyzer - Occupied BW</p> <p>Center Freq 2.402000000 GHz Center Freq: 2.402000000 GHz Radio Std: None Trig: Free Run AvgHold: >1/1 #IFGain: Low #Atten: 30 dB Radio Device: BTS</p> <p>Center 2.402 GHz Span 6 MHz #Res BW 100 kHz #VBW 300 kHz Sweep 1.067 ms</p> <p>Occupied Bandwidth Total Power 6.05 dBm 2.0123 MHz</p> <p>Transmit Freq Error -65.377 kHz OBW Power 99.00 % x dB Bandwidth 1.164 MHz x dB -6.00 dB</p> </div>
MCH	<div style="border: 1px solid black; padding: 5px;"> <p>Agilent Spectrum Analyzer - Occupied BW</p> <p>Center Freq 2.440000000 GHz Center Freq: 2.440000000 GHz Radio Std: None Trig: Free Run AvgHold: 1/1 #IFGain: Low #Atten: 30 dB Radio Device: BTS</p> <p>Center 2.44 GHz Span 6 MHz #Res BW 100 kHz #VBW 300 kHz Sweep 1.067 ms</p> <p>Occupied Bandwidth Total Power 5.15 dBm 2.0159 MHz</p> <p>Transmit Freq Error -58.630 kHz OBW Power 99.00 % x dB Bandwidth 1.234 MHz x dB -6.00 dB</p> </div>







A.5 RF Conducted Spurious Emissions


BT LE


Mode	Channel	Pref [dBm]	Max. Level [dBm]	Limit [dBm]	Verdict
BT LE	LCH	-1.802	-38.129	-21.802	PASS
BT LE	MCH	-2.633	-37.333	-22.633	PASS
BT LE	HCH	-2.81	-37.403	-22.810	PASS







BT LE_MCH_Graphs






BT LE_HCH_Graphs






BT 2LE

Mode	Channel	Pref [dBm]	Max. Level [dBm]	Limit [dBm]	Verdict
BT LE	LCH	-2.442	-37.721	-22.442	PASS
BT LE	MCH	-3.25	-37.229	-23.250	PASS
BT LE	HCH	-3.434	-37.809	-23.434	PASS









BT LE_MCH_Graphs

Pref/BT LE/MCH




Puw/BT LE/MCH






BT LE_HCH_Graphs

Pref/BT LE/HCH



Puw/BT LE/HCH





A.6 Band-edge for RF Conducted Emissions

BT LE

Mode	Channel	Carrier Power[dBm]	Max.Spurious Level [dBm]	Limit [dBm]	Verdict
BT LE	LCH	-1.484	-48.693	-21.48	PASS
BT LE	HCH	-2.547	-48.980	-22.55	PASS

Test Graphs

LCH	<p>Agilent Spectrum Analyzer - Swept SA Center Freq 2.35700000 GHz #Ave Type: RMS #Res BW 100 kHz #VBW 300 kHz Mkr4 2.352394 GHz -48.693 dBm</p> <table border="1" style="width: 100%; font-size: small;"> <thead> <tr> <th>MKR</th> <th>MODE</th> <th>TRC</th> <th>SCL</th> <th>X</th> <th>Y</th> <th>FUNCTION</th> <th>FUNCTION WIDTH</th> <th>FUNCTION VALUE</th> </tr> </thead> <tbody> <tr><td>1</td><td>N</td><td>f</td><td></td><td>2.401956 GHz</td><td>-1.484 dBm</td><td></td><td></td><td></td></tr> <tr><td>2</td><td>N</td><td>f</td><td></td><td>2.400000 GHz</td><td>-50.456 dBm</td><td></td><td></td><td></td></tr> <tr><td>3</td><td>N</td><td>f</td><td></td><td>2.390000 GHz</td><td>-52.224 dBm</td><td></td><td></td><td></td></tr> <tr><td>4</td><td>N</td><td>f</td><td></td><td>2.352394 GHz</td><td>-48.693 dBm</td><td></td><td></td><td></td></tr> </tbody> </table>	MKR	MODE	TRC	SCL	X	Y	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE	1	N	f		2.401956 GHz	-1.484 dBm				2	N	f		2.400000 GHz	-50.456 dBm				3	N	f		2.390000 GHz	-52.224 dBm				4	N	f		2.352394 GHz	-48.693 dBm				Frequency Auto Tune Center Freq 2.35700000 GHz Start Freq 2.31000000 GHz Stop Freq 2.40400000 GHz CF Step 9.400000 MHz Freq Offset 0 Hz
MKR	MODE	TRC	SCL	X	Y	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE																																							
1	N	f		2.401956 GHz	-1.484 dBm																																										
2	N	f		2.400000 GHz	-50.456 dBm																																										
3	N	f		2.390000 GHz	-52.224 dBm																																										
4	N	f		2.352394 GHz	-48.693 dBm																																										
HCH	<p>Agilent Spectrum Analyzer - Swept SA Center Freq 2.48900000 GHz #Ave Type: RMS #Res BW 100 kHz #VBW 300 kHz Mkr4 2.49830875 GHz -48.980 dBm</p> <table border="1" style="width: 100%; font-size: small;"> <thead> <tr> <th>MKR</th> <th>MODE</th> <th>TRC</th> <th>SCL</th> <th>X</th> <th>Y</th> <th>FUNCTION</th> <th>FUNCTION WIDTH</th> <th>FUNCTION VALUE</th> </tr> </thead> <tbody> <tr><td>1</td><td>N</td><td>f</td><td></td><td>2.47994975 GHz</td><td>-2.547 dBm</td><td></td><td></td><td></td></tr> <tr><td>2</td><td>N</td><td>f</td><td></td><td>2.48350000 GHz</td><td>-51.965 dBm</td><td></td><td></td><td></td></tr> <tr><td>3</td><td>N</td><td>f</td><td></td><td>2.50000000 GHz</td><td>-51.039 dBm</td><td></td><td></td><td></td></tr> <tr><td>4</td><td>N</td><td>f</td><td></td><td>2.49830875 GHz</td><td>-48.980 dBm</td><td></td><td></td><td></td></tr> </tbody> </table>	MKR	MODE	TRC	SCL	X	Y	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE	1	N	f		2.47994975 GHz	-2.547 dBm				2	N	f		2.48350000 GHz	-51.965 dBm				3	N	f		2.50000000 GHz	-51.039 dBm				4	N	f		2.49830875 GHz	-48.980 dBm				Frequency Auto Tune Center Freq 2.48900000 GHz Start Freq 2.47800000 GHz Stop Freq 2.50000000 GHz CF Step 2.200000 MHz Freq Offset 0 Hz
MKR	MODE	TRC	SCL	X	Y	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE																																							
1	N	f		2.47994975 GHz	-2.547 dBm																																										
2	N	f		2.48350000 GHz	-51.965 dBm																																										
3	N	f		2.50000000 GHz	-51.039 dBm																																										
4	N	f		2.49830875 GHz	-48.980 dBm																																										



BT 2LE

Mode	Channel	Carrier Power[dBm]	Max.Spurious Level [dBm]	Limit [dBm]	Verdict
BT LE	LCH	-3.272	-48.345	-23.27	PASS
BT LE	HCH	-2.862	-48.757	-22.86	PASS

Test Graphs

LCH	<p>Agilent Spectrum Analyzer - Swept SA Center Freq 2.357000000 GHz Ref Offset 8.05 dB Ref 20.00 dBm Mkr4 2.355 120 GHz -48.345 dBm Start 2.31000 GHz #Res BW 100 kHz #VBW 300 kHz Stop 2.40400 GHz Sweep 9.067 ms (8001 pts)</p> <table border="1" style="width: 100%; border-collapse: collapse; font-size: small;"> <thead> <tr> <th>MKR</th> <th>MODE</th> <th>TRC</th> <th>SCL</th> <th>X</th> <th>Y</th> <th>FUNCTION</th> <th>FUNCTION WIDTH</th> <th>FUNCTION VALUE</th> </tr> </thead> <tbody> <tr><td>1</td><td>N</td><td>f</td><td></td><td>2.402 097 GHz</td><td>-3.272 dBm</td><td></td><td></td><td></td></tr> <tr><td>2</td><td>N</td><td>f</td><td></td><td>2.400 000 GHz</td><td>-37.425 dBm</td><td></td><td></td><td></td></tr> <tr><td>3</td><td>N</td><td>f</td><td></td><td>2.390 000 GHz</td><td>-51.719 dBm</td><td></td><td></td><td></td></tr> <tr><td>4</td><td>N</td><td>f</td><td></td><td>2.355 120 GHz</td><td>-48.345 dBm</td><td></td><td></td><td></td></tr> </tbody> </table>	MKR	MODE	TRC	SCL	X	Y	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE	1	N	f		2.402 097 GHz	-3.272 dBm				2	N	f		2.400 000 GHz	-37.425 dBm				3	N	f		2.390 000 GHz	-51.719 dBm				4	N	f		2.355 120 GHz	-48.345 dBm				Frequency Auto Tune Center Freq 2.357000000 GHz Start Freq 2.310000000 GHz Stop Freq 2.404000000 GHz CF Step 9.400000 MHz Auto Man Freq Offset 0 Hz
MKR	MODE	TRC	SCL	X	Y	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE																																							
1	N	f		2.402 097 GHz	-3.272 dBm																																										
2	N	f		2.400 000 GHz	-37.425 dBm																																										
3	N	f		2.390 000 GHz	-51.719 dBm																																										
4	N	f		2.355 120 GHz	-48.345 dBm																																										
HCH	<p>Agilent Spectrum Analyzer - Swept SA Center Freq 2.489000000 GHz Ref Offset 8.05 dB Ref 20.00 dBm Mkr4 2.485 067 50 GHz -48.757 dBm Start 2.47800 GHz #Res BW 100 kHz #VBW 300 kHz Stop 2.50000 GHz Sweep 2.133 ms (8001 pts)</p> <table border="1" style="width: 100%; border-collapse: collapse; font-size: small;"> <thead> <tr> <th>MKR</th> <th>MODE</th> <th>TRC</th> <th>SCL</th> <th>X</th> <th>Y</th> <th>FUNCTION</th> <th>FUNCTION WIDTH</th> <th>FUNCTION VALUE</th> </tr> </thead> <tbody> <tr><td>1</td><td>N</td><td>f</td><td></td><td>2.479 958 00 GHz</td><td>-2.862 dBm</td><td></td><td></td><td></td></tr> <tr><td>2</td><td>N</td><td>f</td><td></td><td>2.483 500 00 GHz</td><td>-50.783 dBm</td><td></td><td></td><td></td></tr> <tr><td>3</td><td>N</td><td>f</td><td></td><td>2.500 000 00 GHz</td><td>-50.516 dBm</td><td></td><td></td><td></td></tr> <tr><td>4</td><td>N</td><td>f</td><td></td><td>2.485 067 50 GHz</td><td>-48.757 dBm</td><td></td><td></td><td></td></tr> </tbody> </table>	MKR	MODE	TRC	SCL	X	Y	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE	1	N	f		2.479 958 00 GHz	-2.862 dBm				2	N	f		2.483 500 00 GHz	-50.783 dBm				3	N	f		2.500 000 00 GHz	-50.516 dBm				4	N	f		2.485 067 50 GHz	-48.757 dBm				Frequency Auto Tune Center Freq 2.489000000 GHz Start Freq 2.478000000 GHz Stop Freq 2.500000000 GHz CF Step 2.200000 MHz Auto Man Freq Offset 0 Hz
MKR	MODE	TRC	SCL	X	Y	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE																																							
1	N	f		2.479 958 00 GHz	-2.862 dBm																																										
2	N	f		2.483 500 00 GHz	-50.783 dBm																																										
3	N	f		2.500 000 00 GHz	-50.516 dBm																																										
4	N	f		2.485 067 50 GHz	-48.757 dBm																																										




A.7 Restrict-band band-edge measurements

BT LE


Test Mode	Test Channel	Ant	Freq.	Power [dBm]	Gain	Ground Factor	E [dBuV/m]	Detector	Limit [dBuV/m]	Verdi
BT LE	2402	Ant1	2310.0	-41.81	2.0	0	55.45	PEAK	74	PASS
		Ant1	2310.0	-52.49	2.0	0	44.77	AV	54	PASS
		Ant1	2390.0	-42.90	2.0	0	54.36	PEAK	74	PASS
		Ant1	2390.0	-52.25	2.0	0	45.01	AV	54	PASS
	2480	Ant1	2483.5	-42.65	2.0	0	54.61	PEAK	74	PASS
		Ant1	2483.5	-51.76	2.0	0	45.50	AV	54	PASS
		Ant1	2500.0	-41.55	2.0	0	55.71	PEAK	74	PASS
		Ant1	2500.0	-51.57	2.0	0	45.69	AV	54	PASS



Restrict-band band-edge measurements_BT LE_2402_Ant1_PEAK




Restrict-band band-edge measurements_BT LE_2402_Ant1_AV






Restrict-band band-edge measurements_BT LE_2480_Ant1_PEAK



Restrict-band band-edge measurements_BT LE_2480_Ant1_AV






BT 2LE


Test Mode	Test Channel	Ant	Freq.	Power [dBm]	Gain	Ground Factor	E [dBuV/m]	Detector	Limit [dBuV/m]	Verdi
BT LE	2402	Ant1	2310.0	-42.31	2.0	0	54.95	PEAK	74	PASS
		Ant1	2310.0	-52.39	2.0	0	44.87	AV	54	PASS
		Ant1	2390.0	-41.87	2.0	0	55.39	PEAK	74	PASS
		Ant1	2390.0	-52.07	2.0	0	45.19	AV	54	PASS
	2480	Ant1	2483.5	-41.51	2.0	0	55.75	PEAK	74	PASS
		Ant1	2483.5	-51.53	2.0	0	45.73	AV	54	PASS
		Ant1	2500.0	-40.95	2.0	0	56.31	PEAK	74	PASS
		Ant1	2500.0	-51.54	2.0	0	45.72	AV	54	PASS



Restrict-band band-edge measurements_BT LE_2402_Ant1_PEAK




Restrict-band band-edge measurements_BT LE_2402_Ant1_AV





Restrict-band band-edge measurements_BT LE_2480_Ant1_PEAK



Restrict-band band-edge measurements_BT LE_2480_Ant1_AV

