


802.11ax HEW20_Nss1,(MCS0)_2TX
5260MHz_TX




Lim.PK
 PK
 Lim.AV
 AV

05/09/2022

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1202G	45.91	54.00	-8.09	4.26	3	Vertical	156	1.59	-	41.65	33.04	5.84	34.62
AV	5.2594G	109.77	Inf	-Inf	4.37	3	Vertical	156	1.59	-	105.40	33.06	5.91	34.60
AV	5.353G	45.50	54.00	-8.50	4.10	3	Vertical	156	1.59	-	41.40	32.72	5.96	34.58
PK	5.1208G	55.37	74.00	-18.63	4.26	3	Vertical	156	1.59	-	51.11	33.04	5.84	34.62
PK	5.2594G	118.40	Inf	-Inf	4.37	3	Vertical	156	1.59	-	114.03	33.06	5.91	34.60
PK	5.38G	54.80	74.00	-19.20	4.28	3	Vertical	156	1.59	-	50.52	32.88	5.98	34.58

802.11ax HEW20_Nss1,(MCS0)_2TX
5260MHz_TX




Lim.PK
 PK
 Lim.AV
 AV

05/09/2022


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1484G	46.21	54.00	-7.79	4.34	3	Horizontal	294	1.55	-	41.87	33.10	5.86	34.62
AV	5.2606G	112.42	Inf	-Inf	4.37	3	Horizontal	294	1.55	-	108.05	33.06	5.91	34.60
AV	5.3548G	46.68	54.00	-7.32	4.12	3	Horizontal	294	1.55	-	42.56	32.73	5.97	34.58
PK	5.1202G	56.13	74.00	-17.87	4.26	3	Horizontal	294	1.55	-	51.87	33.04	5.84	34.62
PK	5.2606G	119.15	Inf	-Inf	4.37	3	Horizontal	294	1.55	-	114.78	33.06	5.91	34.60
PK	5.3542G	55.66	74.00	-18.34	4.11	3	Horizontal	294	1.55	-	51.55	32.73	5.96	34.58

802.11ax HEW20_Nss1,(MCS0)_2TX
5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.78256G	43.22	54.00	-10.78	12.80	3	Vertical	170	1.56	-	30.42	38.02	9.87	35.09
PK	10.51984G	53.56	68.20	-14.64	12.04	3	Vertical	349	1.16	-	41.52	38.66	8.09	34.71
PK	15.7652G	53.18	74.00	-20.82	12.82	3	Vertical	170	1.56	-	40.36	38.03	9.87	35.08


802.11ax HEW20_Nss1,(MCS0)_2TX
5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.78552G	43.30	54.00	-10.70	12.79	3	Horizontal	195	1.98	-	30.51	38.01	9.87	35.09
PK	10.52048G	55.52	68.20	-12.68	12.04	3	Horizontal	354	1.36	-	43.48	38.66	8.09	34.71
PK	15.7876G	53.41	74.00	-20.59	12.79	3	Horizontal	195	1.98	-	40.62	38.01	9.87	35.09

802.11ax HEW20_Nss1,(MCS0)_2TX


5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2992G	109.26	Inf	-Inf	4.24	3	Vertical	158	1.62	-	105.02	32.90	5.93	34.59
AV	5.35G	49.27	54.00	-4.73	4.08	3	Vertical	158	1.62	-	45.19	32.70	5.96	34.58
PK	5.2988G	117.26	Inf	-Inf	4.24	3	Vertical	158	1.62	-	113.02	32.90	5.93	34.59
PK	5.3508G	61.87	74.00	-12.13	4.08	3	Vertical	158	1.62	-	57.79	32.70	5.96	34.58

802.11ax HEW20_Nss1,(MCS0)_2TX


5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2988G	113.60	Inf	-Inf	4.24	3	Horizontal	286	2.92	-	109.36	32.90	5.93	34.59
AV	5.3504G	51.76	54.00	-2.24	4.08	3	Horizontal	286	2.92	-	47.68	32.70	5.96	34.58
PK	5.2988G	123.01	Inf	-Inf	4.24	3	Horizontal	286	2.92	-	118.77	32.90	5.93	34.59
PK	5.3516G	64.63	74.00	-9.37	4.09	3	Horizontal	286	2.92	-	60.54	32.71	5.96	34.58

802.11ax HEW20_Nss1,(MCS0)_2TX


5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.6012G	45.68	54.00	-8.32	12.33	3	Vertical	348	1.32	-	33.35	38.90	8.12	34.69
AV	15.9092G	42.81	54.00	-11.19	12.33	3	Vertical	279	1.50	-	30.48	37.60	9.91	35.18
PK	10.60176G	54.77	74.00	-19.23	12.33	3	Vertical	348	1.32	-	42.44	38.90	8.12	34.69
PK	15.918G	53.07	74.00	-20.93	12.32	3	Vertical	279	1.50	-	40.75	37.60	9.91	35.19

802.11ax HEW20_Nss1,(MCS0)_2TX


5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.60048G	44.49	54.00	-9.51	12.33	3	Horizontal	29	1.50	-	32.16	38.90	8.12	34.69
AV	15.9068G	42.77	54.00	-11.23	12.33	3	Horizontal	122	1.50	-	30.44	37.60	9.91	35.18
PK	10.60136G	54.30	74.00	-19.70	12.33	3	Horizontal	29	1.50	-	41.97	38.90	8.12	34.69
PK	15.89048G	52.79	74.00	-21.21	12.38	3	Horizontal	122	1.50	-	40.41	37.64	9.91	35.17

802.11ax HEW20_Nss1,(MCS0)_2TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3192G	107.88	Inf	-Inf	4.18	3	Vertical	155	1.56	-	103.70	32.82	5.95	34.59
AV	5.35G	48.73	54.00	-5.27	4.08	3	Vertical	155	1.56	-	44.65	32.70	5.96	34.58
PK	5.3194G	119.17	Inf	-Inf	4.18	3	Vertical	155	1.56	-	114.99	32.82	5.95	34.59
PK	5.3504G	62.19	74.00	-11.81	4.08	3	Vertical	155	1.56	-	58.11	32.70	5.96	34.58

802.11ax HEW20_Nss1,(MCS0)_2TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3186G	111.97	Inf	-Inf	4.19	3	Horizontal	284	2.89	-	107.78	32.83	5.95	34.59
AV	5.35G	51.21	54.00	-2.79	4.08	3	Horizontal	284	2.89	-	47.13	32.70	5.96	34.58
PK	5.318G	122.76	Inf	-Inf	4.18	3	Horizontal	284	2.89	-	118.58	32.83	5.94	34.59
PK	5.3504G	63.19	74.00	-10.81	4.08	3	Horizontal	284	2.89	-	59.11	32.70	5.96	34.58

802.11ax HEW20_Nss1,(MCS0)_2TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.6416G	46.54	54.00	-7.46	12.44	3	Vertical	353	1.03	-	34.10	38.98	8.14	34.68
AV	15.97128G	42.91	54.00	-11.09	12.30	3	Vertical	204	2.02	-	30.61	37.60	9.93	35.23
PK	10.64086G	59.20	74.00	-14.80	12.44	3	Vertical	353	1.03	-	46.76	38.98	8.14	34.68
PK	15.9516G	54.18	74.00	-19.82	12.31	3	Vertical	204	2.02	-	41.87	37.60	9.92	35.21

802.11ax HEW20_Nss1,(MCS0)_2TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.64101G	44.82	54.00	-9.18	12.44	3	Horizontal	29	1.67	-	32.38	38.98	8.14	34.68
AV	15.9672G	42.87	54.00	-11.13	12.30	3	Horizontal	210	1.32	-	30.57	37.60	9.93	35.23
PK	10.64062G	57.30	74.00	-16.70	12.44	3	Horizontal	29	1.67	-	44.86	38.98	8.14	34.68
PK	15.958G	55.43	74.00	-18.57	12.31	3	Horizontal	210	1.32	-	43.12	37.60	9.93	35.22

802.11ax HEW20_Nss1,(MCS0)_2TX


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4598G	47.66	54.00	-6.34	4.26	3	Vertical	157	1.62	-	43.40	32.82	6.01	34.57
AV	5.5008G	108.32	Inf	-Inf	4.37	3	Vertical	157	1.62	-	103.95	32.90	6.03	34.56
PK	5.4698G	63.79	68.20	-4.41	4.29	3	Vertical	157	1.62	-	59.50	32.84	6.01	34.56
PK	5.5014G	115.75	Inf	-Inf	4.37	3	Vertical	157	1.62	-	111.38	32.90	6.03	34.56


802.11ax HEW20_Nss1,(MCS0)_2TX

5500MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	51.06	54.00	-2.94	4.26	3	Horizontal	1	1.00	-	46.80	32.82	6.01	34.57
AV	5.501G	112.27	Inf	-Inf	4.37	3	Horizontal	1	1.00	-	107.90	32.90	6.03	34.56
PK	5.47G	66.68	68.20	-1.52	4.29	3	Horizontal	1	1.00	-	62.39	32.84	6.01	34.56
PK	5.503G	120.18	Inf	-Inf	4.38	3	Horizontal	1	1.00	-	115.80	32.91	6.03	34.56

**802.11ax HEW20_Nss1,(MCS0)_2TX
5500MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.00008G	47.54	54.00	-6.46	12.41	3	Vertical	348	1.49	-	35.13	38.70	8.29	34.58
PK	11.00232G	55.49	74.00	-18.51	12.41	3	Vertical	348	1.49	-	43.08	38.70	8.29	34.58
PK	16.50528G	52.97	68.20	-15.23	13.99	3	Vertical	350	1.60	-	38.98	38.68	10.06	34.75


**802.11ax HEW20_Nss1,(MCS0)_2TX
5500MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.00024G	45.09	54.00	-8.91	12.41	3	Horizontal	24	1.22	-	32.68	38.70	8.29	34.58
PK	11.00304G	55.25	74.00	-18.75	12.41	3	Horizontal	24	1.22	-	42.84	38.70	8.29	34.58
PK	16.49944G	53.84	68.20	-14.36	14.00	3	Horizontal	120	1.50	-	39.84	38.70	10.06	34.76

802.11ax HEW20_Nss1,(MCS0)_2TX


5580MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4564G	44.95	54.00	-9.05	4.25	3	Vertical	277	1.67	-	40.70	32.81	6.01	34.57
AV	5.5794G	108.90	Inf	-Inf	4.50	3	Vertical	277	1.67	-	104.40	33.00	6.05	34.55
PK	5.463G	53.47	68.20	-14.73	4.27	3	Vertical	277	1.67	-	49.20	32.83	6.01	34.57
PK	5.5794G	116.01	Inf	-Inf	4.50	3	Vertical	277	1.67	-	111.51	33.00	6.05	34.55
PK	5.73G	55.14	68.20	-13.06	5.13	3	Vertical	277	1.67	-	50.01	33.52	6.15	34.54


802.11ax HEW20_Nss1,(MCS0)_2TX

5580MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4594G	45.46	54.00	-8.54	4.26	3	Horizontal	4	1.00	-	41.20	32.82	6.01	34.57
AV	5.5812G	114.17	Inf	-Inf	4.50	3	Horizontal	4	1.00	-	109.67	33.00	6.05	34.55
PK	5.4684G	54.94	68.20	-13.26	4.28	3	Horizontal	4	1.00	-	50.66	32.84	6.01	34.57
PK	5.5806G	122.79	Inf	-Inf	4.50	3	Horizontal	4	1.00	-	118.29	33.00	6.05	34.55
PK	5.73G	55.70	68.20	-12.50	5.13	3	Horizontal	4	1.00	-	50.57	33.52	6.15	34.54

802.11ax HEW20_Nss1,(MCS0)_2TX
5580MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.16064G	46.15	54.00	-7.85	12.44	3	Vertical	354	1.50	-	33.71	38.66	8.36	34.58
PK	11.1612G	55.51	74.00	-18.49	12.44	3	Vertical	354	1.50	-	43.07	38.66	8.36	34.58
PK	16.74264G	54.94	68.20	-13.26	13.85	3	Vertical	360	2.04	-	41.09	38.19	10.11	34.45

802.11ax HEW20_Nss1,(MCS0)_2TX
5580MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.16152G	43.30	54.00	-10.70	12.44	3	Horizontal	23	1.13	-	30.86	38.66	8.36	34.58
PK	11.1776G	52.18	74.00	-21.82	12.46	3	Horizontal	23	1.13	-	39.72	38.68	8.36	34.58
PK	16.74G	54.53	68.20	-13.67	13.84	3	Horizontal	0	1.25	-	40.69	38.18	10.11	34.45

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX
5700MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6992G	106.80	Inf	-Inf	4.98	3	Vertical	152	1.32	-	101.82	33.39	6.13	34.54
PK	5.6988G	113.72	Inf	-Inf	4.98	3	Vertical	152	1.32	-	108.74	33.39	6.13	34.54
PK	5.726G	64.44	68.20	-3.76	5.11	3	Vertical	152	1.32	-	59.33	33.50	6.15	34.54

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX
5700MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.698G	108.68	Inf	-Inf	4.97	3	Horizontal	16	1.66	-	103.71	33.38	6.13	34.54
PK	5.6988G	117.30	Inf	-Inf	4.98	3	Horizontal	16	1.66	-	112.32	33.39	6.13	34.54
PK	5.726G	64.66	68.20	-3.54	5.11	3	Horizontal	16	1.66	-	59.55	33.50	6.15	34.54

**5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX
5700MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.40992G	42.16	54.00	-11.84	12.77	3	Vertical	43	1.45	-	29.39	38.88	8.46	34.57
PK	11.40736G	51.56	74.00	-22.44	12.78	3	Vertical	43	1.45	-	38.78	38.89	8.46	34.57
PK	17.09952G	54.44	68.20	-13.76	14.02	3	Vertical	212	1.60	-	40.42	38.00	10.20	34.18


**5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX
5700MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.4094G	42.02	54.00	-11.98	12.77	3	Horizontal	267	2.38	-	29.25	38.88	8.46	34.57
PK	11.39108G	50.91	74.00	-23.09	12.78	3	Horizontal	267	2.38	-	38.13	38.90	8.45	34.57
PK	17.09276G	53.90	68.20	-14.30	14.02	3	Horizontal	174	1.68	-	39.88	38.00	10.20	34.18




802.11ax HEW20_Nss1,(MCS0)_2TX
5720MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4368G	44.93	54.00	-9.07	4.28	3	Vertical	352	1.62	-	40.65	32.85	6.00	34.57
AV	5.7212G	110.50	Inf	-Inf	5.08	3	Vertical	352	1.62	-	105.42	33.48	6.14	34.54
PK	5.4608G	53.75	68.20	-14.45	4.26	3	Vertical	352	1.62	-	49.49	32.82	6.01	34.57
PK	5.72G	117.68	Inf	-Inf	5.08	3	Vertical	352	1.62	-	112.60	33.48	6.14	34.54
PK	5.918G	57.03	68.20	-11.17	6.03	3	Vertical	352	1.62	-	51.00	34.30	6.26	34.53

802.11ax HEW20_Nss1,(MCS0)_2TX
5720MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4308G	46.40	54.00	-7.60	4.31	3	Horizontal	282	1.00	-	42.09	32.88	6.00	34.57
AV	5.7212G	113.46	Inf	-Inf	5.08	3	Horizontal	282	1.00	-	108.38	33.48	6.14	34.54
PK	5.4608G	54.54	68.20	-13.66	4.26	3	Horizontal	282	1.00	-	50.28	32.82	6.01	34.57
PK	5.72G	121.44	Inf	-Inf	5.08	3	Horizontal	282	1.00	-	116.36	33.48	6.14	34.54
PK	5.8856G	57.59	68.20	-10.61	5.95	3	Horizontal	282	1.00	-	51.64	34.24	6.24	34.53

802.11ax HEW20_Nss1,(MCS0)_2TX
5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.44024G	44.85	54.00	-9.15	12.72	3	Vertical	356	1.20	-	32.13	38.82	8.47	34.57
PK	11.43312G	53.58	74.00	-20.42	12.73	3	Vertical	356	1.20	-	40.85	38.83	8.47	34.57
PK	17.16424G	55.17	68.20	-13.03	14.18	3	Vertical	21	1.50	-	40.99	38.19	10.21	34.22

802.11ax HEW20_Nss1,(MCS0)_2TX
5720MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.44056G	42.43	54.00	-11.57	12.73	3	Horizontal	28	1.40	-	29.70	38.82	8.48	34.57
PK	11.45176G	51.96	74.00	-22.04	12.71	3	Horizontal	28	1.40	-	39.25	38.80	8.48	34.57
PK	17.154G	54.41	68.20	-13.79	14.16	3	Horizontal	44	1.50	-	40.25	38.16	10.21	34.21



5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7438G	110.06	Inf	-Inf	5.20	3	Vertical	154	1.31	-	104.86	33.58	6.16	34.54
PK	5.643G	56.44	68.20	-11.76	4.54	3	Vertical	154	1.31	-	51.90	33.00	6.09	34.55
PK	5.7426G	118.54	Inf	-Inf	5.19	3	Vertical	154	1.31	-	113.35	33.57	6.16	34.54
PK	5.9514G	57.36	68.20	-10.84	6.06	3	Vertical	154	1.31	-	51.30	34.30	6.28	34.52

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5745MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7438G	112.54	Inf	-Inf	5.20	3	Horizontal	24	1.79	-	107.34	33.58	6.16	34.54
PK	5.6202G	56.36	68.20	-11.84	4.52	3	Horizontal	24	1.79	-	51.84	33.00	6.07	34.55
PK	5.7426G	120.75	Inf	-Inf	5.19	3	Horizontal	24	1.79	-	115.56	33.57	6.16	34.54
PK	5.9454G	57.15	68.20	-11.05	6.05	3	Horizontal	24	1.79	-	51.10	34.30	6.27	34.52

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_2TX
5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.48496G	43.31	54.00	-10.69	12.65	3	Vertical	20	1.50	-	30.66	38.73	8.49	34.57
PK	11.49096G	53.82	74.00	-20.18	12.65	3	Vertical	20	1.50	-	41.17	38.72	8.50	34.57
PK	17.23764G	63.35	68.20	-4.85	14.23	3	Vertical	27	1.43	-	49.12	38.26	10.23	34.26


5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_2TX
5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.49402G	43.29	54.00	-10.71	12.64	3	Horizontal	67	2.22	-	30.65	38.71	8.50	34.57
PK	11.48976G	52.22	74.00	-21.78	12.65	3	Horizontal	67	2.22	-	39.57	38.72	8.50	34.57
PK	17.23578G	59.64	68.20	-8.56	14.23	3	Horizontal	51	1.53	-	45.41	38.26	10.23	34.26

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7838G	110.40	Inf	-Inf	5.45	3	Vertical	154	1.25	-	104.95	33.80	6.19	34.54
PK	5.5906G	56.25	68.20	-11.95	4.51	3	Vertical	154	1.25	-	51.74	33.00	6.06	34.55
PK	5.7838G	117.48	Inf	-Inf	5.45	3	Vertical	154	1.25	-	112.03	33.80	6.19	34.54
PK	5.9638G	58.07	68.20	-10.13	6.03	3	Vertical	154	1.25	-	52.04	34.27	6.28	34.52

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7838G	113.11	Inf	-Inf	5.45	3	Horizontal	25	1.68	-	107.66	33.80	6.19	34.54
PK	5.5918G	56.76	68.20	-11.44	4.51	3	Horizontal	25	1.68	-	52.25	33.00	6.06	34.55
PK	5.7838G	120.18	Inf	-Inf	5.45	3	Horizontal	25	1.68	-	114.73	33.80	6.19	34.54
PK	5.9446G	56.84	68.20	-11.36	6.05	3	Horizontal	25	1.68	-	50.79	34.30	6.27	34.52

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.56682G	44.62	54.00	-9.38	12.51	3	Vertical	18	1.59	-	32.11	38.57	8.53	34.59
PK	11.56712G	53.04	74.00	-20.96	12.51	3	Vertical	18	1.59	-	40.53	38.57	8.53	34.59
PK	17.35914G	65.73	68.20	-2.47	14.24	3	Vertical	26	1.50	-	51.49	38.32	10.26	34.34

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.5745G	43.95	54.00	-10.05	12.49	3	Horizontal	59	2.30	-	31.46	38.55	8.53	34.59
PK	11.57372G	53.28	74.00	-20.72	12.49	3	Horizontal	59	2.30	-	40.79	38.55	8.53	34.59
PK	17.35872G	61.67	68.20	-6.53	14.24	3	Horizontal	56	1.55	-	47.43	38.32	10.26	34.34

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8238G	110.57	Inf	-Inf	5.68	3	Vertical	154	1.18	-	104.89	34.00	6.21	34.53
PK	5.6306G	60.20	68.20	-8.00	4.53	3	Vertical	154	1.18	-	55.67	33.00	6.08	34.55
PK	5.8238G	120.60	Inf	-Inf	5.68	3	Vertical	154	1.18	-	114.92	34.00	6.21	34.53
PK	5.9642G	58.46	68.20	-9.74	6.03	3	Vertical	154	1.18	-	52.43	34.27	6.28	34.52


5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5825MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8226G	113.09	Inf	-Inf	5.67	3	Horizontal	23	1.36	-	107.42	33.99	6.21	34.53
PK	5.6306G	61.42	68.20	-6.78	4.53	3	Horizontal	23	1.36	-	56.89	33.00	6.08	34.55
PK	5.8238G	122.94	Inf	-Inf	5.68	3	Horizontal	23	1.36	-	117.26	34.00	6.21	34.53
PK	5.9726G	58.90	68.20	-9.30	6.02	3	Horizontal	23	1.36	-	52.88	34.25	6.29	34.52

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_2TX
5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.64706G	45.55	54.00	-8.45	12.39	3	Vertical	17	1.50	-	33.16	38.45	8.56	34.62
PK	11.64598G	57.27	74.00	-16.73	12.39	3	Vertical	17	1.50	-	44.88	38.45	8.56	34.62
PK	17.47062G	68.07	68.20	-0.13	14.08	3	Vertical	30	1.48	-	53.99	38.19	10.29	34.40


5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_2TX
5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.64586G	44.15	54.00	-9.85	12.39	3	Horizontal	322	1.74	-	31.76	38.45	8.56	34.62
PK	11.65426G	56.14	74.00	-17.86	12.39	3	Horizontal	322	1.74	-	43.75	38.45	8.56	34.62
PK	17.47782G	67.20	68.20	-1.00	14.05	3	Horizontal	57	1.54	-	53.15	38.17	10.29	34.41

5.15-5.25GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


5190MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1428G	49.41	54.00	-4.59	4.32	3	Vertical	176	1.50	-	45.09	33.09	5.85	34.62
AV	5.1888G	103.11	Inf	-Inf	4.44	3	Vertical	176	1.50	-	98.67	33.18	5.87	34.61
PK	5.1424G	64.41	74.00	-9.59	4.31	3	Vertical	176	1.50	-	60.10	33.08	5.85	34.62
PK	5.1888G	114.05	Inf	-Inf	4.44	3	Vertical	176	1.50	-	109.61	33.18	5.87	34.61


5.15-5.25GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5190MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1448G	53.38	54.00	-0.62	4.33	3	Horizontal	14	1.08	-	49.05	33.09	5.86	34.62
AV	5.1892G	109.02	Inf	-Inf	4.45	3	Horizontal	14	1.08	-	104.57	33.18	5.88	34.61
PK	5.1424G	68.56	74.00	-5.44	4.31	3	Horizontal	14	1.08	-	64.25	33.08	5.85	34.62
PK	5.1884G	119.42	Inf	-Inf	4.44	3	Horizontal	14	1.08	-	114.98	33.18	5.87	34.61

**5.15-5.25GHz_802.11ax HEW40_Nss1,(MCS0)_2TX
5190MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.55664G	43.49	54.00	-10.51	13.14	3	Vertical	241	2.50	-	30.35	38.26	9.80	34.92
PK	10.362G	52.89	68.20	-15.31	11.74	3	Vertical	145	2.13	-	41.15	38.58	8.02	34.86
PK	15.55976G	54.50	74.00	-19.50	13.12	3	Vertical	241	2.50	-	41.38	38.24	9.80	34.92


**5.15-5.25GHz_802.11ax HEW40_Nss1,(MCS0)_2TX
5190MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.55968G	43.44	54.00	-10.56	13.12	3	Horizontal	82	1.75	-	30.32	38.24	9.80	34.92
PK	10.36312G	53.37	68.20	-14.83	11.73	3	Horizontal	299	2.59	-	41.64	38.57	8.02	34.86
PK	15.55984G	54.99	74.00	-19.01	13.12	3	Horizontal	82	1.75	-	41.87	38.24	9.80	34.92

802.11ax HEW40_Nss1,(MCS0)_2TX


5230MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1496G	49.00	54.00	-5.00	4.34	3	Vertical	157	1.72	-	44.66	33.10	5.86	34.62
AV	5.2292G	105.94	Inf	-Inf	4.44	3	Vertical	157	1.72	-	101.50	33.14	5.90	34.60
PK	5.15G	62.56	74.00	-11.44	4.34	3	Vertical	157	1.72	-	58.22	33.10	5.86	34.62
PK	5.2292G	115.76	Inf	-Inf	4.44	3	Vertical	157	1.72	-	111.32	33.14	5.90	34.60


802.11ax HEW40_Nss1,(MCS0)_2TX

5230MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1492G	52.37	54.00	-1.63	4.34	3	Horizontal	6	1.00	-	48.03	33.10	5.86	34.62
AV	5.2288G	110.33	Inf	-Inf	4.44	3	Horizontal	6	1.00	-	105.89	33.14	5.90	34.60
PK	5.1472G	67.33	74.00	-6.67	4.33	3	Horizontal	6	1.00	-	63.00	33.09	5.86	34.62
PK	5.2276G	120.17	Inf	-Inf	4.44	3	Horizontal	6	1.00	-	115.73	33.14	5.90	34.60

802.11ax HEW40_Nss1,(MCS0)_2TX
5230MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.69756G	43.40	54.00	-10.60	12.91	3	Vertical	48	1.50	-	30.49	38.10	9.84	35.03
PK	10.46144G	54.27	68.20	-13.93	11.86	3	Vertical	224	2.92	-	42.41	38.56	8.06	34.76
PK	15.708G	55.45	74.00	-18.55	12.91	3	Vertical	48	1.50	-	42.54	38.09	9.85	35.03


802.11ax HEW40_Nss1,(MCS0)_2TX
5230MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.663G	43.45	54.00	-10.55	12.89	3	Horizontal	249	1.50	-	30.56	38.06	9.83	35.00
PK	10.47404G	53.42	68.20	-14.78	11.89	3	Horizontal	356	1.50	-	41.53	38.57	8.07	34.75
PK	15.69396G	55.09	74.00	-18.91	12.91	3	Horizontal	249	1.50	-	42.18	38.09	9.84	35.02

802.11ax HEW40_Nss1,(MCS0)_2TX


5270MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2688G	105.91	Inf	-Inf	4.34	3	Vertical	156	1.48	-	101.57	33.02	5.92	34.60
AV	5.35G	48.10	54.00	-5.90	4.08	3	Vertical	156	1.48	-	44.02	32.70	5.96	34.58
PK	5.2684G	115.96	Inf	-Inf	4.35	3	Vertical	156	1.48	-	111.61	33.03	5.92	34.60
PK	5.3576G	64.26	74.00	-9.74	4.14	3	Vertical	156	1.48	-	60.12	32.75	5.97	34.58


802.11ax HEW40_Nss1,(MCS0)_2TX

5270MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2676G	110.16	Inf	-Inf	4.35	3	Horizontal	286	2.65	-	105.81	33.03	5.92	34.60
AV	5.35G	50.64	54.00	-3.36	4.08	3	Horizontal	286	2.65	-	46.56	32.70	5.96	34.58
PK	5.2688G	119.87	Inf	-Inf	4.35	3	Horizontal	286	2.65	-	115.52	33.03	5.92	34.60
PK	5.3504G	67.72	74.00	-6.28	4.08	3	Horizontal	286	2.65	-	63.64	32.70	5.96	34.58

**802.11ax HEW40_Nss1,(MCS0)_2TX
5270MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.80256G	43.34	54.00	-10.66	12.77	3	Vertical	350	2.94	-	30.57	37.99	9.88	35.10
PK	10.54192G	55.32	68.20	-12.88	12.12	3	Vertical	227	2.33	-	43.20	38.73	8.10	34.71
PK	15.79176G	55.65	74.00	-18.35	12.78	3	Vertical	350	2.94	-	42.87	38.01	9.87	35.10


**802.11ax HEW40_Nss1,(MCS0)_2TX
5270MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.81072G	43.37	54.00	-10.63	12.73	3	Horizontal	289	1.50	-	30.64	37.96	9.88	35.11
PK	10.53124G	53.03	68.20	-15.17	12.07	3	Horizontal	139	2.22	-	40.96	38.69	8.09	34.71
PK	15.83316G	54.89	74.00	-19.11	12.63	3	Horizontal	289	1.50	-	42.26	37.87	9.89	35.13

5.25-5.35GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3092G	104.36	Inf	-Inf	4.21	3	Vertical	146	1.68	-	100.15	32.86	5.94	34.59
AV	5.35G	51.22	54.00	-2.78	4.08	3	Vertical	146	1.68	-	47.14	32.70	5.96	34.58
PK	5.3088G	115.37	Inf	-Inf	4.21	3	Vertical	146	1.68	-	111.16	32.86	5.94	34.59
PK	5.35G	64.73	74.00	-9.27	4.08	3	Vertical	146	1.68	-	60.65	32.70	5.96	34.58

5.25-5.35GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3076G	108.48	Inf	-Inf	4.22	3	Horizontal	293	2.62	-	104.26	32.87	5.94	34.59
AV	5.35G	52.46	54.00	-1.54	4.08	3	Horizontal	293	2.62	-	48.38	32.70	5.96	34.58
PK	5.3076G	118.57	Inf	-Inf	4.22	3	Horizontal	293	2.62	-	114.35	32.87	5.94	34.59
PK	5.3552G	66.53	74.00	-7.47	4.12	3	Horizontal	293	2.62	-	62.41	32.73	5.97	34.58

5.25-5.35GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.60632G	42.11	54.00	-11.89	12.34	3	Vertical	95	1.61	-	29.77	38.91	8.12	34.69
AV	15.91992G	43.07	54.00	-10.93	12.32	3	Vertical	29	1.23	-	30.75	37.60	9.91	35.19
PK	10.61112G	53.36	74.00	-20.64	12.36	3	Vertical	95	1.61	-	41.00	38.92	8.13	34.69
PK	15.94536G	54.27	74.00	-19.73	12.31	3	Vertical	29	1.23	-	41.96	37.60	9.92	35.21

5.25-5.35GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.61144G	42.03	54.00	-11.97	12.36	3	Horizontal	307	2.45	-	29.67	38.92	8.13	34.69
AV	15.92088G	43.08	54.00	-10.92	12.33	3	Horizontal	59	2.95	-	30.75	37.60	9.92	35.19
PK	10.61416G	53.93	74.00	-20.07	12.37	3	Horizontal	307	2.45	-	41.56	38.93	8.13	34.69
PK	15.91176G	55.17	74.00	-18.83	12.33	3	Horizontal	59	2.95	-	42.84	37.60	9.91	35.18

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


5510MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	46.47	54.00	-7.53	4.26	3	Vertical	164	1.76	-	42.21	32.82	6.01	34.57
AV	5.5108G	103.57	Inf	-Inf	4.39	3	Vertical	164	1.76	-	99.18	32.92	6.03	34.56
PK	5.47G	59.56	68.20	-8.64	4.29	3	Vertical	164	1.76	-	55.27	32.84	6.01	34.56
PK	5.5104G	114.35	Inf	-Inf	4.39	3	Vertical	164	1.76	-	109.96	32.92	6.03	34.56


5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5510MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	48.68	54.00	-5.32	4.26	3	Horizontal	295	2.58	-	44.42	32.82	6.01	34.57
AV	5.5092G	108.57	Inf	-Inf	4.39	3	Horizontal	295	2.58	-	104.18	32.92	6.03	34.56
PK	5.4664G	64.27	68.20	-3.93	4.27	3	Horizontal	295	2.58	-	60.00	32.83	6.01	34.57
PK	5.5092G	118.88	Inf	-Inf	4.39	3	Horizontal	295	2.58	-	114.49	32.92	6.03	34.56

**5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX
5510MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.02184G	42.25	54.00	-11.75	12.40	3	Vertical	223	2.59	-	29.85	38.68	8.30	34.58
PK	11.01052G	54.32	74.00	-19.68	12.40	3	Vertical	223	2.59	-	41.92	38.69	8.29	34.58
PK	16.52128G	56.98	68.20	-11.22	13.94	3	Vertical	293	1.28	-	43.04	38.61	10.06	34.73


**5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX
5510MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.028G	42.22	54.00	-11.78	12.39	3	Horizontal	310	1.06	-	29.83	38.67	8.30	34.58
PK	11.01172G	53.19	74.00	-20.81	12.40	3	Horizontal	310	1.06	-	40.79	38.69	8.29	34.58
PK	16.5298G	56.06	68.20	-12.14	13.92	3	Horizontal	211	2.61	-	42.14	38.58	10.06	34.72

802.11ax HEW40_Nss1,(MCS0)_2TX


5550MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	49.97	54.00	-4.03	4.26	3	Vertical	157	1.47	-	45.71	32.82	6.01	34.57
AV	5.5508G	107.61	Inf	-Inf	4.48	3	Vertical	157	1.47	-	103.13	33.00	6.04	34.56
PK	5.4696G	64.46	68.20	-3.74	4.29	3	Vertical	157	1.47	-	60.17	32.84	6.01	34.56
PK	5.5508G	117.51	Inf	-Inf	4.48	3	Vertical	157	1.47	-	113.03	33.00	6.04	34.56


802.11ax HEW40_Nss1,(MCS0)_2TX

5550MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	53.01	54.00	-0.99	4.26	3	Horizontal	0	1.00	-	48.75	32.82	6.01	34.57
AV	5.5512G	111.77	Inf	-Inf	4.48	3	Horizontal	0	1.00	-	107.29	33.00	6.04	34.56
PK	5.4696G	67.27	68.20	-0.93	4.29	3	Horizontal	0	1.00	-	62.98	32.84	6.01	34.56
PK	5.5512G	122.15	Inf	-Inf	4.48	3	Horizontal	0	1.00	-	117.67	33.00	6.04	34.56

802.11ax HEW40_Nss1,(MCS0)_2TX
5550MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.09148G	43.71	54.00	-10.29	12.36	3	Vertical	178	2.37	-	31.35	38.61	8.33	34.58
PK	11.10264G	55.27	74.00	-18.73	12.35	3	Vertical	178	2.37	-	42.92	38.60	8.33	34.58
PK	16.67088G	56.07	68.20	-12.13	13.72	3	Vertical	48	1.50	-	42.35	38.16	10.10	34.54

802.11ax HEW40_Nss1,(MCS0)_2TX
5550MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.07312G	41.97	54.00	-12.03	12.37	3	Horizontal	157	1.50	-	29.60	38.63	8.32	34.58
PK	11.07192G	53.66	74.00	-20.34	12.37	3	Horizontal	157	1.50	-	41.29	38.63	8.32	34.58
PK	16.65588G	56.88	68.20	-11.32	13.72	3	Horizontal	228	1.50	-	43.16	38.19	10.09	34.56

**5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX
5670MHz_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6712G	103.39	Inf	-Inf	4.73	3	Vertical	153	1.34	-	98.66	33.17	6.11	34.55
PK	5.6706G	114.17	Inf	-Inf	4.72	3	Vertical	153	1.34	-	109.45	33.16	6.11	34.55
PK	5.7258G	63.04	68.20	-5.16	5.11	3	Vertical	153	1.34	-	57.93	33.50	6.15	34.54

**5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX
5670MHz_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6712G	107.23	Inf	-Inf	4.73	3	Horizontal	360	1.03	-	102.50	33.17	6.11	34.55
PK	5.6712G	118.44	Inf	-Inf	4.73	3	Horizontal	360	1.03	-	113.71	33.17	6.11	34.55
PK	5.7264G	67.51	68.20	-0.69	5.12	3	Horizontal	360	1.03	-	62.39	33.51	6.15	34.54

**5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX
5670MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.3348G	41.98	54.00	-12.02	12.76	3	Vertical	187	1.18	-	29.22	38.90	8.43	34.57
PK	11.3304G	54.72	74.00	-19.28	12.76	3	Vertical	187	1.18	-	41.96	38.90	8.43	34.57
PK	17.01212G	56.41	68.20	-11.79	14.05	3	Vertical	241	1.50	-	42.36	38.00	10.18	34.13


**5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX
5670MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.33932G	41.99	54.00	-12.01	12.76	3	Horizontal	62	1.52	-	29.23	38.90	8.43	34.57
PK	11.34816G	53.72	74.00	-20.28	12.77	3	Horizontal	62	1.52	-	40.95	38.90	8.44	34.57
PK	17.01728G	56.11	68.20	-12.09	14.05	3	Horizontal	339	1.70	-	42.06	38.00	10.18	34.13

802.11ax HEW40_Nss1,(MCS0)_2TX


5710MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4184G	45.08	54.00	-8.92	4.36	3	Vertical	353	2.85	-	40.72	32.93	6.00	34.57
AV	5.7088G	108.33	Inf	-Inf	5.04	3	Vertical	353	2.85	-	103.29	33.44	6.14	34.54
PK	5.4616G	55.61	68.20	-12.59	4.26	3	Vertical	353	2.85	-	51.35	32.82	6.01	34.57
PK	5.7088G	117.86	Inf	-Inf	5.04	3	Vertical	353	2.85	-	112.82	33.44	6.14	34.54
PK	5.86G	58.70	68.20	-9.50	5.84	3	Vertical	353	2.85	-	52.86	34.14	6.23	34.53


802.11ax HEW40_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4184G	45.67	54.00	-8.33	4.36	3	Horizontal	292	2.43	-	41.31	32.93	6.00	34.57
AV	5.7088G	113.69	Inf	-Inf	5.04	3	Horizontal	292	2.43	-	108.65	33.44	6.14	34.54
PK	5.4664G	55.81	68.20	-12.39	4.27	3	Horizontal	292	2.43	-	51.54	32.83	6.01	34.57
PK	5.7112G	123.68	Inf	-Inf	5.04	3	Horizontal	292	2.43	-	118.64	33.44	6.14	34.54
PK	5.8516G	62.02	68.20	-6.18	5.81	3	Horizontal	292	2.43	-	56.21	34.11	6.23	34.53

802.11ax HEW40_Nss1,(MCS0)_2TX
5710MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.42108G	43.41	54.00	-10.59	12.76	3	Vertical	218	2.86	-	30.65	38.86	8.47	34.57
PK	11.42168G	54.62	74.00	-19.38	12.76	3	Vertical	218	2.86	-	41.86	38.86	8.47	34.57
PK	17.14884G	56.56	68.20	-11.64	14.15	3	Vertical	290	2.88	-	42.41	38.15	10.21	34.21


802.11ax HEW40_Nss1,(MCS0)_2TX
5710MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.43632G	42.07	54.00	-11.93	12.73	3	Horizontal	150	1.77	-	29.34	38.83	8.47	34.57
PK	11.4398G	53.66	74.00	-20.34	12.72	3	Horizontal	150	1.77	-	40.94	38.82	8.47	34.57
PK	17.11296G	56.21	68.20	-11.99	14.05	3	Horizontal	0	1.64	-	42.16	38.04	10.20	34.19

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7538G	108.67	Inf	-Inf	5.25	3	Vertical	250	1.40	-	103.42	33.62	6.17	34.54
PK	5.6518G	65.34	69.53	-4.19	4.56	3	Vertical	250	1.40	-	60.78	33.01	6.10	34.55
PK	5.7526G	117.69	Inf	-Inf	5.25	3	Vertical	250	1.40	-	112.44	33.62	6.17	34.54
PK	5.9254G	58.61	68.20	-9.59	6.03	3	Vertical	250	1.40	-	52.58	34.30	6.26	34.53


5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5755MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7526G	110.77	Inf	-Inf	5.25	3	Horizontal	16	1.82	-	105.52	33.62	6.17	34.54
PK	5.6506G	68.37	68.64	-0.27	4.55	3	Horizontal	16	1.82	-	63.82	33.00	6.10	34.55
PK	5.761G	119.69	Inf	-Inf	5.30	3	Horizontal	16	1.82	-	114.39	33.67	6.17	34.54
PK	5.9254G	59.11	68.20	-9.09	6.03	3	Horizontal	16	1.82	-	53.08	34.30	6.26	34.53

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_2TX
5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.50764G	43.18	54.00	-10.82	12.61	3	Vertical	355	1.48	-	30.57	38.68	8.50	34.57
PK	11.5088G	55.70	74.00	-18.30	12.61	3	Vertical	355	1.48	-	43.09	38.68	8.50	34.57
PK	17.26712G	64.05	68.20	-4.15	14.19	3	Vertical	19	1.50	-	49.86	38.23	10.24	34.28


5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_2TX
5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.50624G	42.58	54.00	-11.42	12.62	3	Horizontal	60	1.50	-	29.96	38.69	8.50	34.57
PK	11.50508G	53.90	74.00	-20.10	12.62	3	Horizontal	60	1.50	-	41.28	38.69	8.50	34.57
PK	17.26688G	61.48	68.20	-6.72	14.19	3	Horizontal	50	1.49	-	47.29	38.23	10.24	34.28

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


5795MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7962G	108.64	Inf	-Inf	5.54	3	Vertical	248	1.65	-	103.10	33.88	6.20	34.54
PK	5.6438G	57.71	68.20	-10.49	4.54	3	Vertical	248	1.65	-	53.17	33.00	6.09	34.55
PK	5.7962G	117.34	Inf	-Inf	5.54	3	Vertical	248	1.65	-	111.80	33.88	6.20	34.54
PK	5.9282G	60.18	68.20	-8.02	6.03	3	Vertical	248	1.65	-	54.15	34.30	6.26	34.53


5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5795MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7926G	111.33	Inf	-Inf	5.51	3	Horizontal	19	1.80	-	105.82	33.86	6.19	34.54
PK	5.6486G	59.07	68.20	-9.13	4.54	3	Horizontal	19	1.80	-	54.53	33.00	6.09	34.55
PK	5.7926G	123.06	Inf	-Inf	5.51	3	Horizontal	19	1.80	-	117.55	33.86	6.19	34.54
PK	5.9246G	62.87	68.50	-5.63	6.03	3	Horizontal	19	1.80	-	56.84	34.30	6.26	34.53

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_2TX
5795MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.58992G	44.53	54.00	-9.47	12.46	3	Vertical	357	1.50	-	32.07	38.52	8.54	34.60
PK	11.58888G	56.06	74.00	-17.94	12.46	3	Vertical	357	1.50	-	43.60	38.52	8.54	34.60
PK	17.38868G	66.28	68.20	-1.92	14.30	3	Vertical	4	1.54	-	51.98	38.38	10.27	34.35

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_2TX
5795MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.56708G	41.68	54.00	-12.32	12.51	3	Horizontal	9	1.50	-	29.17	38.57	8.53	34.59
PK	11.57296G	54.33	74.00	-19.67	12.49	3	Horizontal	9	1.50	-	41.84	38.55	8.53	34.59
PK	17.3994G	57.12	68.20	-11.08	14.31	3	Horizontal	0	1.00	-	42.81	38.40	10.27	34.36

5.15-5.25GHz_802.11ax HEW80_Nss1,(MCS0)_2TX
5210MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	50.43	54.00	-3.57	4.34	3	Vertical	162	2.88	-	46.09	33.10	5.86	34.62
AV	5.211G	101.26	Inf	-Inf	4.46	3	Vertical	162	2.88	-	96.80	33.18	5.89	34.61
AV	5.388G	45.37	54.00	-8.63	4.33	3	Vertical	162	2.88	-	41.04	32.93	5.98	34.58
PK	5.144G	62.34	74.00	-11.66	4.32	3	Vertical	162	2.88	-	58.02	33.09	5.85	34.62
PK	5.209G	111.26	Inf	-Inf	4.45	3	Vertical	162	2.88	-	106.81	33.18	5.88	34.61
PK	5.39G	56.54	74.00	-17.46	4.34	3	Vertical	162	2.88	-	52.20	32.94	5.98	34.58

5.15-5.25GHz_802.11ax HEW80_Nss1,(MCS0)_2TX
5210MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.146G	53.41	54.00	-0.59	4.33	3	Horizontal	356	1.12	-	49.08	33.09	5.86	34.62
AV	5.209G	105.42	Inf	-Inf	4.45	3	Horizontal	356	1.12	-	100.97	33.18	5.88	34.61
AV	5.4G	46.09	54.00	-7.91	4.41	3	Horizontal	356	1.12	-	41.68	33.00	5.99	34.58
PK	5.146G	65.85	74.00	-8.15	4.33	3	Horizontal	356	1.12	-	61.52	33.09	5.86	34.62
PK	5.207G	115.06	Inf	-Inf	4.46	3	Horizontal	356	1.12	-	110.60	33.19	5.88	34.61
PK	5.376G	57.41	74.00	-16.59	4.26	3	Horizontal	356	1.12	-	53.15	32.86	5.98	34.58

**5.15-5.25GHz_802.11ax HEW80_Nss1,(MCS0)_2TX
5210MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.62404G	43.82	54.00	-10.18	12.87	3	Vertical	190	1.17	-	30.95	38.02	9.82	34.97
PK	10.41304G	53.45	68.20	-14.75	11.74	3	Vertical	284	2.07	-	41.71	38.51	8.04	34.81
PK	15.62788G	55.04	74.00	-18.96	12.88	3	Vertical	190	1.17	-	42.16	38.03	9.82	34.97


**5.15-5.25GHz_802.11ax HEW80_Nss1,(MCS0)_2TX
5210MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.63636G	43.82	54.00	-10.18	12.89	3	Horizontal	247	2.67	-	30.93	38.04	9.83	34.98
PK	10.42488G	53.95	68.20	-14.25	11.77	3	Horizontal	248	1.58	-	42.18	38.52	8.05	34.80
PK	15.62816G	55.15	74.00	-18.85	12.88	3	Horizontal	247	2.67	-	42.27	38.03	9.82	34.97

5.25-5.35GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


5290MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.142G	47.13	54.00	-6.87	4.31	3	Vertical	272.1	1.13	-	42.82	33.08	5.85	34.62
AV	5.292G	102.18	Inf	-Inf	4.27	3	Vertical	272.1	1.13	-	97.91	32.93	5.93	34.59
AV	5.353G	50.52	54.00	-3.48	4.10	3	Vertical	272.1	1.13	-	46.42	32.72	5.96	34.58
PK	5.131G	58.85	74.00	-15.15	4.29	3	Vertical	272.1	1.13	-	54.56	33.06	5.85	34.62
PK	5.292G	112.08	Inf	-Inf	4.27	3	Vertical	272.1	1.13	-	107.81	32.93	5.93	34.59
PK	5.353G	64.65	74.00	-9.35	4.10	3	Vertical	272.1	1.13	-	60.55	32.72	5.96	34.58


5.25-5.35GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5290MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.148G	48.90	54.00	-5.10	4.34	3	Horizontal	9	1.03	-	44.56	33.10	5.86	34.62
AV	5.288G	106.46	Inf	-Inf	4.29	3	Horizontal	9	1.03	-	102.17	32.95	5.93	34.59
AV	5.35G	53.89	54.00	-0.11	4.08	3	Horizontal	9	1.03	-	49.81	32.70	5.96	34.58
PK	5.145G	60.08	74.00	-13.92	4.33	3	Horizontal	9	1.03	-	55.75	33.09	5.86	34.62
PK	5.287G	115.83	Inf	-Inf	4.29	3	Horizontal	9	1.03	-	111.54	32.95	5.93	34.59
PK	5.351G	67.23	74.00	-6.77	4.09	3	Horizontal	9	1.03	-	63.14	32.71	5.96	34.58

**5.25-5.35GHz_802.11ax HEW80_Nss1,(MCS0)_2TX
5290MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.86256G	43.62	54.00	-10.38	12.50	3	Vertical	227	2.13	-	31.12	37.75	9.90	35.15
PK	10.5712G	53.03	68.20	-15.17	12.22	3	Vertical	1	1.89	-	40.81	38.81	8.11	34.70
PK	15.8688G	54.67	74.00	-19.33	12.47	3	Vertical	227	2.13	-	42.20	37.72	9.90	35.15


**5.25-5.35GHz_802.11ax HEW80_Nss1,(MCS0)_2TX
5290MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.86024G	43.57	54.00	-10.43	12.51	3	Horizontal	223	2.48	-	31.06	37.76	9.90	35.15
PK	10.57384G	52.96	68.20	-15.24	12.23	3	Horizontal	256	2.78	-	40.73	38.82	8.11	34.70
PK	15.86184G	54.53	74.00	-19.47	12.50	3	Horizontal	223	2.48	-	42.03	37.75	9.90	35.15

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	49.08	54.00	-4.92	4.26	3	Vertical	153	1.45	-	44.82	32.82	6.01	34.57
AV	5.531G	101.64	Inf	-Inf	4.44	3	Vertical	153	1.45	-	97.20	32.96	6.04	34.56
PK	5.47G	61.32	68.20	-6.88	4.29	3	Vertical	153	1.45	-	57.03	32.84	6.01	34.56
PK	5.531G	112.31	Inf	-Inf	4.44	3	Vertical	153	1.45	-	107.87	32.96	6.04	34.56
PK	5.76G	58.63	68.20	-9.57	5.29	3	Vertical	153	1.45	-	53.34	33.66	6.17	34.54


5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5530MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	53.14	54.00	-0.86	4.26	3	Horizontal	0	1.07	-	48.88	32.82	6.01	34.57
AV	5.531G	106.20	Inf	-Inf	4.44	3	Horizontal	0	1.07	-	101.76	32.96	6.04	34.56
PK	5.469G	66.79	68.20	-1.41	4.29	3	Horizontal	0	1.07	-	62.50	32.84	6.01	34.56
PK	5.529G	116.93	Inf	-Inf	4.44	3	Horizontal	0	1.07	-	112.49	32.96	6.04	34.56
PK	5.749G	59.57	68.20	-8.63	5.22	3	Horizontal	0	1.07	-	54.35	33.60	6.16	34.54

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX
5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.05988G	42.44	54.00	-11.56	12.38	3	Vertical	198	1.62	-	30.06	38.64	8.32	34.58
PK	11.06696G	53.72	74.00	-20.28	12.37	3	Vertical	198	1.62	-	41.35	38.63	8.32	34.58
PK	16.58416G	56.70	68.20	-11.50	13.79	3	Vertical	111	1.50	-	42.91	38.36	10.08	34.65


5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX
5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.05856G	42.34	54.00	-11.66	12.37	3	Horizontal	167	1.60	-	29.97	38.64	8.31	34.58
PK	11.05928G	53.52	74.00	-20.48	12.37	3	Horizontal	167	1.60	-	41.15	38.64	8.31	34.58
PK	16.59024G	56.57	68.20	-11.63	13.78	3	Horizontal	105	2.10	-	42.79	38.34	10.08	34.64

802.11ax HEW80_Nss1,(MCS0)_2TX


5610MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.457G	46.41	54.00	-7.59	4.25	3	Vertical	258	1.00	-	42.16	32.81	6.01	34.57
AV	5.607G	102.25	Inf	-Inf	4.51	3	Vertical	258	1.00	-	97.74	33.00	6.06	34.55
PK	5.464G	59.02	68.20	-9.18	4.27	3	Vertical	258	1.00	-	54.75	32.83	6.01	34.57
PK	5.615G	113.91	Inf	-Inf	4.52	3	Vertical	258	1.00	-	109.39	33.00	6.07	34.55
PK	5.729G	64.51	68.20	-3.69	5.13	3	Vertical	258	1.00	-	59.38	33.52	6.15	34.54


802.11ax HEW80_Nss1,(MCS0)_2TX

5610MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	47.30	54.00	-6.70	4.26	3	Horizontal	11	1.14	-	43.04	32.82	6.01	34.57
AV	5.609G	105.67	Inf	-Inf	4.52	3	Horizontal	11	1.14	-	101.15	33.00	6.07	34.55
PK	5.467G	60.63	68.20	-7.57	4.27	3	Horizontal	11	1.14	-	56.36	32.83	6.01	34.57
PK	5.609G	118.42	Inf	-Inf	4.52	3	Horizontal	11	1.14	-	113.90	33.00	6.07	34.55
PK	5.728G	65.81	68.20	-2.39	5.12	3	Horizontal	11	1.14	-	60.69	33.51	6.15	34.54

802.11ax HEW80_Nss1,(MCS0)_2TX
5610MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.21016G	42.73	54.00	-11.27	12.52	3	Vertical	208	2.98	-	30.21	38.72	8.38	34.58
PK	11.2224G	53.74	74.00	-20.26	12.54	3	Vertical	208	2.98	-	41.20	38.74	8.38	34.58
PK	16.84656G	56.53	68.20	-11.67	14.03	3	Vertical	277	1.50	-	42.50	38.21	10.14	34.32


802.11ax HEW80_Nss1,(MCS0)_2TX
5610MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.1912G	41.80	54.00	-12.20	12.48	3	Horizontal	31	1.20	-	29.32	38.69	8.37	34.58
PK	11.256G	53.12	74.00	-20.88	12.64	3	Horizontal	31	1.20	-	40.48	38.81	8.40	34.57
PK	16.8588G	56.64	68.20	-11.56	14.02	3	Horizontal	97	1.22	-	42.62	38.18	10.14	34.30

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


5690MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4584G	45.50	54.00	-8.50	4.26	3	Vertical	254	1.35	-	41.24	32.82	6.01	34.57
AV	5.6888G	102.72	Inf	-Inf	4.89	3	Vertical	254	1.35	-	97.83	33.31	6.12	34.54
PK	5.4668G	56.97	68.20	-11.23	4.27	3	Vertical	254	1.35	-	52.70	32.83	6.01	34.57
PK	5.6888G	113.64	Inf	-Inf	4.89	3	Vertical	254	1.35	-	108.75	33.31	6.12	34.54
PK	5.858G	65.69	68.20	-2.51	5.83	3	Vertical	254	1.35	-	59.86	34.13	6.23	34.53

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


5690MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4596G	46.66	54.00	-7.34	4.26	3	Horizontal	-0	1.01	-	42.40	32.82	6.01	34.57
AV	5.6912G	106.44	Inf	-Inf	4.91	3	Horizontal	-0	1.01	-	101.53	33.33	6.12	34.54
PK	5.4632G	59.09	68.20	-9.11	4.27	3	Horizontal	-0	1.01	-	54.82	32.83	6.01	34.57
PK	5.69G	116.63	Inf	-Inf	4.90	3	Horizontal	-0	1.01	-	111.73	33.32	6.12	34.54
PK	5.8604G	67.53	68.20	-0.67	5.84	3	Horizontal	-0	1.01	-	61.69	34.14	6.23	34.53

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


5690MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.37976G	42.14	54.00	-11.86	12.78	3	Vertical	37	2.48	-	29.36	38.90	8.45	34.57
PK	11.37176G	53.80	74.00	-20.20	12.78	3	Vertical	37	2.48	-	41.02	38.90	8.45	34.57
PK	17.07888G	57.43	68.20	-10.77	14.02	3	Vertical	26	1.53	-	43.41	38.00	10.19	34.17

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


5690MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.37104G	42.06	54.00	-11.94	12.78	3	Horizontal	252	1.06	-	29.28	38.90	8.45	34.57
PK	11.37672G	53.88	74.00	-20.12	12.78	3	Horizontal	252	1.06	-	41.10	38.90	8.45	34.57
PK	17.06512G	57.24	68.20	-10.96	14.03	3	Horizontal	316	1.38	-	43.21	38.00	10.19	34.16

5.725-5.85GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7738G	103.21	Inf	-Inf	5.38	3	Vertical	251	1.37	-	97.83	33.74	6.18	34.54
PK	5.6406G	63.31	68.20	-4.89	4.54	3	Vertical	251	1.37	-	58.77	33.00	6.09	34.55
PK	5.7738G	113.35	Inf	-Inf	5.38	3	Vertical	251	1.37	-	107.97	33.74	6.18	34.54
PK	5.925G	64.57	68.20	-3.63	6.03	3	Vertical	251	1.37	-	58.54	34.30	6.26	34.53

5.725-5.85GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5775MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7714G	106.07	Inf	-Inf	5.37	3	Horizontal	17	1.79	-	100.70	33.73	6.18	34.54
PK	5.6406G	67.53	68.20	-0.67	4.54	3	Horizontal	17	1.79	-	62.99	33.00	6.09	34.55
PK	5.7714G	116.70	Inf	-Inf	5.37	3	Horizontal	17	1.79	-	111.33	33.73	6.18	34.54
PK	5.925G	64.73	68.20	-3.47	6.03	3	Horizontal	17	1.79	-	58.70	34.30	6.26	34.53

5.725-5.85GHz_802.11ax HEW80_Nss1,(MCS0)_2TX
5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.54996G	42.88	54.00	-11.12	12.53	3	Vertical	356	1.50	-	30.35	38.60	8.52	34.59
PK	11.5598G	54.14	74.00	-19.86	12.52	3	Vertical	356	1.50	-	41.62	38.58	8.53	34.59
PK	17.31896G	58.04	68.20	-10.16	14.18	3	Vertical	344	1.10	-	43.86	38.24	10.25	34.31


5.725-5.85GHz_802.11ax HEW80_Nss1,(MCS0)_2TX
5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.54324G	42.13	54.00	-11.87	12.55	3	Horizontal	49	2.31	-	29.58	38.61	8.52	34.58
PK	11.558G	54.60	74.00	-19.40	12.51	3	Horizontal	49	2.31	-	42.09	38.58	8.52	34.59
PK	17.31676G	56.93	68.20	-11.27	14.17	3	Horizontal	50	1.50	-	42.76	38.23	10.25	34.31

5.25-5.35GHz_802.11ax HEW160_Nss1,(MCS0)_2TX


5250MHz Straddle 5.25-5.35GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	50.12	54.00	-3.88	4.34	3	Vertical	150	1.60	-	45.78	33.10	5.86	34.62
AV	5.2512G	96.36	Inf	-Inf	4.41	3	Vertical	150	1.60	-	91.95	33.10	5.91	34.60
AV	5.3712G	48.61	54.00	-5.39	4.22	3	Vertical	150	1.60	-	44.39	32.83	5.97	34.58
PK	5.15G	60.41	74.00	-13.59	4.34	3	Vertical	150	1.60	-	56.07	33.10	5.86	34.62
PK	5.2512G	105.77	Inf	-Inf	4.41	3	Vertical	150	1.60	-	101.36	33.10	5.91	34.60
PK	5.5284G	57.53	68.20	-10.67	4.43	3	Vertical	150	1.60	-	53.10	32.96	6.03	34.56

5.25-5.35GHz_802.11ax HEW160_Nss1,(MCS0)_2TX


5250MHz Straddle 5.25-5.35GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1276G	53.90	54.00	-0.10	4.29	3	Horizontal	3	1.03	-	49.61	33.06	5.85	34.62
AV	5.2476G	101.18	Inf	-Inf	4.41	3	Horizontal	3	1.03	-	96.77	33.10	5.91	34.60
AV	5.3688G	51.73	54.00	-2.27	4.20	3	Horizontal	3	1.03	-	47.53	32.81	5.97	34.58
PK	5.1336G	66.34	74.00	-7.66	4.30	3	Horizontal	3	1.03	-	62.04	33.07	5.85	34.62
PK	5.2464G	111.15	Inf	-Inf	4.42	3	Horizontal	3	1.03	-	106.73	33.11	5.91	34.60
PK	5.4708G	58.36	68.20	-9.84	4.29	3	Horizontal	3	1.03	-	54.07	32.84	6.01	34.56

5.25-5.35GHz_802.11ax HEW160_Nss1,(MCS0)_2TX


5250MHz Straddle 5.25-5.35GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.74764G	43.64	54.00	-10.36	12.85	3	Vertical	243	1.16	-	30.79	38.05	9.86	35.06
PK	10.50944G	54.07	68.20	-14.13	11.99	3	Vertical	74	1.73	-	42.08	38.63	8.08	34.72
PK	15.75432G	54.64	74.00	-19.36	12.84	3	Vertical	243	1.16	-	41.80	38.05	9.86	35.07

5.25-5.35GHz_802.11ax HEW160_Nss1,(MCS0)_2TX


5250MHz Straddle 5.25-5.35GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.74824G	43.81	54.00	-10.19	12.85	3	Horizontal	7	2.88	-	30.96	38.05	9.86	35.06
PK	10.50344G	53.28	68.20	-14.92	11.97	3	Horizontal	0	1.07	-	41.31	38.61	8.08	34.72
PK	15.74908G	55.00	74.00	-19.00	12.85	3	Horizontal	7	2.88	-	42.15	38.05	9.86	35.06

5.47-5.725GHz_802.11ax HEW160_Nss1,(MCS0)_2TX


5570MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4596G	50.15	54.00	-3.85	4.26	3	Vertical	151	1.46	-	45.89	32.82	6.01	34.57
AV	5.5724G	98.98	Inf	-Inf	4.50	3	Vertical	151	1.46	-	94.48	33.00	6.05	34.55
PK	5.4608G	60.76	68.20	-7.44	4.26	3	Vertical	151	1.46	-	56.50	32.82	6.01	34.57
PK	5.5808G	109.29	Inf	-Inf	4.50	3	Vertical	151	1.46	-	104.79	33.00	6.05	34.55
PK	5.732G	60.83	68.20	-7.37	5.14	3	Vertical	151	1.46	-	55.69	33.53	6.15	34.54


5.47-5.725GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

5570MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4596G	53.23	54.00	-0.77	4.26	3	Horizontal	360	1.35	-	48.97	32.82	6.01	34.57
AV	5.5724G	103.28	Inf	-Inf	4.50	3	Horizontal	360	1.35	-	98.78	33.00	6.05	34.55
PK	5.462G	64.39	68.20	-3.81	4.26	3	Horizontal	360	1.35	-	60.13	32.82	6.01	34.57
PK	5.552G	112.40	Inf	-Inf	4.48	3	Horizontal	360	1.35	-	107.92	33.00	6.04	34.56
PK	5.7308G	62.36	68.20	-5.84	5.13	3	Horizontal	360	1.35	-	57.23	33.52	6.15	34.54

**5.47-5.725GHz_802.11ax HEW160_Nss1,(MCS0)_2TX
5570MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.13156G	41.97	54.00	-12.03	12.40	3	Vertical	328	1.15	-	29.57	38.63	8.35	34.58
PK	11.13416G	53.67	74.00	-20.33	12.40	3	Vertical	328	1.15	-	41.27	38.63	8.35	34.58
PK	16.71156G	56.57	68.20	-11.63	13.74	3	Vertical	355	2.87	-	42.83	38.12	10.11	34.49

**5.47-5.725GHz_802.11ax HEW160_Nss1,(MCS0)_2TX
5570MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.136G	41.82	54.00	-12.18	12.41	3	Horizontal	197	1.64	-	29.41	38.64	8.35	34.58
PK	11.1308G	52.85	74.00	-21.15	12.39	3	Horizontal	197	1.64	-	40.46	38.63	8.34	34.58
PK	16.7062G	56.34	68.20	-11.86	13.72	3	Horizontal	181	2.24	-	42.62	38.11	10.11	34.50



Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 1	Pass	AV	4.81092G	48.16	54.00	-5.84	Horizontal



Result


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
Mode 1	Pass	AV	4.80396G	45.95	54.00	-8.05	3	Vertical	19	1.83	-
Mode 1	Pass	AV	4.81087G	46.39	54.00	-7.61	3	Vertical	308	2.24	-
Mode 1	Pass	AV	4.82401G	33.28	54.00	-20.72	3	Vertical	70	1.30	-
Mode 1	Pass	AV	11.65912G	45.35	54.00	-8.65	3	Vertical	16	1.50	-
Mode 1	Pass	AV	12.187G	47.49	54.00	-6.51	3	Vertical	360	2.17	-
Mode 1	Pass	PK	4.80438G	50.36	74.00	-23.64	3	Vertical	19	1.83	-
Mode 1	Pass	PK	4.80899G	53.25	74.00	-20.75	3	Vertical	308	2.24	-
Mode 1	Pass	PK	4.82399G	45.35	74.00	-28.65	3	Vertical	70	1.30	-
Mode 1	Pass	PK	11.64562G	57.34	74.00	-16.66	3	Vertical	16	1.50	-
Mode 1	Pass	PK	12.196G	60.08	74.00	-13.92	3	Vertical	360	2.17	-
Mode 1	Pass	AV	4.80399G	46.87	54.00	-7.13	3	Horizontal	25	1.69	-
Mode 1	Pass	AV	4.81092G	48.16	54.00	-5.84	3	Horizontal	56	1.00	-
Mode 1	Pass	AV	4.82398G	27.82	54.00	-26.18	3	Horizontal	152	1.51	-
Mode 1	Pass	AV	11.65874G	27.68	54.00	-26.32	3	Horizontal	48	2.80	-
Mode 1	Pass	AV	12.1888G	44.96	54.00	-9.04	3	Horizontal	336	2.18	-
Mode 1	Pass	PK	4.80421G	51.10	74.00	-22.90	3	Horizontal	25	1.69	-
Mode 1	Pass	PK	4.80912G	55.09	74.00	-18.91	3	Horizontal	56	1.00	-
Mode 1	Pass	PK	4.82402G	38.75	74.00	-35.25	3	Horizontal	152	1.51	-
Mode 1	Pass	PK	11.63532G	38.73	74.00	-35.27	3	Horizontal	48	2.80	-
Mode 1	Pass	PK	12.1934G	56.78	74.00	-17.22	3	Horizontal	336	2.18	-

Radiated Emissions above 1GHz_Mode 1



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.80396G	45.95	54.00	-8.05	3.33	3	Vertical	19	1.83	-	42.62	32.32	5.67	34.66
AV	4.81087G	46.39	54.00	-7.61	3.39	3	Vertical	308	2.24	-	43.00	32.37	5.68	34.66
AV	4.82401G	33.28	54.00	-20.72	3.47	3	Vertical	70	1.30	-	29.81	32.44	5.68	34.65
AV	11.65912G	45.35	54.00	-8.65	12.39	3	Vertical	16	1.50	-	32.96	38.44	8.57	34.62
AV	12.187G	47.49	54.00	-6.51	13.26	3	Vertical	360	2.17	-	34.23	39.09	8.77	34.60
PK	4.80438G	50.36	74.00	-23.64	3.34	3	Vertical	19	1.83	-	47.02	32.33	5.67	34.66
PK	4.80899G	53.25	74.00	-20.75	3.37	3	Vertical	308	2.24	-	49.88	32.35	5.68	34.66
PK	4.82399G	45.35	74.00	-28.65	3.47	3	Vertical	70	1.30	-	41.88	32.44	5.68	34.65
PK	11.64562G	57.34	74.00	-16.66	12.39	3	Vertical	16	1.50	-	44.95	38.45	8.56	34.62
PK	12.196G	60.08	74.00	-13.92	13.28	3	Vertical	360	2.17	-	46.80	39.10	8.77	34.59

Radiated Emissions above 1GHz_Mode 1



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.80399G	46.87	54.00	-7.13	3.33	3	Horizontal	25	1.69	-	43.54	32.32	5.67	34.66
AV	4.81092G	48.16	54.00	-5.84	3.39	3	Horizontal	56	1.00	-	44.77	32.37	5.68	34.66
AV	4.82398G	27.82	54.00	-26.18	3.47	3	Horizontal	152	1.51	-	24.35	32.44	5.68	34.65
AV	11.65874G	27.68	54.00	-26.32	12.39	3	Horizontal	48	2.80	-	15.29	38.44	8.57	34.62
AV	12.1888G	44.96	54.00	-9.04	13.26	3	Horizontal	336	2.18	-	31.70	39.09	8.77	34.60
PK	4.80421G	51.10	74.00	-22.90	3.34	3	Horizontal	25	1.69	-	47.76	32.33	5.67	34.66
PK	4.80912G	55.09	74.00	-18.91	3.37	3	Horizontal	56	1.00	-	51.72	32.35	5.68	34.66
PK	4.82402G	38.75	74.00	-35.25	3.47	3	Horizontal	152	1.51	-	35.28	32.44	5.68	34.65
PK	11.63532G	38.73	74.00	-35.27	12.41	3	Horizontal	48	2.80	-	26.32	38.46	8.56	34.61
PK	12.1934G	56.78	74.00	-17.22	13.27	3	Horizontal	336	2.18	-	43.51	39.09	8.77	34.59