


802.11ax HEW80_Nss1,(MCS0)_2TX


6385MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9218G	47.80	68.20	-20.40	6.98	3	Vertical	33	3.00	-	40.82	34.30	7.45	34.77
AV	6.385G	97.91	Inf	-Inf	8.02	3	Vertical	33	3.00	-	89.89	34.87	7.87	34.72
PK	5.9098G	58.70	88.20	-29.50	6.92	3	Vertical	33	3.00	-	51.78	34.30	7.39	34.77
PK	6.385G	105.50	Inf	-Inf	8.02	3	Vertical	33	3.00	-	97.48	34.87	7.87	34.72


802.11ax HEW80_Nss1,(MCS0)_2TX

6385MHz_TnomVnom




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9122G	47.65	68.20	-20.55	6.93	3	Horizontal	4	2.97	-	40.72	34.30	7.40	34.77
AV	6.385G	91.17	Inf	-Inf	8.02	3	Horizontal	4	2.97	-	83.15	34.87	7.87	34.72
PK	5.9122G	58.81	88.20	-29.39	6.93	3	Horizontal	4	2.97	-	51.88	34.30	7.40	34.77
PK	6.385G	98.09	Inf	-Inf	8.02	3	Horizontal	4	2.97	-	90.07	34.87	7.87	34.72

802.11ax HEW80_Nss1,(MCS0)_2TX
6385MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.77038G	44.70	68.20	-23.50	15.30	3	Vertical	224	1.31	-	29.40	39.44	9.93	34.07
PK	12.76712G	55.27	88.20	-32.93	15.29	3	Vertical	224	1.31	-	39.98	39.43	9.93	34.07


802.11ax HEW80_Nss1,(MCS0)_2TX
6385MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.76774G	44.60	68.20	-23.60	15.30	3	Horizontal	301	1.57	-	29.30	39.44	9.93	34.07
PK	12.7746G	55.45	88.20	-32.75	15.32	3	Horizontal	301	1.57	-	40.13	39.45	9.93	34.06

802.11ax HEW80_Nss1,(MCS0)_2TX


6465MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9022G	47.59	68.20	-20.61	6.89	3	Vertical	34	2.93	-	40.70	34.30	7.36	34.77
AV	6.465G	97.61	Inf	-Inf	8.04	3	Vertical	34	2.93	-	89.57	35.00	7.74	34.70
AV	7.151G	50.41	68.20	-17.79	9.70	3	Vertical	34	2.93	-	40.71	36.60	7.90	34.80
PK	5.8938G	57.85	88.20	-30.35	6.83	3	Vertical	34	2.93	-	51.02	34.28	7.32	34.77
PK	6.465G	106.42	Inf	-Inf	8.04	3	Vertical	34	2.93	-	98.38	35.00	7.74	34.70
PK	7.1482G	61.82	88.20	-26.38	9.70	3	Vertical	34	2.93	-	52.12	36.59	7.91	34.80


802.11ax HEW80_Nss1,(MCS0)_2TX

6465MHz_TnomVnom




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9162G	47.64	68.20	-20.56	6.95	3	Horizontal	298	1.74	-	40.69	34.30	7.42	34.77
AV	6.4622G	86.28	Inf	-Inf	8.04	3	Horizontal	298	1.74	-	78.24	35.00	7.75	34.71
AV	7.1482G	50.41	68.20	-17.79	9.70	3	Horizontal	298	1.74	-	40.71	36.59	7.91	34.80
PK	5.8378G	58.26	88.20	-29.94	6.36	3	Horizontal	298	1.74	-	51.90	34.05	7.08	34.77
PK	6.4594G	95.76	Inf	-Inf	8.05	3	Horizontal	298	1.74	-	87.71	35.00	7.76	34.71
PK	7.1286G	61.05	88.20	-27.15	9.65	3	Horizontal	298	1.74	-	51.40	36.47	7.98	34.80

802.11ax HEW80_Nss1,(MCS0)_2TX
6465MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.93124G	44.96	68.20	-23.24	15.87	3	Vertical	202	2.17	-	29.09	39.70	10.01	33.84
PK	12.93306G	55.59	88.20	-32.61	15.88	3	Vertical	202	2.17	-	39.71	39.70	10.02	33.84


802.11ax HEW80_Nss1,(MCS0)_2TX
6465MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.93308G	44.96	68.20	-23.24	15.88	3	Horizontal	68	1.94	-	29.08	39.70	10.02	33.84
PK	12.92686G	56.45	88.20	-31.75	15.86	3	Horizontal	68	1.94	-	40.59	39.70	10.01	33.85

802.11ax HEW80_Nss1,(MCS0)_2TX


6545MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9234G	47.71	68.20	-20.49	6.98	3	Vertical	32	3.00	-	40.73	34.30	7.45	34.77
AV	6.545G	97.26	Inf	-Inf	8.17	3	Vertical	32	3.00	-	89.09	35.36	7.52	34.71
AV	7.2114G	50.52	68.20	-17.68	9.65	3	Vertical	32	3.00	-	40.87	36.72	7.74	34.81
PK	5.873G	57.99	88.20	-30.21	6.65	3	Vertical	32	3.00	-	51.34	34.19	7.23	34.77
PK	6.5338G	105.62	Inf	-Inf	8.11	3	Vertical	32	3.00	-	97.51	35.27	7.55	34.71
PK	7.2282G	60.89	88.20	-27.31	9.71	3	Vertical	32	3.00	-	51.18	36.76	7.76	34.81


802.11ax HEW80_Nss1,(MCS0)_2TX

6545MHz_TnomVnom




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9178G	47.62	68.20	-20.58	6.96	3	Horizontal	296	1.98	-	40.66	34.30	7.43	34.77
AV	6.5422G	86.31	Inf	-Inf	8.16	3	Horizontal	296	1.98	-	78.15	35.34	7.53	34.71
AV	7.1862G	50.54	68.20	-17.66	9.64	3	Horizontal	296	1.98	-	40.90	36.67	7.78	34.81
PK	5.8562G	58.16	88.20	-30.04	6.51	3	Horizontal	296	1.98	-	51.65	34.12	7.16	34.77
PK	6.531G	93.76	Inf	-Inf	8.11	3	Horizontal	296	1.98	-	85.65	35.25	7.56	34.70
PK	7.2282G	61.24	88.20	-26.96	9.71	3	Horizontal	296	1.98	-	51.53	36.76	7.76	34.81

802.11ax HEW80_Nss1,(MCS0)_2TX
6545MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.09254G	44.94	68.20	-23.26	16.06	3	Vertical	265	1.88	-	28.88	39.61	10.10	33.65
PK	13.0897G	56.17	88.20	-32.03	16.06	3	Vertical	265	1.88	-	40.11	39.61	10.10	33.65


802.11ax HEW80_Nss1,(MCS0)_2TX
6545MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.09166G	45.09	68.20	-23.11	16.06	3	Horizontal	187	1.81	-	29.03	39.61	10.10	33.65
PK	13.09068G	56.38	88.20	-31.82	16.06	3	Horizontal	187	1.81	-	40.32	39.61	10.10	33.65

802.11ax HEW80_Nss1,(MCS0)_2TX


6625MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.625G	97.04	Inf	-Inf	8.32	3	Vertical	33	2.92	-	88.72	35.75	7.29	34.72
AV	7.1914G	50.51	68.20	-17.69	9.63	3	Vertical	33	2.92	-	40.88	36.68	7.76	34.81
PK	6.625G	105.68	Inf	-Inf	8.32	3	Vertical	33	2.92	-	97.36	35.75	7.29	34.72
PK	7.1986G	61.20	88.20	-27.00	9.62	3	Vertical	33	2.92	-	51.58	36.70	7.73	34.81


802.11ax HEW80_Nss1,(MCS0)_2TX

6625MHz_TnomVnom




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.6226G	86.08	Inf	-Inf	8.32	3	Horizontal	292	2.04	-	77.76	35.74	7.30	34.72
AV	7.1386G	50.45	68.20	-17.75	9.67	3	Horizontal	292	2.04	-	40.78	36.53	7.94	34.80
PK	6.6226G	94.78	Inf	-Inf	8.32	3	Horizontal	292	2.04	-	86.46	35.74	7.30	34.72
PK	7.1458G	61.18	88.20	-27.02	9.69	3	Horizontal	292	2.04	-	51.49	36.57	7.92	34.80

802.11ax HEW80_Nss1,(MCS0)_2TX
6625MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.25063G	44.97	54.00	-9.03	16.41	3	Vertical	51	1.93	-	28.56	39.70	10.18	33.47
PK	13.25088G	57.68	74.00	-16.32	16.41	3	Vertical	51	1.93	-	41.27	39.70	10.18	33.47

802.11ax HEW80_Nss1,(MCS0)_2TX
6625MHz_TnomVnom




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.25014G	45.06	54.00	-8.94	16.41	3	Horizontal	259	1.29	-	28.65	39.70	10.18	33.47
PK	13.2503G	56.87	74.00	-17.13	16.41	3	Horizontal	259	1.29	-	40.46	39.70	10.18	33.47



802.11ax HEW80_Nss1,(MCS0)_2TX


6705MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.705G	97.24	Inf	-Inf	8.30	3	Vertical	33	2.98	-	88.94	35.99	7.04	34.73
AV	7.143G	50.51	68.20	-17.69	9.69	3	Vertical	33	2.98	-	40.82	36.56	7.93	34.80
PK	6.705G	107.89	Inf	-Inf	8.30	3	Vertical	33	2.98	-	99.59	35.99	7.04	34.73
PK	7.167G	60.70	88.20	-27.50	9.67	3	Vertical	33	2.98	-	51.03	36.63	7.84	34.80


802.11ax HEW80_Nss1,(MCS0)_2TX

6705MHz_TnomVnom




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.703G	88.63	Inf	-Inf	8.31	3	Horizontal	26	2.85	-	80.32	35.99	7.05	34.73
AV	7.151G	50.49	68.20	-17.71	9.70	3	Horizontal	26	2.85	-	40.79	36.60	7.90	34.80
PK	6.703G	97.48	Inf	-Inf	8.31	3	Horizontal	26	2.85	-	89.17	35.99	7.05	34.73
PK	7.153G	60.93	88.20	-27.27	9.70	3	Horizontal	26	2.85	-	51.23	36.61	7.89	34.80

802.11ax HEW80_Nss1,(MCS0)_2TX
6705MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.40936G	45.38	68.20	-22.82	16.96	3	Vertical	201	1.72	-	28.42	40.00	10.26	33.30
PK	13.41018G	56.98	88.20	-31.22	16.96	3	Vertical	201	1.72	-	40.02	40.00	10.26	33.30


802.11ax HEW80_Nss1,(MCS0)_2TX
6705MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.41065G	45.28	68.20	-22.92	16.96	3	Horizontal	109	1.79	-	28.32	40.00	10.26	33.30
PK	13.40995G	56.65	88.20	-31.55	16.96	3	Horizontal	109	1.79	-	39.69	40.00	10.26	33.30

802.11ax HEW80_Nss1,(MCS0)_2TX


6785MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.7868G	96.93	Inf	-Inf	7.86	3	Vertical	32	2.78	-	89.07	35.83	6.78	34.75
AV	7.163G	50.55	68.20	-17.65	9.69	3	Vertical	32	2.78	-	40.86	36.63	7.86	34.80
PK	6.7868G	105.11	Inf	-Inf	7.86	3	Vertical	32	2.78	-	97.25	35.83	6.78	34.75
PK	7.1918G	62.41	88.20	-25.79	9.63	3	Vertical	32	2.78	-	52.78	36.68	7.76	34.81


802.11ax HEW80_Nss1,(MCS0)_2TX

6785MHz_TnomVnom




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.7868G	88.41	Inf	-Inf	7.86	3	Horizontal	8	3.00	-	80.55	35.83	6.78	34.75
AV	7.136G	50.57	68.20	-17.63	9.67	3	Horizontal	8	3.00	-	40.90	36.52	7.95	34.80
PK	6.785G	97.77	Inf	-Inf	7.87	3	Horizontal	8	3.00	-	89.90	35.83	6.79	34.75
PK	7.226G	60.90	88.20	-27.30	9.70	3	Horizontal	8	3.00	-	51.20	36.75	7.76	34.81

802.11ax HEW80_Nss1,(MCS0)_2TX
6785MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.57231G	45.83	68.20	-22.37	17.24	3	Vertical	230	2.89	-	28.59	40.14	10.35	33.25
PK	13.56906G	57.88	88.20	-30.32	17.24	3	Vertical	230	2.89	-	40.64	40.14	10.35	33.25


802.11ax HEW80_Nss1,(MCS0)_2TX
6785MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.56991G	45.85	68.20	-22.35	17.24	3	Horizontal	202	1.15	-	28.61	40.14	10.35	33.25
PK	13.56831G	57.43	88.20	-30.77	17.24	3	Horizontal	202	1.15	-	40.19	40.14	10.35	33.25

802.11ax HEW80_Nss1,(MCS0)_2TX


6865MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8664G	97.46	Inf	-Inf	8.34	3	Vertical	37	2.80	-	89.12	35.80	7.30	34.76
AV	7.1422G	50.55	68.20	-17.65	9.68	3	Vertical	37	2.80	-	40.87	36.55	7.93	34.80
PK	6.8664G	106.60	Inf	-Inf	8.34	3	Vertical	37	2.80	-	98.26	35.80	7.30	34.76
PK	7.1352G	62.44	88.20	-25.76	9.66	3	Vertical	37	2.80	-	52.78	36.51	7.95	34.80


802.11ax HEW80_Nss1,(MCS0)_2TX

6865MHz_TnomVnom




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8678G	88.99	Inf	-Inf	8.35	3	Horizontal	14	2.93	-	80.64	35.80	7.31	34.76
AV	7.1422G	50.51	68.20	-17.69	9.68	3	Horizontal	14	2.93	-	40.83	36.55	7.93	34.80
PK	6.8678G	98.38	Inf	-Inf	8.35	3	Horizontal	14	2.93	-	90.03	35.80	7.31	34.76
PK	7.1786G	62.32	88.20	-25.88	9.65	3	Horizontal	14	2.93	-	52.67	36.66	7.80	34.81

802.11ax HEW80_Nss1,(MCS0)_2TX
6865MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.73083G	45.76	68.20	-22.44	17.13	3	Vertical	2	2.09	-	28.63	40.07	10.43	33.37
PK	13.72855G	57.09	88.20	-31.11	17.13	3	Vertical	2	2.09	-	39.96	40.07	10.43	33.37


802.11ax HEW80_Nss1,(MCS0)_2TX
6865MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.73159G	45.91	68.20	-22.29	17.13	3	Horizontal	15	2.18	-	28.78	40.07	10.43	33.37
PK	13.72938G	58.24	88.20	-29.96	17.13	3	Horizontal	15	2.18	-	41.11	40.07	10.43	33.37

802.11ax HEW80_Nss1,(MCS0)_2TX


6945MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.9462G	97.05	Inf	-Inf	8.91	3	Vertical	39	2.67	-	88.14	35.71	7.97	34.77
AV	7.1754G	50.55	68.20	-17.65	9.66	3	Vertical	39	2.67	-	40.89	36.65	7.81	34.80
PK	6.9462G	107.11	Inf	-Inf	8.91	3	Vertical	39	2.67	-	98.20	35.71	7.97	34.77
PK	7.1394G	61.58	88.20	-26.62	9.68	3	Vertical	39	2.67	-	51.90	36.54	7.94	34.80


802.11ax HEW80_Nss1,(MCS0)_2TX

6945MHz_TnomVnom




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.9474G	87.92	Inf	-Inf	8.92	3	Horizontal	24	3.00	-	79.00	35.71	7.98	34.77
AV	7.167G	50.58	68.20	-17.62	9.67	3	Horizontal	24	3.00	-	40.91	36.63	7.84	34.80
PK	6.9474G	97.85	Inf	-Inf	8.92	3	Horizontal	24	3.00	-	88.93	35.71	7.98	34.77
PK	7.2114G	61.74	88.20	-26.46	9.65	3	Horizontal	24	3.00	-	52.09	36.72	7.74	34.81

802.11ax HEW80_Nss1,(MCS0)_2TX
6945MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.892G	45.92	68.20	-22.28	17.20	3	Vertical	25	1.18	-	28.72	40.18	10.51	33.49
PK	13.89076G	57.25	88.20	-30.95	17.20	3	Vertical	25	1.18	-	40.05	40.18	10.51	33.49


802.11ax HEW80_Nss1,(MCS0)_2TX
6945MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.89075G	45.91	68.20	-22.29	17.20	3	Horizontal	54	2.32	-	28.71	40.18	10.51	33.49
PK	13.89136G	57.18	88.20	-31.02	17.20	3	Horizontal	54	2.32	-	39.98	40.18	10.51	33.49

802.11ax HEW80_Nss1,(MCS0)_2TX


7025MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.0262G	100.05	Inf	-Inf	9.41	3	Vertical	38	2.67	-	90.64	35.86	8.33	34.78
AV	7.1564G	50.55	68.20	-17.65	9.69	3	Vertical	38	2.67	-	40.86	36.61	7.88	34.80
PK	7.0256G	109.06	Inf	-Inf	9.40	3	Vertical	38	2.67	-	99.66	35.85	8.33	34.78
PK	7.139G	61.39	88.20	-26.81	9.67	3	Vertical	38	2.67	-	51.72	36.53	7.94	34.80


802.11ax HEW80_Nss1,(MCS0)_2TX

7025MHz_TnomVnom




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.0274G	90.25	Inf	-Inf	9.41	3	Horizontal	27	3.00	-	80.84	35.86	8.33	34.78
AV	7.1678G	50.53	68.20	-17.67	9.68	3	Horizontal	27	3.00	-	40.85	36.64	7.84	34.80
PK	7.0286G	99.37	Inf	-Inf	9.41	3	Horizontal	27	3.00	-	89.96	35.87	8.32	34.78
PK	7.1498G	61.81	88.20	-26.39	9.70	3	Horizontal	27	3.00	-	52.11	36.60	7.90	34.80

802.11ax HEW80_Nss1,(MCS0)_2TX
7025MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.04796G	46.28	68.20	-21.92	17.45	3	Vertical	298	2.32	-	28.83	40.45	10.62	33.62
PK	14.05189G	57.70	88.20	-30.50	17.45	3	Vertical	298	2.32	-	40.25	40.45	10.62	33.62

802.11ax HEW80_Nss1,(MCS0)_2TX
7025MHz_TnomVnom




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.0522G	46.31	68.20	-21.89	17.45	3	Horizontal	58	1.65	-	28.86	40.45	10.62	33.62
PK	14.05235G	58.15	88.20	-30.05	17.45	3	Horizontal	58	1.65	-	40.70	40.45	10.62	33.62



802.11ax HEW160_Nss1,(MCS0)_2TX


6185MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9178G	47.72	68.20	-20.48	6.96	3	Vertical	36	1.94	-	40.76	34.30	7.43	34.77
AV	6.1898G	95.77	Inf	-Inf	6.78	3	Vertical	36	1.94	-	88.99	34.26	7.26	34.74
PK	5.9082G	58.34	88.20	-29.86	6.92	3	Vertical	36	1.94	-	51.42	34.30	7.39	34.77
PK	6.1898G	105.36	Inf	-Inf	6.78	3	Vertical	36	1.94	-	98.58	34.26	7.26	34.74


802.11ax HEW160_Nss1,(MCS0)_2TX

6185MHz_TnomVnom




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9098G	47.83	68.20	-20.37	6.92	3	Horizontal	1	3.00	-	40.91	34.30	7.39	34.77
AV	6.1946G	89.83	Inf	-Inf	6.79	3	Horizontal	1	3.00	-	83.04	34.28	7.25	34.74
PK	5.8938G	59.65	88.20	-28.55	6.83	3	Horizontal	1	3.00	-	52.82	34.28	7.32	34.77
PK	6.1946G	99.10	Inf	-Inf	6.79	3	Horizontal	1	3.00	-	92.31	34.28	7.25	34.74

802.11ax HEW160_Nss1,(MCS0)_2TX
6185MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.37428G	43.85	54.00	-10.15	14.10	3	Vertical	148	2.21	-	29.75	38.90	9.72	34.52
PK	12.36812G	54.70	74.00	-19.30	14.10	3	Vertical	148	2.21	-	40.60	38.90	9.72	34.52


802.11ax HEW160_Nss1,(MCS0)_2TX
6185MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.36742G	43.98	54.00	-10.02	14.10	3	Horizontal	328	2.14	-	29.88	38.90	9.72	34.52
PK	12.36724G	54.92	74.00	-19.08	14.10	3	Horizontal	328	2.14	-	40.82	38.90	9.72	34.52

802.11ax HEW160_Nss1,(MCS0)_2TX


6345MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9106G	47.63	68.20	-20.57	6.93	3	Vertical	34	1.96	-	40.70	34.30	7.40	34.77
AV	6.3402G	97.60	Inf	-Inf	7.75	3	Vertical	34	1.96	-	89.85	34.76	7.71	34.72
PK	5.913G	59.25	88.20	-28.95	6.94	3	Vertical	34	1.96	-	52.31	34.30	7.41	34.77
PK	6.3618G	105.94	Inf	-Inf	7.89	3	Vertical	34	1.96	-	98.05	34.82	7.79	34.72


802.11ax HEW160_Nss1,(MCS0)_2TX

6345MHz_TnomVnom




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9034G	47.62	68.20	-20.58	6.89	3	Horizontal	9	3.00	-	40.73	34.30	7.36	34.77
AV	6.3426G	89.15	Inf	-Inf	7.77	3	Horizontal	9	3.00	-	81.38	34.77	7.72	34.72
PK	5.925G	58.42	88.20	-29.78	6.99	3	Horizontal	9	3.00	-	51.43	34.30	7.46	34.77
PK	6.3546G	98.00	Inf	-Inf	7.85	3	Horizontal	9	3.00	-	90.15	34.81	7.76	34.72

802.11ax HEW160_Nss1,(MCS0)_2TX
6345MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.68662G	44.37	54.00	-9.63	14.98	3	Vertical	125	2.29	-	29.39	39.27	9.89	34.18
PK	12.6861G	55.32	74.00	-18.68	14.98	3	Vertical	125	2.29	-	40.34	39.27	9.89	34.18


802.11ax HEW160_Nss1,(MCS0)_2TX
6345MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.68784G	44.51	54.00	-9.49	14.99	3	Horizontal	345	1.26	-	29.52	39.28	9.89	34.18
PK	12.68544G	55.77	74.00	-18.23	14.98	3	Horizontal	345	1.26	-	40.79	39.27	9.89	34.18

802.11ax HEW160_Nss1,(MCS0)_2TX


6505MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9198G	47.68	68.20	-20.52	6.97	3	Vertical	38	1.98	-	40.71	34.30	7.44	34.77
AV	6.5022G	96.80	Inf	-Inf	7.96	3	Vertical	38	1.98	-	88.84	35.02	7.64	34.70
AV	7.1966G	50.51	68.20	-17.69	9.62	3	Vertical	38	1.98	-	40.89	36.69	7.74	34.81
PK	5.8274G	58.04	88.20	-30.16	6.27	3	Vertical	38	1.98	-	51.77	34.01	7.03	34.77
PK	6.491G	104.77	Inf	-Inf	7.97	3	Vertical	38	1.98	-	96.80	35.00	7.67	34.70
PK	7.163G	61.28	88.20	-26.92	9.69	3	Vertical	38	1.98	-	51.59	36.63	7.86	34.80


802.11ax HEW160_Nss1,(MCS0)_2TX

6505MHz_TnomVnom




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9198G	47.65	68.20	-20.55	6.97	3	Horizontal	300	1.79	-	40.68	34.30	7.44	34.77
AV	6.5022G	86.02	Inf	-Inf	7.96	3	Horizontal	300	1.79	-	78.06	35.02	7.64	34.70
AV	7.163G	50.49	68.20	-17.71	9.69	3	Horizontal	300	1.79	-	40.80	36.63	7.86	34.80
PK	5.9198G	58.04	88.20	-30.16	6.97	3	Horizontal	300	1.79	-	51.07	34.30	7.44	34.77
PK	6.5022G	94.46	Inf	-Inf	7.96	3	Horizontal	300	1.79	-	86.50	35.02	7.64	34.70
PK	7.1546G	61.78	88.20	-26.42	9.70	3	Horizontal	300	1.79	-	52.08	36.61	7.89	34.80

802.11ax HEW160_Nss1,(MCS0)_2TX
6505MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.01232G	44.96	68.20	-23.24	16.01	3	Vertical	269	2.89	-	28.95	39.69	10.06	33.74
PK	13.01164G	56.21	88.20	-31.99	16.01	3	Vertical	269	2.89	-	40.20	39.69	10.06	33.74


802.11ax HEW160_Nss1,(MCS0)_2TX
6505MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.00972G	44.98	68.20	-23.22	16.01	3	Horizontal	296	2.62	-	28.97	39.69	10.06	33.74
PK	13.00512G	56.33	88.20	-31.87	16.00	3	Horizontal	296	2.62	-	40.33	39.69	10.05	33.74

802.11ax HEW160_Nss1,(MCS0)_2TX


6665MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.6672G	97.70	Inf	-Inf	8.36	3	Vertical	36	3.00	-	89.34	35.93	7.16	34.73
AV	7.1776G	50.55	68.20	-17.65	9.67	3	Vertical	36	3.00	-	40.88	36.66	7.81	34.80
PK	6.6672G	107.18	Inf	-Inf	8.36	3	Vertical	36	3.00	-	98.82	35.93	7.16	34.73
PK	7.1864G	60.97	88.20	-27.23	9.64	3	Vertical	36	3.00	-	51.33	36.67	7.78	34.81


802.11ax HEW160_Nss1,(MCS0)_2TX

6665MHz_TnomVnom




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.6562G	89.34	Inf	-Inf	8.38	3	Horizontal	11	3.00	-	80.96	35.91	7.19	34.72
AV	7.1402G	50.47	68.20	-17.73	9.68	3	Horizontal	11	3.00	-	40.79	36.54	7.94	34.80
PK	6.6562G	98.76	Inf	-Inf	8.38	3	Horizontal	11	3.00	-	90.38	35.91	7.19	34.72
PK	7.138G	60.94	88.20	-27.26	9.67	3	Horizontal	11	3.00	-	51.27	36.53	7.94	34.80

802.11ax HEW160_Nss1,(MCS0)_2TX
6665MHz_TnomVnom




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.33036G	45.10	54.00	-8.90	16.69	3	Vertical	55	2.99	-	28.41	39.86	10.22	33.39
PK	13.33004G	57.44	74.00	-16.56	16.69	3	Vertical	55	2.99	-	40.75	39.86	10.22	33.39

802.11ax HEW160_Nss1,(MCS0)_2TX
6665MHz_TnomVnom




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.33142G	45.14	54.00	-8.86	16.69	3	Horizontal	129	2.17	-	28.45	39.86	10.22	33.39
PK	13.3274G	56.38	74.00	-17.62	16.68	3	Horizontal	129	2.17	-	39.70	39.85	10.22	33.39

**802.11ax HEW160_Nss1,(MCS0)_2TX
6825MHz_TnomVnom**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8266G	96.55	Inf	-Inf	8.01	3	Vertical	39	2.73	-	88.54	35.80	6.96	34.75
AV	7.1978G	50.60	68.20	-17.60	9.63	3	Vertical	39	2.73	-	40.97	36.70	7.74	34.81
PK	6.817G	106.54	Inf	-Inf	7.93	3	Vertical	39	2.73	-	98.61	35.80	6.88	34.75
PK	7.1498G	61.09	88.20	-27.11	9.70	3	Vertical	39	2.73	-	51.39	36.60	7.90	34.80

**802.11ax HEW160_Nss1,(MCS0)_2TX
6825MHz_TnomVnom**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8186G	88.04	Inf	-Inf	7.95	3	Horizontal	16	2.84	-	80.09	35.80	6.90	34.75
AV	7.2154G	50.58	68.20	-17.62	9.67	3	Horizontal	16	2.84	-	40.91	36.73	7.75	34.81
PK	6.8378G	97.87	Inf	-Inf	8.11	3	Horizontal	16	2.84	-	89.76	35.80	7.06	34.75
PK	7.1978G	61.13	88.20	-27.07	9.63	3	Horizontal	16	2.84	-	51.50	36.70	7.74	34.81

802.11ax HEW160_Nss1,(MCS0)_2TX
6825MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.65248G	46.16	68.20	-22.04	17.23	3	Vertical	250	1.85	-	28.93	40.15	10.39	33.31
PK	13.64552G	57.30	88.20	-30.90	17.23	3	Vertical	250	1.85	-	40.07	40.15	10.39	33.31


802.11ax HEW160_Nss1,(MCS0)_2TX
6825MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.6503G	46.17	68.20	-22.03	17.23	3	Horizontal	47	1.80	-	28.94	40.15	10.39	33.31
PK	13.64996G	57.40	88.20	-30.80	17.23	3	Horizontal	47	1.80	-	40.17	40.15	10.39	33.31

802.11ax HEW160_Nss1,(MCS0)_2TX


6985MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.975G	95.88	Inf	-Inf	9.13	3	Vertical	296	2.46	-	86.75	35.70	8.21	34.78
AV	7.152G	50.60	68.20	-17.60	9.70	3	Vertical	296	2.46	-	40.90	36.60	7.90	34.80
PK	6.963G	105.11	Inf	-Inf	9.04	3	Vertical	296	2.46	-	96.07	35.70	8.11	34.77
PK	7.195G	61.62	88.20	-26.58	9.63	3	Vertical	296	2.46	-	51.99	36.69	7.75	34.81


802.11ax HEW160_Nss1,(MCS0)_2TX

6985MHz_TnomVnom




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.989G	87.93	Inf	-Inf	9.25	3	Horizontal	26	3.00	-	78.68	35.70	8.33	34.78
AV	7.146G	50.61	68.20	-17.59	9.70	3	Horizontal	26	3.00	-	40.91	36.58	7.92	34.80
PK	6.979G	98.04	Inf	-Inf	9.16	3	Horizontal	26	3.00	-	88.88	35.70	8.24	34.78
PK	7.23G	60.88	88.20	-27.32	9.72	3	Horizontal	26	3.00	-	51.16	36.76	7.77	34.81

802.11ax HEW160_Nss1,(MCS0)_2TX
6985MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.97144G	46.03	68.20	-22.17	17.35	3	Vertical	335	2.31	-	28.68	40.34	10.56	33.55
PK	13.96954G	57.51	88.20	-30.69	17.34	3	Vertical	335	2.31	-	40.17	40.34	10.55	33.55

802.11ax HEW160_Nss1,(MCS0)_2TX
6985MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.9687G	46.09	68.20	-22.11	17.34	3	Horizontal	237	1.45	-	28.75	40.34	10.55	33.55
PK	13.96958G	57.80	88.20	-30.40	17.34	3	Horizontal	237	1.45	-	40.46	40.34	10.55	33.55



Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 1	Pass	AV	4.81092G	48.16	54.00	-5.84	Horizontal



Result


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
Mode 1	Pass	AV	4.80396G	45.95	54.00	-8.05	3	Vertical	19	1.83	-
Mode 1	Pass	AV	4.81087G	46.39	54.00	-7.61	3	Vertical	308	2.24	-
Mode 1	Pass	AV	4.82401G	33.28	54.00	-20.72	3	Vertical	70	1.30	-
Mode 1	Pass	AV	11.65912G	45.35	54.00	-8.65	3	Vertical	16	1.50	-
Mode 1	Pass	AV	12.187G	47.49	54.00	-6.51	3	Vertical	360	2.17	-
Mode 1	Pass	PK	4.80438G	50.36	74.00	-23.64	3	Vertical	19	1.83	-
Mode 1	Pass	PK	4.80899G	53.25	74.00	-20.75	3	Vertical	308	2.24	-
Mode 1	Pass	PK	4.82399G	45.35	74.00	-28.65	3	Vertical	70	1.30	-
Mode 1	Pass	PK	11.64562G	57.34	74.00	-16.66	3	Vertical	16	1.50	-
Mode 1	Pass	PK	12.196G	60.08	74.00	-13.92	3	Vertical	360	2.17	-
Mode 1	Pass	AV	4.80399G	46.87	54.00	-7.13	3	Horizontal	25	1.69	-
Mode 1	Pass	AV	4.81092G	48.16	54.00	-5.84	3	Horizontal	56	1.00	-
Mode 1	Pass	AV	4.82398G	27.82	54.00	-26.18	3	Horizontal	152	1.51	-
Mode 1	Pass	AV	11.65874G	27.68	54.00	-26.32	3	Horizontal	48	2.80	-
Mode 1	Pass	AV	12.1888G	44.96	54.00	-9.04	3	Horizontal	336	2.18	-
Mode 1	Pass	PK	4.80421G	51.10	74.00	-22.90	3	Horizontal	25	1.69	-
Mode 1	Pass	PK	4.80912G	55.09	74.00	-18.91	3	Horizontal	56	1.00	-
Mode 1	Pass	PK	4.82402G	38.75	74.00	-35.25	3	Horizontal	152	1.51	-
Mode 1	Pass	PK	11.63532G	38.73	74.00	-35.27	3	Horizontal	48	2.80	-
Mode 1	Pass	PK	12.1934G	56.78	74.00	-17.22	3	Horizontal	336	2.18	-

Radiated Emissions above 1GHz_Mode 1



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.80396G	45.95	54.00	-8.05	3.33	3	Vertical	19	1.83	-	42.62	32.32	5.67	34.66
AV	4.81087G	46.39	54.00	-7.61	3.39	3	Vertical	308	2.24	-	43.00	32.37	5.68	34.66
AV	4.82401G	33.28	54.00	-20.72	3.47	3	Vertical	70	1.30	-	29.81	32.44	5.68	34.65
AV	11.65912G	45.35	54.00	-8.65	12.39	3	Vertical	16	1.50	-	32.96	38.44	8.57	34.62
AV	12.187G	47.49	54.00	-6.51	13.26	3	Vertical	360	2.17	-	34.23	39.09	8.77	34.60
PK	4.80438G	50.36	74.00	-23.64	3.34	3	Vertical	19	1.83	-	47.02	32.33	5.67	34.66
PK	4.80899G	53.25	74.00	-20.75	3.37	3	Vertical	308	2.24	-	49.88	32.35	5.68	34.66
PK	4.82399G	45.35	74.00	-28.65	3.47	3	Vertical	70	1.30	-	41.88	32.44	5.68	34.65
PK	11.64562G	57.34	74.00	-16.66	12.39	3	Vertical	16	1.50	-	44.95	38.45	8.56	34.62
PK	12.196G	60.08	74.00	-13.92	13.28	3	Vertical	360	2.17	-	46.80	39.10	8.77	34.59

Radiated Emissions above 1GHz_Mode 1



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.80399G	46.87	54.00	-7.13	3.33	3	Horizontal	25	1.69	-	43.54	32.32	5.67	34.66
AV	4.81092G	48.16	54.00	-5.84	3.39	3	Horizontal	56	1.00	-	44.77	32.37	5.68	34.66
AV	4.82398G	27.82	54.00	-26.18	3.47	3	Horizontal	152	1.51	-	24.35	32.44	5.68	34.65
AV	11.65874G	27.68	54.00	-26.32	12.39	3	Horizontal	48	2.80	-	15.29	38.44	8.57	34.62
AV	12.1888G	44.96	54.00	-9.04	13.26	3	Horizontal	336	2.18	-	31.70	39.09	8.77	34.60
PK	4.80421G	51.10	74.00	-22.90	3.34	3	Horizontal	25	1.69	-	47.76	32.33	5.67	34.66
PK	4.80912G	55.09	74.00	-18.91	3.37	3	Horizontal	56	1.00	-	51.72	32.35	5.68	34.66
PK	4.82402G	38.75	74.00	-35.25	3.47	3	Horizontal	152	1.51	-	35.28	32.44	5.68	34.65
PK	11.63532G	38.73	74.00	-35.27	12.41	3	Horizontal	48	2.80	-	26.32	38.46	8.56	34.61
PK	12.1934G	56.78	74.00	-17.22	13.27	3	Horizontal	336	2.18	-	43.51	39.09	8.77	34.59



Antenna Gain (dBi)			
UNII 5	UNII 6	UNII 7	UNII 8
3.4	3.4	3.4	3.4

Contention Based protocol 802.11ax HEW20											
UNII Band	Test Channel	Bandwidth (MHz)	Frequency (MHz)	Intetference frequency (MHz)	AWGN Threshold Level (dBm)	EUT Status	Number of Detected (out of 10 times)	Detection Ratio (%)	Limit (%)	Test Result	
5	53	20	6215	Center	6215	-67.4	Stop Transmission	10	100	90	Pass
						-70.4	Stop & with beacon	-			
						-71.4	Start Transmission	-			
6	101	20	6455	Center	6455	-73.4	Stop Transmission	10	100	90	Pass
						-74.4	Stop & with beacon	-			
						-75.4	Start Transmission	-			
7	149	20	6695	Center	6695	-71.4	Stop Transmission	10	100	90	Pass
						-73.4	Stop & with beacon	-			
						-74.4	Start Transmission	-			
8	213	20	7015	Center	7015	-67.4	Stop Transmission	10	100	90	Pass
						-68.4	Stop & with beacon	-			
						-69.4	Start Transmission	-			



Contention Based protocol 802.11ax HEW160											
UNII Band	Test Channel	Bandwidth (MHz)	Frequency (MHz)	Intetference frequency (MHz)	AWGN Threshold Level (dBm)	EUT Status	Number of Detected (out of 10 times)	Detection Ratio (%)	Limit (%)	Test Result	
5	47	160	6185	Low edge	6110	-73.4	Stop Transmission	10	100	90	Pass
						-74.4	Stop & with beacon	-			
						-75.4	Start Transmission	-			
				Center	6185	-63.4	Stop Transmission	10	100	90	Pass
						-65.4	Stop & with beacon	-			
						-66.4	Start Transmission	-			
				High edge	6260	-71.4	Stop Transmission	10	100	90	Pass
						-72.4	Stop & with beacon	-			
						-73.4	Start Transmission	-			
6	111	160	6505	Low edge	6430	-75.4	Stop Transmission	10	100	90	Pass
						-76.4	Stop & with beacon	-			
						-77.4	Start Transmission	-			
				Center	6505	-65.4	Stop Transmission	10	100	90	Pass
						-66.4	Stop & with beacon	-			
						-67.4	Start Transmission	-			
				High edge	6580	-65.4	Stop Transmission	10	100	90	Pass
						-66.4	Stop & with beacon	-			
						-67.4	Start Transmission	-			
7	143	160	6665	Low edge	6590	-72.4	Stop Transmission	10	100	90	Pass
						-73.4	Stop & with beacon	-			
						-74.4	Start Transmission	-			
				Center	6665	-64.4	Stop Transmission	10	100	90	Pass
						-65.4	Stop & with beacon	-			
						-66.4	Start Transmission	-			
				High edge	6740	-74.4	Stop Transmission	10	100	90	Pass
						-74.4	Stop & with beacon	-			
						-75.4	Start Transmission	-			
8	207	160	6985	Low edge	6910	-73.4	Stop Transmission	10	100	90	Pass
						-74.4	Stop & with beacon	-			
						-75.4	Start Transmission	-			
				Center	6985	-63.4	Stop Transmission	10	100	90	Pass
						-65.4	Stop & with beacon	-			
						-66.4	Start Transmission	-			
				High edge	7060	-71.4	Stop Transmission	10	100	90	Pass
						-72.4	Stop & with beacon	-			
						-73.4	Start Transmission	-			



Contention Based protocol 802.11ax HE20											
UNII Band	Test Channel	Bandwidth (MHz)	Frequency (MHz)	Intetference frequency (MHz)		Stop Transmission Real Test Level (dBm)		Stop Transmission with beacon Real Test Level (dBm)		Start Transmission Real Test Level (dBm)	
				Center							
5	53	20	6215	Center	6215	-64	-67.4	-67	-70.4	-68	-71.4
6	101	20	6455	Center	6455	-70	-73.4	-71	-74.4	-72	-75.4
7	149	20	6695	Center	6695	-68	-71.4	-70	-73.4	-71	-74.4
8	213	20	7015	Center	7075	-64	-67.4	-65	-68.4	-66	-69.4


Contention Based protocol 802.11ax HE160											
UNII Band	Test Channel	Bandwidth (MHz)	Frequency (MHz)	Intetference frequency (MHz)		Stop Transmission Real Test Level (dBm)		Stop Transmission with beacon Real Test Level (dBm)		Start Transmission Real Test Level (dBm)	
				Low edge	Center						
5	47	160	6185	Low edge	6110	-70	-73.4	-71	-74.4	-72	-75.4
				Center	6185	-60	-63.4	-62	-65.4	-63	-66.4
				High edge	6260	-68	-71.4	-69	-72.4	-70	-73.4
6	111	160	6505	Low edge	6430	-72	-75.4	-73	-76.4	-74	-77.4
				Center	6505	-62	-65.4	-63	-66.4	-64	-67.4
				High edge	6580	-62	-65.4	-63	-66.4	-64	-67.4
7	143	160	6665	Low edge	6590	-69	-72.4	-70	-73.4	-71	-74.4
				Center	6665	-61	-64.4	-62	-65.4	-63	-66.4
				High edge	6740	-71	-74.4	-71	-74.4	-72	-75.4
8	207	160	6985	Low edge	6910	-70	-73.4	-71	-74.4	-72	-75.4
				Center	6985	-60	-63.4	-62	-65.4	-63	-66.4
				High edge	7060	-68	-71.4	-69	-72.4	-70	-73.4



Bandwidth 20MHz: Traffic Loading Plot - 6215MHz

Time Analysis

Main



Sample Time

12.5us

All TX Time

93.2875ms

All TX Sample

7463

Duty Cycle

0.932758

T1[s] T2[s]

NaNs NaNs


T3[s] T4[s]

NaNs NaNs

Bandwidth 20MHz: Traffic Loading Plot - 6455MHz

Time Analysis

Main



Sample Time

12.5us

All TX Time

94.5875ms

All TX Sample

7567

Duty Cycle

0.945757

T1[s] T2[s]

NaNs NaNs

T3[s] T4[s]


NaNs NaNs



Bandwidth 20MHz: Traffic Loading Plot - 6695MHz

Time Analysis

Main



Sample Time

12.5us

All TX Time

92.225ms

All TX Sample

7378

Duty Cycle

0.922135

T1[s] T2[s]

NaNs NaNs


T3[s] T4[s]

NaNs NaNs

Bandwidth 20MHz: Traffic Loading Plot - 7015MHz

Time Analysis

Main



Sample Time

12.5us

All TX Time

92.15ms

All TX Sample

7372

Duty Cycle

0.921385

T1[s] T2[s]


NaNs NaNs

T3[s] T4[s]


NaNs NaNs



Bandwidth 160MHz: Traffic Loading Plot - 6185MHz



Bandwidth 160MHz: Traffic Loading Plot - 6505MHz






Bandwidth 160MHz: Traffic Loading Plot - 6665MHz

Time Analysis

Main



Sample Time

12.5us

All TX Time

86.1625ms

All TX Sample

6893

Duty Cycle

0.861517

T1[s] T2[s]

NaNs NaNs


T3[s] T4[s]

NaNs NaNs

Bandwidth 160MHz: Traffic Loading Plot - 6985MHz

Time Analysis

Main



Sample Time

12.5us

All TX Time

92.3ms

All TX Sample

7384

Duty Cycle

0.922885



T1[s] T2[s]

NaNs NaNs


T3[s] T4[s]

NaNs NaNs

1. Incumbent signal (AWGN) Plot




Frequency (MHz): 6695 MHz




AWGN Bandwidth: 10MHz

Frequency (MHz): 7015 MHz




AWGN Bandwidth: 10MHz

Frequency (MHz): 6110 MHz




AWGN Bandwidth: 10MHz

Frequency (MHz): 6185 MHz




AWGN Bandwidth: 10MHz

Frequency (MHz): 6260 MHz




AWGN Bandwidth: 10MHz

Frequency (MHz): 6430 MHz




AWGN Bandwidth: 10MHz

Frequency (MHz): 6505 MHz




AWGN Bandwidth: 10MHz


Frequency (MHz): 6580 MHz



AWGN Bandwidth: 10MHz




Frequency (MHz): 6740 MHz




AWGN Bandwidth: 10MHz

Frequency (MHz): 6910 MHz




AWGN Bandwidth: 10MHz

Frequency (MHz): 6985 MHz




AWGN Bandwidth: 10MHz

Frequency (MHz): 7060 MHz




AWGN Bandwidth: 10MHz

2. Contention-Based Protocol Plot




Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 149 ; Incumbent signal 6695 MHz


Time Analysis



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 213 ; Incumbent signal 7015 MHz


Time Analysis



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 47 ; Incumbent signal 6110 MHz


Time Analysis



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 47 ; Incumbent signal 6185 MHz


Time Analysis



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 47 ; Incumbent signal 6260 MHz


Time Analysis



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 111 ; Incumbent signal 6430 MHz


Time Analysis



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 111 ; Incumbent signal 6505 MHz


Time Analysis



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 111 ; Incumbent signal 6580 MHz


Time Analysis



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 143 ; Incumbent signal 6590 MHz


Time Analysis



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 143 ; Incumbent signal 6665 MHz


Time Analysis



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 143 ; Incumbent signal 6740 MHz


Time Analysis



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 207 ; Incumbent signal 6910 MHz


Time Analysis



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 207 ; Incumbent signal 6985 MHz


Time Analysis



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 207 ; Incumbent signal 7060 MHz

Time Analysis



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.




Contention Based Protocol Threshold Level Verify Plot

Bandwidth (MHz): 20

Frequency (MHz): 6215 MHz (Threshold Level: -62 dBm)


Time Analysis



Sample Time	1us
All TX Time	908.003ms
All TX Sample	908003
Duty Cycle	0.908002
T1[s]	T2[s]
0s	0s
T3[s]	T4[s]
NaNs	NaNs

Frequency (MHz): 6215 MHz (Threshold Level: -64dBm)


Time Analysis



Sample Time	1us
All TX Time	915.966ms
All TX Sample	915966
Duty Cycle	0.915965
T1[s]	T2[s]
0s	0s
T3[s]	T4[s]
NaNs	NaNs

Frequency (MHz): 6215 MHz (Threshold Level: -67 dBm)

Time Analysis




Sample Time	1us
All TX Time	915.889ms
All TX Sample	915889
Duty Cycle	0.915888
T1[s]	T2[s]
0s	0s
T3[s]	T4[s]
NaNs	NaNs

Contention Based Protocol Threshold Level Verify Plot

Bandwidth (MHz): 160

Frequency (MHz): 6110 MHz (Threshold Level: -62dBm)

Time Analysis




Sample Time	1us
All TX Time	743.476ms
All TX Sample	743476
Duty Cycle	0.743475
T1[s]	T2[s]
0s	0s
T3[s]	T4[s]
NaNs	NaNs



Frequency (MHz): 6110 MHz (Threshold Level: -70dBm)


Time Analysis



Sample Time	1us
All TX Time	702.777ms
All TX Sample	702777
Duty Cycle	0.702776
T1[s]	T2[s]
0s	0s
T3[s]	T4[s]
NaNs	NaNs

Frequency (MHz): 6110 MHz (Threshold Level: -71dBm)

Time Analysis




Sample Time	1us
All TX Time	699.182ms
All TX Sample	699182
Duty Cycle	0.699181
T1[s]	T2[s]
0s	0s
T3[s]	T4[s]
NaNs	NaNs



Frequency (MHz): 6185 MHz (Threshold Level: -60dBm)


Time Analysis





Sample Time	1us
All TX Time	683.431ms
All TX Sample	683431
Duty Cycle	0.68343
T1[s]	T2[s]
0s	0s
T3[s]	T4[s]
NaNs	NaNs

Frequency (MHz): 6185 MHz (Threshold Level: -63dBm)

Time Analysis




Sample Time	1us
All TX Time	688.446ms
All TX Sample	688446
Duty Cycle	0.688445
T1[s]	T2[s]
0s	0s
T3[s]	T4[s]
NaNs	NaNs





Frequency (MHz): 6260 MHz (Threshold Level: -69dBm)

Time Analysis





Summary

Mode	Result	Ch (Hz)	Center (Hz)	ppm	Limit (ppm)	Port	Remark
5.925-6.425GHz	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	6.175G	6.174983G	2.7325	Inf	1	2 min

Condition Table

Condition Item	Abbreviation/Remark	Remark
RF Conducted	Abbreviation	Remark
TnomVnom	Tnom	20°C
-	Vnom	120V
Freq. Stability	Abbreviation	Remark
TnomVnom	Tnom	20°C
TminVmax	Tmin	0°C
TminVmin	Tmax	40°C
TmaxVmax	Vnom	120V
TmaxVmin	Vmax	132V
-	Vmin	108V



Result

Mode	Result	Ch (Hz)	Center (Hz)	ppm	Limit (ppm)	Port	Remark
802.11ax HEW20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
6175MHz_TnomVnom	Pass	6.175G	6.174987G	2.1252	Inf	1	0 min
6175MHz_TnomVnom	Pass	6.175G	6.174983G	2.7325	Inf	1	2 min
6175MHz_TnomVnom	Pass	6.175G	6.174989G	1.8216	Inf	1	5 min
6175MHz_TnomVnom	Pass	6.175G	6.174991G	1.518	Inf	1	10 min
6175MHz_TminVmax	Pass	6.175G	6.174985G	2.4288	Inf	1	0 min
6175MHz_TminVmax	Pass	6.175G	6.174987G	2.1252	Inf	1	2 min
6175MHz_TminVmax	Pass	6.175G	6.174993G	1.2144	Inf	1	5 min
6175MHz_TminVmax	Pass	6.175G	6.174987G	2.1252	Inf	1	10 min
6175MHz_TminVmin	Pass	6.175G	6.174987G	2.1252	Inf	1	0 min
6175MHz_TminVmin	Pass	6.175G	6.174989G	1.8216	Inf	1	2 min
6175MHz_TminVmin	Pass	6.175G	6.174989G	1.8216	Inf	1	5 min
6175MHz_TminVmin	Pass	6.175G	6.174983G	2.7325	Inf	1	10 min
6175MHz_TmaxVmax	Pass	6.175G	6.174987G	2.1252	Inf	1	0 min
6175MHz_TmaxVmax	Pass	6.175G	6.174987G	2.1252	Inf	1	2 min
6175MHz_TmaxVmax	Pass	6.175G	6.174987G	2.1252	Inf	1	5 min
6175MHz_TmaxVmax	Pass	6.175G	6.174991G	1.518	Inf	1	10 min
6175MHz_TmaxVmin	Pass	6.175G	6.174989G	1.8216	Inf	1	0 min
6175MHz_TmaxVmin	Pass	6.175G	6.174991G	1.518	Inf	1	2 min
6175MHz_TmaxVmin	Pass	6.175G	6.174991G	1.518	Inf	1	5 min
6175MHz_TmaxVmin	Pass	6.175G	6.174993G	1.2144	Inf	1	10 min