



**Temperature and Humidity  
Sensor User Manual**

### Product Description




### Entering the Network Configuration Mode

1. Power on the product.



2. Press and hold the button for 5s to restore the product to factory settings. The signal icon will rapidly blink, and the product will automatically enter the network configuration mode once the factory settings have been restored.




Press and hold the button for 5s.


• Press and hold the button for 5s to 10s to make the product enter the network configuration mode. When you press and hold the button for 5s, the signal icon rapidly blinks. Release the button to configure the network and wait about 20s for the product to enter the network configuration mode. During this process, the signal icon blinks (it may blink irregularly).  
• After the product enters the network configuration mode, the signal icon will be steady on and the product will report its status. If the product fails to enter the network configuration mode, the signal icon is off.

### Installation Instructions

Installation method 1: Use a 3M sticker to affix the product to the target position.



Installation method 2: Place the product on the support.



### Technical Parameters

Wireless Technology	ZigBee
Working Voltage	3 V
Transmission Frequency	2.4 GHz
Working Temperature	-10°C to +55°C 0% to 99.9% RH
Undervoltage Alarm	Supported
Dimensions	φ61.2 mm x 23 mm

### Toxic or Hazardous Substances or Elements of this Product

Component Name	Toxic or Hazardous Substances or Elements					
	Lead (Pb)	Mercury (Hg)	Cadmium (Cd)	Hexavalent chromium (Cr(VI))	Polybrominated biphenyls (PBBs)	Polybrominated diphenyl ethers (PBDEs)
LED	0	0	0	0	0	0
PCB	X	0	0	0	0	0
Cover and other components	X	0	0	0	0	0

This table complies with SJ/T 11364.  
0: indicates that the toxic or hazardous substance amount contained in all homogeneous materials of a component does not exceed that stipulated in GB/T 26572.  
X: indicates that the toxic or hazardous substance amount contained in at least one of the homogeneous materials of a component exceeds that stipulated in GB/T 26572.

### Warranty Certificate

Warranty policy:

- If the product has quality problems within 7 days of the payment date, you can apply for a refund based on the invoice price or to replace the product with one of the same model.
- If the product has quality problems within 15 days of the payment date, you can apply to replace the product with one of the same model.
- If the product has quality problems within 12 months of the payment date, you can apply to have the product repaired.

What is not covered under this warranty:

- The product owner has no warranty certificate or the warranty service has expired.
- Damage caused by improper use, maintenance, or storage
- Damage caused by disassembly and repair without Tuya's authorization
- Damage caused by force majeure
- Normal discoloration and depreciation after the product has been used

### User Form

User information (Specify real information. Tuya promises to use the information only for after-sales services.)

Name \_\_\_\_\_  
Phone number \_\_\_\_\_  
Email \_\_\_\_\_  
Zip code \_\_\_\_\_  
Address \_\_\_\_\_

Product information

Name \_\_\_\_\_ Model \_\_\_\_\_  
Color \_\_\_\_\_ Product SN \_\_\_\_\_

Service Return  Replace  Repair

Fault symptoms \_\_\_\_\_  
Handling date \_\_\_\_\_  
Maintenance personnel signature \_\_\_\_\_

### Vendor Form

User information (Specify real information. Tuya promises to use the information only for after-sales services.)

Name \_\_\_\_\_  
Phone number \_\_\_\_\_  
Email \_\_\_\_\_  
Zip code \_\_\_\_\_  
Address \_\_\_\_\_

Product information

Name \_\_\_\_\_ Model \_\_\_\_\_  
Color \_\_\_\_\_ Product SN \_\_\_\_\_

Service Return  Replace  Repair

Fault symptoms \_\_\_\_\_  
Handling date \_\_\_\_\_  
Maintenance personnel signature \_\_\_\_\_

This device complies with Part 15 of the FCC rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.  
The manufacturer is not responsible for any radio or TV interference caused by unauthorized modifications or change to this equipment. Such modifications or change could void the user's authority to operate the equipment.  
This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

To maintain compliance with FCC's RF exposure guidelines, this equipment should be installed and operated with a minimum distance of 20cm between the radiator and your body.

The device has been evaluated to meet general RF exposure requirement.  
This equipment complies with FCC's RF radiation exposure limits set forth for an uncontrolled environment. This device and its antenna(s) must not be co-located or conjunction with any other antenna or transmitter.