


UWT-50 Regulatory E-Labeling

Turning on the Product

1. Press any one of the keys
2. Press 2



Once started, the main window will be shown (above). The main window on the product may look slightly different depending on its previous last used state. However, as long as there is Wi-Fi connectivity (at least one bar of signal strength shown) the EMC performance will be identical in all of the possible states.




The main window may not be shown if the product is unable to connect to a network, or if the product is unable to connect to a protocol server. Proceed to the following section (as appropriate to the screen state) for instructions on correcting either issue and getting to the main window.

Unable to Connect to a Network

The product should auto-connect to the included Wi-Fi router. Please make sure the included Wi-Fi router is turned on and within range of the product

Unable to Connect to a Protocol Server Use Case

If the product cannot connect to a protocol server, this is okay. To exit this state, first press **Stop** (left thumb switch) or **Menu** (**≡**) key and then press **0** key (Use Offline):




"Offline mode" simply means that it does not communicate with a protocol server. However, Wi-Fi remains active and connected.

Finding the Regulatory Labeling

From the main window, enter the **Main Menu** by pressing the **Menu** (**≡**) key.



Press the **8** key or scroll down through the menus and select option **8 Settings** with the **Enter** (**↵**) key.




From the Settings Menu, select option **3 Regulatory**.



The regulatory information appropriate to the regulatory region the throttle is setup to operate in will now be shown. TCS will deliver at least one sample pre-configured for each of the two supported regions. However, it is possible to change the configured operating region through the user interface.

United States and Canada



UK, Europe, Australia, and New Zealand



Changing the Regulatory Region

The product has slightly different RF operating characteristics depending on the regulatory region. TCS will deliver one sample pre-configured for each of the two supported regions. However, it is possible to change the configured operating region through the user interface.

In possible regions and configuration settings, WiFi channels 12 and 13 are always disabled. It is not possible for the user to enable WiFi Channels 12 and 13 through configuration settings.

From the main window, enter the **Main Menu** by pressing the **Menu** (**≡**) key.




Press the **8** key or scroll down through the menus and select option **8 Settings** with the **Enter** (**↵**) key.



From the **Settings Menu**, select option **1 Throttle Settings**.



From the **Throttle Settings** menu, select option **3 Network settings**.



From the **Network settings** menu, select option **2 Regulatory Region**.

Network settings			
1 Profile			
2 Regulatory Region			
Esc	Select		Help

From the **Regulatory Region** menu, select the option appropriate to the region you would like the product to operate in.

1. NA - US and Canada
2. UK/EU/AU/NZ - United Kingdom, Europe, Australia, New Zealand

Regulatory Region			
1*North-America			
2 UK/EU/AU/NZ			
Esc	Select		Help

Once you have made your selection, press Esc until you leave the settings menu and the product reboots. Once the reboot is complete, the product is now in the newly selected region mode.

FCC/IC E-Label Information

A. Information to be displayed

1. The information that will be displayed on the e-label and information that will remain in the user manual is shown below:

Information	on E-label	In Manual
FCC ID/IC number	Yes	Yes
FCC logo	Yes	Yes
Model Name	Yes	Yes
15.19 statement (“ <i>This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.</i> ”)	No	Yes
Class A / B digital device user manual statements	No	Yes

Images of the e-label screen are provided below:

Model: UWT-50 FC			
FCC ID: 2AUJ6-UWT50			
IC: 25442-UWT50			
Esc			

B. Access to the required information on the e-label

1. Users must be able to access the regulatory information without requiring special access codes or permissions, and in all cases the information must be accessible in no more than three steps from a product's main or home menu.	<p>The actual steps are: To access the e-label information as below 3 steps:</p> <ol style="list-style-type: none">1. Enter the Main Menu by pressing the Menu key2. Press the 8 key or scroll down through the menus and select option 8 Settings with the Enter key3. From the Setting Menu, select option 3 Regulatory <p>No special access codes or permissions are required to go through the above steps beyond entering a user-defined password to protect against unauthorized access to the device.</p>
2. Instructions must be provided with the product at the time of purchase, in the user manual, operating instructions, packaging material, quick guide pamphlet, etc. Alternatively, a product-related website is permitted, if a reference (URL) to obtain the website information is provided at the time of purchase in the user manual, operating instructions, packaging material, quick guide pamphlet, etc.	The information to the user is provided in the user manual.
3. Products must not require special accessories or supplemental plug-ins (e.g., the installation of a SIM/USIM card) to access the information. Access to regulatory information must be provided without special codes, accessories, or permissions beyond the normal security protection to unlock the screen, sign-in page, or overall product access.	The devices do not require special code, accessories or supplemental plug-ins to access the information.
4. The FCC ID, warning statements, or other information must be displayed electronically in a manner that is clearly legible without the aid of magnification.	Yes, it is clearly legible without the aid of magnification.
5. Both regulatory information and dedicated exclusive application(s) or script(s) must be secured and implemented in a factory-set-unalterable format. The regulatory information must be capable of being retrieved and displayed locally, and under the control of the end user in possession of	Yes, it is secured and the user cannot modify it.

the product. The method must be secure, such that the application or script ensures that the regulatory information correctly displayed.	
--	--

c. Labeling for Importation and Purchasing

<p>1. When e-labeling is used, a physical temporary label is also required on the product, or a label on the packaging, at the time of importation, marketing, and sales.⁸ The physical label can be a summary version of the required regulatory information, such that the product can be identified as complying with the FCC's equipment authorization requirements. The information may simply be the FCC ID for products subject to certification.</p> <p>Products imported that are already packaged for sale and have a physical temporary label will satisfy this requirement. However, for products imported in bulk and not packaged individually, it is acceptable to use a temporary removable adhesive label on the product, or temporary or permanent labels on the shipping packaging or protective bags. Any removable adhesive label shall be of a type intended to survive normal shipping and handling.</p>	<p>The FCC logo, FCC ID, and model number are present on the product packaging.</p>
--	---