




4G LTE • WI-FI • POWER BANK

# Meet Nommi



## POWER BUTTON

Press and hold the Power Button until both LEDs turn green to switch on/off

## RESET TO FACTORY SETTINGS

Insert a sim pin key into the pinhole and hold pressed until both LEDs turn green

## BATTERY LEVEL LED INDICATOR

- 70-100%
- 30-69%
- <30%

## CONNECTION STATUS

- LTE/4G
- 2G/3G
- NO CONNECTION
- CONNECTED TO WI-FI

QI WIRELESS CHARGER  
AVAILABLE ONLY ON POWER VERSION


# Meet Nommi

USB-A FOR CHARGING DEVICES

USB-C TO CHARGE NOMMI

MANUAL RESTART

SIM TRAY



MICROSD  
up to 128GB FAT16, FAT32 formats

NANOSIM

---


## INCLUDED IN THE BOX

USB-A CHARGING CABLE

USB-C TO USB ADAPTER

## HOW TO USE POWER BANK

---




---

## CHARGING REQUIREMENTS

ADAPTOR'S OUTPUT SHOULD BE 5V 2A (10W). CABLE MUST HAVE USB-A ON ONE SIDE. DO NOT USE LAPTOP CABLES WITH TYPE C ON BOTH ENDS.

## HOW TO USE WIRELESS CHARGER



1. PRESS THE POWER BUTTON

2. PLACE YOUR PHONE ONTO NOMMI  
SO THE TOP EDGES OF BOTH PHONE  
AND NOMMI ARE ON THE SAME LINE

Please make sure your phone fits Nommi's edges.  
Wireless charger turns off automatically after 30  
secs. after removing your phone from it (to save  
battery life).


## HOW TO USE PHYSICAL SIM CARD

---

1. INSERT SIM CARD
2. CHANGE SIM MODE ON APP
3. RESTART YOUR NOMMI

**Note**


Remove SIM pin code before inserting into Nommi



## START

---

### 1 Charge Nommi



### 2 Power On

PRESS THE POWER BUTTON UNTIL BOTH LEDS TURN GREEN



### 3 Download Nommi app



### 4 Create an account



### 5 Pair Nommi. Enter your SSID

FIND IT ON NOMMI OR WI-FI LIST ON YOUR PHONE



## TECHNICAL SPECIFICATIONS

DIMENSIONS	85×115×17mm	85×126×26mm
WEIGHT	137g (4,8 ounces)	235g (8,28 ounces)
BATTERY CAPACITY	5600 mAh	10000 mAh
BATTERY LIFE	24 hours	48 hours
Qi WIRELESS CHARGER	NO	YES (Compatible with iPhone 8/X and most Android phones) Output 5V 1A
COMMUNICATION SYSTEM	Support TD-LTE/LTE FDD/WCDMA/GSM	Support TD-LTE/LTE FDD/WCDMA/GSM
TD-LTE frequencies	B41	B41
FDD LTE frequencies	B2/B4/B5/B7/B12/B17	B2/B4/B5/B7/B12/B17
WCDMA frequencies	B2/B5	B2/B5
GSM frequencies	850/1900Mhz	850/1900Mhz
TD-LTE	Cat4, up to 112Mb/s DL and 17Mb/s UL	Cat4, up to 112Mb/s DL and 17Mb/s UL
LTE FDD	Cat4, up to 150Mb/s DL and 50Mb/s UL	Cat4, up to 150Mb/s DL and 50Mb/s UL
Wi-Fi PROTOCOL	Support IEEE 802.11 b/g/n/ac(*ac for receiving only), repeater up to 150 Mb/s	Support IEEE 802.11 b/g/n/ac(*ac for receiving only), repeater up to 150 Mb/s
SIM CARD	1 Soft-SIM (Embedded) 1 Standard SIM slot(Build-in)	1 Soft-SIM (Embedded) 1 Standard SIM slot(Build-in)
USB input	USB type-C, Maximum current 5V 1.65A	USB type-C, Maximum current 5V 1.65A
USB output	USB output port (Power Bank) max current 5V 1.5A	USB output port (Power Bank) max current 5V 1.5A



# Contact us



MYNOMMI



@MYNOMMI



MY NOMMI



@MYNOMMI

---

## FCC STATEMENT

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions:

1. This device may not cause harmful interference, and
2. This device must accept any interference received, including interference that may cause undesired operation.

**Warning:** Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

**Note:** This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

Reorient or relocate the receiving antenna.

Increase the separation between the equipment and receiver.

Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.

Consult the dealer or an experienced radio/TV technician for help.

FCC Radiation Exposure Statement:

This equipment complies with FCC radiation exposure limits set forth for an uncontrolled environment. This equipment should be installed and operated with minimum distance 20cm between the radiator & your body.

CUSTOMER SERVICE

[help.nommi.net](mailto:help.nommi.net)

BUSINESS CONTACT

[hello@nommi.net](mailto:hello@nommi.net)

FIND MORE INFO

[nommi.net](http://nommi.net)

**FCC STATEMENT :**

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions:

- (1) This device may not cause harmful interference, and
- (2) This device must accept any interference received, including interference that may cause undesired operation.

**Warning:** Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

NOTE: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

**RF warning statement:**

The device has been evaluated to meet general RF exposure requirement. The device can be used in portable exposure condition without restriction.

## **SAR Information Statement**

The product is designed and manufactured not to exceed the emission limits for exposure to radiofrequency (RF) energy set by the Federal Communications Commission of the U.S. Government. These limits are part of comprehensive guidelines and establish permitted levels of RF energy for the general population. The guidelines are based on standards that were developed by independent scientific organizations through periodic and thorough evaluation of scientific studies. The standards include a substantial safety margin designed to assure the safety of all persons, regardless of age and health. The exposure standard for wireless mobile phones employs a unit of measurement known as the Specific Absorption Rate, or SAR. The SAR limit set by the FCC is 1.6 W/kg. Tests for SAR are conducted with the product transmitting at its highest certified power level in all tested frequency bands. Although the SAR is determined at the highest certified power level, the actual SAR level of the product while operating can be well below the maximum value. This is because the product is designed to operate at multiple power levels so as to use only the power required to reach the network. In general, the closer you are to a wireless base station antenna, the lower the power output. Before a product model is available for sale to the public, it must be tested and certified to the FCC that it does not exceed the limit established by the government adopted requirement for safe exposure. The tests are performed in positions and locations (e.g., at the ear and worn on the body) as required by the FCC for each model. The highest SAR value for this model product when tested for use worn on the body, as described in this user guide, when properly worn on the body is 1.140W/kg.

(Body-worn measurements differ among phone models, depending upon available accessories and FCC requirements). While there may be differences between the SAR levels of various product and at various positions, they all meet the government requirement for safe exposure. The FCC has granted an Equipment Authorization for this model product with all reported SAR levels evaluated as in compliance with the FCC RF exposure guidelines. SAR information on this model product is on file with the FCC and can be found under the Display Grant section of <http://www.fcc.gov/oet/fccid> after searching on.

FCC ID: 2AUKJ-POWER Additional information on Specific Absorption Rates (SAR) can be found on the Cellular Telecommunications Industry Association (CTIA) web-site at <https://www.ctia.org/> In the United States and Canada, the SAR limit is 1.6 watts/kg (W/kg) averaged over one gram of tissue. The standard incorporates a substantial margin of safety to give additional protection for the public and to account for any variations in measurements.

## **Body-worn Operation**

This device was tested for typical body-worn operations. To comply with RF exposure requirements, a minimum separation distance of 0mm is used between the user's body and the handset, including the antenna. Third-party belt-clips, holsters, and similar accessories used by this device should not contain any metallic components. Body-worn accessories that do not meet these requirements may not comply with RF exposure requirements and should be avoided. Use only the supplied or an approved antenna.