

Manual

Specifications

Voltage: DC 12V

Current: $\leq 12\text{mA}$

Frequency: 433MHz

Transmit power: $\geq 10\text{mW}$

Reference distance: 500m

Frequency deviation: $\pm 0.2\text{MHz}$

Transmission rate: 50--60KHZ

Size: 92*41*12mm

Code: 1527

Battery: 12V23A*1PCS

Each remote control has an independent address code, so the remote control is a separate entity, and will not cause mutual interference.

Application

Anti-theft alarms for homes and shopping malls; alarms for electric vehicles, automobiles, motorcycles, various door and window controllers and other industrial controllers (need to support 1527 encoding format).

Instructions

1. Press the remote control button, the remote control LED lights up, and the signal is transmitted successfully

Precautions

1. When the remote control voltage is low, please replace the battery in time (when the remote control battery voltage is low, the remote control distance will generally become shorter).
2. When using wireless electronic products, pay attention to avoiding metal masks, large electronic devices, electromagnetic fields, etc., which have strong interference sources, so as to avoid the short distance between the remote control and the reception or the failure of normal operation.
3. Do not use this electronic product abnormally. Abnormal use will reduce the performance and life of the product. In severe cases, it will damage the product and bring hidden dangers to your safety.

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Any changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

NOTE: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications.

However, there is no guarantee that interference will not occur in a particular installation.

If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

The device has been evaluated to meet general RF exposure requirement. The device can be used in portable exposure condition without restriction