
Page 273 of 369


Report No.: 200405001RFM-2



Shenzhen UnionTrust Quality and Technology Co., Ltd.

Address: 16/F, Block A, Building 6, Baoneng Science and Technology Park, Qingxiang Road No.1, Longhua New District, Shenzhen, China Tel: +86-755-28230888 Fax: +86-755-28230886 E-mail: info@uttlab.com <u>http://www.uttlab.com</u>


5.6.13 LTE Band 71



Shenzhen UnionTrust Quality and Technology Co., Ltd.

Page 275 of 369


Report No.: 200405001RFM-2



Shenzhen UnionTrust Quality and Technology Co., Ltd.

Page 276 of 369


Report No.: 200405001RFM-2



Shenzhen UnionTrust Quality and Technology Co., Ltd.

Page 277 of 369


Report No.: 200405001RFM-2



Shenzhen UnionTrust Quality and Technology Co., Ltd.

Page 278 of 369


Report No.: 200405001RFM-2



Shenzhen UnionTrust Quality and Technology Co., Ltd.

Page 279 of 369

Report No.: 200405001RFM-2




Shenzhen UnionTrust Quality and Technology Co., Ltd.

Address: 16/F, Block A, Building 6, Baoneng Science and Technology Park, Qingxiang Road No.1, Longhua New District, Shenzhen, China Tel: +86-755-28230888 Fax: +86-755-28230886 E-mail: info@uttlab.com <u>http://www.uttlab.com</u>

Page 280 of 369


Report No.: 200405001RFM-2



Shenzhen UnionTrust Quality and Technology Co., Ltd.

Page 281 of 369

Report No.: 200405001RFM-2



Shenzhen UnionTrust Quality and Technology Co., Ltd.

Address: 16/F, Block A, Building 6, Baoneng Science and Technology Park, Qingxiang Road No.1, Longhua New District, Shenzhen, China Tel: +86-755-28230888 Fax: +86-755-28230886 E-mail: info@uttlab.com <u>http://www.uttlab.com</u>

Page 282 of 369

Report No.: 200405001RFM-2

5.7 SPURIOUS EMISSIONS AT ANTENNA TERMINALS

Test Requirement:	LTE Band 2 & LTE Band 25: FCC 47 CFR Part 24.238(a)
•	LTE Band 4 & LTE Band 66: FCC 47 CFR Part 27.53(h)
	LTE Band 5 & LTE Band 26: FCC 47 CFR Part 22.917(a)
	LTE Band 7 & Band 41: FCC 47 CFR Part 27.53(m)(4)
	LTE Band 12 & Band 17& Band 71: FCC 47 CFR Part 27.53(g)
	LTE Band 30: FCC 47 CFR Part 27.53(a)(4)
	LTE Band 26: FCC 47 CFR Part 90.691
Test Method:	ANSI C63.26-2015 & KDB 971168 D01v03r01
1.1	

Limit:

FCC 47 CFR Part 24.238(a), 27.53(h)(1), 22.917(a), 27.53(g), 90.691:

The power of any emission outside of the authorized operating frequency ranges must be attenuated below the transmitting power (P) by a factor of at least $43 + 10 \log(P) dB$. The emission limit equal to -13 dBm.

FCC 47 CFR Part 27.53(a)(4): For mobile and portable stations operating in the 2305-2315 MHz and 2350-2360 MHz bands:

(i) By a factor of not less than: 43 + 10 log (P) dB on all frequencies between 2305 and 2320 MHz and on all frequencies between 2345 and 2360 MHz that are outside the licensed band(s) of operation, not less than 55 + 10 log (P) dB on all frequencies between 2320 and 2324 MHz and on all frequencies between 2341 and 2345 MHz, not less than 61 + 10 log (P) dB on all frequencies between 2328 MHz and on all frequencies between 2337 and 2341 MHz, and not less than 67 + 10 log (P) dB on all frequencies between 2328 and 2337 MHz;

(ii) By a factor of not less than 43 + 10 log (P) dB on all frequencies between 2300 and 2305 MHz, 55 + 10 log (P) dB on all frequencies between 2296 and 2300 MHz, 61 + 10 log (P) dB on all frequencies between 2292 and 2296 MHz, 67 + 10 log (P) dB on all frequencies between 2288 and 2292 MHz, and 70 + 10 log (P) dB below 2288 MHz;

(iii) By a factor of not less than 43 + 10 log (P) dB on all frequencies between 2360 and 2365 MHz, and not less than 70 + 10 log (P) dB above 2365 MHz.

FCC 47 CFR Part 27.53(m)(4):

The power of any emission outside of the authorized operating frequency ranges must be attenuated below the transmitting power (P) by a factor of at least 55 + 10 log(P) dB. The emission limit equal to -25 dBm.

Test Procedure:


The EUT makes a phone call to the communication simulator. All measurements were done at low, middle and high operational frequency range. b. Measuring frequency range is from 30 MHz to the tenth harmonic of the highest fundamental frequency or to 40 GHz, whichever is lower. Set RBW & VBW to 100 kHz for the measurement below 1 GHz, and 1 MHz for the measurement above 1 GHz.

Note: The cable loss and attenuator loss were offset into measure device as an amplitude offset.

Test Setup:	Refer to section 4.2.2 for details.
Instruments Used:	Refer to section 3 for details
Test Mode:	Link mode
Test Results:	Pass


Shenzhen UnionTrust Quality and Technology Co., Ltd.

5.7.1 LTE Band 2



Shenzhen UnionTrust Quality and Technology Co., Ltd.

Page 284 of 369



Shenzhen UnionTrust Quality and Technology Co., Ltd.

 Address: 16/F, Block A, Building 6, Baoneng Science and Technology Park, Qingxiang Road No.1, Longhua New District, Shenzhen, China

 Tel: +86-755-28230888
 Fax: +86-755-28230886
 E-mail: info@uttlab.com
 http://www.uttlab.com

 UTTR-RF-FCC4G-V1.0
 Fax: +86-755-28230886
 E-mail: info@uttlab.com
 http://www.uttlab.com