ONE WORLD OUR APPROVAL



## Prediction of MPE limit at a given distance

Equation from page 18 of OET Bulletin 65, Edition 97-01

$$S = \frac{PG}{4\pi R^2}$$

where: S = power density

P = power input to the antenna

G = power gain of the antenna in the direction of interest relative to an isotropic radiator

R = distance to the center of radiation of the antenna

Maximum peak output power at device output terminal:	
Cable and Jumper loss:	
Maximum peak output power at antenna input terminal:	<u>4.10</u> dBm
	2.570395783 mW
Single Antenna gain (typical):	0 dBi
Number of Antennae:	1
Total Antenna gain (typical):	0 dBi
	1 (numeric)
Prediction distance:	1 cm
Prediction frequency:	2402 MHz
MPE limit for uncontrolled exposure at prediction frequency:	1 mW/cm <sup>2</sup>
Power density at prediction frequency:	0.204546 mW/cm <sup>2</sup>
Power density at prediction frequency:	<b>0.204546 mW/cm<sup>2</sup></b> 2.045456 W/m <sup>2</sup>
Power density at prediction frequency: Tx On time:	
	2.045456 W/m <sup>2</sup>
Tx On time:	2.045456 W/m <sup>2</sup> 1.000000 ms
Tx On time: Tx period time: Average Factor:	2.045456 W/m <sup>2</sup> 1.000000 ms 1.000000 ms
Tx On time: Tx period time:	2.045456 W/m <sup>2</sup> 1.000000 ms 1.000000 ms 100.000000 %