


Report No.: TMWK2108000371KR

Test Mode	IEEE 802.11n 40 MHz/ 5755 MHz	Temp/Hum	23.9(°C)/ 62%RH
Test Item	Harmonic	Test Date	August 25, 2021
Polarize	Vertical	Test Engineer	Ray Li
Detector	Peak		




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
11510.00	Peak	29.69	19.13	48.82	74.00	-25.18
17265.00	Peak	30.38	33.98	64.36	68.20	-3.84
N/A						

**Remark:**

1. Measuring frequencies from 1 GHz to the 10th harmonic of highest fundamental frequency.
2. For above 1GHz,the EUT peak value was under average limit, therefore the Average value compliance with the average limit.

Report No.: TMWK2108000371KR

Test Mode	IEEE 802.11n 40 MHz/ 5755 MHz	Temp/Hum	23.9(°C)/ 62%RH
Test Item	Harmonic	Test Date	August 25, 2021
Polarize	Horizontal	Test Engineer	Ray Li
Detector	Peak		




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dB $\mu$ V	Factor dB	Actual FS dB $\mu$ V/m	Limit @3m dB $\mu$ V/m	Margin dB
11510.00	Peak	29.97	19.13	49.10	74.00	-24.90
17265.00	Peak	30.15	33.98	64.13	68.20	-4.07
N/A						

**Remark:**

1. Measuring frequencies from 1 GHz to the 10th harmonic of highest fundamental frequency.
2. For above 1GHz, the EUT peak value was under average limit, therefore the Average value compliance with the average limit.

Report No.: TMWK2108000371KR

Test Mode	IEEE 802.11n 40 MHz/ 5795 MHz	Temp/Hum	23.9(°C)/ 62%RH
Test Item	Harmonic	Test Date	August 25, 2021
Polarize	Vertical	Test Engineer	Ray Li
Detector	Peak		



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dB $\mu$ V	Factor dB	Actual FS dB $\mu$ V/m	Limit @3m dB $\mu$ V/m	Margin dB
11590.00	Peak	30.56	19.00	49.56	74.00	-24.44
17385.00	Peak	29.96	34.60	64.56	68.20	-3.64
N/A						

**Remark:**

1. Measuring frequencies from 1 GHz to the 10th harmonic of highest fundamental frequency.
2. For above 1GHz, the EUT peak value was under average limit, therefore the Average value compliance with the average limit.

Report No.: TMWK2108000371KR

Test Mode	IEEE 802.11n 40 MHz/ 5795 MHz	Temp/Hum	23.9(°C)/ 62%RH
Test Item	Harmonic	Test Date	August 25, 2021
Polarize	Horizontal	Test Engineer	Ray Li
Detector	Peak		




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dB $\mu$ V	Factor dB	Actual FS dB $\mu$ V/m	Limit @3m dB $\mu$ V/m	Margin dB
11590.00	Peak	30.89	19.00	49.89	74.00	-24.11
17385.00	Peak	30.11	34.60	64.71	68.20	-3.49
N/A						

**Remark:**

1. Measuring frequencies from 1 GHz to the 10th harmonic of highest fundamental frequency.
2. For above 1GHz, the EUT peak value was under average limit, therefore the Average value compliance with the average limit.

Report No.: TMWK2108000371KR

Test Mode	IEEE 802.11ac VHT80/ 5775 MHz	Temp/Hum	23.9(°C)/ 62%RH
Test Item	Harmonic	Test Date	August 25, 2021
Polarize	Vertical	Test Engineer	Ray Li
Detector	Peak		




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dB $\mu$ V	Factor dB	Actual FS dB $\mu$ V/m	Limit @3m dB $\mu$ V/m	Margin dB
11550.00	Peak	30.39	19.09	49.48	74.00	-24.52
17325.00	Peak	30.50	34.24	64.74	68.20	-3.46
N/A						

**Remark:**

1. Measuring frequencies from 1 GHz to the 10th harmonic of highest fundamental frequency.
2. For above 1GHz,the EUT peak value was under average limit, therefore the Average value compliance with the average limit.

Report No.: TMWK2108000371KR

Test Mode	IEEE 802.11ac VHT80/ 5775 MHz	Temp/Hum	23.9(°C)/ 62%RH
Test Item	Harmonic	Test Date	August 25, 2021
Polarize	Horizontal	Test Engineer	Ray Li
Detector	Peak		



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dB $\mu$ V	Factor dB	Actual FS dB $\mu$ V/m	Limit @3m dB $\mu$ V/m	Margin dB
11550.00	Peak	30.51	19.09	49.60	74.00	-24.40
17325.00	Peak	30.25	34.24	64.49	68.20	-3.71
N/A						

**Remark:**

1. Measuring frequencies from 1 GHz to the 10th harmonic of highest fundamental frequency.
2. For above 1GHz, the EUT peak value was under average limit, therefore the Average value compliance with the average limit.

- End of Test Report -