







EXHIBIT 3 - EUT INTERNAL PHOTOGRAPHS

<p>Solder Board-Component View 1</p>	 A photograph showing a small, rectangular printed circuit board (PCB) component mounted on a larger board. The component is populated with various electronic components, including a microcontroller, several resistors, and a small capacitor. A white wire is soldered to the component. The board is placed on a blue textured surface. A black ruler with white markings is positioned vertically and horizontally to provide scale. The vertical ruler shows markings from 0 to 70 mm, and the horizontal ruler shows markings from 0 to 100 mm.
<p>Solder Board-Component View 2</p>	 A photograph showing the same PCB component from a different perspective. This view shows the underside of the component, revealing the solder joints and the layout of the components on the reverse side of the board. The component is still on the blue textured surface with the black ruler for scale. The vertical ruler shows markings from 0 to 80 mm, and the horizontal ruler shows markings from 0 to 100 mm.

<p>Solder Board-Component View 3</p>	 <p>A photograph showing a solder board component, labeled 'IM-T360-KEY2-20200219', positioned on a blue textured surface. The component is a small, circular, gold-colored solder pad with a central hole, connected to a thin, gold-colored flexible circuit strip. A black ruler with white markings is placed below the component for scale, showing measurements in millimeters. The ruler is oriented vertically, with the 0 mm mark at the top and the 100 mm mark at the bottom. The component is located approximately between the 10 mm and 20 mm marks on the ruler.</p>
<p>Solder Board-Component View 4</p>	 <p>A photograph showing the same solder board component as in View 3, but from a different perspective. The component is a small, circular, gold-colored solder pad with a central hole, connected to a thin, gold-colored flexible circuit strip. A black ruler with white markings is placed below the component for scale, showing measurements in millimeters. The ruler is oriented vertically, with the 0 mm mark at the top and the 100 mm mark at the bottom. The component is located approximately between the 10 mm and 20 mm marks on the ruler.</p>

<p>Solder Board-Component View 5</p>	
<p>Antenna View</p>	 <p>BT Ant.</p>