






EXHIBIT 2 - EUT EXTERNAL PHOTOGRAPHS

<p>EUT View 1</p>	 A photograph showing the external components of the EUT. On a light blue surface, there is a black power adapter with a power cord, a black USB cable, and a black device with a lens and a circular button. A black ruler is placed vertically to the left of the device for scale. The device has the 'PRT' logo on its front.
<p>EUT View 2</p>	 A close-up photograph of the black device from View 1. The device is shown from a slightly different angle, highlighting the lens and the circular button. A black ruler is placed vertically to the left of the device for scale. The 'PRT' logo is visible on the device's front.

<p>EUT View 3</p>	 A photograph showing the bottom view of a black, rounded rectangular device. The device is placed on a light blue surface next to a black L-shaped ruler. The ruler has markings in millimeters and centimeters. On the bottom of the device, there is a white label with a barcode and the text "PRT". There are also several small rectangular slots and circular indentations on the bottom surface.
<p>EUT View 4</p>	 A photograph showing the side view of the same black, rounded rectangular device. The device is placed on a light blue surface next to a black L-shaped ruler. The ruler has markings in millimeters and centimeters. The side of the device is smooth and curved, with a small circular feature near the top edge. The "PRT" logo is visible on the top surface.

EUT View 5



EUT View 6



EUT View 7



EUT View 8

