










EXHIBIT 3 - EUT INTERNAL PHOTOGRAPHS

<p>EUT Housing and Board View 1</p>	 A photograph showing the internal components of a handheld device. The black plastic housing is open, revealing a printed circuit board (PCB) with various electronic components. A white label with a barcode and the text "WALTEK" is visible on the board. A black ruler is placed horizontally below the device for scale, showing measurements in millimeters. The background is a blue textured surface.
<p>EUT Housing and Board View 2</p>	 A photograph showing the internal components of a handheld device from a different perspective. The black plastic housing is open, revealing a battery pack and a printed circuit board (PCB). The battery pack is blue and black, with a white label. The PCB is visible below the battery. A black ruler is placed horizontally below the device for scale, showing measurements in millimeters. The background is a blue textured surface.

<p style="text-align: center;">Solder Board-Component View 1</p>	 <p>A photograph of a small, irregularly shaped black printed circuit board (PCB) component. The board is populated with various electronic components, including a large central chip labeled 'V133', several smaller integrated circuits, and numerous surface-mount components. A large circular hole is visible on the left side of the board. The component is placed on a blue textured surface next to a black ruler with white markings. The ruler shows measurements in millimeters, with the component's length being approximately 100 mm and its width around 40 mm.</p>
<p style="text-align: center;">Solder Board-Component View 2</p>	 <p>A photograph of the same PCB component from a different perspective. This view shows the underside of the board, revealing the solder joints and the reverse side of the components. A prominent feature is a large, rectangular component with a grid of pins, likely a microcontroller or a similar high-pin-count IC. Other components and solder connections are visible across the board. The component is placed on the same blue textured surface next to a black ruler with white markings. The ruler shows measurements in millimeters, with the component's length being approximately 100 mm and its width around 40 mm.</p>

<p style="text-align: center;">Solder Board-Component View 3</p>	 A photograph showing a small, rectangular electronic component with a black PCB. The component has two circular LEDs labeled 'LED2' and 'LED1', and a yellow component labeled 'M1'. It is placed on a blue textured surface next to a black ruler with white markings. The ruler shows measurements in millimeters, with the component positioned between the 10mm and 60mm marks.
<p style="text-align: center;">Solder Board-Component View 4</p>	 A photograph showing a small, rectangular electronic component with a yellow PCB. It has a yellow connector on one side and several small components on the surface. It is placed on a blue textured surface next to a black ruler with white markings. The ruler shows measurements in millimeters, with the component positioned between the 10mm and 60mm marks.

<p style="text-align: center;">Solder Board-Component View 5</p>	 A photograph showing a small, rectangular electronic component mounted on a blue perforated solder board. The component is positioned on a black ruler with white markings. The ruler shows measurements in millimeters, with the component's length spanning approximately from the 10 mm mark to the 25 mm mark. The component has a gold-colored connector on one side and various surface markings, including 'C1', 'S1', 'E', and 'U'. The background is a blue perforated metal surface.
<p style="text-align: center;">Solder Board-Component View 6</p>	 A photograph showing a small, rectangular electronic component mounted on a blue perforated solder board. The component is positioned on a black ruler with white markings. The ruler shows measurements in millimeters, with the component's length spanning approximately from the 10 mm mark to the 25 mm mark. The component has a gold-colored connector on one side and various surface markings, including '1-20200628', '13886', '65-08517-001', and 'U'. The background is a blue perforated metal surface.

<p style="text-align: center;">Solder Board-Component View</p> <p style="text-align: center;">7</p>	
<p style="text-align: center;">Antenna View</p>	