





<p style="text-align: center;">Solder Board-Component View 5</p>	 <p>A photograph showing a small electronic component on a blue textured solder board. The component is a black PCB with a yellow connector on the left and two circular components on the right. It is placed on a black ruler with white markings. The ruler shows centimeter and millimeter scales. The component is positioned between the 10mm and 20mm marks on the horizontal axis and between the 40mm and 50mm marks on the vertical axis.</p>
<p style="text-align: center;">Solder Board-Component View 6</p>	 <p>A photograph showing a different electronic component on a blue textured solder board. This component is a black PCB with four circular components (LEDs) arranged in a 2x2 grid. It is placed on a black ruler with white markings. The ruler shows centimeter and millimeter scales. The component is positioned between the 10mm and 20mm marks on the horizontal axis and between the 40mm and 50mm marks on the vertical axis.</p>

<p style="text-align: center;">Solder Board-Component View 7</p>	 A photograph of a small, rectangular printed circuit board (PCB) component. The board is dark-colored and features several gold-plated pins along its bottom edge. A white connector is visible on the right side. The component is placed on a blue textured surface. A black ruler with white markings is positioned to the left and below the component, showing measurements in millimeters. The ruler markings are visible from 10 to 60 mm.
<p style="text-align: center;">Solder Board-Component View 8</p>	 A photograph of a small, rectangular printed circuit board (PCB) component, similar to the one in view 7. This board has a white connector on the left side and a gold-plated pin on the right side. The board is dark-colored and has various components labeled, including 'C31=11', 'HN-6278SR-CB', 'C4', 'D3', 'R3', 'R2', 'R8', and 'Q1A'. It is placed on a blue textured surface. A black ruler with white markings is positioned to the left and below the component, showing measurements in millimeters. The ruler markings are visible from 10 to 70 mm.