


Test Mode	TX 2402 MHz_1Mbps	Polarization	Horizontal
-----------	-------------------	--------------	------------

Radiated Emission




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	4804.000	51.49	-3.99	47.50	74.00	-26.50	peak		

Radiated Emission




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree
1	*	2310.000	45.66	-1.78	43.88	74.00	-30.12	peak		
2		2390.000	45.00	-1.54	43.46	74.00	-30.54	peak		

Test Mode	TX 2440 MHz_1Mbps	Polarization	Vertical
-----------	-------------------	--------------	----------



Test Mode	TX 2440 MHz_1Mbps	Polarization	Horizontal
-----------	-------------------	--------------	------------




Test Mode	TX 2480 MHz_1Mbps	Polarization	Vertical
-----------	-------------------	--------------	----------

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree		
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1	*	4960.000	52.69	-5.07	47.62	74.00	-26.38	peak			

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	2483.500	50.08	-0.90	49.18	74.00	-24.82	peak		
2		2500.000	44.53	-0.74	43.79	74.00	-30.21	peak		


Test Mode	TX 2480 MHz_1Mbps	Polarization	Horizontal
-----------	-------------------	--------------	------------

Radiated Emission





No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	4960.000	52.31	-5.07	47.24	74.00	-26.76	peak		

Radiated Emission




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		2483.500	57.49	-0.90	56.59	74.00	-17.41	peak		
2	*	2483.500	53.37	-0.90	52.47	54.00	-1.53	AVG		
3		2500.000	44.57	-0.74	43.83	74.00	-30.17	peak		

Test Mode	TX 2402 MHz_2Mbps	Polarization	Vertical
-----------	-------------------	--------------	----------




Test Mode	TX 2402 MHz_2Mbps	Polarization	Horizontal
-----------	-------------------	--------------	------------

Radiated Emission




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1	*	4804.000	49.80	-3.99	45.81	74.00	-28.19 peak		

Radiated Emission




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1		2310.000	46.75	-1.78	44.97	74.00	-29.03 peak		
2	*	2390.000	46.70	-1.54	45.16	74.00	-28.84 peak		

Test Mode	TX 2440 MHz_2Mbps	Polarization	Vertical
-----------	-------------------	--------------	----------



Test Mode	TX 2440 MHz_2Mbps	Polarization	Horizontal
-----------	-------------------	--------------	------------




Test Mode	TX 2480 MHz_2Mbps	Polarization	Vertical
-----------	-------------------	--------------	----------

Radiated Emission





No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1	*	4960.000	49.73	-5.07	44.66	74.00	-29.34	peak	

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	2483.500	52.02	-0.90	51.12	74.00	-22.88	peak		
2		2500.000	45.10	-0.74	44.36	74.00	-29.64	peak		

Test Mode	TX 2480 MHz_2Mbps	Polarization	Horizontal
-----------	-------------------	--------------	------------



REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

APPENDIX E - BANDWIDTH

DTS Bandwidth

TestMode	Antenna	Frequency[MHz]	DTS BW [MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
BLE_1M	Ant1	2402	0.652	2401.728	2402.380	0.5	PASS
BLE_1M	Ant1	2440	0.656	2439.728	2440.384	0.5	PASS
BLE_1M	Ant1	2480	0.660	2479.724	2480.384	0.5	PASS
BLE_2M	Ant1	2402	1.108	2401.508	2402.616	0.5	PASS
BLE_2M	Ant1	2440	1.112	2439.504	2440.616	0.5	PASS
BLE_2M	Ant1	2480	1.112	2479.504	2480.616	0.5	PASS

Test Graphs







Occupied Channel Bandwidth

TestMode	Antenna	Frequency[MHz]	OCB [MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
BLE_1M	Ant1	2402	1.0281	2401.5415	2402.5696	---	---
BLE_1M	Ant1	2440	1.0203	2439.5481	2440.5684	---	---
BLE_1M	Ant1	2480	1.0315	2479.5443	2480.5758	---	---
BLE_2M	Ant1	2402	2.0463	2401.0493	2403.0956	---	---
BLE_2M	Ant1	2440	2.0446	2439.0495	2441.0941	---	---
BLE_2M	Ant1	2480	2.0609	2479.0416	2481.1025	---	---

Test Graphs

