




Satcube Ku terminal top



Satcube Ku terminal bottom







SATCUBE

CAUTION: Radiation hazard
WARNING: READ INSTRUCTIONS BEFORE USE







SATCUBE







SATCUBE

Model : SC98185B
18,5 V
98 Wh
Li-Ion Battery



Store between
0°C to 60°C
32° F to 140° F



Serial Number:

BPI9010148

Year of Manufacture

19



WARNING! READ INSTRUCTIONS BEFORE USE

SAMPLE No: 001



ALTER

CUSTOMER: SATCUBE AB


PROPOSAL: A2-18-0081-B

SLIN: AL2-S00000007793

External power supply

INPUT

(输入)

 (GREEN / YELLOW)
(绿 / 黄)

● ACL (BROWN 棕)

● ACN (BLUE 蓝)

MW01 MADE IN CHINA(中国制造)




MEAN WELL ENTERPRISES CO.,LTD.
No. 28, Wuquan 3rd Rd., Wugu Dist.,
New Taipei City 24891, Taiwan
Manual: www.meanwell.com/manual.html

S/N:
A1



HLG-240H-24 (型号)

INPUT 100-240V~ 4.0A 50/60Hz
(输入) 277V~ 1.2A^(t_c) 50/60Hz
 λ :0.95 (277V~ for North America only)


OUTPUT +24V  10A(恒压恒流型)
(输出) Rated Power(额定功率): 240W

Suitable for use in Dry, Damp and Wet Locations


LED控制装置 t_c:90°C
t_a:50°C



TAIWAN
EXCELLENCE 2011



KYOWA CO., LTD.



OUTPUT

(输出)

(BLUE 蓝) Vo- ●
(BROWN 棕) Vo+ ●