



CIM315C Compact Contactless Smart Card Reader Module

User Manual



Driver installation Procedure

* Driver signed by Microsoft and WHQL, user can install the driver with Window Update. In case that cannot install via Window Update, please process the below steps to Manual installation

Hardware requires:


- ❖ CIM315C
- PC with OS windows 7 or above

Software requires:

CIR315 Driver Package

Steps:

- 1. Connect CIM315C to PC
- 2. On PC, open "Control Panel > System"



3. Open "Device Manager"



4. Select and open "Smart card readers"




if it is shown "Microsoft Usbccid ... (WUDF)", please continue with step 5)






if it is shown "CIR315 CL", mean driver install completed

5. Right click then select "Update driver" (one by one)




Cancel

6. Select "Browse my computer for driver software..."




7. 選擇 "Let me pick from a list …"






8. Select "Have Disk..."



9. Select "Browse..."




Select "CIR315.inf", then press "Open" and "OK"





10. Select "CIR315 CL" then "Next"



11. Waiting until below screen shown, Press "Close" to complete



12. Double click to ensure the device changed to "CIR315 PICC" and "CIR315 SAM"

Close



13. Done



Operation Example

Hardware requires:


- ❖ CIM315C
- ❖ PC with OS windows 7 or above
- ❖ ISO14443 Test Card

Software requires:


Any PCSC Application (e.g. APDU.exe)

Steps:

- 1. Plug in the reader into the PC
- 2. Open "APDU.exe"




3. Click "1. Select reader", Chose "Circle CIR315 CL 0", then click "OK"





4. Tag ISO14443 Test card on CIM315C




5. Select "T1", Message = "90 0a 00 00 01 00 00"


Ociect 11, Message - 30 08 00 00 01 00	50			
TAPDUDemoCard demo app			_	×
File Spawn Help				
Demo Info				
1. Select reader ☐ Auto reset				
2. Connect Connection - share m	ode • Share <u>d</u>	C Ex <u>c</u> lusiv	/e	
Connection - protocol C <u>U</u> ndefined		() <u>[</u> 1)	○ Ra <u>w</u>	
Message to the card: 90 0a 00 00 01 00 00				
<u>3</u> . Transmit □ <u>S</u> tress Inte	erval(ms) 500			
Answer from the card:				
4. Disconnect Disposition on discor	necting <u>R</u> eset	C U <u>n</u> powe	er	
Circle CIR315 CL 0 There is a card in the reader. 3B 81 80 01 80 80				



6. Press "2. Connect"




7. Press "3. Transmit"





8. Result will be shown on the "Answer from the card:"





Warning:

NOTE

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation.

This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help

Caution

Any changes or modifications not expressly approved by the grantee of this device could void the user's authority to operate the equipment.

Specific operational use conditions

The end product which used the equipment have to full test and apply an original FCC ID. Any changes or modifications not expressly approved by the grantee of this device could void the user's authority to operate the equipment.

Limited modular

This equipment applied as Limited single-modular transmitter, the end product which used this equipment have to full test and apply an original FCC ID.

RF Exposure warning

This equipment complies with FCC radiation exposure limits set forth for an uncontrolled environment. The End user must follow the specific operating instructions for satisfying RF exposure compliance. This transmitter must not be co-located or operating in conjunction with any other antenna or transmitter. The end product which used this equipment have to full test and apply an original FCC ID.

Antennas

Any changes or modifications not expressly approved by the grantee of this device could void the user's authority to operate the equipment. The end product which used this equipment have to full test and apply an original FCC ID.

Label and compliance information

The end product which used this equipment have to full test and apply an original FCC ID. Label should be included and compliance to the FCC rules with end product's FCCID.