
3.2 x 1.6 x 0.5 (mm) WiFi Dual Band Chip Antenna (AA077)

Engineering Specification

H 2 U 8 4 W 1 H 1 S 0 1 0 0

1. Product Number



2. Features

- *Stable and reliable performances in both 2.4 and 5 GHz bands
- *Low profile and compact size
- *RoHS compliance
- *SMT processes compatible

3. Applications

- *Wi-Fi CERTIFIED ac applications
- *Wireless communication devices when IEEE802.11 a/b/g/n/ac functions are needed.
- *IoT applications

4. Description

Unictron's AA077 ceramic chip antenna is designed for Wi-Fi CERTIFIED ac applications, covering both 2400~2500 MHz & 5150~5850 MHz frequency bands. Fabricated with proprietary design and processes, AA077 shows excellent performance and is fully compatible with SMT processes which can decrease the assembly cost and improve device's quality and consistency.



詠業科技股份有限公司

Unictron Technologies Corporation Website:www.unictron.com


THIS DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF UNICTRON TECHNOLOGIES CORPORATION AND SHALL NOT BE REPRODUCED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS OR DEVICES WITHOUT PERMISSION

Prepared by : Xenia Designed by : George Checked by : Mike Approved by : Herbert

TITLE: 3.2 x 1.6 x 0.5 (mm) WiFi Dual Band Chip
Antenna (AA077) Engineering Specification

DOCUMENT
NO.

H2U84W1H1S0100
H
PAGE 1 OF 22



Prepared by : Xenia Designed by :George Checked by : Mike Approved by : Herbert

TITLE: 3.2 x 1.6 x 0.5 (mm) WiFi Dual Band Chip
Antenna (AA077) Engineering Specification

DOCUMENT
NO.

H2U84W1H1S0100
H
PAGE 2 OF 22

5-2. Electrical Specifications (Evaluation Board Dimensions: 80 x 40 mm²) 5-2-1. Electrical Table (2400~2500 MHz Band)

Characteristics		Specifications	Unit
Outline Dimension	ns	3.2 x 1.6 x 0.5	mm
Ground Plane Dir	mensions	80 x 40	mm
Working Frequency		2400~2500	MHz
VSWR(@ center	frequency)*	2 Max.	
Characteristic Impedance		50	Ω
Polarization		Linear Polarization	
Peak Gain	(@2442 MU-z)	1.5 (typical)	dBi
Efficiency	(@2442 MHz)	76 (typical)	%

^{*}Center frequency means the frequency with the lowest value in return loss of the chip antenna on the evaluation board.

5-2-2. Electrical Table (5150~5850 MHz Band)

Characteristics		Specifications	Unit
Working Frequency		5150~5850	MHz
VSWR(@ center frequency)*		2 Max.	
Characteristic Impedance		50	Ω
Polarization		Linear Polarization	
Peak Gain	(@5550 MHz)	3.1 (typical)	dBi
Efficiency	(@5550 MHz)	67 (typical)	

^{*}Center frequency means the frequency with the lowest value in return loss of the chip antenna on the evaluation board.



詠業科技股份有限公司

Unictron Technologies Corporation Website:www.unictron.com


THIS DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF UNICTRON TECHNOLOGIES CORPORATION AND SHALL NOT BE REPRODUCED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS OR DEVICES WITHOUT PERMISSION

Prepared by : Xenia Designed by : George Checked by : Mike Approved by : Herbert

TITLE: 3.2 x 1.6 x 0.5 (mm) WiFi Dual Band Chip
Antenna (AA077) Engineering Specification


DOCUMENT
NO.

H2U84W1H1S0100
H
PAGE 3 OF 22



6. Outline Dimensions of Antenna & Evaluation Board (unit: mm)

6-1. Antenna Dimensions





詠業科技股份有限公司

Unictron Technologies Corporation Website:www.unictron.com

THIS DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF UNICTRON TECHNOLOGIES CORPORATION AND SHALL NOT BE REPRODUCED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS OR DEVICES WITHOUT PERMISSION

Prepared by : Xenia Designed by :George Checked by : Mike Approved by : Herbert


TITLE: 3.2 x 1.6 x 0.5 (mm) WiFi Dual Band Chip
Antenna (AA077) Engineering Specification

NO.

PAGE 4 OF 22


PIN Definitions





PIN	1	2
Soldering PAD	Signal	Tuning / Ground

6-2. Evaluation Board with Antenna



unit: mm



詠業科技股份有限公司

Unictron Technologies Corporation Website:www.unictron.com

THIS DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF UNICTRON TECHNOLOGIES CORPORATION AND SHALL NOT BE REPRODUCED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS OR DEVICES WITHOUT PERMISSION

Prepared by : Xenia Designed by :George Checked by : Mike Approved by : Herbert

TITLE: 3.2 x 1.6 x 0.5 (mm) WiFi Dual Band Chip
Antenna (AA077) Engineering Specification


DOCUMENT
NO.


H2U84W1H1S0100
H
PAGE 5 OF 22


7. Radiation Pattern (with 80 x 40 mm² Evaluation Board)


7-1. 2400~2500 MHz Band

7-1-1. 3D Gain Pattern @ 2442 MHz (unit: dBi)











詠業科技股份有限公司 Unictron Technologies Corporation Website:www.unictron.com

THIS DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF UNICTRON TECHNOLOGIES CORPORATION AND SHALL NOT BE REPRODUCED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS OR DEVICES WITHOUT PERMISSION

Prepared by : Xenia Designed by :George Checked by : Mike Approved by : Herbert


TITLE: 3.2 x 1.6 x 0.5 (mm) WiFi Dual Band Chip
Antenna (AA077) Engineering Specification

DOCUMENT
NO.

H2U84W1H1S0100
H
PAGE 6 OF 22

7-1-2. 3	BD Ef	ficier	тсу Т	able												
Frequency(MHz)	2400	2412	2417	2422	2427	2432	2437	2442	2447	2452	2457	2462	2467	2472	2484	2500
Efficiency(dB)	-1.7	-1.4	-1.2	-1.0	-1.0	-1.0	-1.1	-1.1	-1.2	-1.1	-1.1	-1.0	-1.0	-1.1	-1.5	-1.8
Efficiency(%)	67.9	73.2	76.1	78.7	79.9	78.8	77.4	76.8	76.8	77.2	78.1	79.3	79.2	78.1	71.5	65.5
Peak Gain(dBi)	0.8	1.2	1.3	1.4	1.4	1.3	1.3	1.4	1.5	1.5	1.4	1.5	1.4	1.3	1.2	0.8

7-1-3. 3D Efficiency vs. Frequency





詠業科技股份有限公司

Unictron Technologies Corporation Website:www.unictron.com

THIS DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF UNICTRON TECHNOLOGIES CORPORATION AND SHALL NOT BE REPRODUCED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS OR DEVICES WITHOUT PERMISSION

Prepared by : Xenia Designed by :George Checked by : Mike Approved by : Herbert


TITLE: 3.2 x 1.6 x 0.5 (mm) WiFi Dual Band Chip
Antenna (AA077) Engineering Specification


DOCUMENT
NO.


H2U84W1H1S0100
H
PAGE 7 OF 22


7-2. 5150~5850 MHz Band

7-2-1. 3D Gain Pattern @ 5150 MHz (unit: dBi)











詠業科技股份有限公司 Unictron Technologies Corporation Website:www.unictron.com

THIS DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF UNICTRON TECHNOLOGIES CORPORATION AND SHALL NOT BE REPRODUCED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS OR DEVICES WITHOUT PERMISSION


Prepared by : Xenia Designed by :George Checked by : Mike Approved by : Herbert


TITLE: 3.2 x 1.6 x 0.5 (mm) WiFi Dual Band Chip
Antenna (AA077) Engineering Specification


DOCUMENT
NO.


H2U84W1H1S0100
H
PAGE 8 OF 22

7-2-2. 3D Gain Pattern @ 5550 MHz (unit: dBi)











詠業科技股份有限公司 Unictron Technologies Corporation Website:www.unictron.com

THIS DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF UNICTRON TECHNOLOGIES CORPORATION AND SHALL NOT BE REPRODUCED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS OR DEVICES WITHOUT PERMISSION

PAGE 9

OF

22


Prepared by : Xenia Designed by :George Checked by : Mike Approved by : Herbert


TITLE: 3.2 x 1.6 x 0.5 (mm) WiFi Dual Band Chip
Antenna (AA077) Engineering Specification


NO.


| Comparison of the properties of the prop

7-2-3. 3D Gain Pattern @ 5850 MHz (unit: dBi)











詠業科技股份有限公司 Unictron Technologies Corporation Website:www.unictron.com

THIS DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF UNICTRON TECHNOLOGIES CORPORATION AND SHALL NOT BE REPRODUCED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS OR DEVICES WITHOUT PERMISSION

PAGE 10

OF

22

Prepared by : Xenia Designed by :George Checked by : Mike Approved by : Herbert

TITLE: 3.2 x 1.6 x 0.5 (mm) WiFi Dual Band Chip
Antenna (AA077) Engineering Specification


DOCUMENT
NO.

H2U84W1H1S0100
H

7-2-4. 3D Efficiency Table

Frequency(MHz)	5150	5200	5250	5300	5350	5400	5450	5500	5550	5600	5650	5700	5750	5800	5850
Efficiency(dB)	-1.5	-1.4	-1.8	-1.5	-1.4	-1.8	-2.0	-1.6	-1.7	-1.6	-1.4	-1.6	-1.8	-1.5	-1.9
Efficiency(%)	71.5	71.9	65.7	71.6	71.9	65.8	63.2	69.9	67.3	69.6	71.7	68.9	66.6	70.1	64.6
Peak Gain(dBi)	2.2	2.3	2.0	2.3	2.1	2.1	2.0	2.4	2.3	2.8	3.1	2.6	2.5	2.6	2.2

7-2-5. 3D Efficiency vs. Frequency





詠業科技股份有限公司

Unictron Technologies Corporation Website:www.unictron.com

THIS DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF UNICTRON TECHNOLOGIES CORPORATION AND SHALL NOT BE REPRODUCED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS OR DEVICES WITHOUT PERMISSION

Prepared by : Xenia Designed by :George Checked by : Mike Approved by : Herbert


TITLE: 3.2 x 1.6 x 0.5 (mm) WiFi Dual Band Chip
Antenna (AA077) Engineering Specification

DOCUMENT
NO.

H2U84W1H1S0100
H
PAGE 11 OF 22

8. Frequency tuning and Matching circuit

8-1. Chip antenna tuning scenario:



Matching circuit



詠業科技股份有限公司

Unictron Technologies Corporation Website:www.unictron.com

THIS DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF UNICTRON TECHNOLOGIES CORPORATION AND SHALL NOT BE REPRODUCED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS OR DEVICES WITHOUT PERMISSION

Prepared by : Xenia Designed by :George Checked by : Mike Approved by : Herbert


TITLE: 3.2 x 1.6 x 0.5 (mm) WiFi Dual Band Chip
Antenna (AA077) Engineering Specification

DOCUMENT
NO.

H2U84W1H1S0100
H
PAGE 12 OF 22

8-2. Matching circuit:

With the following recommended values of matching and tuning components, the center frequencies will be about 2442 MHz for lower band & 5500 MHz for higher band at our standard 80x40 mm² evaluation board. However, these are typical reference values which may need to be changed when circuit boards or part vendors are different.



System Matching Circuit Component					
Location	Description	Vendor	Tolerance		
1	N/A	-	-		
2	1 nH, (0402)	DARFON	±0.3 nH		
3	0.2 pF, (0402)	DARFON	±0.05 pF		
4	22 pF, (0402)	DARFON	±5%		
5 Fine tuning element	1 pF, (0402)	DARFON	±0.05 pF		
6 Fine tuning element	0.2 pF, (0402)	DARFON	±0.05 pF		



詠業科技股份有限公司

Unictron Technologies Corporation Website:www.unictron.com

THIS DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF UNICTRON TECHNOLOGIES CORPORATION AND SHALL NOT BE REPRODUCED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS OR DEVICES WITHOUT PERMISSION


Prepared by : Xenia Designed by :George Checked by : Mike Approved by : Herbert


TITLE: 3.2 x 1.6 x 0.5 (mm) WiFi Dual Band Chip
Antenna (AA077) Engineering Specification

DOCUMENT
NO.

H2U84W1H1S0100
H
PAGE 13 OF 22

8-3. Reference for frequency tuning element (2400~2500 MHz Band)








詠業科技股份有限公司


Unictron Technologies Corporation Website:www.unictron.com

THIS DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF UNICTRON TECHNOLOGIES CORPORATION AND SHALL NOT BE REPRODUCED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS OR DEVICES WITHOUT PERMISSION

Prepared by : Xenia	Designed by :George	Checked by	y: Mike Approved by:	Approved by : Herbert		
TITLE: 3.2 x 1.6 x 0.5	(mm) WiFi Dual Band Chip	DOCUMENT	H2U84W1H1S0100	REV.		
Antenna (AA)	077) Engineering Specification	NO.	11200444111100100	Н		
			DAGE 1/1 OF	22		

8-4. Reference for frequency tuning element (5150~5850 MHz Band)







詠業科技股份有限公司


Unictron Technologies Corporation Website:www.unictron.com

THIS DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF UNICTRON TECHNOLOGIES CORPORATION AND SHALL NOT BE REPRODUCED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS OR DEVICES WITHOUT PERMISSION

Prepared by : Xenia	Designed by :George	Checked by	y: Mike Approved by: H	Approved by : Herbert		
TITLE: 3.2 x 1.6 x 0.5	(mm) WiFi Dual Band Chip	DOCUMENT	H2U84W1H1S0100	REV.		
Antenna (AA)	077) Engineering Specification	NO.	1120041111100100	Н		
			DAGE 15 OF	22		

9. Soldering Conditions

9-1. Typical Soldering Profile for Lead-free Process



Time (s)

10. Reminders for users of Unictron's AA077 ceramic chip antennas

- 10-1. This chip antenna is made of ceramic materials which are relatively more rigid and brittle compared to printed circuit board materials. Bending of circuit board at the locations where chip antenna is mounted may cause the cracking of solder joints or antenna itself.
- 10-2. Punching/cutting of the break-off tab of PCB panel may cause severe bending of the circuit board which may result in cracking of solder joints or chip antenna itself. Therefore break-off tab shall be located away from the installation site of chip antenna.
- 10-3. Be cautious when ultrasonic welding process needs to be used near the locations where chip antennas are installed. Strong ultrasonic vibration may cause the cracking of chip antenna solder joints.



詠業科技股份有限公司

Unictron Technologies Corporation
Website:www.unictron.com

THIS DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF UNICTRON TECHNOLOGIES CORPORATION AND SHALL NOT BE REPRODUCED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS OR DEVICES WITHOUT PERMISSION

Prepared by : Xenia Designed by :George Checked by : Mike Approved by : Herbert

TITLE: 3.2 x 1.6 x 0.5 (mm) WiFi Dual Band Chip
Antenna (AA077) Engineering Specification


DOCUMENT
NO.

H2U84W1H1S0100
H
PAGE 16 OF 22

11. Packing

- (1) Quantity/Reel: 5000 pcs/Reel
- (2) Plastic tape:


a. Tape Drawing



b. Tape Dimensions (unit: mm)

Feature	Specifications	Tolerances
W	12.00	±0.30
Р	4.00	±0.10
E	1.75	±0.10
F	5.50	±0.10
P2	2.00	±0.10
D	1.50	+0.10
	1.50	-0.00
Po	4.00	±0.10
10Po	40.00	±0.20

c. Reel Drawing





詠業科技股份有限公司

Unictron Technologies Corporation Website:www.unictron.com

THIS DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF UNICTRON TECHNOLOGIES CORPORATION AND SHALL NOT BE REPRODUCED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS OR DEVICES WITHOUT PERMISSION


Prepared by : Xenia Designed by : George Checked by : Mike Approved by : Herbert

TITLE: 3.2 x 1.6 x 0.5 (mm) WiFi Dual Band Chip
Antenna (AA077) Engineering Specification


DOCUMENT
NO.

H2U84W1H1S0100
H
PAGE 17 OF 22

d. Drawing of small size carton in developed view



e. Drawing of middle size carton in developed view





詠業科技股份有限公司

Unictron Technologies Corporation Website:www.unictron.com

THIS DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF UNICTRON TECHNOLOGIES CORPORATION AND SHALL NOT BE REPRODUCED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS OR DEVICES WITHOUT PERMISSION


Prepared by : Xenia Designed by :George Checked by : Mike Approved by : Herbert

TITLE : 3.2 x 1.6 x 0.5 (mm) WiFi Dual Band Chip DOCUMENT HOLD REV.


Antenna (AA077) Engineering Specification NO.

H2U84W1H1S0100
H
PAGE 18 OF 22

e. Drawing of large size carton in developed view



f. Picture of label





詠業科技股份有限公司

Unictron Technologies Corporation Website:www.unictron.com

THIS DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF UNICTRON TECHNOLOGIES CORPORATION AND SHALL NOT BE REPRODUCED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS OR DEVICES WITHOUT PERMISSION

Prepared by : Xenia Designed by :George Checked by : Mike Approved by : Herbert

TITLE: 3.2 x 1.6 x 0.5 (mm) WiFi Dual Band Chip
Antenna (AA077) Engineering Specification

DOCUMENT
NO.

H2U84W1H1S0100
H
PAGE 19 OF 22

g. Reel with label



h. Small size carton with label





詠業科技股份有限公司 Unictron Technologies Corporation

ctron Technologies Corporation
Website:www.unictron.com

THIS DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF UNICTRON TECHNOLOGIES CORPORATION AND SHALL NOT BE REPRODUCED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS OR DEVICES WITHOUT PERMISSION

Prepared by : Xenia Designed by : George Checked by : Mike Approved by : Herbert

TITLE: 3.2 x 1.6 x 0.5 (mm) WiFi Dual Band Chip
Antenna (AA077) Engineering Specification


DOCUMENT
NO.

H2U84W1H1S0100
H
PAGE 20 OF 22

i. Middle size carton with label




11-2. Process of packing



1 reel includes 5,000pcs(max.) chip antennas

1 small size carton includes 2pcs(max.) reels



1 middle size carton includes 5pcs(max.) small catons

1 large size carton includes 2pcs(max.) middle cartons



詠業科技股份有限公司

Unictron Technologies Corporation Website:www.unictron.com

THIS DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF UNICTRON TECHNOLOGIES CORPORATION AND SHALL NOT BE REPRODUCED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS OR DEVICES WITHOUT PERMISSION

Prepared by : Xenia Designed by : George Checked by : Mike Approved by : Herbert

TITLE: 3.2 x 1.6 x 0.5 (mm) WiFi Dual Band Chip
Antenna (AA077) Engineering Specification

DOCUMENT
NO.

H2U84W1H1S0100
H
PAGE 21 OF 22

12. Operating & Storage Conditions

12-1. Operating

(1) Maximum Input Power: 2 W

(2) Operating Temperature: -40°C to 85°C

12-2. Storage

(1) Storage Temperature: -5°C to 40°C(2) Relative Humidity: 20% to 70%

(3) Shelf Life: 1 year

13. Notice

(1) Installation Guide:

Please refer to Unictron's application note "General guidelines for the installation of Unictron's chip antennas" for further information.

(2) All specifications are subject to change without notice.



詠業科技股份有限公司

Unictron Technologies Corporation Website:www.unictron.com

THIS DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF UNICTRON TECHNOLOGIES CORPORATION AND SHALL NOT BE REPRODUCED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS OR DEVICES WITHOUT PERMISSION

Prepared by : Xenia Designed by :George Checked by : Mike Approved by : Herbert

TITLE: 3.2 x 1.6 x 0.5 (mm) WiFi Dual Band Chip
Antenna (AA077) Engineering Specification

DOCUMENT
NO.

H2U84W1H1S0100
H
PAGE 22 OF 22