






5.2G:

Duty Cycle

Condition	Mode	Frequency (MHz)	Antenna	Duty Cycle (%)	Correction Factor (dB)	1/T (kHz)
NVNT	a	5180	Ant1	93.65	0.28	0.74
NVNT	a	5200	Ant1	93.66	0.28	0.74
NVNT	a	5240	Ant1	93.66	0.28	0.74
NVNT	n20	5180	Ant1	93.19	0.31	0.79
NVNT	n20	5200	Ant1	93.17	0.31	0.79
NVNT	n20	5240	Ant1	93.18	0.31	0.79
NVNT	n40	5190	Ant1	87.32	0.59	1.56
NVNT	n40	5230	Ant1	87.33	0.59	1.59
NVNT	ac20	5180	Ant1	93.26	0.3	0.79
NVNT	ac20	5200	Ant1	93.31	0.3	0.78
NVNT	ac20	5240	Ant1	93.17	0.31	0.78
NVNT	ac40	5190	Ant1	87.34	0.59	1.56
NVNT	ac40	5230	Ant1	87.4	0.58	1.59
NVNT	ac80	5210	Ant1	77.79	1.09	3.13
NVNT	ax20	5180	Ant1	93.48	0.29	50
NVNT	ax20	5200	Ant1	85.45	0.68	1.92
NVNT	ax20	5240	Ant1	85.53	0.68	1.89
NVNT	ax40	5190	Ant1	85.46	0.68	1.92
NVNT	ax40	5230	Ant1	85.38	0.69	1.92
NVNT	ax80	5210	Ant1	76.35	1.17	3.57










Maximum Conducted Output Power



Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Limit (dBm)	Verdict
NVNT	a	5180	Ant1	11.13	24	Pass
NVNT	a	5200	Ant1	11.4	24	Pass
NVNT	a	5240	Ant1	12.38	24	Pass
NVNT	n20	5180	Ant1	11.11	24	Pass
NVNT	n20	5200	Ant1	11.5	24	Pass
NVNT	n20	5240	Ant1	12.21	24	Pass
NVNT	n40	5190	Ant1	11.45	24	Pass
NVNT	n40	5230	Ant1	12.04	24	Pass
NVNT	ac20	5180	Ant1	11.11	24	Pass
NVNT	ac20	5200	Ant1	11.48	24	Pass
NVNT	ac20	5240	Ant1	12.09	24	Pass
NVNT	ac40	5190	Ant1	11.19	24	Pass
NVNT	ac40	5230	Ant1	11.94	24	Pass
NVNT	ac80	5210	Ant1	10.57	24	Pass
NVNT	ax20	5180	Ant1	10.19	24	Pass
NVNT	ax20	5200	Ant1	9.99	24	Pass
NVNT	ax20	5240	Ant1	9.86	24	Pass
NVNT	ax40	5190	Ant1	9.97	24	Pass
NVNT	ax40	5230	Ant1	10.07	24	Pass
NVNT	ax80	5210	Ant1	9.89	24	Pass



-26dB Bandwidth



Condition	Mode	Frequency (MHz)	Antenna	-26 dB Bandwidth (MHz)	Verdict
NVNT	a	5180	Ant1	22.578	Pass
NVNT	a	5200	Ant1	20.631	Pass
NVNT	a	5240	Ant1	19.848	Pass
NVNT	n20	5180	Ant1	22.887	Pass
NVNT	n20	5200	Ant1	20.832	Pass
NVNT	n20	5240	Ant1	22.392	Pass
NVNT	n40	5190	Ant1	46.422	Pass
NVNT	n40	5230	Ant1	44.952	Pass
NVNT	ac20	5180	Ant1	22.686	Pass
NVNT	ac20	5200	Ant1	22.602	Pass
NVNT	ac20	5240	Ant1	23.322	Pass
NVNT	ac40	5190	Ant1	46.47	Pass
NVNT	ac40	5230	Ant1	45.276	Pass
NVNT	ac80	5210	Ant1	85.26	Pass
NVNT	ax20	5180	Ant1	21.888	Pass
NVNT	ax20	5200	Ant1	24.885	Pass
NVNT	ax20	5240	Ant1	21.129	Pass
NVNT	ax40	5190	Ant1	45.042	Pass
NVNT	ax40	5230	Ant1	44.916	Pass
NVNT	ax80	5210	Ant1	84.708	Pass






































Occupied Channel Bandwidth



Condition	Mode	Frequency (MHz)	Antenna	99% OBW (MHz)
NVNT	a	5180	Ant1	16.564
NVNT	a	5200	Ant1	16.381
NVNT	a	5240	Ant1	16.417
NVNT	n20	5180	Ant1	17.809
NVNT	n20	5200	Ant1	17.674
NVNT	n20	5240	Ant1	17.728
NVNT	n40	5190	Ant1	36.338
NVNT	n40	5230	Ant1	36.26
NVNT	ac20	5180	Ant1	18.022
NVNT	ac20	5200	Ant1	17.77
NVNT	ac20	5240	Ant1	17.917
NVNT	ac40	5190	Ant1	36.338
NVNT	ac40	5230	Ant1	36.194
NVNT	ac80	5210	Ant1	75.508
NVNT	ax20	5180	Ant1	18.946
NVNT	ax20	5200	Ant1	18.853
NVNT	ax20	5240	Ant1	18.928
NVNT	ax40	5190	Ant1	37.832
NVNT	ax40	5230	Ant1	37.838
NVNT	ax80	5210	Ant1	77.272































Maximum Power Spectral Density Level

Condition	Mode	Frequency (MHz)	Antenna	Conducted PSD (dBm)	Duty Factor (dB)	Total PSD (dBm)	Limit (dBm)	Verdict
NVNT	a	5180	Ant1	-2.73	0.28	-2.45	11	Pass
NVNT	a	5200	Ant1	-2.6	0.28	-2.32	11	Pass
NVNT	a	5240	Ant1	-2.56	0.28	-2.28	11	Pass
NVNT	n20	5180	Ant1	-4.02	0.31	-3.71	11	Pass
NVNT	n20	5200	Ant1	-4.44	0.31	-4.13	11	Pass
NVNT	n20	5240	Ant1	-3.44	0.31	-3.13	11	Pass
NVNT	n40	5190	Ant1	-8.58	0.59	-7.99	11	Pass
NVNT	n40	5230	Ant1	-9.14	0.59	-8.55	11	Pass
NVNT	ac20	5180	Ant1	-2.65	0.3	-2.35	11	Pass
NVNT	ac20	5200	Ant1	-4.35	0.3	-4.05	11	Pass
NVNT	ac20	5240	Ant1	-3.36	0.31	-3.05	11	Pass
NVNT	ac40	5190	Ant1	-9.86	0.59	-9.27	11	Pass
NVNT	ac40	5230	Ant1	-9.43	0.58	-8.85	11	Pass
NVNT	ac80	5210	Ant1	-16.47	1.09	-15.38	11	Pass
NVNT	ax20	5180	Ant1	-6.44	0.29	-6.15	11	Pass
NVNT	ax20	5200	Ant1	-7.07	0.7	-6.37	11	Pass
NVNT	ax20	5240	Ant1	-6.82	0.68	-6.14	11	Pass
NVNT	ax40	5190	Ant1	-11.38	0.68	-10.7	11	Pass
NVNT	ax40	5230	Ant1	-10.1	0.69	-9.41	11	Pass
NVNT	ax80	5210	Ant1	-14.69	1.17	-13.52	11	Pass

