










Band2-9538-3-1000~20000MHz




Band2-9538-3-0.009~0.15MHz




Band2-9538-3-0.15~30MHz




Band2-9538-4-0.009~0.15MHz




Band2-9538-4-1000~20000MHz




Band2-9538-4-0.15~30MHz




Band2-9538-4-30~1000MHz




Band2-9538-5-1000~20000MHz




Band2-9538-5-0.009~0.15MHz



Band2-9538-5-0.15~30MHz



Band2-9538-5-30~1000MHz



Appendix F: Frequency Stability

Test Result

WCDMA

Voltage							
Band	Channel	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band2	9262	VL	NT	6.13	0.003309	±2.5	PASS
Band2	9262	VN	NT	6.46	0.003487	±2.5	PASS
Band2	9262	VH	NT	6.61	0.003568	±2.5	PASS
Band2	9400	VL	NT	2.35	0.001250	±2.5	PASS
Band2	9400	VN	NT	2.15	0.001144	±2.5	PASS
Band2	9400	VH	NT	2.73	0.001452	±2.5	PASS
Band2	9538	VL	NT	-2.84	-0.001489	±2.5	PASS
Band2	9538	VN	NT	-3.21	-0.001683	±2.5	PASS
Band2	9538	VH	NT	-2.80	-0.001468	±2.5	PASS

Temperature							
Band	Channel	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band2	9262	NV	-30	6.15	0.003320	±2.5	PASS
Band2	9262	NV	-20	6.61	0.003568	±2.5	PASS
Band2	9262	NV	-10	6.02	0.003250	±2.5	PASS
Band2	9262	NV	0	6.12	0.003304	±2.5	PASS
Band2	9262	NV	10	6.17	0.003331	±2.5	PASS
Band2	9262	NV	20	6.19	0.003342	±2.5	PASS
Band2	9262	NV	30	6.34	0.003423	±2.5	PASS
Band2	9262	NV	40	6.33	0.003417	±2.5	PASS
Band2	9262	NV	50	6.39	0.003450	±2.5	PASS
Band2	9400	NV	-30	1.82	0.000968	±2.5	PASS
Band2	9400	NV	-20	1.82	0.000968	±2.5	PASS
Band2	9400	NV	-10	1.83	0.000973	±2.5	PASS
Band2	9400	NV	0	2.10	0.001117	±2.5	PASS
Band2	9400	NV	10	2.50	0.001330	±2.5	PASS
Band2	9400	NV	20	2.17	0.001154	±2.5	PASS
Band2	9400	NV	30	1.92	0.001021	±2.5	PASS
Band2	9400	NV	40	1.99	0.001059	±2.5	PASS
Band2	9400	NV	50	1.99	0.001059	±2.5	PASS
Band2	9538	NV	-30	-3.03	-0.001588	±2.5	PASS
Band2	9538	NV	-20	-3.03	-0.001588	±2.5	PASS
Band2	9538	NV	-10	-2.93	-0.001536	±2.5	PASS
Band2	9538	NV	0	-2.88	-0.001510	±2.5	PASS

Band2	9538	NV	10	-2.85	-0.001494	±2.5	PASS
Band2	9538	NV	20	-2.73	-0.001431	±2.5	PASS
Band2	9538	NV	30	-2.71	-0.001421	±2.5	PASS
Band2	9538	NV	40	-2.98	-0.001562	±2.5	PASS
Band2	9538	NV	50	-3.26	-0.001709	±2.5	PASS

HSDPA

Band	Channel	Sub Test	Voltage					
			Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band2	9262	1	VL	NT	-2.83	-0.001528	±2.5	PASS
Band2	9262	1	VN	NT	-2.50	-0.001350	±2.5	PASS
Band2	9262	1	VH	NT	-2.33	-0.001258	±2.5	PASS
Band2	9262	2	VL	NT	-2.85	-0.001539	±2.5	PASS
Band2	9262	2	VN	NT	-3.11	-0.001679	±2.5	PASS
Band2	9262	2	VH	NT	-2.73	-0.001474	±2.5	PASS
Band2	9262	3	VL	NT	-2.95	-0.001593	±2.5	PASS
Band2	9262	3	VN	NT	-2.22	-0.001198	±2.5	PASS
Band2	9262	3	VH	NT	-2.91	-0.001571	±2.5	PASS
Band2	9262	4	VL	NT	-2.52	-0.001360	±2.5	PASS
Band2	9262	4	VN	NT	-2.76	-0.001490	±2.5	PASS
Band2	9262	4	VH	NT	-2.72	-0.001468	±2.5	PASS
Band2	9400	1	VL	NT	-2.64	-0.001404	±2.5	PASS
Band2	9400	1	VN	NT	-2.43	-0.001293	±2.5	PASS
Band2	9400	1	VH	NT	-2.95	-0.001569	±2.5	PASS
Band2	9400	2	VL	NT	-2.75	-0.001463	±2.5	PASS
Band2	9400	2	VN	NT	-2.83	-0.001505	±2.5	PASS
Band2	9400	2	VH	NT	-3.02	-0.001606	±2.5	PASS
Band2	9400	3	VL	NT	-2.69	-0.001431	±2.5	PASS
Band2	9400	3	VN	NT	-2.95	-0.001569	±2.5	PASS
Band2	9400	3	VH	NT	-2.80	-0.001489	±2.5	PASS
Band2	9400	4	VL	NT	-2.78	-0.001479	±2.5	PASS
Band2	9400	4	VN	NT	-3.14	-0.001670	±2.5	PASS
Band2	9400	4	VH	NT	-2.89	-0.001537	±2.5	PASS
Band2	9538	1	VL	NT	-2.98	-0.001562	±2.5	PASS
Band2	9538	1	VN	NT	-2.55	-0.001337	±2.5	PASS
Band2	9538	1	VH	NT	-2.74	-0.001436	±2.5	PASS
Band2	9538	2	VL	NT	-2.93	-0.001536	±2.5	PASS
Band2	9538	2	VN	NT	-3.03	-0.001588	±2.5	PASS
Band2	9538	2	VH	NT	-3.44	-0.001803	±2.5	PASS
Band2	9538	3	VL	NT	-3.43	-0.001798	±2.5	PASS
Band2	9538	3	VN	NT	-2.46	-0.001290	±2.5	PASS
Band2	9538	3	VH	NT	-2.85	-0.001494	±2.5	PASS
Band2	9538	4	VL	NT	-2.65	-0.001389	±2.5	PASS
Band2	9538	4	VN	NT	-2.67	-0.001400	±2.5	PASS
Band2	9538	4	VH	NT	-2.79	-0.001463	±2.5	PASS

Temperature								
Band	Channel	Sub Test	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band2	9262	1	NV	-30	-2.78	-0.001501	±2.5	PASS
Band2	9262	1	NV	-20	-2.49	-0.001344	±2.5	PASS
Band2	9262	1	NV	-10	-2.58	-0.001393	±2.5	PASS
Band2	9262	1	NV	0	-2.54	-0.001371	±2.5	PASS
Band2	9262	1	NV	10	-2.52	-0.001360	±2.5	PASS
Band2	9262	1	NV	20	-2.75	-0.001485	±2.5	PASS
Band2	9262	1	NV	30	-3.00	-0.001620	±2.5	PASS
Band2	9262	1	NV	40	-2.83	-0.001528	±2.5	PASS
Band2	9262	1	NV	50	-2.35	-0.001269	±2.5	PASS
Band2	9262	2	NV	-30	-2.78	-0.001501	±2.5	PASS
Band2	9262	2	NV	-20	-2.73	-0.001474	±2.5	PASS
Band2	9262	2	NV	-10	-2.49	-0.001344	±2.5	PASS
Band2	9262	2	NV	0	-2.90	-0.001566	±2.5	PASS
Band2	9262	2	NV	10	-2.42	-0.001306	±2.5	PASS
Band2	9262	2	NV	20	-3.19	-0.001722	±2.5	PASS
Band2	9262	2	NV	30	-2.71	-0.001463	±2.5	PASS
Band2	9262	2	NV	40	-3.06	-0.001652	±2.5	PASS
Band2	9262	2	NV	50	-2.06	-0.001112	±2.5	PASS
Band2	9262	3	NV	-30	-2.98	-0.001609	±2.5	PASS
Band2	9262	3	NV	-20	-3.23	-0.001744	±2.5	PASS
Band2	9262	3	NV	-10	-2.85	-0.001539	±2.5	PASS
Band2	9262	3	NV	0	-2.90	-0.001566	±2.5	PASS
Band2	9262	3	NV	10	-2.73	-0.001474	±2.5	PASS
Band2	9262	3	NV	20	-2.73	-0.001474	±2.5	PASS
Band2	9262	3	NV	30	-2.43	-0.001312	±2.5	PASS
Band2	9262	3	NV	40	-3.26	-0.001760	±2.5	PASS
Band2	9262	3	NV	50	-2.42	-0.001306	±2.5	PASS
Band2	9262	4	NV	-30	-2.80	-0.001512	±2.5	PASS
Band2	9262	4	NV	-20	-3.18	-0.001717	±2.5	PASS
Band2	9262	4	NV	-10	-2.52	-0.001360	±2.5	PASS
Band2	9262	4	NV	0	-2.62	-0.001414	±2.5	PASS
Band2	9262	4	NV	10	-2.78	-0.001501	±2.5	PASS
Band2	9262	4	NV	20	-3.38	-0.001825	±2.5	PASS
Band2	9262	4	NV	30	-2.49	-0.001344	±2.5	PASS
Band2	9262	4	NV	40	-2.88	-0.001555	±2.5	PASS
Band2	9262	4	NV	50	-2.88	-0.001555	±2.5	PASS
Band2	9400	1	NV	-30	-2.95	-0.001569	±2.5	PASS
Band2	9400	1	NV	-20	-2.60	-0.001383	±2.5	PASS
Band2	9400	1	NV	-10	-1.91	-0.001016	±2.5	PASS

Band2	9400	1	NV	0	-2.73	-0.001452	±2.5	PASS
Band2	9400	1	NV	10	-2.88	-0.001532	±2.5	PASS
Band2	9400	1	NV	20	-2.60	-0.001383	±2.5	PASS
Band2	9400	1	NV	30	-2.89	-0.001537	±2.5	PASS
Band2	9400	1	NV	40	-2.74	-0.001457	±2.5	PASS
Band2	9400	1	NV	50	-3.09	-0.001644	±2.5	PASS
Band2	9400	2	NV	-30	-2.79	-0.001484	±2.5	PASS
Band2	9400	2	NV	-20	-2.70	-0.001436	±2.5	PASS
Band2	9400	2	NV	-10	-2.95	-0.001569	±2.5	PASS
Band2	9400	2	NV	0	-3.06	-0.001628	±2.5	PASS
Band2	9400	2	NV	10	-2.60	-0.001383	±2.5	PASS
Band2	9400	2	NV	20	-2.88	-0.001532	±2.5	PASS
Band2	9400	2	NV	30	-2.74	-0.001457	±2.5	PASS
Band2	9400	2	NV	40	-3.11	-0.001654	±2.5	PASS
Band2	9400	2	NV	50	-2.75	-0.001463	±2.5	PASS
Band2	9400	3	NV	-30	-2.41	-0.001282	±2.5	PASS
Band2	9400	3	NV	-20	-2.71	-0.001441	±2.5	PASS
Band2	9400	3	NV	-10	-2.69	-0.001431	±2.5	PASS
Band2	9400	3	NV	0	-3.00	-0.001596	±2.5	PASS
Band2	9400	3	NV	10	-2.87	-0.001527	±2.5	PASS
Band2	9400	3	NV	20	-2.98	-0.001585	±2.5	PASS
Band2	9400	3	NV	30	-3.16	-0.001681	±2.5	PASS
Band2	9400	3	NV	40	-2.59	-0.001378	±2.5	PASS
Band2	9400	3	NV	50	-2.44	-0.001298	±2.5	PASS
Band2	9400	4	NV	-30	-2.91	-0.001548	±2.5	PASS
Band2	9400	4	NV	-20	-3.34	-0.001777	±2.5	PASS
Band2	9400	4	NV	-10	-2.81	-0.001495	±2.5	PASS
Band2	9400	4	NV	0	-2.12	-0.001128	±2.5	PASS
Band2	9400	4	NV	10	-2.80	-0.001489	±2.5	PASS
Band2	9400	4	NV	20	-2.87	-0.001527	±2.5	PASS
Band2	9400	4	NV	30	-2.70	-0.001436	±2.5	PASS
Band2	9400	4	NV	40	-2.76	-0.001468	±2.5	PASS
Band2	9400	4	NV	50	-3.08	-0.001638	±2.5	PASS
Band2	9538	1	NV	-30	-2.98	-0.001562	±2.5	PASS
Band2	9538	1	NV	-20	-2.35	-0.001232	±2.5	PASS
Band2	9538	1	NV	-10	-2.61	-0.001368	±2.5	PASS
Band2	9538	1	NV	0	-2.52	-0.001321	±2.5	PASS
Band2	9538	1	NV	10	-3.23	-0.001693	±2.5	PASS
Band2	9538	1	NV	20	-2.62	-0.001373	±2.5	PASS
Band2	9538	1	NV	30	-2.84	-0.001489	±2.5	PASS
Band2	9538	1	NV	40	-2.84	-0.001489	±2.5	PASS

Band2	9538	1	NV	50	-2.68	-0.001405	±2.5	PASS
Band2	9538	2	NV	-30	-2.45	-0.001284	±2.5	PASS
Band2	9538	2	NV	-20	-3.13	-0.001641	±2.5	PASS
Band2	9538	2	NV	-10	-2.95	-0.001546	±2.5	PASS
Band2	9538	2	NV	0	-2.65	-0.001389	±2.5	PASS
Band2	9538	2	NV	10	-2.68	-0.001405	±2.5	PASS
Band2	9538	2	NV	20	-3.82	-0.002003	±2.5	PASS
Band2	9538	2	NV	30	-2.90	-0.001520	±2.5	PASS
Band2	9538	2	NV	40	-2.37	-0.001242	±2.5	PASS
Band2	9538	2	NV	50	-2.86	-0.001499	±2.5	PASS
Band2	9538	3	NV	-30	-3.19	-0.001672	±2.5	PASS
Band2	9538	3	NV	-20	-2.34	-0.001227	±2.5	PASS
Band2	9538	3	NV	-10	-2.60	-0.001363	±2.5	PASS
Band2	9538	3	NV	0	-3.15	-0.001651	±2.5	PASS
Band2	9538	3	NV	10	-2.51	-0.001316	±2.5	PASS
Band2	9538	3	NV	20	-2.53	-0.001326	±2.5	PASS
Band2	9538	3	NV	30	-3.05	-0.001599	±2.5	PASS
Band2	9538	3	NV	40	-2.53	-0.001326	±2.5	PASS
Band2	9538	3	NV	50	-2.70	-0.001415	±2.5	PASS
Band2	9538	4	NV	-30	-2.94	-0.001541	±2.5	PASS
Band2	9538	4	NV	-20	-2.54	-0.001332	±2.5	PASS
Band2	9538	4	NV	-10	-2.83	-0.001484	±2.5	PASS
Band2	9538	4	NV	0	-3.00	-0.001573	±2.5	PASS
Band2	9538	4	NV	10	-2.98	-0.001562	±2.5	PASS
Band2	9538	4	NV	20	-2.88	-0.001510	±2.5	PASS
Band2	9538	4	NV	30	-3.16	-0.001657	±2.5	PASS
Band2	9538	4	NV	40	-2.92	-0.001531	±2.5	PASS
Band2	9538	4	NV	50	-3.18	-0.001667	±2.5	PASS

HSUPA

Voltage								
Band	Channel	Sub Test	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band2	9262	1	VL	NT	5.03	0.002715	±2.5	PASS
Band2	9262	1	VN	NT	3.54	0.001911	±2.5	PASS
Band2	9262	1	VH	NT	5.58	0.003012	±2.5	PASS
Band2	9262	2	VL	NT	5.92	0.003196	±2.5	PASS
Band2	9262	2	VN	NT	5.15	0.002780	±2.5	PASS
Band2	9262	2	VH	NT	6.00	0.003239	±2.5	PASS
Band2	9262	3	VL	NT	6.07	0.003277	±2.5	PASS
Band2	9262	3	VN	NT	5.28	0.002850	±2.5	PASS
Band2	9262	3	VH	NT	6.19	0.003342	±2.5	PASS
Band2	9262	4	VL	NT	6.17	0.003331	±2.5	PASS
Band2	9262	4	VN	NT	5.09	0.002748	±2.5	PASS
Band2	9262	4	VH	NT	6.29	0.003396	±2.5	PASS
Band2	9262	5	VL	NT	6.52	0.003520	±2.5	PASS
Band2	9262	5	VN	NT	6.10	0.003293	±2.5	PASS
Band2	9262	5	VH	NT	6.07	0.003277	±2.5	PASS
Band2	9400	1	VL	NT	6.57	0.003495	±2.5	PASS
Band2	9400	1	VN	NT	6.03	0.003207	±2.5	PASS
Band2	9400	1	VH	NT	6.43	0.003420	±2.5	PASS
Band2	9400	2	VL	NT	6.37	0.003388	±2.5	PASS
Band2	9400	2	VN	NT	6.12	0.003255	±2.5	PASS
Band2	9400	2	VH	NT	6.52	0.003468	±2.5	PASS
Band2	9400	3	VL	NT	6.51	0.003463	±2.5	PASS
Band2	9400	3	VN	NT	6.30	0.003351	±2.5	PASS
Band2	9400	3	VH	NT	6.66	0.003543	±2.5	PASS
Band2	9400	4	VL	NT	6.69	0.003559	±2.5	PASS
Band2	9400	4	VN	NT	6.09	0.003239	±2.5	PASS
Band2	9400	4	VH	NT	6.57	0.003495	±2.5	PASS
Band2	9400	5	VL	NT	6.54	0.003479	±2.5	PASS
Band2	9400	5	VN	NT	6.44	0.003426	±2.5	PASS
Band2	9400	5	VH	NT	6.65	0.003537	±2.5	PASS
Band2	9538	1	VL	NT	6.53	0.003423	±2.5	PASS
Band2	9538	1	VN	NT	6.44	0.003376	±2.5	PASS
Band2	9538	1	VH	NT	6.44	0.003376	±2.5	PASS
Band2	9538	2	VL	NT	6.59	0.003455	±2.5	PASS
Band2	9538	2	VN	NT	6.31	0.003308	±2.5	PASS
Band2	9538	2	VH	NT	6.45	0.003381	±2.5	PASS
Band2	9538	3	VL	NT	6.46	0.003386	±2.5	PASS
Band2	9538	3	VN	NT	6.36	0.003334	±2.5	PASS

Band2	9538	3	VH	NT	6.52	0.003418	±2.5	PASS
Band2	9538	4	VL	NT	6.57	0.003444	±2.5	PASS
Band2	9538	4	VN	NT	6.42	0.003365	±2.5	PASS
Band2	9538	4	VH	NT	6.62	0.003470	±2.5	PASS
Band2	9538	5	VL	NT	6.63	0.003476	±2.5	PASS
Band2	9538	5	VN	NT	6.37	0.003339	±2.5	PASS
Band2	9538	5	VH	NT	6.51	0.003413	±2.5	PASS

Temperature								
Band	Channel	Sub Test	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band2	9262	1	NV	-30	5.79	0.003126	±2.5	PASS
Band2	9262	1	NV	-20	5.92	0.003196	±2.5	PASS
Band2	9262	1	NV	-10	6.07	0.003277	±2.5	PASS
Band2	9262	1	NV	0	6.27	0.003385	±2.5	PASS
Band2	9262	1	NV	10	6.10	0.003293	±2.5	PASS
Band2	9262	1	NV	20	6.24	0.003369	±2.5	PASS
Band2	9262	1	NV	30	6.24	0.003369	±2.5	PASS
Band2	9262	1	NV	40	6.22	0.003358	±2.5	PASS
Band2	9262	1	NV	50	6.32	0.003412	±2.5	PASS
Band2	9262	2	NV	-30	6.24	0.003369	±2.5	PASS
Band2	9262	2	NV	-20	6.29	0.003396	±2.5	PASS
Band2	9262	2	NV	-10	6.34	0.003423	±2.5	PASS
Band2	9262	2	NV	0	6.47	0.003493	±2.5	PASS
Band2	9262	2	NV	10	6.32	0.003412	±2.5	PASS
Band2	9262	2	NV	20	6.31	0.003406	±2.5	PASS
Band2	9262	2	NV	30	6.21	0.003352	±2.5	PASS
Band2	9262	2	NV	40	6.52	0.003520	±2.5	PASS
Band2	9262	2	NV	50	6.32	0.003412	±2.5	PASS
Band2	9262	3	NV	-30	6.16	0.003325	±2.5	PASS
Band2	9262	3	NV	-20	6.41	0.003460	±2.5	PASS
Band2	9262	3	NV	-10	6.40	0.003455	±2.5	PASS
Band2	9262	3	NV	0	6.33	0.003417	±2.5	PASS
Band2	9262	3	NV	10	6.14	0.003315	±2.5	PASS
Band2	9262	3	NV	20	6.36	0.003433	±2.5	PASS
Band2	9262	3	NV	30	6.43	0.003471	±2.5	PASS
Band2	9262	3	NV	40	6.45	0.003482	±2.5	PASS
Band2	9262	3	NV	50	6.59	0.003558	±2.5	PASS
Band2	9262	4	NV	-30	6.37	0.003439	±2.5	PASS
Band2	9262	4	NV	-20	6.52	0.003520	±2.5	PASS
Band2	9262	4	NV	-10	6.35	0.003428	±2.5	PASS

Band2	9262	4	NV	0	6.27	0.003385	±2.5	PASS
Band2	9262	4	NV	10	6.37	0.003439	±2.5	PASS
Band2	9262	4	NV	20	6.47	0.003493	±2.5	PASS
Band2	9262	4	NV	30	6.52	0.003520	±2.5	PASS
Band2	9262	4	NV	40	6.49	0.003504	±2.5	PASS
Band2	9262	4	NV	50	6.47	0.003493	±2.5	PASS
Band2	9262	5	NV	-30	6.54	0.003531	±2.5	PASS
Band2	9262	5	NV	-20	6.57	0.003547	±2.5	PASS
Band2	9262	5	NV	-10	6.50	0.003509	±2.5	PASS
Band2	9262	5	NV	0	6.52	0.003520	±2.5	PASS
Band2	9262	5	NV	10	6.62	0.003574	±2.5	PASS
Band2	9262	5	NV	20	6.42	0.003466	±2.5	PASS
Band2	9262	5	NV	30	6.40	0.003455	±2.5	PASS
Band2	9262	5	NV	40	6.51	0.003514	±2.5	PASS
Band2	9262	5	NV	50	6.51	0.003514	±2.5	PASS
Band2	9400	1	NV	-30	6.64	0.003532	±2.5	PASS
Band2	9400	1	NV	-20	6.48	0.003447	±2.5	PASS
Band2	9400	1	NV	-10	6.32	0.003362	±2.5	PASS
Band2	9400	1	NV	0	6.50	0.003457	±2.5	PASS
Band2	9400	1	NV	10	6.41	0.003410	±2.5	PASS
Band2	9400	1	NV	20	6.60	0.003511	±2.5	PASS
Band2	9400	1	NV	30	6.64	0.003532	±2.5	PASS
Band2	9400	1	NV	40	6.42	0.003415	±2.5	PASS
Band2	9400	1	NV	50	6.32	0.003362	±2.5	PASS
Band2	9400	2	NV	-30	6.52	0.003468	±2.5	PASS
Band2	9400	2	NV	-20	6.54	0.003479	±2.5	PASS
Band2	9400	2	NV	-10	6.44	0.003426	±2.5	PASS
Band2	9400	2	NV	0	6.44	0.003426	±2.5	PASS
Band2	9400	2	NV	10	6.61	0.003516	±2.5	PASS
Band2	9400	2	NV	20	6.57	0.003495	±2.5	PASS
Band2	9400	2	NV	30	6.45	0.003431	±2.5	PASS
Band2	9400	2	NV	40	6.63	0.003527	±2.5	PASS
Band2	9400	2	NV	50	6.53	0.003473	±2.5	PASS
Band2	9400	3	NV	-30	6.32	0.003362	±2.5	PASS
Band2	9400	3	NV	-20	6.81	0.003622	±2.5	PASS
Band2	9400	3	NV	-10	6.51	0.003463	±2.5	PASS
Band2	9400	3	NV	0	6.53	0.003473	±2.5	PASS
Band2	9400	3	NV	10	6.42	0.003415	±2.5	PASS
Band2	9400	3	NV	20	6.59	0.003505	±2.5	PASS
Band2	9400	3	NV	30	6.57	0.003495	±2.5	PASS
Band2	9400	3	NV	40	6.67	0.003548	±2.5	PASS

Band2	9400	3	NV	50	6.47	0.003441	±2.5	PASS
Band2	9400	4	NV	-30	6.53	0.003473	±2.5	PASS
Band2	9400	4	NV	-20	6.40	0.003404	±2.5	PASS
Band2	9400	4	NV	-10	6.63	0.003527	±2.5	PASS
Band2	9400	4	NV	0	6.49	0.003452	±2.5	PASS
Band2	9400	4	NV	10	6.58	0.003500	±2.5	PASS
Band2	9400	4	NV	20	6.58	0.003500	±2.5	PASS
Band2	9400	4	NV	30	6.52	0.003468	±2.5	PASS
Band2	9400	4	NV	40	6.65	0.003537	±2.5	PASS
Band2	9400	4	NV	50	6.65	0.003537	±2.5	PASS
Band2	9400	5	NV	-30	6.66	0.003543	±2.5	PASS
Band2	9400	5	NV	-20	6.51	0.003463	±2.5	PASS
Band2	9400	5	NV	-10	6.49	0.003452	±2.5	PASS
Band2	9400	5	NV	0	6.49	0.003452	±2.5	PASS
Band2	9400	5	NV	10	6.29	0.003346	±2.5	PASS
Band2	9400	5	NV	20	6.46	0.003436	±2.5	PASS
Band2	9400	5	NV	30	6.64	0.003532	±2.5	PASS
Band2	9400	5	NV	40	6.52	0.003468	±2.5	PASS
Band2	9400	5	NV	50	6.84	0.003638	±2.5	PASS
Band2	9538	1	NV	-30	6.65	0.003486	±2.5	PASS
Band2	9538	1	NV	-20	6.67	0.003497	±2.5	PASS
Band2	9538	1	NV	-10	6.45	0.003381	±2.5	PASS
Band2	9538	1	NV	0	6.52	0.003418	±2.5	PASS
Band2	9538	1	NV	10	6.61	0.003465	±2.5	PASS
Band2	9538	1	NV	20	6.61	0.003465	±2.5	PASS
Band2	9538	1	NV	30	6.64	0.003481	±2.5	PASS
Band2	9538	1	NV	40	6.56	0.003439	±2.5	PASS
Band2	9538	1	NV	50	6.73	0.003528	±2.5	PASS
Band2	9538	2	NV	-30	6.46	0.003386	±2.5	PASS
Band2	9538	2	NV	-20	6.56	0.003439	±2.5	PASS
Band2	9538	2	NV	-10	6.75	0.003538	±2.5	PASS
Band2	9538	2	NV	0	6.62	0.003470	±2.5	PASS
Band2	9538	2	NV	10	6.62	0.003470	±2.5	PASS
Band2	9538	2	NV	20	6.67	0.003497	±2.5	PASS
Band2	9538	2	NV	30	6.55	0.003434	±2.5	PASS
Band2	9538	2	NV	40	6.63	0.003476	±2.5	PASS
Band2	9538	2	NV	50	6.62	0.003470	±2.5	PASS
Band2	9538	3	NV	-30	6.57	0.003444	±2.5	PASS
Band2	9538	3	NV	-20	6.38	0.003345	±2.5	PASS
Band2	9538	3	NV	-10	6.52	0.003418	±2.5	PASS
Band2	9538	3	NV	0	6.53	0.003423	±2.5	PASS

Band2	9538	3	NV	10	6.54	0.003428	±2.5	PASS
Band2	9538	3	NV	20	6.64	0.003481	±2.5	PASS
Band2	9538	3	NV	30	6.62	0.003470	±2.5	PASS
Band2	9538	3	NV	40	6.72	0.003523	±2.5	PASS
Band2	9538	3	NV	50	6.82	0.003575	±2.5	PASS
Band2	9538	4	NV	-30	6.66	0.003491	±2.5	PASS
Band2	9538	4	NV	-20	6.41	0.003360	±2.5	PASS
Band2	9538	4	NV	-10	6.72	0.003523	±2.5	PASS
Band2	9538	4	NV	0	6.54	0.003428	±2.5	PASS
Band2	9538	4	NV	10	6.59	0.003455	±2.5	PASS
Band2	9538	4	NV	20	6.48	0.003397	±2.5	PASS
Band2	9538	4	NV	30	6.56	0.003439	±2.5	PASS
Band2	9538	4	NV	40	6.52	0.003418	±2.5	PASS
Band2	9538	4	NV	50	6.56	0.003439	±2.5	PASS
Band2	9538	5	NV	-30	6.68	0.003502	±2.5	PASS
Band2	9538	5	NV	-20	6.61	0.003465	±2.5	PASS
Band2	9538	5	NV	-10	6.75	0.003538	±2.5	PASS
Band2	9538	5	NV	0	6.54	0.003428	±2.5	PASS
Band2	9538	5	NV	10	6.67	0.003497	±2.5	PASS
Band2	9538	5	NV	20	6.54	0.003428	±2.5	PASS
Band2	9538	5	NV	30	6.59	0.003455	±2.5	PASS
Band2	9538	5	NV	40	6.45	0.003381	±2.5	PASS
Band2	9538	5	NV	50	6.59	0.003455	±2.5	PASS