




Date: 18.OCT.2022 04:10:04




Date: 18.OCT.2022 04:10:08




Date: 18.OCT.2022 04:10:28




Date: 18.OCT.2022 04:10:31




Date: 18.OCT.2022 04:11:11




Date: 18.OCT.2022 04:11:14




Date: 18.OCT.2022 04:11:34




Date: 18.OCT.2022 04:11:37




Date: 18.OCT.2022 01:50:05




Date: 18.OCT.2022 01:52:53




Date: 18.OCT.2022 03:43:02




Date: 18.OCT.2022 03:46:01




Date: 18.OCT.2022 04:09:32



Date: 18.OCT.2022 04:09:36



Date: 18.OCT.2022 04:08:51




Date: 18.OCT.2022 04:08:54




## Band Edge

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	a	5180	Ant1	-35.67	-27	Pass
NVNT	a	5240	Ant1	-35.7	-27	Pass
Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBm)	Limit (dBm)	Verdict
NVNT	a	5745	Ant1	-29.79		Pass
NVNT	a	5825	Ant1	-30.64		Pass
NVNT	a	5180	Ant2	-35.87	-27	Pass
NVNT	a	5240	Ant2	-35.89	-27	Pass
NVNT	a	5745	Ant2	-29.05		Pass
NVNT	a	5825	Ant2	-29.59		Pass
NVNT	n20	5180	Ant1	-35.33	-27	Pass
NVNT	n20	5240	Ant1	-35.97	-27	Pass
NVNT	n20	5745	Ant1	-29.4		Pass
NVNT	n20	5825	Ant1	-30.84		Pass
NVNT	n20	5180	Ant2	-35.84	-27	Pass
NVNT	n20	5240	Ant2	-36.06	-27	Pass
NVNT	n20	5745	Ant2	-29.73		Pass
NVNT	n20	5825	Ant2	-30.29		Pass
NVNT	n40	5190	Ant1	-35.65	-27	Pass
NVNT	n40	5230	Ant1	-35.15	-27	Pass
NVNT	n40	5755	Ant1	-29.8		Pass
NVNT	n40	5795	Ant1	-30.86		Pass
NVNT	n40	5190	Ant2	-35.27	-27	Pass
NVNT	n40	5230	Ant2	-36.29	-27	Pass
NVNT	n40	5755	Ant2	-29.93		Pass
NVNT	n40	5795	Ant2	-30.71		Pass
NVNT	ac20	5180	Ant1	-36.28	-27	Pass
NVNT	ac20	5240	Ant1	-34.75	-27	Pass
NVNT	ac20	5745	Ant1	-29.57		Pass
NVNT	ac20	5825	Ant1	-30.14		Pass
NVNT	ac20	5180	Ant2	-35.85	-27	Pass
NVNT	ac20	5240	Ant2	-35.29	-27	Pass
NVNT	ac20	5745	Ant2	-29.79		Pass
NVNT	ac20	5825	Ant2	-30.52		Pass
NVNT	ac40	5190	Ant1	-35.01	-27	Pass
NVNT	ac40	5230	Ant1	-36.74	-27	Pass
NVNT	ac40	5755	Ant1	-30.08		Pass
NVNT	ac40	5795	Ant1	-30.7		Pass
NVNT	ac40	5190	Ant2	-35.6	-27	Pass


NVNT	ac40	5230	Ant2	-36.75	-27	Pass
NVNT	ac40	5755	Ant2	-29.94		Pass
NVNT	ac40	5795	Ant2	-30.19		Pass
NVNT	ac80	5210	Ant1	-36.03	-27	Pass
NVNT	ac80	5775	Ant1	-29.57		Pass
NVNT	ac80	5775	Ant1	-30.67		Pass
NVNT	ac80	5210	Ant2	-35.23	-27	Pass
NVNT	ac80	5775	Ant2	-29.26		Pass
NVNT	ac80	5775	Ant2	-30.26		Pass
NVNT	ax20	5180	Ant1	-34.95	-27	Pass
NVNT	ax20	5240	Ant1	-36.05	-27	Pass
NVNT	ax20	5745	Ant1	-29.63		Pass
NVNT	ax20	5825	Ant1	-30.71		Pass
NVNT	ax20	5180	Ant2	-35.98	-27	Pass
NVNT	ax20	5240	Ant2	-36.24	-27	Pass
NVNT	ax20	5745	Ant2	-28.9		Pass
NVNT	ax20	5825	Ant2	-30.32		Pass
NVNT	ax40	5190	Ant1	-35.86	-27	Pass
NVNT	ax40	5230	Ant1	-36.26	-27	Pass
NVNT	ax40	5755	Ant1	-28.9		Pass
NVNT	ax40	5795	Ant1	-31.12		Pass
NVNT	ax40	5190	Ant2	-35.87	-27	Pass
NVNT	ax40	5230	Ant2	-36	-27	Pass
NVNT	ax40	5755	Ant2	-28.21		Pass
NVNT	ax40	5795	Ant2	-30.29		Pass
NVNT	ax80	5210	Ant1	-35.91	-27	Pass
NVNT	ax80	5775	Ant1	-29.75		Pass
NVNT	ax80	5775	Ant1	-29.74		Pass
NVNT	ax80	5210	Ant2	-36.44	-27	Pass
NVNT	ax80	5775	Ant2	-29.79		Pass
NVNT	ax80	5775	Ant2	-30.86		Pass




Date: 18.OCT.2022 04:29:45




Date: 17.OCT.2022 03:23:19




Date: 17.OCT.2022 03:29:38




Date: 17.OCT.2022 22:03:17




Date: 18.OCT.2022 01:58:59





Date: 18.OCT.2022 04:34:56




Date: 18.OCT.2022 02:05:03




Date: 18.OCT.2022 04:38:19






Date: 17.OCT.2022 22:28:55




Date: 17.OCT.2022 22:36:19








Date: 18.OCT.2022 02:11:24




Date: 18.OCT.2022 02:14:16








Date: 17.OCT.2022 22:42:57




Date: 17.OCT.2022 22:45:42








Date: 18.OCT.2022 02:23:04




Date: 18.OCT.2022 02:24:55







Date: 17.OCT.2022 22:59:15



Date: 17.OCT.2022 23:03:54




Date: 17.OCT.2022 23:09:59




Date: 17.OCT.2022 23:13:57







Date: 18.OCT.2022 02:39:21




Date: 18.OCT.2022 02:42:51




Date: 18.OCT.2022 02:45:29




Date: 18.OCT.2022 02:49:29




Date: 17.OCT.2022 23:16:29




Date: 17.OCT.2022 23:21:01




Date: 17.OCT.2022 23:25:48





Date: 17.OCT.2022 23:28:13






Date: 18.OCT.2022 02:50:31




Date: 18.OCT.2022 02:52:17








Date: 17.OCT.2022 23:35:24




Date: 18.OCT.2022 03:09:59







Date: 18.OCT.2022 03:13:58




Date: 18.OCT.2022 03:13:53




Date: 17.OCT.2022 23:41:34




Date: 17.OCT.2022 23:46:04




Date: 17.OCT.2022 23:50:30




Date: 17.OCT.2022 23:53:38




Date: 18.OCT.2022 03:15:23




Date: 18.OCT.2022 03:18:40




Date: 18.OCT.2022 03:21:42




Date: 18.OCT.2022 03:25:17




Date: 17.OCT.2022 23:56:02




Date: 17.OCT.2022 23:58:09




Date: 18.OCT.2022 00:00:56



Date: 18.OCT.2022 00:07:41






Date: 18.OCT.2022 03:26:27




Date: 18.OCT.2022 03:28:14









Date: 18.OCT.2022 01:50:09




Date: 18.OCT.2022 01:54:18




Date: 18.OCT.2022 01:54:22



Date: 18.OCT.2022 03:43:06



Date: 18.OCT.2022 03:48:21



Date: 18.OCT.2022 03:48:16

### Frequency Stability

Condition	Mode	Frequency (MHz)	Antenna	Measured Frequency (MHz)	Frequency Error (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
20C 102V	a	5180	Ant1	5179.96	-40000	-7.72	25	Pass
20C 120V	a	5180	Ant1	5179.98	-20000	-3.86	25	Pass
20C 138V	a	5180	Ant1	5179.96	-40000	-7.72	25	Pass
-20C 120V	a	5180	Ant1	5179.96	-40000	-7.72	25	Pass
-10C 120V	a	5180	Ant1	5179.94	-60000	-11.58	25	Pass
0C 120V	a	5180	Ant1	5179.96	-40000	-7.72	25	Pass
10C 120V	a	5180	Ant1	5179.94	-60000	-11.58	25	Pass
30C 120V	a	5180	Ant1	5179.94	-60000	-11.58	25	Pass
40C 120V	a	5180	Ant1	5179.98	-20000	-3.86	25	Pass
50C 120V	a	5180	Ant1	5179.96	-40000	-7.72	25	Pass
20C 102V	a	5240	Ant1	5239.96	-40000	-7.63	25	Pass
20C 120V	a	5240	Ant1	5239.98	-20000	-3.82	25	Pass
20C 138V	a	5240	Ant1	5239.98	-20000	-3.82	25	Pass
-20C 120V	a	5240	Ant1	5239.98	-20000	-3.82	25	Pass
-10C 120V	a	5240	Ant1	5239.94	-60000	-11.45	25	Pass
0C 120V	a	5240	Ant1	5239.92	-80000	-15.27	25	Pass
10C 120V	a	5240	Ant1	5239.94	-60000	-11.45	25	Pass
30C 120V	a	5240	Ant1	5239.96	-40000	-7.63	25	Pass
40C 120V	a	5240	Ant1	5239.94	-60000	-11.45	25	Pass
50C 120V	a	5240	Ant1	5239.94	-60000	-11.45	25	Pass
20C 102V	a	5745	Ant1	5744.92	-80000	-13.93	25	Pass
20C 120V	a	5745	Ant1	5744.92	-80000	-13.93	25	Pass
20C 138V	a	5745	Ant1	5744.94	-60000	-10.44	25	Pass
-20C 120V	a	5745	Ant1	5744.92	-80000	-13.93	25	Pass
-10C 120V	a	5745	Ant1	5744.9	-100000	-17.41	25	Pass
0C 120V	a	5745	Ant1	5744.92	-80000	-13.93	25	Pass
10C 120V	a	5745	Ant1	5744.92	-80000	-13.93	25	Pass
30C 120V	a	5745	Ant1	5744.92	-80000	-13.93	25	Pass
40C 120V	a	5745	Ant1	5744.92	-80000	-13.93	25	Pass
50C 120V	a	5745	Ant1	5744.96	-40000	-6.96	25	Pass
20C 102V	a	5825	Ant1	5824.94	-60000	-10.3	25	Pass
20C 120V	a	5825	Ant1	5824.96	-40000	-6.87	25	Pass
20C 138V	a	5825	Ant1	5824.92	-80000	-13.73	25	Pass
-20C 120V	a	5825	Ant1	5824.92	-80000	-13.73	25	Pass
-10C 120V	a	5825	Ant1	5824.94	-60000	-10.3	25	Pass
0C 120V	a	5825	Ant1	5824.96	-40000	-6.87	25	Pass
10C 120V	a	5825	Ant1	5824.92	-80000	-13.73	25	Pass

30C 120V	a	5825	Ant1	5824.94	-60000	-10.3	25	Pass
40C 120V	a	5825	Ant1	5824.94	-60000	-10.3	25	Pass
50C 120V	a	5825	Ant1	5824.92	-80000	-13.73	25	Pass
20C 102V	a	5180	Ant2	5179.98	-20000	-3.86	25	Pass
20C 120V	a	5180	Ant2	5179.94	-60000	-11.58	25	Pass
20C 138V	a	5180	Ant2	5179.96	-40000	-7.72	25	Pass
-20C 120V	a	5180	Ant2	5179.94	-60000	-11.58	25	Pass
-10C 120V	a	5180	Ant2	5179.98	-20000	-3.86	25	Pass
0C 120V	a	5180	Ant2	5179.94	-60000	-11.58	25	Pass
10C 120V	a	5180	Ant2	5179.94	-60000	-11.58	25	Pass
30C 120V	a	5180	Ant2	5179.96	-40000	-7.72	25	Pass
40C 120V	a	5180	Ant2	5179.96	-40000	-7.72	25	Pass
50C 120V	a	5180	Ant2	5179.92	-80000	-15.44	25	Pass
20C 102V	a	5240	Ant2	5239.96	-40000	-7.63	25	Pass
20C 120V	a	5240	Ant2	5239.96	-40000	-7.63	25	Pass
20C 138V	a	5240	Ant2	5239.92	-80000	-15.27	25	Pass
-20C 120V	a	5240	Ant2	5239.96	-40000	-7.63	25	Pass
-10C 120V	a	5240	Ant2	5239.94	-60000	-11.45	25	Pass
0C 120V	a	5240	Ant2	5239.92	-80000	-15.27	25	Pass
10C 120V	a	5240	Ant2	5239.94	-60000	-11.45	25	Pass
30C 120V	a	5240	Ant2	5239.92	-80000	-15.27	25	Pass
40C 120V	a	5240	Ant2	5239.92	-80000	-15.27	25	Pass
50C 120V	a	5240	Ant2	5239.94	-60000	-11.45	25	Pass
20C 102V	a	5745	Ant2	5744.94	-60000	-10.44	25	Pass
20C 120V	a	5745	Ant2	5744.94	-60000	-10.44	25	Pass
20C 138V	a	5745	Ant2	5744.94	-60000	-10.44	25	Pass
-20C 120V	a	5745	Ant2	5744.94	-60000	-10.44	25	Pass
-10C 120V	a	5745	Ant2	5744.94	-60000	-10.44	25	Pass
0C 120V	a	5745	Ant2	5744.92	-80000	-13.93	25	Pass
10C 120V	a	5745	Ant2	5744.94	-60000	-10.44	25	Pass
30C 120V	a	5745	Ant2	5744.94	-60000	-10.44	25	Pass
40C 120V	a	5745	Ant2	5744.96	-40000	-6.96	25	Pass
50C 120V	a	5745	Ant2	5744.96	-40000	-6.96	25	Pass
20C 102V	a	5825	Ant2	5824.96	-40000	-6.87	25	Pass
20C 120V	a	5825	Ant2	5824.92	-80000	-13.73	25	Pass
20C 138V	a	5825	Ant2	5824.92	-80000	-13.73	25	Pass
-20C 120V	a	5825	Ant2	5824.92	-80000	-13.73	25	Pass
-10C 120V	a	5825	Ant2	5824.92	-80000	-13.73	25	Pass
0C 120V	a	5825	Ant2	5824.94	-60000	-10.3	25	Pass
10C 120V	a	5825	Ant2	5824.94	-60000	-10.3	25	Pass
30C 120V	a	5825	Ant2	5824.94	-60000	-10.3	25	Pass
40C 120V	a	5825	Ant2	5824.94	-60000	-10.3	25	Pass

50C 120V	a	5825	Ant2	5824.96	-40000	-6.87	25	Pass
20C 102V	n20	5180	Ant1	5179.96	-40000	-7.72	25	Pass
20C 120V	n20	5180	Ant1	5179.94	-60000	-11.58	25	Pass
20C 138V	n20	5180	Ant1	5179.94	-60000	-11.58	25	Pass
-20C 120V	n20	5180	Ant1	5179.94	-60000	-11.58	25	Pass
-10C 120V	n20	5180	Ant1	5179.94	-60000	-11.58	25	Pass
0C 120V	n20	5180	Ant1	5179.94	-60000	-11.58	25	Pass
10C 120V	n20	5180	Ant1	5179.94	-60000	-11.58	25	Pass
30C 120V	n20	5180	Ant1	5179.96	-40000	-7.72	25	Pass
40C 120V	n20	5180	Ant1	5179.96	-40000	-7.72	25	Pass
50C 120V	n20	5180	Ant1	5179.96	-40000	-7.72	25	Pass
20C 102V	n20	5240	Ant1	5239.96	-40000	-7.63	25	Pass
20C 120V	n20	5240	Ant1	5239.96	-40000	-7.63	25	Pass
20C 138V	n20	5240	Ant1	5239.96	-40000	-7.63	25	Pass
-20C 120V	n20	5240	Ant1	5240	0	0	25	Pass
-10C 120V	n20	5240	Ant1	5239.94	-60000	-11.45	25	Pass
0C 120V	n20	5240	Ant1	5239.96	-40000	-7.63	25	Pass
10C 120V	n20	5240	Ant1	5239.96	-40000	-7.63	25	Pass
30C 120V	n20	5240	Ant1	5239.94	-60000	-11.45	25	Pass
40C 120V	n20	5240	Ant1	5239.94	-60000	-11.45	25	Pass
50C 120V	n20	5240	Ant1	5239.98	-20000	-3.82	25	Pass
20C 102V	n20	5745	Ant1	5744.96	-40000	-6.96	25	Pass
20C 120V	n20	5745	Ant1	5744.94	-60000	-10.44	25	Pass
20C 138V	n20	5745	Ant1	5744.96	-40000	-6.96	25	Pass
-20C 120V	n20	5745	Ant1	5744.96	-40000	-6.96	25	Pass
-10C 120V	n20	5745	Ant1	5744.96	-40000	-6.96	25	Pass
0C 120V	n20	5745	Ant1	5744.94	-60000	-10.44	25	Pass
10C 120V	n20	5745	Ant1	5744.94	-60000	-10.44	25	Pass
30C 120V	n20	5745	Ant1	5744.96	-40000	-6.96	25	Pass
40C 120V	n20	5745	Ant1	5744.96	-40000	-6.96	25	Pass
50C 120V	n20	5745	Ant1	5744.94	-60000	-10.44	25	Pass
20C 102V	n20	5825	Ant1	5824.94	-60000	-10.3	25	Pass
20C 120V	n20	5825	Ant1	5824.94	-60000	-10.3	25	Pass
20C 138V	n20	5825	Ant1	5824.96	-40000	-6.87	25	Pass
-20C 120V	n20	5825	Ant1	5824.94	-60000	-10.3	25	Pass
-10C 120V	n20	5825	Ant1	5824.94	-60000	-10.3	25	Pass
0C 120V	n20	5825	Ant1	5824.94	-60000	-10.3	25	Pass
10C 120V	n20	5825	Ant1	5824.96	-40000	-6.87	25	Pass
30C 120V	n20	5825	Ant1	5824.96	-40000	-6.87	25	Pass
40C 120V	n20	5825	Ant1	5824.94	-60000	-10.3	25	Pass
50C 120V	n20	5825	Ant1	5824.94	-60000	-10.3	25	Pass
20C 102V	n20	5180	Ant2	5179.96	-40000	-7.72	25	Pass

20C 120V	n20	5180	Ant2	5179.96	-40000	-7.72	25	Pass
20C 138V	n20	5180	Ant2	5179.94	-60000	-11.58	25	Pass
-20C 120V	n20	5180	Ant2	5179.98	-20000	-3.86	25	Pass
-10C 120V	n20	5180	Ant2	5179.96	-40000	-7.72	25	Pass
0C 120V	n20	5180	Ant2	5179.96	-40000	-7.72	25	Pass
10C 120V	n20	5180	Ant2	5179.96	-40000	-7.72	25	Pass
30C 120V	n20	5180	Ant2	5179.96	-40000	-7.72	25	Pass
40C 120V	n20	5180	Ant2	5179.98	-20000	-3.86	25	Pass
50C 120V	n20	5180	Ant2	5179.96	-40000	-7.72	25	Pass
20C 102V	n20	5240	Ant2	5239.96	-40000	-7.63	25	Pass
20C 120V	n20	5240	Ant2	5239.94	-60000	-11.45	25	Pass
20C 138V	n20	5240	Ant2	5239.94	-60000	-11.45	25	Pass
-20C 120V	n20	5240	Ant2	5239.94	-60000	-11.45	25	Pass
-10C 120V	n20	5240	Ant2	5239.94	-60000	-11.45	25	Pass
0C 120V	n20	5240	Ant2	5239.94	-60000	-11.45	25	Pass
10C 120V	n20	5240	Ant2	5239.96	-40000	-7.63	25	Pass
30C 120V	n20	5240	Ant2	5239.96	-40000	-7.63	25	Pass
40C 120V	n20	5240	Ant2	5239.94	-60000	-11.45	25	Pass
50C 120V	n20	5240	Ant2	5239.96	-40000	-7.63	25	Pass
20C 102V	n20	5745	Ant2	5744.96	-40000	-6.96	25	Pass
20C 120V	n20	5745	Ant2	5744.94	-60000	-10.44	25	Pass
20C 138V	n20	5745	Ant2	5744.94	-60000	-10.44	25	Pass
-20C 120V	n20	5745	Ant2	5744.94	-60000	-10.44	25	Pass
-10C 120V	n20	5745	Ant2	5744.94	-60000	-10.44	25	Pass
0C 120V	n20	5745	Ant2	5744.96	-40000	-6.96	25	Pass
10C 120V	n20	5745	Ant2	5744.98	-20000	-3.48	25	Pass
30C 120V	n20	5745	Ant2	5744.94	-60000	-10.44	25	Pass
40C 120V	n20	5745	Ant2	5744.94	-60000	-10.44	25	Pass
50C 120V	n20	5745	Ant2	5744.94	-60000	-10.44	25	Pass
20C 102V	n20	5825	Ant2	5824.96	-40000	-6.87	25	Pass
20C 120V	n20	5825	Ant2	5824.96	-40000	-6.87	25	Pass
20C 138V	n20	5825	Ant2	5824.94	-60000	-10.3	25	Pass
-20C 120V	n20	5825	Ant2	5824.94	-60000	-10.3	25	Pass
-10C 120V	n20	5825	Ant2	5824.96	-40000	-6.87	25	Pass
0C 120V	n20	5825	Ant2	5824.94	-60000	-10.3	25	Pass
10C 120V	n20	5825	Ant2	5824.94	-60000	-10.3	25	Pass
30C 120V	n20	5825	Ant2	5824.98	-20000	-3.43	25	Pass
40C 120V	n20	5825	Ant2	5824.98	-20000	-3.43	25	Pass
50C 120V	n20	5825	Ant2	5824.94	-60000	-10.3	25	Pass
20C 102V	n40	5190	Ant1	5189.92	-80000	-15.41	25	Pass
20C 120V	n40	5190	Ant1	5189.92	-80000	-15.41	25	Pass
20C 138V	n40	5190	Ant1	5189.96	-40000	-7.71	25	Pass



-20C 120V	n40	5190	Ant1	5189.92	-80000	-15.41	25	Pass
-10C 120V	n40	5190	Ant1	5189.96	-40000	-7.71	25	Pass
0C 120V	n40	5190	Ant1	5189.96	-40000	-7.71	25	Pass
10C 120V	n40	5190	Ant1	5189.96	-40000	-7.71	25	Pass
30C 120V	n40	5190	Ant1	5189.96	-40000	-7.71	25	Pass
40C 120V	n40	5190	Ant1	5189.96	-40000	-7.71	25	Pass
50C 120V	n40	5190	Ant1	5189.96	-40000	-7.71	25	Pass
20C 102V	n40	5230	Ant1	5229.92	-80000	-15.3	25	Pass
20C 120V	n40	5230	Ant1	5229.96	-40000	-7.65	25	Pass
20C 138V	n40	5230	Ant1	5229.96	-40000	-7.65	25	Pass
-20C 120V	n40	5230	Ant1	5229.92	-80000	-15.3	25	Pass
-10C 120V	n40	5230	Ant1	5229.92	-80000	-15.3	25	Pass
0C 120V	n40	5230	Ant1	5229.96	-40000	-7.65	25	Pass
10C 120V	n40	5230	Ant1	5229.96	-40000	-7.65	25	Pass
30C 120V	n40	5230	Ant1	5229.96	-40000	-7.65	25	Pass
40C 120V	n40	5230	Ant1	5230	0	0	25	Pass
50C 120V	n40	5230	Ant1	5229.92	-80000	-15.3	25	Pass
20C 102V	n40	5755	Ant1	5754.96	-40000	-6.95	25	Pass
20C 120V	n40	5755	Ant1	5754.92	-80000	-13.9	25	Pass
20C 138V	n40	5755	Ant1	5754.92	-80000	-13.9	25	Pass
-20C 120V	n40	5755	Ant1	5754.92	-80000	-13.9	25	Pass
-10C 120V	n40	5755	Ant1	5754.96	-40000	-6.95	25	Pass
0C 120V	n40	5755	Ant1	5754.92	-80000	-13.9	25	Pass
10C 120V	n40	5755	Ant1	5754.92	-80000	-13.9	25	Pass
30C 120V	n40	5755	Ant1	5754.92	-80000	-13.9	25	Pass
40C 120V	n40	5755	Ant1	5754.92	-80000	-13.9	25	Pass
50C 120V	n40	5755	Ant1	5754.96	-40000	-6.95	25	Pass
20C 102V	n40	5795	Ant1	5794.96	-40000	-6.9	25	Pass
20C 120V	n40	5795	Ant1	5794.96	-40000	-6.9	25	Pass
20C 138V	n40	5795	Ant1	5794.96	-40000	-6.9	25	Pass
-20C 120V	n40	5795	Ant1	5794.92	-80000	-13.81	25	Pass
-10C 120V	n40	5795	Ant1	5794.96	-40000	-6.9	25	Pass
0C 120V	n40	5795	Ant1	5794.92	-80000	-13.81	25	Pass
10C 120V	n40	5795	Ant1	5794.92	-80000	-13.81	25	Pass
30C 120V	n40	5795	Ant1	5794.96	-40000	-6.9	25	Pass
40C 120V	n40	5795	Ant1	5794.92	-80000	-13.81	25	Pass
50C 120V	n40	5795	Ant1	5794.92	-80000	-13.81	25	Pass
20C 102V	n40	5190	Ant2	5190	0	0	25	Pass
20C 120V	n40	5190	Ant2	5189.92	-80000	-15.41	25	Pass
20C 138V	n40	5190	Ant2	5190	0	0	25	Pass
-20C 120V	n40	5190	Ant2	5190	0	0	25	Pass
-10C 120V	n40	5190	Ant2	5189.96	-40000	-7.71	25	Pass

0C 120V	n40	5190	Ant2	5190	0	0	25	Pass
10C 120V	n40	5190	Ant2	5189.96	-40000	-7.71	25	Pass
30C 120V	n40	5190	Ant2	5189.92	-80000	-15.41	25	Pass
40C 120V	n40	5190	Ant2	5190	0	0	25	Pass
50C 120V	n40	5190	Ant2	5189.96	-40000	-7.71	25	Pass
20C 102V	n40	5230	Ant2	5229.92	-80000	-15.3	25	Pass
20C 120V	n40	5230	Ant2	5229.96	-40000	-7.65	25	Pass
20C 138V	n40	5230	Ant2	5229.92	-80000	-15.3	25	Pass
-20C 120V	n40	5230	Ant2	5229.96	-40000	-7.65	25	Pass
-10C 120V	n40	5230	Ant2	5229.96	-40000	-7.65	25	Pass
0C 120V	n40	5230	Ant2	5229.92	-80000	-15.3	25	Pass
10C 120V	n40	5230	Ant2	5230	0	0	25	Pass
30C 120V	n40	5230	Ant2	5229.92	-80000	-15.3	25	Pass
40C 120V	n40	5230	Ant2	5229.92	-80000	-15.3	25	Pass
50C 120V	n40	5230	Ant2	5229.96	-40000	-7.65	25	Pass
20C 102V	n40	5755	Ant2	5754.92	-80000	-13.9	25	Pass
20C 120V	n40	5755	Ant2	5754.96	-40000	-6.95	25	Pass
20C 138V	n40	5755	Ant2	5754.92	-80000	-13.9	25	Pass
-20C 120V	n40	5755	Ant2	5754.92	-80000	-13.9	25	Pass
-10C 120V	n40	5755	Ant2	5754.92	-80000	-13.9	25	Pass
0C 120V	n40	5755	Ant2	5754.96	-40000	-6.95	25	Pass
10C 120V	n40	5755	Ant2	5754.92	-80000	-13.9	25	Pass
30C 120V	n40	5755	Ant2	5754.92	-80000	-13.9	25	Pass
40C 120V	n40	5755	Ant2	5754.92	-80000	-13.9	25	Pass
50C 120V	n40	5755	Ant2	5754.92	-80000	-13.9	25	Pass
20C 102V	n40	5795	Ant2	5794.96	-40000	-6.9	25	Pass
20C 120V	n40	5795	Ant2	5794.92	-80000	-13.81	25	Pass
20C 138V	n40	5795	Ant2	5794.92	-80000	-13.81	25	Pass
-20C 120V	n40	5795	Ant2	5794.92	-80000	-13.81	25	Pass
-10C 120V	n40	5795	Ant2	5794.96	-40000	-6.9	25	Pass
0C 120V	n40	5795	Ant2	5794.96	-40000	-6.9	25	Pass
10C 120V	n40	5795	Ant2	5794.92	-80000	-13.81	25	Pass
30C 120V	n40	5795	Ant2	5795	0	0	25	Pass
40C 120V	n40	5795	Ant2	5794.92	-80000	-13.81	25	Pass
50C 120V	n40	5795	Ant2	5794.96	-40000	-6.9	25	Pass
20C 102V	ac20	5180	Ant1	5179.96	-40000	-7.72	25	Pass
20C 120V	ac20	5180	Ant1	5179.96	-40000	-7.72	25	Pass
20C 138V	ac20	5180	Ant1	5179.98	-20000	-3.86	25	Pass
-20C 120V	ac20	5180	Ant1	5179.96	-40000	-7.72	25	Pass
-10C 120V	ac20	5180	Ant1	5179.98	-20000	-3.86	25	Pass
0C 120V	ac20	5180	Ant1	5179.94	-60000	-11.58	25	Pass
10C 120V	ac20	5180	Ant1	5179.96	-40000	-7.72	25	Pass

30C 120V	ac20	5180	Ant1	5179.94	-60000	-11.58	25	Pass
40C 120V	ac20	5180	Ant1	5179.96	-40000	-7.72	25	Pass
50C 120V	ac20	5180	Ant1	5179.98	-20000	-3.86	25	Pass
20C 102V	ac20	5240	Ant1	5239.94	-60000	-11.45	25	Pass
20C 120V	ac20	5240	Ant1	5239.96	-40000	-7.63	25	Pass
20C 138V	ac20	5240	Ant1	5239.98	-20000	-3.82	25	Pass
-20C 120V	ac20	5240	Ant1	5239.94	-60000	-11.45	25	Pass
-10C 120V	ac20	5240	Ant1	5239.96	-40000	-7.63	25	Pass
0C 120V	ac20	5240	Ant1	5239.98	-20000	-3.82	25	Pass
10C 120V	ac20	5240	Ant1	5239.96	-40000	-7.63	25	Pass
30C 120V	ac20	5240	Ant1	5239.96	-40000	-7.63	25	Pass
40C 120V	ac20	5240	Ant1	5239.98	-20000	-3.82	25	Pass
50C 120V	ac20	5240	Ant1	5239.94	-60000	-11.45	25	Pass
20C 102V	ac20	5745	Ant1	5744.94	-60000	-10.44	25	Pass
20C 120V	ac20	5745	Ant1	5744.92	-80000	-13.93	25	Pass
20C 138V	ac20	5745	Ant1	5744.96	-40000	-6.96	25	Pass
-20C 120V	ac20	5745	Ant1	5744.94	-60000	-10.44	25	Pass
-10C 120V	ac20	5745	Ant1	5744.96	-40000	-6.96	25	Pass
0C 120V	ac20	5745	Ant1	5744.94	-60000	-10.44	25	Pass
10C 120V	ac20	5745	Ant1	5744.96	-40000	-6.96	25	Pass
30C 120V	ac20	5745	Ant1	5744.94	-60000	-10.44	25	Pass
40C 120V	ac20	5745	Ant1	5744.96	-40000	-6.96	25	Pass
50C 120V	ac20	5745	Ant1	5744.94	-60000	-10.44	25	Pass
20C 102V	ac20	5825	Ant1	5824.96	-40000	-6.87	25	Pass
20C 120V	ac20	5825	Ant1	5824.94	-60000	-10.3	25	Pass
20C 138V	ac20	5825	Ant1	5824.92	-80000	-13.73	25	Pass
-20C 120V	ac20	5825	Ant1	5824.94	-60000	-10.3	25	Pass
-10C 120V	ac20	5825	Ant1	5824.94	-60000	-10.3	25	Pass
0C 120V	ac20	5825	Ant1	5824.94	-60000	-10.3	25	Pass
10C 120V	ac20	5825	Ant1	5824.94	-60000	-10.3	25	Pass
30C 120V	ac20	5825	Ant1	5824.94	-60000	-10.3	25	Pass
40C 120V	ac20	5825	Ant1	5825	0	0	25	Pass
50C 120V	ac20	5825	Ant1	5824.92	-80000	-13.73	25	Pass
20C 102V	ac20	5180	Ant2	5179.94	-60000	-11.58	25	Pass
20C 120V	ac20	5180	Ant2	5179.96	-40000	-7.72	25	Pass
20C 138V	ac20	5180	Ant2	5179.96	-40000	-7.72	25	Pass
-20C 120V	ac20	5180	Ant2	5179.94	-60000	-11.58	25	Pass
-10C 120V	ac20	5180	Ant2	5179.94	-60000	-11.58	25	Pass
0C 120V	ac20	5180	Ant2	5179.96	-40000	-7.72	25	Pass
10C 120V	ac20	5180	Ant2	5179.96	-40000	-7.72	25	Pass
30C 120V	ac20	5180	Ant2	5179.94	-60000	-11.58	25	Pass
40C 120V	ac20	5180	Ant2	5179.96	-40000	-7.72	25	Pass

50C 120V	ac20	5180	Ant2	5179.96	-40000	-7.72	25	Pass
20C 102V	ac20	5240	Ant2	5239.94	-60000	-11.45	25	Pass
20C 120V	ac20	5240	Ant2	5239.92	-80000	-15.27	25	Pass
20C 138V	ac20	5240	Ant2	5239.96	-40000	-7.63	25	Pass
-20C 120V	ac20	5240	Ant2	5239.9	-100000	-19.08	25	Pass
-10C 120V	ac20	5240	Ant2	5239.92	-80000	-15.27	25	Pass
0C 120V	ac20	5240	Ant2	5239.92	-80000	-15.27	25	Pass
10C 120V	ac20	5240	Ant2	5239.94	-60000	-11.45	25	Pass
30C 120V	ac20	5240	Ant2	5239.96	-40000	-7.63	25	Pass
40C 120V	ac20	5240	Ant2	5239.94	-60000	-11.45	25	Pass
50C 120V	ac20	5240	Ant2	5239.94	-60000	-11.45	25	Pass
20C 102V	ac20	5745	Ant2	5744.94	-60000	-10.44	25	Pass
20C 120V	ac20	5745	Ant2	5744.92	-80000	-13.93	25	Pass
20C 138V	ac20	5745	Ant2	5744.94	-60000	-10.44	25	Pass
-20C 120V	ac20	5745	Ant2	5744.92	-80000	-13.93	25	Pass
-10C 120V	ac20	5745	Ant2	5744.92	-80000	-13.93	25	Pass
0C 120V	ac20	5745	Ant2	5744.94	-60000	-10.44	25	Pass
10C 120V	ac20	5745	Ant2	5744.94	-60000	-10.44	25	Pass
30C 120V	ac20	5745	Ant2	5744.96	-40000	-6.96	25	Pass
40C 120V	ac20	5745	Ant2	5744.94	-60000	-10.44	25	Pass
50C 120V	ac20	5745	Ant2	5744.92	-80000	-13.93	25	Pass
20C 102V	ac20	5825	Ant2	5824.96	-40000	-6.87	25	Pass
20C 120V	ac20	5825	Ant2	5824.94	-60000	-10.3	25	Pass
20C 138V	ac20	5825	Ant2	5824.94	-60000	-10.3	25	Pass
-20C 120V	ac20	5825	Ant2	5824.94	-60000	-10.3	25	Pass
-10C 120V	ac20	5825	Ant2	5824.98	-20000	-3.43	25	Pass
0C 120V	ac20	5825	Ant2	5824.94	-60000	-10.3	25	Pass
10C 120V	ac20	5825	Ant2	5824.94	-60000	-10.3	25	Pass
30C 120V	ac20	5825	Ant2	5824.94	-60000	-10.3	25	Pass
40C 120V	ac20	5825	Ant2	5824.96	-40000	-6.87	25	Pass
50C 120V	ac20	5825	Ant2	5824.96	-40000	-6.87	25	Pass
20C 102V	ac40	5190	Ant1	5189.96	-40000	-7.71	25	Pass
20C 120V	ac40	5190	Ant1	5189.96	-40000	-7.71	25	Pass
20C 138V	ac40	5190	Ant1	5189.96	-40000	-7.71	25	Pass
-20C 120V	ac40	5190	Ant1	5189.96	-40000	-7.71	25	Pass
-10C 120V	ac40	5190	Ant1	5189.96	-40000	-7.71	25	Pass
0C 120V	ac40	5190	Ant1	5189.96	-40000	-7.71	25	Pass
10C 120V	ac40	5190	Ant1	5190	0	0	25	Pass
30C 120V	ac40	5190	Ant1	5189.96	-40000	-7.71	25	Pass
40C 120V	ac40	5190	Ant1	5189.92	-80000	-15.41	25	Pass
50C 120V	ac40	5190	Ant1	5189.96	-40000	-7.71	25	Pass
20C 102V	ac40	5230	Ant1	5229.96	-40000	-7.65	25	Pass

20C 120V	ac40	5230	Ant1	5229.96	-40000	-7.65	25	Pass
20C 138V	ac40	5230	Ant1	5229.96	-40000	-7.65	25	Pass
-20C 120V	ac40	5230	Ant1	5230	0	0	25	Pass
-10C 120V	ac40	5230	Ant1	5229.96	-40000	-7.65	25	Pass
0C 120V	ac40	5230	Ant1	5229.92	-80000	-15.3	25	Pass
10C 120V	ac40	5230	Ant1	5230	0	0	25	Pass
30C 120V	ac40	5230	Ant1	5229.96	-40000	-7.65	25	Pass
40C 120V	ac40	5230	Ant1	5230	0	0	25	Pass
50C 120V	ac40	5230	Ant1	5229.96	-40000	-7.65	25	Pass
20C 102V	ac40	5755	Ant1	5754.96	-40000	-6.95	25	Pass
20C 120V	ac40	5755	Ant1	5754.92	-80000	-13.9	25	Pass
20C 138V	ac40	5755	Ant1	5755	0	0	25	Pass
-20C 120V	ac40	5755	Ant1	5754.92	-80000	-13.9	25	Pass
-10C 120V	ac40	5755	Ant1	5754.96	-40000	-6.95	25	Pass
0C 120V	ac40	5755	Ant1	5754.96	-40000	-6.95	25	Pass
10C 120V	ac40	5755	Ant1	5754.92	-80000	-13.9	25	Pass
30C 120V	ac40	5755	Ant1	5754.92	-80000	-13.9	25	Pass
40C 120V	ac40	5755	Ant1	5754.92	-80000	-13.9	25	Pass
50C 120V	ac40	5755	Ant1	5754.92	-80000	-13.9	25	Pass
20C 102V	ac40	5795	Ant1	5794.96	-40000	-6.9	25	Pass
20C 120V	ac40	5795	Ant1	5794.96	-40000	-6.9	25	Pass
20C 138V	ac40	5795	Ant1	5794.96	-40000	-6.9	25	Pass
-20C 120V	ac40	5795	Ant1	5794.96	-40000	-6.9	25	Pass
-10C 120V	ac40	5795	Ant1	5794.96	-40000	-6.9	25	Pass
0C 120V	ac40	5795	Ant1	5795	0	0	25	Pass
10C 120V	ac40	5795	Ant1	5794.92	-80000	-13.81	25	Pass
30C 120V	ac40	5795	Ant1	5794.92	-80000	-13.81	25	Pass
40C 120V	ac40	5795	Ant1	5794.96	-40000	-6.9	25	Pass
50C 120V	ac40	5795	Ant1	5794.96	-40000	-6.9	25	Pass
20C 102V	ac40	5190	Ant2	5189.92	-80000	-15.41	25	Pass
20C 120V	ac40	5190	Ant2	5189.96	-40000	-7.71	25	Pass
20C 138V	ac40	5190	Ant2	5189.96	-40000	-7.71	25	Pass
-20C 120V	ac40	5190	Ant2	5189.96	-40000	-7.71	25	Pass
-10C 120V	ac40	5190	Ant2	5189.92	-80000	-15.41	25	Pass
0C 120V	ac40	5190	Ant2	5189.96	-40000	-7.71	25	Pass
10C 120V	ac40	5190	Ant2	5189.92	-80000	-15.41	25	Pass
30C 120V	ac40	5190	Ant2	5189.92	-80000	-15.41	25	Pass
40C 120V	ac40	5190	Ant2	5189.96	-40000	-7.71	25	Pass
50C 120V	ac40	5190	Ant2	5189.96	-40000	-7.71	25	Pass
20C 102V	ac40	5230	Ant2	5229.92	-80000	-15.3	25	Pass
20C 120V	ac40	5230	Ant2	5229.96	-40000	-7.65	25	Pass
20C 138V	ac40	5230	Ant2	5229.96	-40000	-7.65	25	Pass

-20C 120V	ac40	5230	Ant2	5229.92	-80000	-15.3	25	Pass
-10C 120V	ac40	5230	Ant2	5229.92	-80000	-15.3	25	Pass
0C 120V	ac40	5230	Ant2	5229.96	-40000	-7.65	25	Pass
10C 120V	ac40	5230	Ant2	5229.96	-40000	-7.65	25	Pass
30C 120V	ac40	5230	Ant2	5229.96	-40000	-7.65	25	Pass
40C 120V	ac40	5230	Ant2	5229.92	-80000	-15.3	25	Pass
50C 120V	ac40	5230	Ant2	5229.96	-40000	-7.65	25	Pass
20C 102V	ac40	5755	Ant2	5754.92	-80000	-13.9	25	Pass
20C 120V	ac40	5755	Ant2	5754.92	-80000	-13.9	25	Pass
20C 138V	ac40	5755	Ant2	5754.96	-40000	-6.95	25	Pass
-20C 120V	ac40	5755	Ant2	5754.92	-80000	-13.9	25	Pass
-10C 120V	ac40	5755	Ant2	5754.96	-40000	-6.95	25	Pass
0C 120V	ac40	5755	Ant2	5755	0	0	25	Pass
10C 120V	ac40	5755	Ant2	5754.92	-80000	-13.9	25	Pass
30C 120V	ac40	5755	Ant2	5754.96	-40000	-6.95	25	Pass
40C 120V	ac40	5755	Ant2	5754.96	-40000	-6.95	25	Pass
50C 120V	ac40	5755	Ant2	5754.96	-40000	-6.95	25	Pass
20C 102V	ac40	5795	Ant2	5794.96	-40000	-6.9	25	Pass
20C 120V	ac40	5795	Ant2	5794.96	-40000	-6.9	25	Pass
20C 138V	ac40	5795	Ant2	5794.96	-40000	-6.9	25	Pass
-20C 120V	ac40	5795	Ant2	5794.96	-40000	-6.9	25	Pass
-10C 120V	ac40	5795	Ant2	5794.92	-80000	-13.81	25	Pass
0C 120V	ac40	5795	Ant2	5794.92	-80000	-13.81	25	Pass
10C 120V	ac40	5795	Ant2	5794.92	-80000	-13.81	25	Pass
30C 120V	ac40	5795	Ant2	5794.96	-40000	-6.9	25	Pass
40C 120V	ac40	5795	Ant2	5794.96	-40000	-6.9	25	Pass
50C 120V	ac40	5795	Ant2	5794.96	-40000	-6.9	25	Pass
20C 102V	ac80	5210	Ant1	5210	0	0	25	Pass
20C 120V	ac80	5210	Ant1	5210	0	0	25	Pass
20C 138V	ac80	5210	Ant1	5210	0	0	25	Pass
-20C 120V	ac80	5210	Ant1	5210	0	0	25	Pass
-10C 120V	ac80	5210	Ant1	5210	0	0	25	Pass
0C 120V	ac80	5210	Ant1	5210	0	0	25	Pass
10C 120V	ac80	5210	Ant1	5210	0	0	25	Pass
30C 120V	ac80	5210	Ant1	5210	0	0	25	Pass
40C 120V	ac80	5210	Ant1	5210	0	0	25	Pass
50C 120V	ac80	5210	Ant1	5210	0	0	25	Pass
20C 102V	ac80	5775	Ant1	5774.92	-80000	-13.85	25	Pass
20C 120V	ac80	5775	Ant1	5775	0	0	25	Pass
20C 138V	ac80	5775	Ant1	5774.84	-160000	-27.71	25	Pass
-20C 120V	ac80	5775	Ant1	5774.92	-80000	-13.85	25	Pass
-10C 120V	ac80	5775	Ant1	5775	0	0	25	Pass

0C 120V	ac80	5775	Ant1	5774.92	-80000	-13.85	25	Pass
10C 120V	ac80	5775	Ant1	5775	0	0	25	Pass
30C 120V	ac80	5775	Ant1	5775	0	0	25	Pass
40C 120V	ac80	5775	Ant1	5775	0	0	25	Pass
50C 120V	ac80	5775	Ant1	5775	0	0	25	Pass
20C 102V	ac80	5210	Ant2	5210.4	400000	76.78	25	Pass
20C 120V	ac80	5210	Ant2	5209.92	-80000	-15.36	25	Pass
20C 138V	ac80	5210	Ant2	5209.68	-320000	-61.42	25	Pass
-20C 120V	ac80	5210	Ant2	5210	0	0	25	Pass
-10C 120V	ac80	5210	Ant2	5210	0	0	25	Pass
0C 120V	ac80	5210	Ant2	5210.08	80000	15.36	25	Pass
10C 120V	ac80	5210	Ant2	5209.92	-80000	-15.36	25	Pass
30C 120V	ac80	5210	Ant2	5210	0	0	25	Pass
40C 120V	ac80	5210	Ant2	5209.92	-80000	-15.36	25	Pass
50C 120V	ac80	5210	Ant2	5210	0	0	25	Pass
20C 102V	ac80	5775	Ant2	5775	0	0	25	Pass
20C 120V	ac80	5775	Ant2	5775	0	0	25	Pass
20C 138V	ac80	5775	Ant2	5775	0	0	25	Pass
-20C 120V	ac80	5775	Ant2	5774.92	-80000	-13.85	25	Pass
-10C 120V	ac80	5775	Ant2	5775	0	0	25	Pass
0C 120V	ac80	5775	Ant2	5774.92	-80000	-13.85	25	Pass
10C 120V	ac80	5775	Ant2	5775	0	0	25	Pass
30C 120V	ac80	5775	Ant2	5775	0	0	25	Pass
40C 120V	ac80	5775	Ant2	5775	0	0	25	Pass
50C 120V	ac80	5775	Ant2	5775	0	0	25	Pass
20C 102V	ax20	5180	Ant1	5179.96	-40000	-7.72	25	Pass
20C 120V	ax20	5180	Ant1	5179.96	-40000	-7.72	25	Pass
20C 138V	ax20	5180	Ant1	5179.96	-40000	-7.72	25	Pass
-20C 120V	ax20	5180	Ant1	5179.96	-40000	-7.72	25	Pass
-10C 120V	ax20	5180	Ant1	5179.96	-40000	-7.72	25	Pass
0C 120V	ax20	5180	Ant1	5179.94	-60000	-11.58	25	Pass
10C 120V	ax20	5180	Ant1	5179.94	-60000	-11.58	25	Pass
30C 120V	ax20	5180	Ant1	5179.96	-40000	-7.72	25	Pass
40C 120V	ax20	5180	Ant1	5179.96	-40000	-7.72	25	Pass
50C 120V	ax20	5180	Ant1	5179.94	-60000	-11.58	25	Pass
20C 102V	ax20	5240	Ant1	5239.96	-40000	-7.63	25	Pass
20C 120V	ax20	5240	Ant1	5239.96	-40000	-7.63	25	Pass
20C 138V	ax20	5240	Ant1	5239.96	-40000	-7.63	25	Pass
-20C 120V	ax20	5240	Ant1	5239.94	-60000	-11.45	25	Pass
-10C 120V	ax20	5240	Ant1	5239.96	-40000	-7.63	25	Pass
0C 120V	ax20	5240	Ant1	5239.94	-60000	-11.45	25	Pass
10C 120V	ax20	5240	Ant1	5239.96	-40000	-7.63	25	Pass

30C 120V	ax20	5240	Ant1	5240	0	0	25	Pass
40C 120V	ax20	5240	Ant1	5239.96	-40000	-7.63	25	Pass
50C 120V	ax20	5240	Ant1	5239.96	-40000	-7.63	25	Pass
20C 102V	ax20	5745	Ant1	5744.96	-40000	-6.96	25	Pass
20C 120V	ax20	5745	Ant1	5744.92	-80000	-13.93	25	Pass
20C 138V	ax20	5745	Ant1	5744.94	-60000	-10.44	25	Pass
-20C 120V	ax20	5745	Ant1	5744.9	-100000	-17.41	25	Pass
-10C 120V	ax20	5745	Ant1	5744.92	-80000	-13.93	25	Pass
0C 120V	ax20	5745	Ant1	5744.94	-60000	-10.44	25	Pass
10C 120V	ax20	5745	Ant1	5744.96	-40000	-6.96	25	Pass
30C 120V	ax20	5745	Ant1	5744.96	-40000	-6.96	25	Pass
40C 120V	ax20	5745	Ant1	5744.94	-60000	-10.44	25	Pass
50C 120V	ax20	5745	Ant1	5744.94	-60000	-10.44	25	Pass
20C 102V	ax20	5825	Ant1	5824.96	-40000	-6.87	25	Pass
20C 120V	ax20	5825	Ant1	5824.96	-40000	-6.87	25	Pass
20C 138V	ax20	5825	Ant1	5824.96	-40000	-6.87	25	Pass
-20C 120V	ax20	5825	Ant1	5824.92	-80000	-13.73	25	Pass
-10C 120V	ax20	5825	Ant1	5824.94	-60000	-10.3	25	Pass
0C 120V	ax20	5825	Ant1	5824.94	-60000	-10.3	25	Pass
10C 120V	ax20	5825	Ant1	5824.94	-60000	-10.3	25	Pass
30C 120V	ax20	5825	Ant1	5824.94	-60000	-10.3	25	Pass
40C 120V	ax20	5825	Ant1	5824.94	-60000	-10.3	25	Pass
50C 120V	ax20	5825	Ant1	5824.94	-60000	-10.3	25	Pass
20C 102V	ax20	5180	Ant2	5179.96	-40000	-7.72	25	Pass
20C 120V	ax20	5180	Ant2	5179.96	-40000	-7.72	25	Pass
20C 138V	ax20	5180	Ant2	5179.94	-60000	-11.58	25	Pass
-20C 120V	ax20	5180	Ant2	5179.96	-40000	-7.72	25	Pass
-10C 120V	ax20	5180	Ant2	5179.96	-40000	-7.72	25	Pass
0C 120V	ax20	5180	Ant2	5179.96	-40000	-7.72	25	Pass
10C 120V	ax20	5180	Ant2	5179.96	-40000	-7.72	25	Pass
30C 120V	ax20	5180	Ant2	5179.96	-40000	-7.72	25	Pass
40C 120V	ax20	5180	Ant2	5179.96	-40000	-7.72	25	Pass
50C 120V	ax20	5180	Ant2	5179.96	-40000	-7.72	25	Pass
20C 102V	ax20	5240	Ant2	5239.96	-40000	-7.63	25	Pass
20C 120V	ax20	5240	Ant2	5239.96	-40000	-7.63	25	Pass
20C 138V	ax20	5240	Ant2	5239.96	-40000	-7.63	25	Pass
-20C 120V	ax20	5240	Ant2	5239.94	-60000	-11.45	25	Pass
-10C 120V	ax20	5240	Ant2	5239.96	-40000	-7.63	25	Pass
0C 120V	ax20	5240	Ant2	5239.96	-40000	-7.63	25	Pass
10C 120V	ax20	5240	Ant2	5239.96	-40000	-7.63	25	Pass
30C 120V	ax20	5240	Ant2	5239.94	-60000	-11.45	25	Pass
40C 120V	ax20	5240	Ant2	5239.96	-40000	-7.63	25	Pass



50C 120V	ax20	5240	Ant2	5239.96	-40000	-7.63	25	Pass
20C 102V	ax20	5745	Ant2	5744.96	-40000	-6.96	25	Pass
20C 120V	ax20	5745	Ant2	5744.96	-40000	-6.96	25	Pass
20C 138V	ax20	5745	Ant2	5744.94	-60000	-10.44	25	Pass
-20C 120V	ax20	5745	Ant2	5744.96	-40000	-6.96	25	Pass
-10C 120V	ax20	5745	Ant2	5744.94	-60000	-10.44	25	Pass
0C 120V	ax20	5745	Ant2	5744.96	-40000	-6.96	25	Pass
10C 120V	ax20	5745	Ant2	5744.96	-40000	-6.96	25	Pass
30C 120V	ax20	5745	Ant2	5744.96	-40000	-6.96	25	Pass
40C 120V	ax20	5745	Ant2	5744.96	-40000	-6.96	25	Pass
50C 120V	ax20	5745	Ant2	5744.94	-60000	-10.44	25	Pass
20C 102V	ax20	5825	Ant2	5824.96	-40000	-6.87	25	Pass
20C 120V	ax20	5825	Ant2	5824.92	-80000	-13.73	25	Pass
20C 138V	ax20	5825	Ant2	5824.96	-40000	-6.87	25	Pass
-20C 120V	ax20	5825	Ant2	5824.94	-60000	-10.3	25	Pass
-10C 120V	ax20	5825	Ant2	5824.94	-60000	-10.3	25	Pass
0C 120V	ax20	5825	Ant2	5824.94	-60000	-10.3	25	Pass
10C 120V	ax20	5825	Ant2	5824.96	-40000	-6.87	25	Pass
30C 120V	ax20	5825	Ant2	5824.96	-40000	-6.87	25	Pass
40C 120V	ax20	5825	Ant2	5824.94	-60000	-10.3	25	Pass
50C 120V	ax20	5825	Ant2	5824.94	-60000	-10.3	25	Pass
20C 102V	ax40	5190	Ant1	5189.96	-40000	-7.71	25	Pass
20C 120V	ax40	5190	Ant1	5189.96	-40000	-7.71	25	Pass
20C 138V	ax40	5190	Ant1	5189.96	-40000	-7.71	25	Pass
-20C 120V	ax40	5190	Ant1	5189.96	-40000	-7.71	25	Pass
-10C 120V	ax40	5190	Ant1	5189.96	-40000	-7.71	25	Pass
0C 120V	ax40	5190	Ant1	5189.96	-40000	-7.71	25	Pass
10C 120V	ax40	5190	Ant1	5189.96	-40000	-7.71	25	Pass
30C 120V	ax40	5190	Ant1	5189.96	-40000	-7.71	25	Pass
40C 120V	ax40	5190	Ant1	5189.96	-40000	-7.71	25	Pass
50C 120V	ax40	5190	Ant1	5189.96	-40000	-7.71	25	Pass
20C 102V	ax40	5230	Ant1	5229.96	-40000	-7.65	25	Pass
20C 120V	ax40	5230	Ant1	5229.96	-40000	-7.65	25	Pass
20C 138V	ax40	5230	Ant1	5229.96	-40000	-7.65	25	Pass
-20C 120V	ax40	5230	Ant1	5229.96	-40000	-7.65	25	Pass
-10C 120V	ax40	5230	Ant1	5229.96	-40000	-7.65	25	Pass
0C 120V	ax40	5230	Ant1	5229.96	-40000	-7.65	25	Pass
10C 120V	ax40	5230	Ant1	5229.96	-40000	-7.65	25	Pass
30C 120V	ax40	5230	Ant1	5229.96	-40000	-7.65	25	Pass
40C 120V	ax40	5230	Ant1	5229.96	-40000	-7.65	25	Pass
50C 120V	ax40	5230	Ant1	5230	0	0	25	Pass
20C 102V	ax40	5755	Ant1	5755	0	0	25	Pass

20C 120V	ax40	5755	Ant1	5754.96	-40000	-6.95	25	Pass
20C 138V	ax40	5755	Ant1	5754.96	-40000	-6.95	25	Pass
-20C 120V	ax40	5755	Ant1	5754.96	-40000	-6.95	25	Pass
-10C 120V	ax40	5755	Ant1	5754.96	-40000	-6.95	25	Pass
0C 120V	ax40	5755	Ant1	5754.96	-40000	-6.95	25	Pass
10C 120V	ax40	5755	Ant1	5754.96	-40000	-6.95	25	Pass
30C 120V	ax40	5755	Ant1	5754.92	-80000	-13.9	25	Pass
40C 120V	ax40	5755	Ant1	5754.96	-40000	-6.95	25	Pass
50C 120V	ax40	5755	Ant1	5754.96	-40000	-6.95	25	Pass
20C 102V	ax40	5795	Ant1	5794.96	-40000	-6.9	25	Pass
20C 120V	ax40	5795	Ant1	5794.96	-40000	-6.9	25	Pass
20C 138V	ax40	5795	Ant1	5794.96	-40000	-6.9	25	Pass
-20C 120V	ax40	5795	Ant1	5794.96	-40000	-6.9	25	Pass
-10C 120V	ax40	5795	Ant1	5794.92	-80000	-13.81	25	Pass
0C 120V	ax40	5795	Ant1	5794.96	-40000	-6.9	25	Pass
10C 120V	ax40	5795	Ant1	5794.96	-40000	-6.9	25	Pass
30C 120V	ax40	5795	Ant1	5794.92	-80000	-13.81	25	Pass
40C 120V	ax40	5795	Ant1	5794.96	-40000	-6.9	25	Pass
50C 120V	ax40	5795	Ant1	5794.96	-40000	-6.9	25	Pass
20C 102V	ax40	5190	Ant2	5189.96	-40000	-7.71	25	Pass
20C 120V	ax40	5190	Ant2	5189.96	-40000	-7.71	25	Pass
20C 138V	ax40	5190	Ant2	5189.96	-40000	-7.71	25	Pass
-20C 120V	ax40	5190	Ant2	5189.96	-40000	-7.71	25	Pass
-10C 120V	ax40	5190	Ant2	5189.96	-40000	-7.71	25	Pass
0C 120V	ax40	5190	Ant2	5189.96	-40000	-7.71	25	Pass
10C 120V	ax40	5190	Ant2	5189.96	-40000	-7.71	25	Pass
30C 120V	ax40	5190	Ant2	5189.96	-40000	-7.71	25	Pass
40C 120V	ax40	5190	Ant2	5189.96	-40000	-7.71	25	Pass
50C 120V	ax40	5190	Ant2	5189.96	-40000	-7.71	25	Pass
20C 102V	ax40	5230	Ant2	5229.96	-40000	-7.65	25	Pass
20C 120V	ax40	5230	Ant2	5229.96	-40000	-7.65	25	Pass
20C 138V	ax40	5230	Ant2	5229.96	-40000	-7.65	25	Pass
-20C 120V	ax40	5230	Ant2	5229.92	-80000	-15.3	25	Pass
-10C 120V	ax40	5230	Ant2	5229.96	-40000	-7.65	25	Pass
0C 120V	ax40	5230	Ant2	5229.92	-80000	-15.3	25	Pass
10C 120V	ax40	5230	Ant2	5229.96	-40000	-7.65	25	Pass
30C 120V	ax40	5230	Ant2	5229.96	-40000	-7.65	25	Pass
40C 120V	ax40	5230	Ant2	5229.96	-40000	-7.65	25	Pass
50C 120V	ax40	5230	Ant2	5229.96	-40000	-7.65	25	Pass
20C 102V	ax40	5755	Ant2	5754.96	-40000	-6.95	25	Pass
20C 120V	ax40	5755	Ant2	5754.96	-40000	-6.95	25	Pass
20C 138V	ax40	5755	Ant2	5754.96	-40000	-6.95	25	Pass


-20C 120V	ax40	5755	Ant2	5754.96	-40000	-6.95	25	Pass
-10C 120V	ax40	5755	Ant2	5754.96	-40000	-6.95	25	Pass
0C 120V	ax40	5755	Ant2	5754.92	-80000	-13.9	25	Pass
10C 120V	ax40	5755	Ant2	5754.96	-40000	-6.95	25	Pass
30C 120V	ax40	5755	Ant2	5754.96	-40000	-6.95	25	Pass
40C 120V	ax40	5755	Ant2	5754.96	-40000	-6.95	25	Pass
50C 120V	ax40	5755	Ant2	5754.96	-40000	-6.95	25	Pass
20C 102V	ax40	5795	Ant2	5794.96	-40000	-6.9	25	Pass
20C 120V	ax40	5795	Ant2	5794.92	-80000	-13.81	25	Pass
20C 138V	ax40	5795	Ant2	5794.96	-40000	-6.9	25	Pass
-20C 120V	ax40	5795	Ant2	5794.92	-80000	-13.81	25	Pass
-10C 120V	ax40	5795	Ant2	5794.92	-80000	-13.81	25	Pass
0C 120V	ax40	5795	Ant2	5794.96	-40000	-6.9	25	Pass
10C 120V	ax40	5795	Ant2	5794.96	-40000	-6.9	25	Pass
30C 120V	ax40	5795	Ant2	5794.92	-80000	-13.81	25	Pass
40C 120V	ax40	5795	Ant2	5794.96	-40000	-6.9	25	Pass
50C 120V	ax40	5795	Ant2	5794.92	-80000	-13.81	25	Pass
20C 102V	ax80	5210	Ant1	5209.92	-80000	-15.36	25	Pass
20C 120V	ax80	5210	Ant1	5209.92	-80000	-15.36	25	Pass
20C 138V	ax80	5210	Ant1	5210	0	0	25	Pass
-20C 120V	ax80	5210	Ant1	5209.92	-80000	-15.36	25	Pass
-10C 120V	ax80	5210	Ant1	5210	0	0	25	Pass
0C 120V	ax80	5210	Ant1	5209.92	-80000	-15.36	25	Pass
10C 120V	ax80	5210	Ant1	5210	0	0	25	Pass
30C 120V	ax80	5210	Ant1	5209.92	-80000	-15.36	25	Pass
40C 120V	ax80	5210	Ant1	5210	0	0	25	Pass
50C 120V	ax80	5210	Ant1	5209.92	-80000	-15.36	25	Pass
20C 102V	ax80	5775	Ant1	5774.92	-80000	-13.85	25	Pass
20C 120V	ax80	5775	Ant1	5774.92	-80000	-13.85	25	Pass
20C 138V	ax80	5775	Ant1	5774.92	-80000	-13.85	25	Pass
-20C 120V	ax80	5775	Ant1	5774.92	-80000	-13.85	25	Pass
-10C 120V	ax80	5775	Ant1	5774.92	-80000	-13.85	25	Pass
0C 120V	ax80	5775	Ant1	5774.92	-80000	-13.85	25	Pass
10C 120V	ax80	5775	Ant1	5774.92	-80000	-13.85	25	Pass
30C 120V	ax80	5775	Ant1	5774.92	-80000	-13.85	25	Pass
40C 120V	ax80	5775	Ant1	5774.92	-80000	-13.85	25	Pass
50C 120V	ax80	5775	Ant1	5774.92	-80000	-13.85	25	Pass
20C 102V	ax80	5210	Ant2	5209.92	-80000	-15.36	25	Pass
20C 120V	ax80	5210	Ant2	5209.92	-80000	-15.36	25	Pass
20C 138V	ax80	5210	Ant2	5209.92	-80000	-15.36	25	Pass
-20C 120V	ax80	5210	Ant2	5209.92	-80000	-15.36	25	Pass
-10C 120V	ax80	5210	Ant2	5209.92	-80000	-15.36	25	Pass

0C 120V	ax80	5210	Ant2	5209.92	-80000	-15.36	25	Pass
10C 120V	ax80	5210	Ant2	5210	0	0	25	Pass
30C 120V	ax80	5210	Ant2	5209.76	-240000	-46.07	25	Pass
40C 120V	ax80	5210	Ant2	5209.92	-80000	-15.36	25	Pass
50C 120V	ax80	5210	Ant2	5210	0	0	25	Pass
20C 102V	ax80	5775	Ant2	5774.92	-80000	-13.85	25	Pass
20C 120V	ax80	5775	Ant2	5775	0	0	25	Pass
20C 138V	ax80	5775	Ant2	5774.92	-80000	-13.85	25	Pass
-20C 120V	ax80	5775	Ant2	5774.92	-80000	-13.85	25	Pass
-10C 120V	ax80	5775	Ant2	5774.92	-80000	-13.85	25	Pass
0C 120V	ax80	5775	Ant2	5774.92	-80000	-13.85	25	Pass
10C 120V	ax80	5775	Ant2	5774.92	-80000	-13.85	25	Pass
30C 120V	ax80	5775	Ant2	5774.92	-80000	-13.85	25	Pass
40C 120V	ax80	5775	Ant2	5774.92	-80000	-13.85	25	Pass
50C 120V	ax80	5775	Ant2	5774.92	-80000	-13.85	25	Pass


## Conducted RF Spurious Emission

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	a	5180	Ant1	-33.6	-27	Pass
NVNT	a	5200	Ant1	-34.13	-27	Pass
NVNT	a	5240	Ant1	-33.72	-27	Pass
NVNT	a	5745	Ant1	-34.02	-27	Pass
NVNT	a	5785	Ant1	-34.33	-27	Pass
NVNT	a	5825	Ant1	-33.54	-27	Pass
NVNT	a	5180	Ant2	-34.7	-27	Pass
NVNT	a	5200	Ant2	-33.99	-27	Pass
NVNT	a	5240	Ant2	-34.3	-27	Pass
NVNT	a	5745	Ant2	-34.14	-27	Pass
NVNT	a	5785	Ant2	-33.86	-27	Pass
NVNT	a	5825	Ant2	-34.1	-27	Pass
NVNT	n20	5180	Ant1	-33.76	-27	Pass
NVNT	n20	5200	Ant1	-34.4	-27	Pass
NVNT	n20	5240	Ant1	-34.37	-27	Pass
NVNT	n20	5745	Ant1	-33.7	-27	Pass
NVNT	n20	5785	Ant1	-34.22	-27	Pass
NVNT	n20	5825	Ant1	-34.06	-27	Pass
NVNT	n20	5180	Ant2	-33.96	-27	Pass
NVNT	n20	5200	Ant2	-34.33	-27	Pass
NVNT	n20	5240	Ant2	-34.41	-27	Pass
NVNT	n20	5745	Ant2	-34.27	-27	Pass
NVNT	n20	5785	Ant2	-33.68	-27	Pass
NVNT	n20	5825	Ant2	-33.81	-27	Pass
NVNT	n40	5190	Ant1	-33.97	-27	Pass
NVNT	n40	5230	Ant1	-34.58	-27	Pass
NVNT	n40	5755	Ant1	-34.41	-27	Pass
NVNT	n40	5795	Ant1	-33.7	-27	Pass
NVNT	n40	5190	Ant2	-33.39	-27	Pass
NVNT	n40	5230	Ant2	-33.92	-27	Pass
NVNT	n40	5755	Ant2	-34.02	-27	Pass
NVNT	n40	5795	Ant2	-33.38	-27	Pass
NVNT	ac20	5180	Ant1	-34.79	-27	Pass
NVNT	ac20	5200	Ant1	-33.89	-27	Pass
NVNT	ac20	5240	Ant1	-43.12	-27	Pass
NVNT	ac20	5745	Ant1	-33.73	-27	Pass
NVNT	ac20	5785	Ant1	-34.02	-27	Pass
NVNT	ac20	5825	Ant1	-34.14	-27	Pass


NVNT	ac20	5180	Ant2	-34.25	-27	Pass
NVNT	ac20	5200	Ant2	-34.01	-27	Pass
NVNT	ac20	5240	Ant2	-34.12	-27	Pass
NVNT	ac20	5745	Ant2	-33.45	-27	Pass
NVNT	ac20	5785	Ant2	-34.31	-27	Pass
NVNT	ac20	5825	Ant2	-32.38	-27	Pass
NVNT	ac40	5190	Ant1	-34.28	-27	Pass
NVNT	ac40	5230	Ant1	-33.81	-27	Pass
NVNT	ac40	5755	Ant1	-33.12	-27	Pass
NVNT	ac40	5795	Ant1	-33.2	-27	Pass
NVNT	ac40	5190	Ant2	-34.06	-27	Pass
NVNT	ac40	5230	Ant2	-33.81	-27	Pass
NVNT	ac40	5755	Ant2	-33.45	-27	Pass
NVNT	ac40	5795	Ant2	-33.3	-27	Pass
NVNT	ac80	5210	Ant1	-34.8	-27	Pass
NVNT	ac80	5775	Ant1	-33.51	-27	Pass
NVNT	ac80	5210	Ant2	-33.89	-27	Pass
NVNT	ac80	5775	Ant2	-33.94	-27	Pass
NVNT	ax20	5180	Ant1	-33.86	-27	Pass
NVNT	ax20	5200	Ant1	-34.19	-27	Pass
NVNT	ax20	5240	Ant1	-34.6	-27	Pass
NVNT	ax20	5745	Ant1	-33.6	-27	Pass
NVNT	ax20	5785	Ant1	-33.86	-27	Pass
NVNT	ax20	5825	Ant1	-34.26	-27	Pass
NVNT	ax20	5180	Ant2	-34.2	-27	Pass
NVNT	ax20	5200	Ant2	-34.56	-27	Pass
NVNT	ax20	5240	Ant2	-34.49	-27	Pass
NVNT	ax20	5745	Ant2	-34.38	-27	Pass
NVNT	ax20	5785	Ant2	-34.38	-27	Pass
NVNT	ax20	5825	Ant2	-34.2	-27	Pass
NVNT	ax40	5190	Ant1	-34.39	-27	Pass
NVNT	ax40	5230	Ant1	-34.21	-27	Pass
NVNT	ax40	5755	Ant1	-34.47	-27	Pass
NVNT	ax40	5795	Ant1	-34.39	-27	Pass
NVNT	ax40	5190	Ant2	-32.82	-27	Pass
NVNT	ax40	5230	Ant2	-33.67	-27	Pass
NVNT	ax40	5755	Ant2	-33.79	-27	Pass
NVNT	ax40	5795	Ant2	-34.06	-27	Pass
NVNT	ax80	5210	Ant1	-34.03	-27	Pass
NVNT	ax80	5775	Ant1	-34	-27	Pass
NVNT	ax80	5210	Ant2	-33.58	-27	Pass
NVNT	ax80	5775	Ant2	-33.6	-27	Pass




Date: 18.OCT.2022 04:29:53



Date: 17.OCT.2022 03:22:03




Date: 17.OCT.2022 03:23:27




Date: 17.OCT.2022 03:28:59







Date: 17.OCT.2022 03:31:00




Date: 17.OCT.2022 22:02:39




Date: 18.OCT.2022 01:59:07




Date: 18.OCT.2022 02:01:25




Date: 18.OCT.2022 04:35:04




Date: 18.OCT.2022 02:04:24




Date: 18.OCT.2022 04:36:58




Date: 18.OCT.2022 04:38:15




Date: 17.OCT.2022 22:11:32




Date: 17.OCT.2022 22:15:56




Date: 17.OCT.2022 22:25:40




Date: 17.OCT.2022 22:28:16




Date: 17.OCT.2022 22:32:05



Date: 17.OCT.2022 22:35:40




Date: 18.OCT.2022 02:11:32




Date: 18.OCT.2022 02:13:16





Date: 18.OCT.2022 02:14:24



Date: 18.OCT.2022 02:16:12