


Test Data

Maximum Conducted Output Power

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Limit (dBm)	Verdict
NVNT	BLE	2402	Ant1	8.074	30	Pass
NVNT	BLE	2442	Ant1	8.341	30	Pass
NVNT	BLE	2480	Ant1	8.54	30	Pass











-6dB Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	-6 dB Bandwidth (MHz)	limit	Verdic
NVNT	BLE	2402	Ant1	0.675	0.5	Pass
NVNT	BLE	2442	Ant1	0.674	0.5	Pass
NVNT	BLE	2480	Ant1	0.67	0.5	Pass







Spectrum Analy Occupied BW	/zer 1	• +					
	Input: RF Coupling: DC Align: Auto/No RF	Input Ζ: 50 Ω Corr CCorr Freq Ref: Int (S)	Atten: 30 dB	Trig: Free Run Gate: Off #IF Gain: Low	Center Freq: 2.480000000 GHz Avg Hold: 1000/1000 Radio Std: None		
1 Graph	•			Ref LvI Offset 2.	60 dB	Mkr3 2.4803	37000 GHz
Scale/Div 10.0	dB			Ref Value 22.60			-0.56 dBm
Log 12.6 2.60			2	1	3		
-7.40 -17.4 -27.4							
-37.4							
-57.4							
Center 2.48000 #Res BW 100.0				#Video BW 300.0	lo kHz	Sweep 1.33	Span 2 MHz ms (10001 pts)
2 Metrics	v						
	Occupied Ban	ndwidth					
		1.0477 MHz			Total Power	11.7 dBm	
	Transmit Freq x dB Bandwid		1.870 kHz 670.2 kHz		% of OBW Power x dB	99.00 % -6.00 dB	
	C ¹ □ ?	Nov 06, 2023 4:38:46 PM					



Occupied Channel Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	99% OBW (MHz)
NVNT	BLE	2402	Ant1	1.049
NVNT	BLE	2442	Ant1	1.048
NVNT	BLE	2480	Ant1	1.048











Maximum Power Spectral Density Level

Condition	Mode	Frequency (MHz)	Antenna	Max PSD (dBm)	Limit (dBm)	Verdict
NVNT	BLE	2402	Ant1	1.829	8	Pass
NVNT	BLE	2442	Ant1	2.071	8	Pass
NVNT	BLE	2480	Ant1	2.235	8	Pass













Band Edge

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE	2402	Ant1	-61.24	-20	Pass
NVNT	BLE	2480	Ant1	-55.96	-20	Pass











Conducted RF Spurious Emission

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE	2402	Ant1	-22.44	-20	Pass
NVNT	BLE	2442	Ant1	-21.35	-20	Pass
NVNT	BLE	2480	Ant1	-22.3	-20	Pass











