


Test Data


Maximum Conducted Output Power

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Limit (dBm)	Verdict
NVNT	BLE	2402	Ant1	8.86	30	Pass
NVNT	BLE	2442	Ant1	8.414	30	Pass
NVNT	BLE	2480	Ant1	7.686	30	Pass











-6dB Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	-6 dB Bandwidth (MHz)	limit	Verdic
NVNT	BLE	2402	Ant1	0.684	0.5	Pass
NVNT	BLE	2442	Ant1	0.684	0.5	Pass
NVNT	BLE	2480	Ant1	0.678	0.5	Pass







Spectrum Occupied		zer 1		•	+							
REYSIC		Input: Rf Coupling Align: Au	g: DC	Input Z Corr C Freq R		Atten: 30 dB	Trig: Free Rur Gate: Off #IF Gain: Low	Avg Hold:				
1 Graph			v				Ref Lvl Offse	t 2.60 dB		Mk		35000 GHz
Scale/Div	/ 10.0 (dB					Ref Value 22.					-0.55 dBm
12.6						2			3			
2.60								Mary Mary				
-17.4												
-27.4												
-37.4												
-57.4												
-67.4												
Center 2.4 #Res BW							#Video BW 3	00.00 kHz			Sweep 1.33	Span 2 MHz ms (10001 pts)
2 Metrics			v									
			upied Bar	dwidth								
			upieu bai		13 MHz				Total Power		11.4 dBm	
		Tran	smit Freq	Error		-3.681 kHz			% of OBW Power		99.00 %	
			Bandwid			677.7 kHz			x dB		-6.00 dB	
4	う (]?	Feb 2 8:57	27, 2023 54 AM							



Occupied Channel Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	99% OBW (MHz)
NVNT	BLE	2402	Ant1	1.124
NVNT	BLE	2442	Ant1	1.122
NVNT	BLE	2480	Ant1	1.119











Maximum Power Spectral Density Level

Condition	Mode	Frequency (MHz)	Antenna	Max PSD (dBm)	Limit (dBm)	Verdict
NVNT	BLE	2402	Ant1	3.306	8	Pass
NVNT	BLE	2442	Ant1	2.824	8	Pass
NVNT	BLE	2480	Ant1	2.07	8	Pass













Band Edge

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE	2402	Ant1	-57.15	-20	Pass
NVNT	BLE	2480	Ant1	-55.12	-20	Pass











Conducted RF Spurious Emission

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE	2402	Ant1	-44.42	-20	Pass
NVNT	BLE	2442	Ant1	-43.49	-20	Pass
NVNT	BLE	2480	Ant1	-42.09	-20	Pass











