




Test Data

Maximum Conducted Output Power

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Limit (dBm)	Verdict
NVNT	BLE	2402	Ant1	8.031	30	Pass
NVNT	BLE	2442	Ant1	7.975	30	Pass
NVNT	BLE	2480	Ant1	8.524	30	Pass













-6dB Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	-6 dB Bandwidth (MHz)	limit	Verdic
NVNT	BLE	2402	Ant1	0.633	0.5	Pass
NVNT	BLE	2442	Ant1	0.631	0.5	Pass
NVNT	BLE	2480	Ant1	0.631	0.5	Pass

No.101, Building 8, Innovation Wisdom Port, No.155 Hongtian Road, Huangpu Community, Xinqiao Street, Bao'an District, Shenzhen, Guangdong, People's Republic of China. Tel: +86-755-23118282, Fax: +86-755-23116366














Occupied Channel Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	99% OBW (MHz)	
NVNT	BLE	2402	Ant1	1.011	
NVNT	BLE	2442	Ant1	1.011	
NVNT	BLE	2480	Ant1	1.01	














Maximum Power Spectral Density Level


Condition	Mode	Frequency (MHz)	Antenna	Max PSD (dBm)	Limit (dBm)	Verdict
NVNT	BLE	2402	Ant1	-6.392	8	Pass
NVNT	BLE	2442	Ant1	-6.475	8	Pass
NVNT	BLE	2480	Ant1	-5.879	8	Pass

Xinqiao Street, Bao'an District, Shenzhen, Guangdong, People's Republic of China. Tel: +86-755-23118282, Fax: +86-755-23116366















Band Edge

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE	2402	Ant1	-55.03	-20	Pass
NVNT	BLE	2480	Ant1	-54.32	-20	Pass














Conducted RF Spurious Emission

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE	2402	Ant1	-49.62	-20	Pass
NVNT	BLE	2442	Ant1	-48.67	-20	Pass
NVNT	BLE	2480	Ant1	-48.67	-20	Pass









Tx. Spurious NVNT BLE 2480MHz Ant1 Ref

6.447 dBm

-47.35 dBm -48.57 dBm -48.78 dBm

-40.79 dBm

Function

Function Width

Trace

Mode

N N

3 N 4 N 5 N Scale

Function Value

4.824 GHz 7.196 GHz 9.718 GHz

Jan 10, 2023 4:40:14 PM 155 MHz



