




Test Data


Maximum Conducted Output Power

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Limit (dBm)	Verdict
NVNT	BLE	2402	Ant1	7.307	30	Pass
NVNT	BLE	2442	Ant1	7.39	30	Pass
NVNT	BLE	2480	Ant1	7.36	30	Pass













-6dB Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	-6 dB Bandwidth (MHz)	limit	Verdic
NVNT	BLE	2402	Ant1	0.626	0.5	Pass
NVNT	BLE	2442	Ant1	0.632	0.5	Pass
NVNT	BLE	2480	Ant1	0.631	0.5	Pass














Occupied Channel Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	99% OBW (MHz)	
NVNT	BLE	2402	Ant1	1.009	
NVNT	BLE	2442	Ant1	1.01	
NVNT	BLE	2480	Ant1	1.01	

Project No.: JYTSZR2211081















Maximum Power Spectral Density Level

Condition	Mode	Frequency (MHz)	Antenna	Max PSD (dBm)	Limit (dBm)	Verdict
NVNT	BLE	2402	Ant1	-7.137	8	Pass
NVNT	BLE	2442	Ant1	-7.081	8	Pass
NVNT	BLE	2480	Ant1	-7.039	8	Pass















Band Edge

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE	2402	Ant1	-57.46	-20	Pass
NVNT	BLE	2480	Ant1	-56.93	-20	Pass













Conducted RF Spurious Emission

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE	2402	Ant1	-50.96	-20	Pass
NVNT	BLE	2442	Ant1	-51.4	-20	Pass
NVNT	BLE	2480	Ant1	-50.92	-20	Pass

Project No.: JYTSZR2211081









Tx. Spurious NVNT BLE 2480MHz Ant1 Ref

5.835 dBm

-45.65 dBm -48.04 dBm

-44.09 dBm

Function

Function Width

Trace

Mode

N N

3 N 4 N 5 N Scale

Function Value

5.049 GHz 7.221 GHz 9.768 GHz

24.750 GHz

Dec 06, 2022 9:55:55 PM



