


Test Data


Maximum Conducted Output Power

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Limit (dBm)	Verdict
NVNT	BLE	2402	Ant1	6.494	30	Pass
NVNT	BLE	2442	Ant1	6.612	30	Pass
NVNT	BLE	2480	Ant1	6.632	30	Pass











-6dB Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	-6 dB Bandwidth (MHz)	limit	Verdic
NVNT	BLE	2402	Ant1	0.703	0.5	Pass
NVNT	BLE	2442	Ant1	0.703	0.5	Pass
NVNT	BLE	2480	Ant1	0.705	0.5	Pass







Spectrum Occupied	Analyz BW	zer 1		•	+							
REYSIC R		Input: RF Coupling: Align: Aut	: DC	Input Z Corr Ci Freq R		Atten: 30 dB	Trig: Free Run Gate: Off #IF Gain: Low	Center Fre Avg Hold: Radio Std:				
1 Graph			,				Ref LvI Offset	8.81 dB		Mkr3	2.48034	6000 GHz
Scale/Div	10.0 (dB					Ref Value 28.8					0.61 dBm
Log 18.8 8.81						2^{1}			→3			
-1.19 -11.2 -21.2												
-31.2 -41.2 -51.2												
-61.2												
Center 2.4 #Res BW							#Video BW 300	0.00 kHz		s	weep 1.33 n	Span 2 MHz ns (10001 pts)
2 Metrics		,	/									
		Occu	pied Ban									
					98 MHz				Total Power		2.8 dBm	
			smit Freq Bandwidt			-6.541 kHz 705.5 kHz			% of OBW Power x dB		99.00 % •6.00 dB	
-) (]?	Sep 2 2:23	22, 2022 :06 PM							



Occupied Channel Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	99% OBW (MHz)
NVNT	BLE	2402	Ant1	1.06924132
NVNT	BLE	2442	Ant1	1.067532906
NVNT	BLE	2480	Ant1	1.066878929













Maximum Power Spectral Density Level

Condition	Mode	Frequency (MHz)	Antenna	Max PSD (dBm)	Limit (dBm)	Verdict
NVNT	BLE	2402	Ant1	0.796	8	Pass
NVNT	BLE	2442	Ant1	0.928	8	Pass
NVNT	BLE	2480	Ant1	0.911	8	Pass













Band Edge

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE	2402	Ant1	-56.27	-20	Pass
NVNT	BLE	2480	Ant1	-55.16	-20	Pass











Conducted RF Spurious Emission

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE	2402	Ant1	-49.22	-20	Pass
NVNT	BLE	2442	Ant1	-50.03	-20	Pass
NVNT	BLE	2480	Ant1	-50.17	-20	Pass











