


Test Data

Maximum Conducted Output Power

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Limit (dBm)	Verdict
NVNT	BLE	2402	Ant1	2.095	30	Pass
NVNT	BLE	2442	Ant1	2.17	30	Pass
NVNT	BLE	2480	Ant1	2.332	30	Pass





JianYan Testing Group Shenzhen Co., Ltd. Project No.: JYTSZR2204104 No.101, Building 8, Innovation Wisdom Port, No.155 Hongtian Road, Huangpu Community, Xinqiao Street, Bao'an District, Shenzhen, Guangdong, People's Republic of China. Tel: +86-755-23118282, Fax: +86-755-23116366 Page 2 of 19







-6dB Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	-6 dB Bandwidth (MHz)	limit	Verdic
NVNT	BLE	2402	Ant1	0.726	0.5	Pass
NVNT	BLE	2442	Ant1	0.72	0.5	Pass
NVNT	BLE	2480	Ant1	0.713	0.5	Pass





JianYan Testing Group Shenzhen Co., Ltd. Project No.: JYTSZR2204104 No.101, Building 8, Innovation Wisdom Port, No.155 Hongtian Road, Huangpu Community, Xinqiao Street, Bao'an District, Shenzhen, Guangdong, People's Republic of China. Tel: +86-755-23118282, Fax: +86-755-23116366 Page 5 of 19



Spectr Occup	um Anal ied BW	yzer 1		- 1	-						
REY:	SIGHT • • •	Input: R Couplin Align: A	ig: DC	Input Z: Corr CCo Freq Ref	orr	Atten: 30 dB	Trig: Free Run Gate: Off #IF Gain: Low	Center Fre Avg Hold: Radio Std:			
1 Grap			V				Ref LvI Offset 2			Mkr3 2.4803	
	/Div 10.0	dB					Ref Value 22.81	dBm			-4.32 dBm
Log 12.8									3		
2.81 -7.19											
-17.2 -27.2	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~										······································
-37.2 -47.2											
-57.2											
-67.2											
	r 2.4800						#Video BW 300	.00 kHz			Span 2 MHz
#Res	BW 100.	00 kHz								Sweep 1.33	ms (10001 pts)
2 Metr	ics		•								
		Occ	upied Bai	ndwidth 1.0910	MHz				Total Power	8.46 dBm	
			nsmit Fred			6.846 kHz			% of OBW Power	99.00 %	
		x dE	3 Bandwid	ith		713.2 kHz			x dB	-6.00 dB	
	5	6	2	Apr 19 7:44:0	, 2022 5 PM	\Box					



Occupied Channel Bandwidth


Condition	Mode	Frequency (MHz)	Antenna	99% OBW (MHz)
NVNT	BLE	2402	Ant1	1.070055098
NVNT	BLE	2442	Ant1	1.075109825
NVNT	BLE	2480	Ant1	1.074150161





JianYan Testing Group Shenzhen Co., Ltd. Project No.: JYTSZR2204104 No.101, Building 8, Innovation Wisdom Port, No.155 Hongtian Road, Huangpu Community, Xinqiao Street, Bao'an District, Shenzhen, Guangdong, People's Republic of China. Tel: +86-755-23118282, Fax: +86-755-23116366 Page 8 of 19








Maximum Power Spectral Density Level

Condition	Mode	Frequency (MHz)	Antenna	Max PSD (dBm)	Limit (dBm)	Verdict
NVNT	BLE	2402	Ant1	-3.644	8	Pass
NVNT	BLE	2442	Ant1	-3.551	8	Pass
NVNT	BLE	2480	Ant1	-3.395	8	Pass












Band Edge


Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE	2402	Ant1	-57.26	-20	Pass
NVNT	BLE	2480	Ant1	-55.2	-20	Pass





JianYan Testing Group Shenzhen Co., Ltd. Project No.: JYTSZR2204104 No.101, Building 8, Innovation Wisdom Port, No.155 Hongtian Road, Huangpu Community, Xinqiao Street, Bao'an District, Shenzhen, Guangdong, People's Republic of China. Tel: +86-755-23118282, Fax: +86-755-23116366 Page 14 of 19








Conducted RF Spurious Emission

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE	2402	Ant1	-31.72	-20	Pass
NVNT	BLE	2442	Ant1	-50.35	-20	Pass
NVNT	BLE	2480	Ant1	-39.39	-20	Pass





JianYan Testing Group Shenzhen Co., Ltd. Project No.: JYTSZR2204104 No.101, Building 8, Innovation Wisdom Port, No.155 Hongtian Road, Huangpu Community, Xinqiao Street, Bao'an District, Shenzhen, Guangdong, People's Republic of China. Tel: +86-755-23118282, Fax: +86-755-23116366 Page 17 of 19







