




Test Data


Maximum Conducted Output Power

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Limit (dBm)	Verdict
NVNT	BLE	2402	Ant1	10.739	30	Pass
NVNT	BLE	2442	Ant1	10.717	30	Pass
NVNT	BLE	2480	Ant1	10.5	30	Pass













-6dB Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	-6 dB Bandwidth (MHz)	limit	Verdic
NVNT	BLE	2402	Ant1	0.638	0.5	Pass
NVNT	BLE	2442	Ant1	0.637	0.5	Pass
NVNT	BLE	2480	Ant1	0.638	0.5	Pass









Tel: +86-755-23118282, Fax: +86-755-23116366






Occupied Channel Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	99% OBW (MHz)	
NVNT	BLE	2402	Ant1	1.027	
NVNT	BLE	2442	Ant1	1.027	
NVNT	BLE	2480	Ant1	1.027	









Tel: +86-755-23118282, Fax: +86-755-23116366







Maximum Power Spectral Density Level

Condition	Mode	Frequency (MHz)	Antenna	Max PSD (dBm)	Limit (dBm)	Verdict
NVNT	BLE	2402	Ant1	-4.106	8	Pass
NVNT	BLE	2442	Ant1	-4.105	8	Pass
NVNT	BLE	2480	Ant1	-4.317	8	Pass









Tel: +86-755-23118282, Fax: +86-755-23116366







Band Edge

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE	2402	Ant1	-60.5	-20	Pass
NVNT	BLE	2480	Ant1	-59.14	-20	Pass













Conducted RF Spurious Emission

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE	2402	Ant1	-60.49	-20	Pass
NVNT	BLE	2442	Ant1	-60.48	-20	Pass
NVNT	BLE	2480	Ant1	-60.1	-20	Pass









Tx. Spurious NVNT BLE 2480MHz Ant1 Ref

10.43 dBm

-49.81 dBm -54.51 dBm

-54.30 dBm

Function

Function Width

Trace

Mode

N

5 6 Scale

Function Value

4.874 GHz 7.421 GHz 9.718 GHz

? Apr 24, 2023 4:12:51 PM



