


Test Data

Maximum Conducted Output Power

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Limit (dBm)	Verdict
NVNT	BLE	2402	Ant1	9.191	30	Pass
NVNT	BLE	2442	Ant1	8.945	30	Pass
NVNT	BLE	2480	Ant1	8.662	30	Pass

Page 1 of 19












-6dB Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	-6 dB Bandwidth (MHz)	limit	Verdic
NVNT	BLE	2402	Ant1	1.062	0.5	Pass
NVNT	BLE	2442	Ant1	1.087	0.5	Pass
NVNT	BLE	2480	Ant1	1.064	0.5	Pass

No.101, Building 8, Innovation Wisdom Port, No.155 Hongtian Road, Huangpu Community, Xinqiao Street, Bao'an District, Shenzhen, Guangdong, People's Republic of China. Tel: +86-755-23118282, Fax: +86-755-23116366











Occupied Channel Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	99% OBW (MHz)	
NVNT	BLE	2402	Ant1	2.055	
NVNT	BLE	2442	Ant1	2.056	
NVNT	BLE	2480	Ant1	2.082	













Maximum Power Spectral Density Level

Condition	Mode	Frequency (MHz)	Antenna	Max PSD (dBm)	Limit (dBm)	Verdict
NVNT	BLE	2402	Ant1	-6.168	8	Pass
NVNT	BLE	2442	Ant1	-6.478	8	Pass
NVNT	BLE	2480	Ant1	-6.788	8	Pass












Band Edge

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE	2402	Ant1	-59.64	-20	Pass
NVNT	BLE	2480	Ant1	-55.43	-20	Pass











Conducted RF Spurious Emission

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE	2402	Ant1	-50.15	-20	Pass
NVNT	BLE	2442	Ant1	-50.16	-20	Pass
NVNT	BLE	2480	Ant1	-50.21	-20	Pass



