


Test Data

Maximum Conducted Output Power

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Limit (dBm)	Verdict
NVNT	BLE	2402	Ant1	7.911	30	Pass
NVNT	BLE	2442	Ant1	8.053	30	Pass
NVNT	BLE	2480	Ant1	8.193	30	Pass











-6dB Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	-6 dB Bandwidth (MHz)	limit	Verdic
NVNT	BLE	2402	Ant1	0.634	0.5	Pass
NVNT	BLE	2442	Ant1	0.629	0.5	Pass
NVNT	BLE	2480	Ant1	0.631	0.5	Pass

No.101, Building 8, Innovation Wisdom Port, No.155 Hongtian Road, Huangpu Community, Xinqiao Street, Bao'an District, Shenzhen, Guangdong, People's Republic of China. Tel: +86-755-23118282, Fax: +86-755-23116366












Occupied Channel Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	99% OBW (MHz)	
NVNT	BLE	2402	Ant1	1.017986971	
NVNT	BLE	2442	Ant1	1.026590786	
NVNT	BLE	2480	Ant1	1.029433796	

Page 7 of 19











Maximum Power Spectral Density Level


Condition	Mode	Frequency (MHz)	Antenna	Max PSD (dBm)	Limit (dBm)	Verdict
NVNT	BLE	2402	Ant1	-7.001	8	Pass
NVNT	BLE	2442	Ant1	-6.774	8	Pass
NVNT	BLE	2480	Ant1	-6.625	8	Pass

Xinqiao Street, Bao'an District, Shenzhen, Guangdong, People's Republic of China. Tel: +86-755-23118282, Fax: +86-755-23116366













Band Edge

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE	2402	Ant1	-62.42	-20	Pass
NVNT	BLE	2480	Ant1	-57.61	-20	Pass











Conducted RF Spurious Emission

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE	2402	Ant1	-57.95	-20	Pass
NVNT	BLE	2442	Ant1	-57.66	-20	Pass
NVNT	BLE	2480	Ant1	-58.04	-20	Pass











