




Test Data


Maximum Conducted Output Power

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Limit (dBm)	Verdict
NVNT	BLE	2402	Ant1	3.782	30	Pass
NVNT	BLE	2442	Ant1	4.195	30	Pass
NVNT	BLE	2480	Ant1	4.553	30	Pass













-6dB Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	-6 dB Bandwidth (MHz)	limit	Verdic
NVNT	BLE	2402	Ant1	0.639	0.5	Pass
NVNT	BLE	2442	Ant1	0.639	0.5	Pass
NVNT	BLE	2480	Ant1	0.639	0.5	Pass













Occupied Channel Bandwidth


Condition	Mode	Frequency (MHz)	Antenna	99% OBW (MHz)	
NVNT	BLE	2402	Ant1	1.028	
NVNT	BLE	2442	Ant1	1.028	
NVNT	BLE	2480	Ant1	1.029	

Project No.: JYTSZR2302072















Maximum Power Spectral Density Level

Condition	Mode	Frequency (MHz)	Antenna	Max PSD (dBm)	Limit (dBm)	Verdict
NVNT	BLE	2402	Ant1	-11.886	8	Pass
NVNT	BLE	2442	Ant1	-11.33	8	Pass
NVNT	BLE	2480	Ant1	-11.073	8	Pass















Band Edge

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE	2402	Ant1	-58.33	-20	Pass
NVNT	BLE	2480	Ant1	-54.9	-20	Pass













Conducted RF Spurious Emission

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE	2402	Ant1	-50.9	-20	Pass
NVNT	BLE	2442	Ant1	-54.16	-20	Pass
NVNT	BLE	2480	Ant1	-54.47	-20	Pass









Tx. Spurious NVNT BLE 2480MHz Ant1 Ref

3.108 dBm

-53.79 dBm -55.16 dBm -54.24 dBm

-50.29 dBm

Function

Function Width

Trace

Mode

N N

3 N 4 N 5 N Scale

Function Value

5.024 GHz 7.321 GHz 9.693 GHz

24.276 GHz

Mar 13, 2023 1:49:11 PM



