



Test Data


Maximum Conducted Output Power

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Limit (dBm)	Verdict
NVNT	BLE	2402	Ant1	0.54	30	Pass
NVNT	BLE	2442	Ant1	0.548	30	Pass
NVNT	BLE	2480	Ant1	0.365	30	Pass














-6dB Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	-6 dB Bandwidth (MHz)	limit	Verdic
NVNT	BLE	2402	Ant1	1.08	0.5	Pass
NVNT	BLE	2442	Ant1	1.116	0.5	Pass
NVNT	BLE	2480	Ant1	1.095	0.5	Pass













Occupied Channel Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	99% OBW (MHz)	
NVNT	BLE	2402	Ant1	2.091	
NVNT	BLE	2442	Ant1	2.069	
NVNT	BLE	2480	Ant1	2.085	














Maximum Power Spectral Density Level

Condition	Mode	Frequency (MHz)	Antenna	Max PSD (dBm)	Limit (dBm)	Verdict
NVNT	BLE	2402	Ant1	-16.256	8	Pass
NVNT	BLE	2442	Ant1	-16.385	8	Pass
NVNT	BLE	2480	Ant1	-16.388	8	Pass














Band Edge

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE	2402	Ant1	-57.86	-20	Pass
NVNT	BLE	2480	Ant1	-54.14	-20	Pass














Conducted RF Spurious Emission

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE	2402	Ant1	-38.75	-20	Pass
NVNT	BLE	2442	Ant1	-40.5	-20	Pass
NVNT	BLE	2480	Ant1	-42.5	-20	Pass









Tx. Spurious NVNT BLE 2480MHz Ant1 Ref

-2.666 dBm

-40.46 dBm -54.95 dBm

-55.51 dBm

Function

Function Width

Trace

Mode

N

5 6 Scale

Function Value

2.439 GHz

4.874 GHz 7.177 GHz 9.692 GHz

Jun 20, 2024 11:54:56 PM



