

1.1.1.Test Result

Test Band		n2/25_SA					
Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
PI/2 BPSK							
370500	1852.5	5	1	0	23.10	25.24	< 33.01
			1	1	23.12	25.26	< 33.01
			12	6	23.57	25.71	< 33.01
			25	0	23.58	25.72	< 33.01
376500	1882.5	5	1	0	23.01	25.15	< 33.01
			1	1	23.02	25.16	< 33.01
			12	6	23.17	25.31	< 33.01
			25	0	23.21	25.35	< 33.01
382500	1912.5	5	1	0	23.07	25.21	< 33.01
			1	1	23.11	25.25	< 33.01
			12	6	23.13	25.27	< 33.01
			25	0	23.10	25.24	< 33.01
371000	1855.0	10	1	0	23.01	25.15	< 33.01
			1	1	23.10	25.24	< 33.01
			25	12	23.21	25.35	< 33.01
			50	0	23.22	25.36	< 33.01
376500	1882.5	10	1	0	23.01	25.15	< 33.01
			1	1	23.06	25.20	< 33.01
			25	12	23.20	25.34	< 33.01
			50	0	23.16	25.30	< 33.01
382000	1910.0	10	1	0	23.12	25.26	< 33.01
			1	1	23.16	25.30	< 33.01
			25	12	23.24	25.38	< 33.01
			50	0	23.09	25.23	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)							

Test Band		n2/25_SA					
Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
PI/2 BPSK							
371500	1857.5	15	1	0	23.19	25.33	< 33.01
			1	1	23.18	25.32	< 33.01
			36	18	23.12	25.26	< 33.01
			75	0	23.15	25.29	< 33.01
376500	1882.5	15	1	0	23.13	25.27	< 33.01
			1	1	23.23	25.37	< 33.01
			36	18	23.11	25.25	< 33.01
			75	0	23.14	25.28	< 33.01
381500	1907.5	15	1	0	23.15	25.29	< 33.01
			1	1	23.16	25.30	< 33.01
			36	18	23.11	25.25	< 33.01
			75	0	23.23	25.37	< 33.01
372000	1860.0	20	1	0	23.20	25.34	< 33.01
			1	1	23.29	25.43	< 33.01
			50	25	23.11	25.25	< 33.01
			100	0	23.10	25.24	< 33.01
376500	1882.5	20	1	0	23.14	25.28	< 33.01
			1	1	23.15	25.29	< 33.01
			50	25	23.16	25.30	< 33.01
			100	0	23.14	25.28	< 33.01
381000	1905.0	20	1	0	23.14	25.28	< 33.01
			1	1	23.23	25.37	< 33.01
			50	25	23.31	25.45	< 33.01
			100	0	23.11	25.25	< 33.01

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

Test Band		n2/25_SA					
Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
QPSK							
370500	1852.5	5	1	0	23.03	25.17	< 33.01
			1	1	23.08	25.22	< 33.01
			12	6	23.12	25.26	< 33.01
			25	0	23.10	25.24	< 33.01
376500	1882.5	5	1	0	23.19	25.33	< 33.01
			1	1	23.24	25.38	< 33.01
			12	6	23.18	25.32	< 33.01
			25	0	23.10	25.24	< 33.01
382500	1912.5	5	1	0	23.01	25.15	< 33.01
			1	1	23.05	25.19	< 33.01
			12	6	23.17	25.31	< 33.01
			25	0	23.12	25.26	< 33.01
371000	1855.0	10	1	0	22.99	25.13	< 33.01
			1	1	23.04	25.18	< 33.01
			25	12	23.09	25.23	< 33.01
			50	0	23.18	25.32	< 33.01
376500	1882.5	10	1	0	23.11	25.25	< 33.01
			1	1	23.02	25.16	< 33.01
			25	12	23.30	25.44	< 33.01
			50	0	23.22	25.36	< 33.01
382000	1910.0	10	1	0	23.16	25.30	< 33.01
			1	1	23.17	25.31	< 33.01
			25	12	23.25	25.39	< 33.01
			50	0	23.10	25.24	< 33.01

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

Test Band		n2/25_SA					
Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
QPSK							
371500	1857.5	15	1	0	23.19	25.33	< 33.01
			1	1	23.28	25.42	< 33.01
			36	18	23.12	25.26	< 33.01
			75	0	23.16	25.30	< 33.01
376500	1882.5	15	1	0	22.94	25.08	< 33.01
			1	1	23.03	25.17	< 33.01
			36	18	23.14	25.28	< 33.01
			75	0	23.11	25.25	< 33.01
381500	1907.5	15	1	0	23.10	25.24	< 33.01
			1	1	23.21	25.35	< 33.01
			36	18	23.11	25.25	< 33.01
			75	0	23.16	25.30	< 33.01
372000	1860.0	20	1	0	23.12	25.26	< 33.01
			1	1	23.12	25.26	< 33.01
			50	25	23.12	25.26	< 33.01
			100	0	23.20	25.34	< 33.01
376500	1882.5	20	1	0	23.20	25.34	< 33.01
			1	1	23.09	25.23	< 33.01
			50	25	23.17	25.31	< 33.01
			100	0	23.12	25.26	< 33.01
381000	1905.0	20	1	0	23.29	25.43	< 33.01
			1	1	23.17	25.31	< 33.01
			50	25	23.23	25.37	< 33.01
			100	0	23.18	25.32	< 33.01

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

Test Band		n2/25_SA					
Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
16QAM							
370500	1852.5	5	1	0	22.06	24.20	< 33.01
			1	1	22.74	24.88	< 33.01
			12	6	23.04	25.18	< 33.01
			25	0	22.07	24.21	< 33.01
376500	1882.5	5	1	0	21.94	24.08	< 33.01
			1	1	23.16	25.30	< 33.01
			12	6	23.14	25.28	< 33.01
			25	0	22.13	24.27	< 33.01
382500	1912.5	5	1	0	21.97	24.11	< 33.01
			1	1	22.78	24.92	< 33.01
			12	6	23.05	25.19	< 33.01
			25	0	22.03	24.17	< 33.01
371000	1855.0	10	1	0	21.86	24.00	< 33.01
			1	1	23.41	25.55	< 33.01
			25	12	23.16	25.30	< 33.01
			50	0	22.10	24.24	< 33.01
376500	1882.5	10	1	0	22.21	24.35	< 33.01
			1	1	23.03	25.17	< 33.01
			25	12	23.17	25.31	< 33.01
			50	0	22.25	24.39	< 33.01
382000	1910.0	10	1	0	21.81	23.95	< 33.01
			1	1	23.16	25.30	< 33.01
			25	12	23.15	25.29	< 33.01
			50	0	22.11	24.25	< 33.01

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

Test Band		n2/25_SA					
Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
16QAM							
371500	1857.5	15	1	0	22.33	24.47	< 33.01
			1	1	23.16	25.30	< 33.01
			36	18	23.22	25.36	< 33.01
			75	0	22.16	24.30	< 33.01
376500	1882.5	15	1	0	21.99	24.13	< 33.01
			1	1	23.47	25.61	< 33.01
			36	18	23.18	25.32	< 33.01
			75	0	22.18	24.32	< 33.01
381500	1907.5	15	1	0	22.10	24.24	< 33.01
			1	1	22.81	24.95	< 33.01
			36	18	23.13	25.27	< 33.01
			75	0	22.15	24.29	< 33.01
372000	1860.0	20	1	0	22.05	24.19	< 33.01
			1	1	23.56	25.70	< 33.01
			50	25	23.17	25.31	< 33.01
			100	0	22.18	24.32	< 33.01
376500	1882.5	20	1	0	22.12	24.26	< 33.01
			1	1	23.25	25.39	< 33.01
			50	25	23.07	25.21	< 33.01
			100	0	22.13	24.27	< 33.01
381000	1905.0	20	1	0	22.11	24.25	< 33.01
			1	1	23.20	25.34	< 33.01
			50	25	23.19	25.33	< 33.01
			100	0	22.11	24.25	< 33.01

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

Test Band		n2/25_SA					
Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
64QAM							
370500	1852.5	5	1	0	21.87	24.01	< 33.01
			1	1	21.89	24.03	< 33.01
			12	6	21.59	23.73	< 33.01
			25	0	21.66	23.80	< 33.01
376500	1882.5	5	1	0	21.95	24.09	< 33.01
			1	1	21.96	24.10	< 33.01
			12	6	21.68	23.82	< 33.01
			25	0	21.64	23.78	< 33.01
382500	1912.5	5	1	0	21.41	23.55	< 33.01
			1	1	21.31	23.45	< 33.01
			12	6	21.26	23.40	< 33.01
			25	0	21.65	23.79	< 33.01
371000	1855.0	10	1	0	21.63	23.77	< 33.01
			1	1	21.66	23.80	< 33.01
			25	12	21.00	23.14	< 33.01
			50	0	21.55	23.69	< 33.01
376500	1882.5	10	1	0	21.50	23.64	< 33.01
			1	1	21.55	23.69	< 33.01
			25	12	21.68	23.82	< 33.01
			50	0	21.69	23.83	< 33.01
382000	1910.0	10	1	0	21.44	23.58	< 33.01
			1	1	21.45	23.59	< 33.01
			25	12	21.67	23.81	< 33.01
			50	0	21.57	23.71	< 33.01

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

Test Band		n2/25_SA					
Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
64QAM							
371500	1857.5	15	1	0	21.64	23.78	< 33.01
			1	1	21.66	23.80	< 33.01
			36	18	21.70	23.84	< 33.01
			75	0	21.65	23.79	< 33.01
376500	1882.5	15	1	0	21.63	23.77	< 33.01
			1	1	21.58	23.72	< 33.01
			36	18	21.63	23.77	< 33.01
			75	0	21.62	23.76	< 33.01
381500	1907.5	15	1	0	21.77	23.91	< 33.01
			1	1	21.77	23.91	< 33.01
			36	18	21.68	23.82	< 33.01
			75	0	21.90	24.04	< 33.01
372000	1860.0	20	1	0	21.75	23.89	< 33.01
			1	1	21.76	23.90	< 33.01
			50	25	21.73	23.87	< 33.01
			100	0	21.74	23.88	< 33.01
376500	1882.5	20	1	0	21.38	23.52	< 33.01
			1	1	21.40	23.54	< 33.01
			50	25	21.62	23.76	< 33.01
			100	0	21.61	23.75	< 33.01
381000	1905.0	20	1	0	21.93	24.07	< 33.01
			1	1	21.92	24.06	< 33.01
			50	25	21.62	23.76	< 33.01
			100	0	21.70	23.84	< 33.01

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

Test Band		n2/25_SA					
Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
256QAM							
370500	1852.5	5	1	0	19.09	21.23	< 33.01
			1	1	19.11	21.25	< 33.01
			12	6	19.56	21.70	< 33.01
			25	0	19.60	21.74	< 33.01
376500	1882.5	5	1	0	21.82	23.96	< 33.01
			1	1	21.82	23.96	< 33.01
			12	6	21.73	23.87	< 33.01
			25	0	21.67	23.81	< 33.01
382500	1912.5	5	1	0	19.14	21.28	< 33.01
			1	1	19.14	21.28	< 33.01
			12	6	19.50	21.64	< 33.01
			25	0	19.55	21.69	< 33.01
371000	1855.0	10	1	0	21.50	23.64	< 33.01
			1	1	21.54	23.68	< 33.01
			25	12	21.62	23.76	< 33.01
			50	0	21.61	23.75	< 33.01
376500	1882.5	10	1	0	19.13	21.27	< 33.01
			1	1	19.17	21.31	< 33.01
			25	12	19.57	21.71	< 33.01
			50	0	19.66	21.80	< 33.01
382000	1910.0	10	1	0	21.72	23.86	< 33.01
			1	1	21.65	23.79	< 33.01
			25	12	21.60	23.74	< 33.01
			50	0	21.65	23.79	< 33.01

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

Test Band		n2/25_SA					
Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
256QAM							
371500	1857.5	15	1	0	19.34	21.48	< 33.01
			1	1	19.34	21.48	< 33.01
			36	18	19.68	21.82	< 33.01
			75	0	19.56	21.70	< 33.01
376500	1882.5	15	1	0	21.60	23.74	< 33.01
			1	1	21.57	23.71	< 33.01
			36	18	21.69	23.83	< 33.01
			75	0	21.72	23.86	< 33.01
381500	1907.5	15	1	0	19.27	21.41	< 33.01
			1	1	19.16	21.30	< 33.01
			36	18	19.54	21.68	< 33.01
			75	0	19.65	21.79	< 33.01
372000	1860.0	20	1	0	21.76	23.90	< 33.01
			1	1	21.66	23.80	< 33.01
			50	25	21.64	23.78	< 33.01
			100	0	21.74	23.88	< 33.01
376500	1882.5	20	1	0	19.15	21.29	< 33.01
			1	1	19.27	21.41	< 33.01
			50	25	19.60	21.74	< 33.01
			100	0	19.64	21.78	< 33.01
381000	1905.0	20	1	0	21.90	24.04	< 33.01
			1	1	21.79	23.93	< 33.01
			50	25	21.67	23.81	< 33.01
			100	0	21.70	23.84	< 33.01

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

Test Band		n5_SA					
Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	ERP (dBm)	Limit (dBm)
PI/2 BPSK							
165300	826.5	5	1	0	23.28	20.31	< 38.45
			1	1	23.34	20.37	< 38.45
			12	6	23.23	20.26	< 38.45
			25	0	23.22	20.25	< 38.45
167300	836.5	5	1	0	23.10	20.13	< 38.45
			1	1	23.14	20.17	< 38.45
			12	6	23.18	20.21	< 38.45
			25	0	23.16	20.19	< 38.45
169300	846.5	5	1	0	23.02	20.05	< 38.45
			1	1	23.15	20.18	< 38.45
			12	6	22.95	19.98	< 38.45
			25	0	23.05	20.08	< 38.45
165800	829.0	10	1	0	23.24	20.27	< 38.45
			1	1	23.17	20.20	< 38.45
			25	12	23.20	20.23	< 38.45
			50	0	23.19	20.22	< 38.45
167300	836.5	10	1	0	23.15	20.18	< 38.45
			1	1	23.17	20.20	< 38.45
			25	12	23.29	20.32	< 38.45
			50	0	23.25	20.28	< 38.45
168800	844.0	10	1	0	23.13	20.16	< 38.45
			1	1	23.03	20.06	< 38.45
			25	12	23.07	20.10	< 38.45
			50	0	23.07	20.10	< 38.45
Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15							

Test Band		n5_SA					
Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	ERP (dBm)	Limit (dBm)
PI/2 BPSK							
166300	831.5	15	1	0	23.26	20.29	< 38.45
			1	1	23.28	20.31	< 38.45
			36	18	23.25	20.28	< 38.45
			75	0	23.18	20.21	< 38.45
167300	836.5	15	1	0	23.15	20.18	< 38.45
			1	1	23.25	20.28	< 38.45
			36	18	23.11	20.14	< 38.45
			75	0	23.21	20.24	< 38.45
168300	841.5	15	1	0	23.13	20.16	< 38.45
			1	1	23.12	20.15	< 38.45
			36	18	23.07	20.10	< 38.45
			75	0	23.15	20.18	< 38.45
166800	834.0	20	1	0	23.01	20.04	< 38.45
			1	1	23.02	20.05	< 38.45
			50	25	22.87	19.90	< 38.45
			100	0	22.84	19.87	< 38.45
167300	836.5	20	1	0	22.83	19.86	< 38.45
			1	1	22.76	19.79	< 38.45
			50	25	22.64	19.67	< 38.45
			100	0	22.85	19.88	< 38.45
167800	839.0	20	1	0	22.68	19.71	< 38.45
			1	1	22.67	19.70	< 38.45
			50	25	22.65	19.68	< 38.45
			100	0	22.58	19.61	< 38.45
Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15							

Test Band		n5_SA					
Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	ERP (dBm)	Limit (dBm)
QPSK							
165300	826.5	5	1	0	23.28	20.31	< 38.45
			1	1	23.25	20.28	< 38.45
			12	6	23.24	20.27	< 38.45
			25	0	23.22	20.25	< 38.45
167300	836.5	5	1	0	23.09	20.12	< 38.45
			1	1	23.14	20.17	< 38.45
			12	6	23.22	20.25	< 38.45
			25	0	23.13	20.16	< 38.45
169300	846.5	5	1	0	23.02	20.05	< 38.45
			1	1	23.05	20.08	< 38.45
			12	6	22.98	20.01	< 38.45
			25	0	22.93	19.96	< 38.45
165800	829.0	10	1	0	23.24	20.27	< 38.45
			1	1	23.16	20.19	< 38.45
			25	12	23.18	20.21	< 38.45
			50	0	23.20	20.23	< 38.45
167300	836.5	10	1	0	23.16	20.19	< 38.45
			1	1	23.17	20.20	< 38.45
			25	12	23.28	20.31	< 38.45
			50	0	23.25	20.28	< 38.45
168800	844.0	10	1	0	23.02	20.05	< 38.45
			1	1	23.13	20.16	< 38.45
			25	12	23.21	20.24	< 38.45
			50	0	23.11	20.14	< 38.45
Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15							

Test Band		n5_SA					
Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	ERP (dBm)	Limit (dBm)
QPSK							
166300	831.5	15	1	0	23.26	20.29	< 38.45
			1	1	23.28	20.31	< 38.45
			36	18	23.24	20.27	< 38.45
			75	0	23.18	20.21	< 38.45
167300	836.5	15	1	0	23.10	20.13	< 38.45
			1	1	23.11	20.14	< 38.45
			36	18	23.11	20.14	< 38.45
			75	0	23.21	20.24	< 38.45
168300	841.5	15	1	0	23.14	20.17	< 38.45
			1	1	23.14	20.17	< 38.45
			36	18	23.24	20.27	< 38.45
			75	0	23.11	20.14	< 38.45
166800	834.0	20	1	0	22.86	19.89	< 38.45
			1	1	22.88	19.91	< 38.45
			50	25	22.76	19.79	< 38.45
			100	0	22.91	19.94	< 38.45
167300	836.5	20	1	0	22.84	19.87	< 38.45
			1	1	22.77	19.80	< 38.45
			50	25	22.64	19.67	< 38.45
			100	0	22.83	19.86	< 38.45
167800	839.0	20	1	0	22.71	19.74	< 38.45
			1	1	22.70	19.73	< 38.45
			50	25	22.69	19.72	< 38.45
			100	0	22.77	19.80	< 38.45

Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15

Test Band		n5_SA					
Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	ERP (dBm)	Limit (dBm)
16QAM							
165300	826.5	5	1	0	22.26	19.29	< 38.45
			1	1	22.96	19.99	< 38.45
			12	6	23.19	20.22	< 38.45
			25	0	22.23	19.26	< 38.45
167300	836.5	5	1	0	22.15	19.18	< 38.45
			1	1	22.78	19.81	< 38.45
			12	6	23.04	20.07	< 38.45
			25	0	22.16	19.19	< 38.45
169300	846.5	5	1	0	22.10	19.13	< 38.45
			1	1	22.66	19.69	< 38.45
			12	6	22.90	19.93	< 38.45
			25	0	21.98	19.01	< 38.45
165800	829.0	10	1	0	22.22	19.25	< 38.45
			1	1	22.87	19.90	< 38.45
			25	12	22.26	19.29	< 38.45
			50	0	22.23	19.26	< 38.45
167300	836.5	10	1	0	22.08	19.11	< 38.45
			1	1	22.71	19.74	< 38.45
			25	12	22.23	19.26	< 38.45
			50	0	22.23	19.26	< 38.45
168800	844.0	10	1	0	22.18	19.21	< 38.45
			1	1	22.00	19.03	< 38.45
			25	12	22.13	19.16	< 38.45
			50	0	22.10	19.13	< 38.45
Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15							

Test Band		n5_SA					
Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	ERP (dBm)	Limit (dBm)
16QAM							
166300	831.5	15	1	0	22.24	19.27	< 38.45
			1	1	22.93	19.96	< 38.45
			36	18	23.19	20.22	< 38.45
			75	0	22.17	19.20	< 38.45
167300	836.5	15	1	0	22.21	19.24	< 38.45
			1	1	22.87	19.90	< 38.45
			36	18	22.14	19.17	< 38.45
			75	0	22.11	19.14	< 38.45
168300	841.5	15	1	0	22.17	19.20	< 38.45
			1	1	22.78	19.81	< 38.45
			36	18	22.11	19.14	< 38.45
			75	0	22.14	19.17	< 38.45
166800	834.0	20	1	0	21.76	18.79	< 38.45
			1	1	22.88	19.91	< 38.45
			50	25	22.82	19.85	< 38.45
			100	0	21.86	18.89	< 38.45
167300	836.5	20	1	0	21.97	19.00	< 38.45
			1	1	22.94	19.97	< 38.45
			50	25	22.68	19.71	< 38.45
			100	0	21.74	18.77	< 38.45
167800	839.0	20	1	0	21.62	18.65	< 38.45
			1	1	22.73	19.76	< 38.45
			50	25	22.84	19.87	< 38.45
			100	0	21.60	18.63	< 38.45

Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15

Test Band		n5_SA					
Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	ERP (dBm)	Limit (dBm)
64QAM							
165300	826.5	5	1	0	21.64	18.67	< 38.45
			1	1	21.66	18.69	< 38.45
			12	6	21.73	18.76	< 38.45
			25	0	21.73	18.76	< 38.45
167300	836.5	5	1	0	21.89	18.92	< 38.45
			1	1	21.38	18.41	< 38.45
			12	6	21.69	18.72	< 38.45
			25	0	21.66	18.69	< 38.45
169300	846.5	5	1	0	21.95	18.98	< 38.45
			1	1	21.93	18.96	< 38.45
			12	6	21.38	18.41	< 38.45
			25	0	21.46	18.49	< 38.45
165800	829.0	10	1	0	22.01	19.04	< 38.45
			1	1	22.04	19.07	< 38.45
			25	12	21.74	18.77	< 38.45
			50	0	21.76	18.79	< 38.45
167300	836.5	10	1	0	21.45	18.48	< 38.45
			1	1	21.46	18.49	< 38.45
			25	12	21.80	18.83	< 38.45
			50	0	21.76	18.79	< 38.45
168800	844.0	10	1	0	21.50	18.53	< 38.45
			1	1	21.40	18.43	< 38.45
			25	12	21.53	18.56	< 38.45
			50	0	21.61	18.64	< 38.45
Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15							

Test Band		n5_SA					
Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	ERP (dBm)	Limit (dBm)
64QAM							
166300	831.5	15	1	0	22.09	19.12	< 38.45
			1	1	22.10	19.13	< 38.45
			36	18	22.04	19.07	< 38.45
			75	0	21.66	18.69	< 38.45
167300	836.5	15	1	0	21.98	19.01	< 38.45
			1	1	21.99	19.02	< 38.45
			36	18	21.57	18.60	< 38.45
			75	0	21.71	18.74	< 38.45
168300	841.5	15	1	0	21.95	18.98	< 38.45
			1	1	21.94	18.97	< 38.45
			36	18	21.63	18.66	< 38.45
			75	0	21.67	18.70	< 38.45
166800	834.0	20	1	0	21.15	18.18	< 38.45
			1	1	21.18	18.21	< 38.45
			50	25	21.37	18.40	< 38.45
			100	0	21.34	18.37	< 38.45
167300	836.5	20	1	0	21.10	18.13	< 38.45
			1	1	21.11	18.14	< 38.45
			50	25	21.17	18.20	< 38.45
			100	0	21.19	18.22	< 38.45
167800	839.0	20	1	0	21.03	18.06	< 38.45
			1	1	21.08	18.11	< 38.45
			50	25	21.15	18.18	< 38.45
			100	0	21.11	18.14	< 38.45

Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15

Test Band		n5_SA					
Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	ERP (dBm)	Limit (dBm)
256QAM							
165300	826.5	5	1	0	19.46	16.49	< 38.45
			1	1	19.38	16.41	< 38.45
			12	6	19.80	16.83	< 38.45
			25	0	19.75	16.78	< 38.45
167300	836.5	5	1	0	19.30	16.33	< 38.45
			1	1	19.31	16.34	< 38.45
			12	6	19.56	16.59	< 38.45
			25	0	19.56	16.59	< 38.45
169300	846.5	5	1	0	19.20	16.23	< 38.45
			1	1	19.20	16.23	< 38.45
			12	6	19.46	16.49	< 38.45
			25	0	19.49	16.52	< 38.45
165800	829.0	10	1	0	19.19	16.22	< 38.45
			1	1	19.24	16.27	< 38.45
			25	12	19.72	16.75	< 38.45
			50	0	19.66	16.69	< 38.45
167300	836.5	10	1	0	19.31	16.34	< 38.45
			1	1	19.18	16.21	< 38.45
			25	12	19.67	16.70	< 38.45
			50	0	19.78	16.81	< 38.45
168800	844.0	10	1	0	19.12	16.15	< 38.45
			1	1	19.12	16.15	< 38.45
			25	12	19.52	16.55	< 38.45
			50	0	19.55	16.58	< 38.45

Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15

Test Band		n5_SA					
Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	ERP (dBm)	Limit (dBm)
256QAM							
166300	831.5	15	1	0	19.28	16.31	< 38.45
			1	1	19.30	16.33	< 38.45
			36	18	19.60	16.63	< 38.45
			75	0	19.67	16.70	< 38.45
167300	836.5	15	1	0	19.35	16.38	< 38.45
			1	1	19.25	16.28	< 38.45
			36	18	19.53	16.56	< 38.45
			75	0	19.65	16.68	< 38.45
168300	841.5	15	1	0	19.29	16.32	< 38.45
			1	1	19.35	16.38	< 38.45
			36	18	19.70	16.73	< 38.45
			75	0	19.63	16.66	< 38.45
166800	834.0	20	1	0	18.97	16.00	< 38.45
			1	1	19.01	16.04	< 38.45
			50	25	19.30	16.33	< 38.45
			100	0	19.37	16.40	< 38.45
167300	836.5	20	1	0	18.88	15.91	< 38.45
			1	1	18.90	15.93	< 38.45
			50	25	19.15	16.18	< 38.45
			100	0	19.22	16.25	< 38.45
167800	839.0	20	1	0	18.96	15.99	< 38.45
			1	1	18.96	15.99	< 38.45
			50	25	19.36	16.39	< 38.45
			100	0	19.26	16.29	< 38.45
Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15							

Test Band		n7_SA					
Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
PI/2 BPSK							
500500	2502.5	5	1	0	22.88	25.19	< 33.01
			1	1	22.82	25.13	< 33.01
			12	6	22.92	25.23	< 33.01
			25	0	22.94	25.25	< 33.01
507000	2535.0	5	1	0	22.74	25.05	< 33.01
			1	1	22.77	25.08	< 33.01
			12	6	22.81	25.12	< 33.01
			25	0	22.89	25.20	< 33.01
513500	2567.5	5	1	0	22.69	25.00	< 33.01
			1	1	22.71	25.02	< 33.01
			12	6	22.72	25.03	< 33.01
			25	0	22.78	25.09	< 33.01
501000	2505.0	10	1	0	22.60	24.91	< 33.01
			1	1	22.57	24.88	< 33.01
			25	12	22.97	25.28	< 33.01
			50	0	23.02	25.33	< 33.01
507000	2535.0	10	1	0	23.33	25.64	< 33.01
			1	1	23.35	25.66	< 33.01
			25	12	23.51	25.82	< 33.01
			50	0	23.49	25.80	< 33.01
513000	2565.0	10	1	0	23.30	25.61	< 33.01
			1	1	23.31	25.62	< 33.01
			25	12	23.39	25.70	< 33.01
			50	0	23.32	25.63	< 33.01

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

Test Band		n7_SA					
Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
PI/2 BPSK							
501500	2507.5	15	1	0	23.59	25.90	< 33.01
			1	1	23.56	25.87	< 33.01
			36	18	23.66	25.97	< 33.01
			75	0	23.58	25.89	< 33.01
507000	2535.0	15	1	0	23.51	25.82	< 33.01
			1	1	23.50	25.81	< 33.01
			36	18	23.42	25.73	< 33.01
			75	0	23.53	25.84	< 33.01
512500	2562.5	15	1	0	23.33	25.64	< 33.01
			1	1	23.34	25.65	< 33.01
			36	18	23.31	25.62	< 33.01
			75	0	23.46	25.77	< 33.01
502000	2510.0	20	1	0	23.60	25.91	< 33.01
			1	1	23.70	26.01	< 33.01
			50	25	23.56	25.87	< 33.01
			100	0	23.59	25.90	< 33.01
507000	2535.0	20	1	0	23.37	25.68	< 33.01
			1	1	23.45	25.76	< 33.01
			50	25	23.32	25.63	< 33.01
			100	0	23.31	25.62	< 33.01
512000	2560.0	20	1	0	23.20	25.51	< 33.01
			1	1	23.18	25.49	< 33.01
			50	25	23.26	25.57	< 33.01
			100	0	23.32	25.63	< 33.01

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

Test Band		n7_SA					
Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
QPSK							
500500	2502.5	5	1	0	22.93	25.24	< 33.01
			1	1	22.86	25.17	< 33.01
			12	6	22.94	25.25	< 33.01
			25	0	22.99	25.30	< 33.01
507000	2535.0	5	1	0	22.74	25.05	< 33.01
			1	1	22.75	25.06	< 33.01
			12	6	22.84	25.15	< 33.01
			25	0	22.82	25.13	< 33.01
513500	2567.5	5	1	0	22.71	25.02	< 33.01
			1	1	22.67	24.98	< 33.01
			12	6	22.79	25.10	< 33.01
			25	0	22.76	25.07	< 33.01
501000	2505.0	10	1	0	23.39	25.70	< 33.01
			1	1	23.39	25.70	< 33.01
			25	12	23.61	25.92	< 33.01
			50	0	23.49	25.80	< 33.01
507000	2535.0	10	1	0	23.44	25.75	< 33.01
			1	1	23.37	25.68	< 33.01
			25	12	23.42	25.73	< 33.01
			50	0	23.48	25.79	< 33.01
513000	2565.0	10	1	0	23.30	25.61	< 33.01
			1	1	23.29	25.60	< 33.01
			25	12	23.38	25.69	< 33.01
			50	0	23.37	25.68	< 33.01

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

Test Band		n7_SA					
Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
QPSK							
501500	2507.5	15	1	0	23.49	25.80	< 33.01
			1	1	23.49	25.80	< 33.01
			36	18	23.64	25.95	< 33.01
			75	0	23.10	25.41	< 33.01
507000	2535.0	15	1	0	23.52	25.83	< 33.01
			1	1	23.61	25.92	< 33.01
			36	18	23.53	25.84	< 33.01
			75	0	23.53	25.84	< 33.01
512500	2562.5	15	1	0	23.30	25.61	< 33.01
			1	1	23.41	25.72	< 33.01
			36	18	23.33	25.64	< 33.01
			75	0	23.35	25.66	< 33.01
502000	2510.0	20	1	0	23.57	25.88	< 33.01
			1	1	23.58	25.89	< 33.01
			50	25	23.65	25.96	< 33.01
			100	0	23.58	25.89	< 33.01
507000	2535.0	20	1	0	23.38	25.69	< 33.01
			1	1	23.36	25.67	< 33.01
			50	25	23.30	25.61	< 33.01
			100	0	23.35	25.66	< 33.01
512000	2560.0	20	1	0	23.22	25.53	< 33.01
			1	1	23.21	25.52	< 33.01
			50	25	23.25	25.56	< 33.01
			100	0	23.33	25.64	< 33.01

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

Test Band		n7_SA					
Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
16QAM							
500500	2502.5	5	1	0	22.09	24.40	< 33.01
			1	1	22.04	24.35	< 33.01
			12	6	21.91	24.22	< 33.01
			25	0	21.88	24.19	< 33.01
507000	2535.0	5	1	0	21.99	24.30	< 33.01
			1	1	22.76	25.07	< 33.01
			12	6	22.77	25.08	< 33.01
			25	0	21.92	24.23	< 33.01
513500	2567.5	5	1	0	21.25	23.56	< 33.01
			1	1	22.87	25.18	< 33.01
			12	6	22.68	24.99	< 33.01
			25	0	21.78	24.09	< 33.01
501000	2505.0	10	1	0	22.46	24.77	< 33.01
			1	1	23.58	25.89	< 33.01
			25	12	23.51	25.82	< 33.01
			50	0	22.45	24.76	< 33.01
507000	2535.0	10	1	0	22.40	24.71	< 33.01
			1	1	23.51	25.82	< 33.01
			25	12	23.45	25.76	< 33.01
			50	0	22.42	24.73	< 33.01
513000	2565.0	10	1	0	22.44	24.75	< 33.01
			1	1	23.16	25.47	< 33.01
			25	12	23.33	25.64	< 33.01
			50	0	22.41	24.72	< 33.01

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

Test Band		n7_SA					
Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
16QAM							
501500	2507.5	15	1	0	22.45	24.76	< 33.01
			1	1	23.78	26.09	< 33.01
			36	18	23.64	25.95	< 33.01
			75	0	22.63	24.94	< 33.01
507000	2535.0	15	1	0	22.65	24.96	< 33.01
			1	1	23.50	25.81	< 33.01
			36	18	23.55	25.86	< 33.01
			75	0	22.53	24.84	< 33.01
512500	2562.5	15	1	0	22.23	24.54	< 33.01
			1	1	23.71	26.02	< 33.01
			36	18	23.28	25.59	< 33.01
			75	0	23.33	25.64	< 33.01
502000	2510.0	20	1	0	22.75	25.06	< 33.01
			1	1	23.55	25.86	< 33.01
			50	25	23.60	25.91	< 33.01
			100	0	22.61	24.92	< 33.01
507000	2535.0	20	1	0	22.30	24.61	< 33.01
			1	1	23.73	26.04	< 33.01
			50	25	23.34	25.65	< 33.01
			100	0	22.36	24.67	< 33.01
512000	2560.0	20	1	0	22.33	24.64	< 33.01
			1	1	23.56	25.87	< 33.01
			50	25	23.38	25.69	< 33.01
			100	0	22.47	24.78	< 33.01

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

Test Band		n7_SA					
Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
64QAM							
500500	2502.5	5	1	0	21.32	23.63	< 33.01
			1	1	21.31	23.62	< 33.01
			12	6	21.33	23.64	< 33.01
			25	0	21.43	23.74	< 33.01
507000	2535.0	5	1	0	21.29	23.60	< 33.01
			1	1	21.25	23.56	< 33.01
			12	6	21.24	23.55	< 33.01
			25	0	21.36	23.67	< 33.01
513500	2567.5	5	1	0	20.99	23.30	< 33.01
			1	1	21.06	23.37	< 33.01
			12	6	21.29	23.60	< 33.01
			25	0	21.28	23.59	< 33.01
501000	2505.0	10	1	0	21.60	23.91	< 33.01
			1	1	21.60	23.91	< 33.01
			25	12	21.99	24.30	< 33.01
			50	0	22.04	24.35	< 33.01
507000	2535.0	10	1	0	22.07	24.38	< 33.01
			1	1	21.95	24.26	< 33.01
			25	12	21.87	24.18	< 33.01
			50	0	21.97	24.28	< 33.01
513000	2565.0	10	1	0	21.77	24.08	< 33.01
			1	1	21.66	23.97	< 33.01
			25	12	21.82	24.13	< 33.01
			50	0	21.81	24.12	< 33.01

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

Test Band		n7_SA					
Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
64QAM							
501500	2507.5	15	1	0	22.01	24.32	< 33.01
			1	1	22.70	25.01	< 33.01
			36	18	22.11	24.42	< 33.01
			75	0	22.18	24.49	< 33.01
507000	2535.0	15	1	0	22.06	24.37	< 33.01
			1	1	21.94	24.25	< 33.01
			36	18	21.99	24.30	< 33.01
			75	0	21.91	24.22	< 33.01
512500	2562.5	15	1	0	21.89	24.20	< 33.01
			1	1	21.88	24.19	< 33.01
			36	18	21.90	24.21	< 33.01
			75	0	21.88	24.19	< 33.01
502000	2510.0	20	1	0	22.06	24.37	< 33.01
			1	1	22.06	24.37	< 33.01
			50	25	22.06	24.37	< 33.01
			100	0	22.08	24.39	< 33.01
507000	2535.0	20	1	0	21.89	24.20	< 33.01
			1	1	21.88	24.19	< 33.01
			50	25	21.88	24.19	< 33.01
			100	0	21.92	24.23	< 33.01
512000	2560.0	20	1	0	21.86	24.17	< 33.01
			1	1	21.72	24.03	< 33.01
			50	25	22.01	24.32	< 33.01
			100	0	21.99	24.30	< 33.01

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

Test Band		n7_SA					
Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
256QAM							
500500	2502.5	5	1	0	19.02	21.33	< 33.01
			1	1	19.01	21.32	< 33.01
			12	6	19.43	21.74	< 33.01
			25	0	19.40	21.71	< 33.01
507000	2535.0	5	1	0	19.04	21.35	< 33.01
			1	1	18.93	21.24	< 33.01
			12	6	19.24	21.55	< 33.01
			25	0	19.28	21.59	< 33.01
513500	2567.5	5	1	0	18.65	20.96	< 33.01
			1	1	18.72	21.03	< 33.01
			12	6	19.21	21.52	< 33.01
			25	0	19.23	21.54	< 33.01
501000	2505.0	10	1	0	19.61	21.92	< 33.01
			1	1	19.58	21.89	< 33.01
			25	12	19.95	22.26	< 33.01
			50	0	20.02	22.33	< 33.01
507000	2535.0	10	1	0	20.10	22.41	< 33.01
			1	1	20.08	22.39	< 33.01
			25	12	19.99	22.30	< 33.01
			50	0	20.04	22.35	< 33.01
513000	2565.0	10	1	0	19.42	21.73	< 33.01
			1	1	19.43	21.74	< 33.01
			25	12	19.77	22.08	< 33.01
			50	0	19.82	22.13	< 33.01

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

Test Band		n7_SA					
Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
256QAM							
501500	2507.5	15	1	0	20.06	22.37	< 33.01
			1	1	20.28	22.59	< 33.01
			36	18	20.01	22.32	< 33.01
			75	0	20.17	22.48	< 33.01
507000	2535.0	15	1	0	19.65	21.96	< 33.01
			1	1	19.64	21.95	< 33.01
			36	18	19.95	22.26	< 33.01
			75	0	19.94	22.25	< 33.01
512500	2562.5	15	1	0	19.91	22.22	< 33.01
			1	1	19.90	22.21	< 33.01
			36	18	19.80	22.11	< 33.01
			75	0	19.88	22.19	< 33.01
502000	2510.0	20	1	0	19.72	22.03	< 33.01
			1	1	19.72	22.03	< 33.01
			50	25	20.07	22.38	< 33.01
			100	0	20.07	22.38	< 33.01
507000	2535.0	20	1	0	19.89	22.20	< 33.01
			1	1	19.88	22.19	< 33.01
			50	25	19.90	22.21	< 33.01
			100	0	19.92	22.23	< 33.01
512000	2560.0	20	1	0	19.57	21.88	< 33.01
			1	1	19.48	21.79	< 33.01
			50	25	19.94	22.25	< 33.01
			100	0	19.91	22.22	< 33.01

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

Test Band		n12_SA					
Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	ERP (dBm)	Limit (dBm)
PI/2 BPSK							
140300	701.5	5	1	0	23.60	22.10	< 34.77
			1	1	23.62	22.12	< 34.77
			12	6	23.58	22.08	< 34.77
			25	0	23.67	22.17	< 34.77
141500	707.5	5	1	0	23.55	22.05	< 34.77
			1	1	23.45	21.95	< 34.77
			12	6	23.46	21.96	< 34.77
			25	0	23.44	21.94	< 34.77
142700	713.5	5	1	0	23.33	21.83	< 34.77
			1	1	23.41	21.91	< 34.77
			12	6	23.36	21.86	< 34.77
			25	0	23.38	21.88	< 34.77
140800	704.0	10	1	0	23.60	22.10	< 34.77
			1	1	23.53	22.03	< 34.77
			25	12	23.61	22.11	< 34.77
			50	0	23.55	22.05	< 34.77
141500	707.5	10	1	0	23.61	22.11	< 34.77
			1	1	23.53	22.03	< 34.77
			25	12	23.46	21.96	< 34.77
			50	0	23.44	21.94	< 34.77
142200	711.0	10	1	0	23.38	21.88	< 34.77
			1	1	23.42	21.92	< 34.77
			25	12	23.44	21.94	< 34.77
			50	0	23.34	21.84	< 34.77

Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15

Test Band		n12_SA					
Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	ERP (dBm)	Limit (dBm)
PI/2 BPSK							
141300	706.5	15	1	0	23.54	22.04	< 34.77
			1	1	23.64	22.14	< 34.77
			36	18	23.53	22.03	< 34.77
			75	0	23.51	22.01	< 34.77
141500	707.5	15	1	0	23.53	22.03	< 34.77
			1	1	23.44	21.94	< 34.77
			36	18	23.50	22.00	< 34.77
			75	0	23.53	22.03	< 34.77
141700	708.5	15	1	0	23.37	21.87	< 34.77
			1	1	23.45	21.95	< 34.77
			36	18	23.45	21.95	< 34.77
			75	0	23.41	21.91	< 34.77
Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15							

Test Band		n12_SA					
Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	ERP (dBm)	Limit (dBm)
QPSK							
140300	701.5	5	1	0	23.64	22.14	< 34.77
			1	1	23.52	22.02	< 34.77
			12	6	23.57	22.07	< 34.77
			25	0	23.65	22.15	< 34.77
141500	707.5	5	1	0	23.56	22.06	< 34.77
			1	1	23.46	21.96	< 34.77
			12	6	23.46	21.96	< 34.77
			25	0	23.48	21.98	< 34.77
142700	713.5	5	1	0	23.39	21.89	< 34.77
			1	1	23.45	21.95	< 34.77
			12	6	23.36	21.86	< 34.77
			25	0	23.38	21.88	< 34.77
140800	704.0	10	1	0	23.69	22.19	< 34.77
			1	1	23.62	22.12	< 34.77
			25	12	23.65	22.15	< 34.77
			50	0	23.59	22.09	< 34.77
141500	707.5	10	1	0	23.51	22.01	< 34.77
			1	1	23.53	22.03	< 34.77
			25	12	23.46	21.96	< 34.77
			50	0	23.53	22.03	< 34.77
142200	711.0	10	1	0	23.38	21.88	< 34.77
			1	1	23.41	21.91	< 34.77
			25	12	23.44	21.94	< 34.77
			50	0	23.43	21.93	< 34.77

Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15

Test Band		n12_SA					
Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	ERP (dBm)	Limit (dBm)
QPSK							
141300	706.5	15	1	0	23.58	22.08	< 34.77
			1	1	23.71	22.21	< 34.77
			36	18	23.46	21.96	< 34.77
			75	0	23.63	22.13	< 34.77
141500	707.5	15	1	0	23.43	21.93	< 34.77
			1	1	23.44	21.94	< 34.77
			36	18	23.45	21.95	< 34.77
			75	0	23.55	22.05	< 34.77
141700	708.5	15	1	0	23.37	21.87	< 34.77
			1	1	23.45	21.95	< 34.77
			36	18	23.41	21.91	< 34.77
			75	0	23.44	21.94	< 34.77
Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15							

Test Band		n12_SA					
Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	ERP (dBm)	Limit (dBm)
16QAM							
140300	701.5	5	1	0	22.41	20.91	< 34.77
			1	1	23.61	22.11	< 34.77
			12	6	23.65	22.15	< 34.77
			25	0	22.66	21.16	< 34.77
141500	707.5	5	1	0	22.65	21.15	< 34.77
			1	1	23.65	22.15	< 34.77
			12	6	23.45	21.95	< 34.77
			25	0	22.51	21.01	< 34.77
142700	713.5	5	1	0	22.63	21.13	< 34.77
			1	1	23.50	22.00	< 34.77
			12	6	23.34	21.84	< 34.77
			25	0	22.33	20.83	< 34.77
140800	704.0	10	1	0	22.80	21.30	< 34.77
			1	1	23.71	22.21	< 34.77
			25	12	23.63	22.13	< 34.77
			50	0	22.54	21.04	< 34.77
141500	707.5	10	1	0	22.70	21.20	< 34.77
			1	1	23.66	22.16	< 34.77
			25	12	23.54	22.04	< 34.77
			50	0	22.44	20.94	< 34.77
142200	711.0	10	1	0	22.60	21.10	< 34.77
			1	1	23.60	22.10	< 34.77
			25	12	23.41	21.91	< 34.77
			50	0	22.32	20.82	< 34.77
Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15							

Test Band		n12_SA					
Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	ERP (dBm)	Limit (dBm)
16QAM							
141300	706.5	15	1	0	22.79	21.29	< 34.77
			1	1	23.76	22.26	< 34.77
			36	18	23.51	22.01	< 34.77
			75	0	22.57	21.07	< 34.77
141500	707.5	15	1	0	22.70	21.20	< 34.77
			1	1	23.66	22.16	< 34.77
			36	18	23.49	21.99	< 34.77
			75	0	22.44	20.94	< 34.77
141700	708.5	15	1	0	22.63	21.13	< 34.77
			1	1	23.65	22.15	< 34.77
			36	18	23.37	21.87	< 34.77
			75	0	22.37	20.87	< 34.77
Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15							

Test Band		n12_SA					
Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	ERP (dBm)	Limit (dBm)
64QAM							
140300	701.5	5	1	0	22.06	20.56	< 34.77
			1	1	22.08	20.58	< 34.77
			12	6	22.05	20.55	< 34.77
			25	0	22.16	20.66	< 34.77
141500	707.5	5	1	0	21.85	20.35	< 34.77
			1	1	21.90	20.40	< 34.77
			12	6	21.92	20.42	< 34.77
			25	0	21.97	20.47	< 34.77
142700	713.5	5	1	0	21.77	20.27	< 34.77
			1	1	21.78	20.28	< 34.77
			12	6	21.83	20.33	< 34.77
			25	0	21.86	20.36	< 34.77
140800	704.0	10	1	0	21.96	20.46	< 34.77
			1	1	21.99	20.49	< 34.77
			25	12	22.08	20.58	< 34.77
			50	0	22.04	20.54	< 34.77
141500	707.5	10	1	0	21.84	20.34	< 34.77
			1	1	21.86	20.36	< 34.77
			25	12	22.03	20.53	< 34.77
			50	0	21.96	20.46	< 34.77
142200	711.0	10	1	0	21.83	20.33	< 34.77
			1	1	21.76	20.26	< 34.77
			25	12	21.90	20.40	< 34.77
			50	0	21.97	20.47	< 34.77
Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15							

Test Band		n12_SA					
Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	ERP (dBm)	Limit (dBm)
64QAM							
141300	706.5	15	1	0	21.89	20.39	< 34.77
			1	1	21.92	20.42	< 34.77
			36	18	22.04	20.54	< 34.77
			75	0	22.01	20.51	< 34.77
141500	707.5	15	1	0	21.82	20.32	< 34.77
			1	1	21.81	20.31	< 34.77
			36	18	22.01	20.51	< 34.77
			75	0	22.11	20.61	< 34.77
141700	708.5	15	1	0	21.79	20.29	< 34.77
			1	1	21.77	20.27	< 34.77
			36	18	21.89	20.39	< 34.77
			75	0	21.96	20.46	< 34.77
Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15							

Test Band		n12_SA					
Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	ERP (dBm)	Limit (dBm)
256QAM							
140300	701.5	5	1	0	19.78	18.28	< 34.77
			1	1	19.70	18.20	< 34.77
			12	6	19.97	18.47	< 34.77
			25	0	20.06	18.56	< 34.77
141500	707.5	5	1	0	19.62	18.12	< 34.77
			1	1	19.59	18.09	< 34.77
			12	6	19.93	18.43	< 34.77
			25	0	19.90	18.40	< 34.77
142700	713.5	5	1	0	19.53	18.03	< 34.77
			1	1	19.55	18.05	< 34.77
			12	6	19.58	18.08	< 34.77
			25	0	19.81	18.31	< 34.77
140800	704.0	10	1	0	19.68	18.18	< 34.77
			1	1	19.72	18.22	< 34.77
			25	12	19.96	18.46	< 34.77
			50	0	19.92	18.42	< 34.77
141500	707.5	10	1	0	19.61	18.11	< 34.77
			1	1	19.65	18.15	< 34.77
			25	12	19.92	18.42	< 34.77
			50	0	19.98	18.48	< 34.77
142200	711.0	10	1	0	19.50	18.00	< 34.77
			1	1	19.57	18.07	< 34.77
			25	12	19.86	18.36	< 34.77
			50	0	19.91	18.41	< 34.77
Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15							

Test Band		n12_SA					
Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	ERP (dBm)	Limit (dBm)
256QAM							
141300	706.5	15	1	0	19.67	18.17	< 34.77
			1	1	19.60	18.10	< 34.77
			36	18	20.03	18.53	< 34.77
			75	0	20.01	18.51	< 34.77
141500	707.5	15	1	0	19.63	18.13	< 34.77
			1	1	19.54	18.04	< 34.77
			36	18	19.86	18.36	< 34.77
			75	0	20.01	18.51	< 34.77
141700	708.5	15	1	0	19.58	18.08	< 34.77
			1	1	19.56	18.06	< 34.77
			36	18	19.87	18.37	< 34.77
			75	0	19.91	18.41	< 34.77
Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15							

Test Band		n66_SA					
Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
PI/2 BPSK							
342500	1712.5	5	1	0	23.39	26.03	< 30.00
			1	1	23.34	25.98	< 30.00
			12	6	23.54	26.18	< 30.00
			25	0	23.48	26.12	< 30.00
349000	1745.0	5	1	0	23.44	26.08	< 30.00
			1	1	23.36	26.00	< 30.00
			12	6	23.43	26.07	< 30.00
			25	0	23.44	26.08	< 30.00
355500	1777.5	5	1	0	23.51	26.15	< 30.00
			1	1	23.53	26.17	< 30.00
			12	6	23.44	26.08	< 30.00
			25	0	23.32	25.96	< 30.00
343000	1715.0	10	1	0	23.46	26.10	< 30.00
			1	1	23.40	26.04	< 30.00
			25	12	23.80	26.44	< 30.00
			50	0	23.86	26.50	< 30.00
349000	1745.0	10	1	0	23.44	26.08	< 30.00
			1	1	23.28	25.92	< 30.00
			25	12	23.47	26.11	< 30.00
			50	0	23.46	26.10	< 30.00
355000	1775.0	10	1	0	23.22	25.86	< 30.00
			1	1	23.24	25.88	< 30.00
			25	12	23.31	25.95	< 30.00
			50	0	23.33	25.97	< 30.00

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

Test Band		n66_SA					
Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
PI/2 BPSK							
343500	1717.5	15	1	0	23.47	26.11	< 30.00
			1	1	23.50	26.14	< 30.00
			36	18	23.40	26.04	< 30.00
			75	0	23.55	26.19	< 30.00
349000	1745.0	15	1	0	23.37	26.01	< 30.00
			1	1	23.38	26.02	< 30.00
			36	18	23.33	25.97	< 30.00
			75	0	23.35	25.99	< 30.00
354500	1772.5	15	1	0	23.33	25.97	< 30.00
			1	1	23.30	25.94	< 30.00
			36	18	23.23	25.87	< 30.00
			75	0	23.25	25.89	< 30.00
344000	1720.0	20	1	0	23.56	26.20	< 30.00
			1	1	23.53	26.17	< 30.00
			50	25	23.43	26.07	< 30.00
			100	0	23.53	26.17	< 30.00
349000	1745.0	20	1	0	23.55	26.19	< 30.00
			1	1	23.42	26.06	< 30.00
			50	25	23.31	25.95	< 30.00
			100	0	23.41	26.05	< 30.00
354000	1770.0	20	1	0	23.36	26.00	< 30.00
			1	1	23.34	25.98	< 30.00
			50	25	23.30	25.94	< 30.00
			100	0	23.39	26.03	< 30.00

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

Test Band		n66_SA					
Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
QPSK							
342500	1712.5	5	1	0	23.40	26.04	< 30.00
			1	1	23.35	25.99	< 30.00
			12	6	23.55	26.19	< 30.00
			25	0	23.48	26.12	< 30.00
349000	1745.0	5	1	0	23.35	25.99	< 30.00
			1	1	23.62	26.26	< 30.00
			12	6	23.52	26.16	< 30.00
			25	0	23.48	26.12	< 30.00
355500	1777.5	5	1	0	23.11	25.75	< 30.00
			1	1	23.30	25.94	< 30.00
			12	6	23.30	25.94	< 30.00
			25	0	23.22	25.86	< 30.00
343000	1715.0	10	1	0	23.34	25.98	< 30.00
			1	1	23.36	26.00	< 30.00
			25	12	23.39	26.03	< 30.00
			50	0	23.36	26.00	< 30.00
349000	1745.0	10	1	0	23.35	25.99	< 30.00
			1	1	23.51	26.15	< 30.00
			25	12	23.38	26.02	< 30.00
			50	0	23.41	26.05	< 30.00
355000	1775.0	10	1	0	23.29	25.93	< 30.00
			1	1	23.31	25.95	< 30.00
			25	12	23.35	25.99	< 30.00
			50	0	23.34	25.98	< 30.00

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

Test Band		n66_SA					
Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
QPSK							
343500	1717.5	15	1	0	23.45	26.09	< 30.00
			1	1	23.42	26.06	< 30.00
			36	18	23.41	26.05	< 30.00
			75	0	23.44	26.08	< 30.00
349000	1745.0	15	1	0	23.39	26.03	< 30.00
			1	1	23.38	26.02	< 30.00
			36	18	23.32	25.96	< 30.00
			75	0	23.34	25.98	< 30.00
354500	1772.5	15	1	0	23.18	25.82	< 30.00
			1	1	23.26	25.90	< 30.00
			36	18	23.20	25.84	< 30.00
			75	0	23.27	25.91	< 30.00
344000	1720.0	20	1	0	23.59	26.23	< 30.00
			1	1	23.59	26.23	< 30.00
			50	25	23.43	26.07	< 30.00
			100	0	23.43	26.07	< 30.00
349000	1745.0	20	1	0	23.37	26.01	< 30.00
			1	1	23.31	25.95	< 30.00
			50	25	23.30	25.94	< 30.00
			100	0	23.40	26.04	< 30.00
354000	1770.0	20	1	0	23.31	25.95	< 30.00
			1	1	23.38	26.02	< 30.00
			50	25	23.40	26.04	< 30.00
			100	0	23.33	25.97	< 30.00

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

Test Band		n66_SA					
Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
16QAM							
342500	1712.5	5	1	0	22.21	24.85	< 30.00
			1	1	23.26	25.90	< 30.00
			12	6	23.51	26.15	< 30.00
			25	0	22.44	25.08	< 30.00
349000	1745.0	5	1	0	22.33	24.97	< 30.00
			1	1	23.46	26.10	< 30.00
			12	6	23.62	26.26	< 30.00
			25	0	22.51	25.15	< 30.00
355500	1777.5	5	1	0	22.10	24.74	< 30.00
			1	1	22.88	25.52	< 30.00
			12	6	23.13	25.77	< 30.00
			25	0	22.13	24.77	< 30.00
343000	1715.0	10	1	0	22.44	25.08	< 30.00
			1	1	23.10	25.74	< 30.00
			25	12	23.45	26.09	< 30.00
			50	0	22.45	25.09	< 30.00
349000	1745.0	10	1	0	22.37	25.01	< 30.00
			1	1	23.35	25.99	< 30.00
			25	12	23.44	26.08	< 30.00
			50	0	22.46	25.10	< 30.00
355000	1775.0	10	1	0	22.41	25.05	< 30.00
			1	1	23.51	26.15	< 30.00
			25	12	23.28	25.92	< 30.00
			50	0	22.30	24.94	< 30.00

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

Test Band		n66_SA					
Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
16QAM							
343500	1717.5	15	1	0	22.35	24.99	< 30.00
			1	1	23.55	26.19	< 30.00
			36	18	23.40	26.04	< 30.00
			75	0	22.52	25.16	< 30.00
349000	1745.0	15	1	0	22.46	25.10	< 30.00
			1	1	23.31	25.95	< 30.00
			36	18	23.28	25.92	< 30.00
			75	0	22.37	25.01	< 30.00
354500	1772.5	15	1	0	22.23	24.87	< 30.00
			1	1	23.27	25.91	< 30.00
			36	18	23.25	25.89	< 30.00
			75	0	22.27	24.91	< 30.00
344000	1720.0	20	1	0	22.55	25.19	< 30.00
			1	1	23.27	25.91	< 30.00
			50	25	23.54	26.18	< 30.00
			100	0	22.53	25.17	< 30.00
349000	1745.0	20	1	0	22.27	24.91	< 30.00
			1	1	23.79	26.43	< 30.00
			50	25	23.23	25.87	< 30.00
			100	0	22.30	24.94	< 30.00
354000	1770.0	20	1	0	23.44	26.08	< 30.00
			1	1	23.26	25.90	< 30.00
			50	25	23.26	25.90	< 30.00
			100	0	23.36	26.00	< 30.00

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

Test Band		n66_SA					
Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
64QAM							
342500	1712.5	5	1	0	22.24	24.88	< 30.00
			1	1	23.37	26.01	< 30.00
			12	6	23.57	26.21	< 30.00
			25	0	22.48	25.12	< 30.00
349000	1745.0	5	1	0	22.24	24.88	< 30.00
			1	1	22.26	24.90	< 30.00
			12	6	22.01	24.65	< 30.00
			25	0	21.92	24.56	< 30.00
355500	1777.5	5	1	0	21.46	24.10	< 30.00
			1	1	21.50	24.14	< 30.00
			12	6	21.70	24.34	< 30.00
			25	0	21.74	24.38	< 30.00
343000	1715.0	10	1	0	22.14	24.78	< 30.00
			1	1	22.17	24.81	< 30.00
			25	12	21.84	24.48	< 30.00
			50	0	21.89	24.53	< 30.00
349000	1745.0	10	1	0	22.19	24.83	< 30.00
			1	1	22.12	24.76	< 30.00
			25	12	22.01	24.65	< 30.00
			50	0	21.93	24.57	< 30.00
355000	1775.0	10	1	0	21.68	24.32	< 30.00
			1	1	21.71	24.35	< 30.00
			25	12	21.74	24.38	< 30.00
			50	0	21.85	24.49	< 30.00

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

Test Band		n66_SA					
Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
64QAM							
343500	1717.5	15	1	0	21.87	24.51	< 30.00
			1	1	21.78	24.42	< 30.00
			36	18	21.97	24.61	< 30.00
			75	0	21.94	24.58	< 30.00
349000	1745.0	15	1	0	21.83	24.47	< 30.00
			1	1	21.82	24.46	< 30.00
			36	18	21.82	24.46	< 30.00
			75	0	21.83	24.47	< 30.00
354500	1772.5	15	1	0	21.73	24.37	< 30.00
			1	1	21.71	24.35	< 30.00
			36	18	21.71	24.35	< 30.00
			75	0	21.75	24.39	< 30.00
344000	1720.0	20	1	0	21.79	24.43	< 30.00
			1	1	21.90	24.54	< 30.00
			50	25	21.92	24.56	< 30.00
			100	0	22.04	24.68	< 30.00
349000	1745.0	20	1	0	21.87	24.51	< 30.00
			1	1	21.76	24.40	< 30.00
			50	25	21.73	24.37	< 30.00
			100	0	21.76	24.40	< 30.00
354000	1770.0	20	1	0	21.72	24.36	< 30.00
			1	1	21.80	24.44	< 30.00
			50	25	21.77	24.41	< 30.00
			100	0	21.82	24.46	< 30.00

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

Test Band		n66_SA					
Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
256QAM							
342500	1712.5	5	1	0	19.53	22.17	< 30.00
			1	1	19.55	22.19	< 30.00
			12	6	19.91	22.55	< 30.00
			25	0	19.85	22.49	< 30.00
349000	1745.0	5	1	0	20.15	22.79	< 30.00
			1	1	20.06	22.70	< 30.00
			12	6	20.02	22.66	< 30.00
			25	0	19.91	22.55	< 30.00
355500	1777.5	5	1	0	19.25	21.89	< 30.00
			1	1	19.30	21.94	< 30.00
			12	6	19.63	22.27	< 30.00
			25	0	19.67	22.31	< 30.00
343000	1715.0	10	1	0	19.45	22.09	< 30.00
			1	1	19.48	22.12	< 30.00
			25	12	19.79	22.43	< 30.00
			50	0	19.86	22.50	< 30.00
349000	1745.0	10	1	0	20.18	22.82	< 30.00
			1	1	19.61	22.25	< 30.00
			25	12	19.01	21.65	< 30.00
			50	0	19.11	21.75	< 30.00
355000	1775.0	10	1	0	19.35	21.99	< 30.00
			1	1	19.32	21.96	< 30.00
			25	12	19.68	22.32	< 30.00
			50	0	19.75	22.39	< 30.00

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

Test Band		n66_SA					
Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
256QAM							
343500	1717.5	15	1	0	20.03	22.67	< 30.00
			1	1	20.04	22.68	< 30.00
			36	18	19.93	22.57	< 30.00
			75	0	19.99	22.63	< 30.00
349000	1745.0	15	1	0	19.45	22.09	< 30.00
			1	1	19.44	22.08	< 30.00
			36	18	19.71	22.35	< 30.00
			75	0	19.76	22.40	< 30.00
354500	1772.5	15	1	0	19.96	22.60	< 30.00
			1	1	19.93	22.57	< 30.00
			36	18	19.62	22.26	< 30.00
			75	0	19.74	22.38	< 30.00
344000	1720.0	20	1	0	19.61	22.25	< 30.00
			1	1	19.62	22.26	< 30.00
			50	25	19.91	22.55	< 30.00
			100	0	20.04	22.68	< 30.00
349000	1745.0	20	1	0	19.77	22.41	< 30.00
			1	1	19.77	22.41	< 30.00
			50	25	19.76	22.40	< 30.00
			100	0	19.84	22.48	< 30.00
354000	1770.0	20	1	0	19.37	22.01	< 30.00
			1	1	19.34	21.98	< 30.00
			50	25	19.71	22.35	< 30.00
			100	0	19.85	22.49	< 30.00

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

Test Band		n71_SA					
Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	ERP (dBm)	Limit (dBm)
PI/2 BPSK							
133100	665.5	5	1	0	22.96	21.46	< 34.77
			1	1	23.93	22.43	< 34.77
			12	6	23.91	22.41	< 34.77
			25	0	23.59	22.09	< 34.77
136100	680.5	5	1	0	23.62	22.12	< 34.77
			1	1	23.56	22.06	< 34.77
			12	6	23.60	22.10	< 34.77
			25	0	23.53	22.03	< 34.77
139100	695.5	5	1	0	23.51	22.01	< 34.77
			1	1	23.53	22.03	< 34.77
			12	6	23.35	21.85	< 34.77
			25	0	23.28	21.78	< 34.77
133600	668.0	10	1	0	23.93	22.43	< 34.77
			1	1	23.83	22.33	< 34.77
			25	12	23.90	22.40	< 34.77
			50	0	23.81	22.31	< 34.77
136100	680.5	10	1	0	23.63	22.13	< 34.77
			1	1	23.54	22.04	< 34.77
			25	12	23.69	22.19	< 34.77
			50	0	23.60	22.10	< 34.77
138600	693.0	10	1	0	22.69	21.19	< 34.77
			1	1	23.61	22.11	< 34.77
			25	12	23.44	21.94	< 34.77
			50	0	22.40	20.90	< 34.77

Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15

Test Band		n71_SA					
Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	ERP (dBm)	Limit (dBm)
PI/2 BPSK							
134100	670.5	15	1	0	23.78	22.28	< 34.77
			1	1	23.75	22.25	< 34.77
			36	18	23.53	22.03	< 34.77
			75	0	23.56	22.06	< 34.77
136100	680.5	15	1	0	23.59	22.09	< 34.77
			1	1	23.63	22.13	< 34.77
			36	18	23.55	22.05	< 34.77
			75	0	23.44	21.94	< 34.77
138100	690.5	15	1	0	23.51	22.01	< 34.77
			1	1	23.46	21.96	< 34.77
			36	18	23.41	21.91	< 34.77
			75	0	23.38	21.88	< 34.77
134600	673.0	20	1	0	23.92	22.42	< 34.77
			1	1	23.77	22.27	< 34.77
			50	25	23.53	22.03	< 34.77
			100	0	23.71	22.21	< 34.77
136100	680.5	20	1	0	23.63	22.13	< 34.77
			1	1	23.55	22.05	< 34.77
			50	25	23.51	22.01	< 34.77
			100	0	23.56	22.06	< 34.77
137600	688.0	20	1	0	23.49	21.99	< 34.77
			1	1	23.56	22.06	< 34.77
			50	25	23.55	22.05	< 34.77
			100	0	23.44	21.94	< 34.77
Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15							

Test Band		n71_SA					
Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	ERP (dBm)	Limit (dBm)
QPSK							
133100	665.5	5	1	0	22.86	21.36	< 34.77
			1	1	23.89	22.39	< 34.77
			12	6	23.82	22.32	< 34.77
			25	0	23.72	22.22	< 34.77
136100	680.5	5	1	0	23.61	22.11	< 34.77
			1	1	23.55	22.05	< 34.77
			12	6	23.60	22.10	< 34.77
			25	0	23.51	22.01	< 34.77
139100	695.5	5	1	0	23.35	21.85	< 34.77
			1	1	23.36	21.86	< 34.77
			12	6	23.39	21.89	< 34.77
			25	0	23.41	21.91	< 34.77
133600	668.0	10	1	0	23.82	22.32	< 34.77
			1	1	23.91	22.41	< 34.77
			25	12	23.80	22.30	< 34.77
			50	0	23.88	22.38	< 34.77
136100	680.5	10	1	0	23.65	22.15	< 34.77
			1	1	23.68	22.18	< 34.77
			25	12	23.55	22.05	< 34.77
			50	0	23.53	22.03	< 34.77
138600	693.0	10	1	0	22.63	21.13	< 34.77
			1	1	23.48	21.98	< 34.77
			25	12	23.44	21.94	< 34.77
			50	0	22.40	20.90	< 34.77
Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15							

Test Band		n71_SA					
Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	ERP (dBm)	Limit (dBm)
QPSK							
134100	670.5	15	1	0	23.76	22.26	< 34.77
			1	1	23.77	22.27	< 34.77
			36	18	23.63	22.13	< 34.77
			75	0	23.58	22.08	< 34.77
136100	680.5	15	1	0	23.56	22.06	< 34.77
			1	1	23.60	22.10	< 34.77
			36	18	23.50	22.00	< 34.77
			75	0	23.53	22.03	< 34.77
138100	690.5	15	1	0	23.49	21.99	< 34.77
			1	1	23.51	22.01	< 34.77
			36	18	23.40	21.90	< 34.77
			75	0	23.38	21.88	< 34.77
134600	673.0	20	1	0	23.76	22.26	< 34.77
			1	1	23.69	22.19	< 34.77
			50	25	23.60	22.10	< 34.77
			100	0	23.63	22.13	< 34.77
136100	680.5	20	1	0	23.62	22.12	< 34.77
			1	1	23.53	22.03	< 34.77
			50	25	23.50	22.00	< 34.77
			100	0	23.56	22.06	< 34.77
137600	688.0	20	1	0	23.52	22.02	< 34.77
			1	1	23.59	22.09	< 34.77
			50	25	23.46	21.96	< 34.77
			100	0	23.44	21.94	< 34.77
Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15							

Test Band		n71_SA					
Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	ERP (dBm)	Limit (dBm)
16QAM							
133100	665.5	5	1	0	21.68	20.18	< 34.77
			1	1	22.53	21.03	< 34.77
			12	6	22.04	20.54	< 34.77
			25	0	22.55	21.05	< 34.77
136100	680.5	5	1	0	22.78	21.28	< 34.77
			1	1	22.69	21.19	< 34.77
			12	6	22.33	20.83	< 34.77
			25	0	22.49	20.99	< 34.77
139100	695.5	5	1	0	22.35	20.85	< 34.77
			1	1	22.63	21.13	< 34.77
			12	6	22.51	21.01	< 34.77
			25	0	22.31	20.81	< 34.77
133600	668.0	10	1	0	22.15	20.65	< 34.77
			1	1	22.16	20.66	< 34.77
			25	12	22.03	20.53	< 34.77
			50	0	22.66	21.16	< 34.77
136100	680.5	10	1	0	22.59	21.09	< 34.77
			1	1	22.65	21.15	< 34.77
			25	12	22.46	20.96	< 34.77
			50	0	22.53	21.03	< 34.77
138600	693.0	10	1	0	22.65	21.15	< 34.77
			1	1	22.57	21.07	< 34.77
			25	12	22.49	20.99	< 34.77
			50	0	22.44	20.94	< 34.77
Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15							

Test Band		n71_SA					
Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	ERP (dBm)	Limit (dBm)
16QAM							
134100	670.5	15	1	0	22.76	21.26	< 34.77
			1	1	22.58	21.08	< 34.77
			36	18	22.36	20.86	< 34.77
			75	0	22.65	21.15	< 34.77
136100	680.5	15	1	0	22.76	21.26	< 34.77
			1	1	22.70	21.20	< 34.77
			36	18	22.50	21.00	< 34.77
			75	0	22.52	21.02	< 34.77
138100	690.5	15	1	0	22.52	21.02	< 34.77
			1	1	22.33	20.83	< 34.77
			36	18	22.40	20.90	< 34.77
			75	0	22.31	20.81	< 34.77
134600	673.0	20	1	0	22.72	21.22	< 34.77
			1	1	22.71	21.21	< 34.77
			50	25	22.51	21.01	< 34.77
			100	0	22.56	21.06	< 34.77
136100	680.5	20	1	0	22.46	20.96	< 34.77
			1	1	22.78	21.28	< 34.77
			50	25	22.50	21.00	< 34.77
			100	0	22.43	20.93	< 34.77
137600	688.0	20	1	0	22.73	21.23	< 34.77
			1	1	22.51	21.01	< 34.77
			50	25	22.39	20.89	< 34.77
			100	0	22.39	20.89	< 34.77
Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15							

Test Band		n71_SA					
Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	ERP (dBm)	Limit (dBm)
64QAM							
133100	665.5	5	1	0	20.87	19.37	< 34.77
			1	1	20.97	19.47	< 34.77
			12	6	21.58	20.08	< 34.77
			25	0	22.04	20.54	< 34.77
136100	680.5	5	1	0	21.95	20.45	< 34.77
			1	1	22.02	20.52	< 34.77
			12	6	21.93	20.43	< 34.77
			25	0	22.02	20.52	< 34.77
139100	695.5	5	1	0	21.66	20.16	< 34.77
			1	1	22.63	21.13	< 34.77
			12	6	22.01	20.51	< 34.77
			25	0	22.40	20.90	< 34.77
133600	668.0	10	1	0	22.28	20.78	< 34.77
			1	1	22.28	20.78	< 34.77
			25	12	22.56	21.06	< 34.77
			50	0	22.31	20.81	< 34.77
136100	680.5	10	1	0	22.38	20.88	< 34.77
			1	1	22.41	20.91	< 34.77
			25	12	22.01	20.51	< 34.77
			50	0	21.97	20.47	< 34.77
138600	693.0	10	1	0	21.89	20.39	< 34.77
			1	1	21.77	20.27	< 34.77
			25	12	21.96	20.46	< 34.77
			50	0	22.01	20.51	< 34.77
Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15							

Test Band		n71_SA					
Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	ERP (dBm)	Limit (dBm)
64QAM							
134100	670.5	15	1	0	22.17	20.67	< 34.77
			1	1	22.25	20.75	< 34.77
			36	18	21.88	20.38	< 34.77
			75	0	22.14	20.64	< 34.77
136100	680.5	15	1	0	21.93	20.43	< 34.77
			1	1	21.97	20.47	< 34.77
			36	18	22.04	20.54	< 34.77
			75	0	22.04	20.54	< 34.77
138100	690.5	15	1	0	21.75	20.25	< 34.77
			1	1	21.73	20.23	< 34.77
			36	18	21.83	20.33	< 34.77
			75	0	21.86	20.36	< 34.77
134600	673.0	20	1	0	22.19	20.69	< 34.77
			1	1	22.18	20.68	< 34.77
			50	25	22.03	20.53	< 34.77
			100	0	22.05	20.55	< 34.77
136100	680.5	20	1	0	22.38	20.88	< 34.77
			1	1	21.95	20.45	< 34.77
			50	25	22.01	20.51	< 34.77
			100	0	22.04	20.54	< 34.77
137600	688.0	20	1	0	21.86	20.36	< 34.77
			1	1	21.93	20.43	< 34.77
			50	25	21.94	20.44	< 34.77
			100	0	21.94	20.44	< 34.77
Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15							

Test Band		n71_SA					
Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	ERP (dBm)	Limit (dBm)
256QAM							
133100	665.5	5	1	0	19.12	17.62	< 34.77
			1	1	19.20	17.70	< 34.77
			12	6	19.97	18.47	< 34.77
			25	0	20.02	18.52	< 34.77
136100	680.5	5	1	0	19.76	18.26	< 34.77
			1	1	19.76	18.26	< 34.77
			12	6	19.97	18.47	< 34.77
			25	0	19.98	18.48	< 34.77
139100	695.5	5	1	0	20.09	18.59	< 34.77
			1	1	20.17	18.67	< 34.77
			12	6	19.82	18.32	< 34.77
			25	0	19.86	18.36	< 34.77
133600	668.0	10	1	0	19.80	18.30	< 34.77
			1	1	19.89	18.39	< 34.77
			25	12	19.94	18.44	< 34.77
			50	0	20.22	18.72	< 34.77
136100	680.5	10	1	0	20.30	18.80	< 34.77
			1	1	20.22	18.72	< 34.77
			25	12	20.01	18.51	< 34.77
			50	0	20.04	18.54	< 34.77
138600	693.0	10	1	0	19.60	18.10	< 34.77
			1	1	19.63	18.13	< 34.77
			25	12	19.95	18.45	< 34.77
			50	0	19.69	18.19	< 34.77
Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15							

Test Band		n71_SA					
Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	ERP (dBm)	Limit (dBm)
256QAM							
134100	670.5	15	1	0	19.87	18.37	< 34.77
			1	1	19.95	18.45	< 34.77
			36	18	20.15	18.65	< 34.77
			75	0	20.10	18.60	< 34.77
136100	680.5	15	1	0	19.65	18.15	< 34.77
			1	1	19.67	18.17	< 34.77
			36	18	19.86	18.36	< 34.77
			75	0	19.92	18.42	< 34.77
138100	690.5	15	1	0	19.62	18.12	< 34.77
			1	1	19.63	18.13	< 34.77
			36	18	19.79	18.29	< 34.77
			75	0	19.79	18.29	< 34.77
134600	673.0	20	1	0	20.03	18.53	< 34.77
			1	1	20.20	18.70	< 34.77
			50	25	20.13	18.63	< 34.77
			100	0	20.14	18.64	< 34.77
136100	680.5	20	1	0	20.30	18.80	< 34.77
			1	1	20.30	18.80	< 34.77
			50	25	19.98	18.48	< 34.77
			100	0	19.93	18.43	< 34.77
137600	688.0	20	1	0	19.57	18.07	< 34.77
			1	1	19.57	18.07	< 34.77
			50	25	19.90	18.40	< 34.77
			100	0	19.92	18.42	< 34.77
Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15							

Test Band		n41_SA					
Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
PI/2 BPSK							
501204	2506.02	20	1	0	22.57	25.21	< 33.01
			1	1	22.03	24.67	< 33.01
			25	12	22.51	25.15	< 33.01
			50	0	22.52	25.16	< 33.01
518598	2592.99	20	1	0	22.45	25.09	< 33.01
			1	1	22.27	24.91	< 33.01
			25	12	22.35	24.99	< 33.01
			50	0	22.54	25.18	< 33.01
535998	2679.99	20	1	0	22.30	24.94	< 33.01
			1	1	22.80	25.44	< 33.01
			25	12	22.61	25.25	< 33.01
			50	0	22.61	25.25	< 33.01
502200	2511.0	30	1	0	22.98	25.62	< 33.01
			1	1	22.43	25.07	< 33.01
			36	18	22.43	25.07	< 33.01
			75	0	22.49	25.13	< 33.01
518598	2592.99	30	1	0	22.77	25.41	< 33.01
			1	1	22.38	25.02	< 33.01
			36	18	22.26	24.90	< 33.01
			75	0	22.35	24.99	< 33.01
534996	2674.98	30	1	0	22.98	25.62	< 33.01
			1	1	22.21	24.85	< 33.01
			36	18	22.03	24.67	< 33.01
			75	0	22.35	24.99	< 33.01

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

Test Band		n41_SA					
Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
PI/2 BPSK							
503202	2516.01	40	1	0	22.74	25.38	< 33.01
			1	1	22.29	24.93	< 33.01
			50	25	22.97	25.61	< 33.01
			100	0	22.14	24.78	< 33.01
518598	2592.99	40	1	0	22.77	25.41	< 33.01
			1	1	22.32	24.96	< 33.01
			50	25	22.64	25.28	< 33.01
			100	0	22.45	25.09	< 33.01
534000	2670.0	40	1	0	22.86	25.50	< 33.01
			1	1	22.28	24.92	< 33.01
			50	25	22.60	25.24	< 33.01
			100	0	22.58	25.22	< 33.01
504204	2521.02	50	1	0	22.73	25.37	< 33.01
			1	1	22.25	24.89	< 33.01
			64	32	22.12	24.76	< 33.01
			128	0	22.09	24.73	< 33.01
518598	2592.99	50	1	0	22.51	25.15	< 33.01
			1	1	22.00	24.64	< 33.01
			64	32	22.05	24.69	< 33.01
			128	0	22.35	24.99	< 33.01
532998	2664.99	50	1	0	22.28	24.92	< 33.01
			1	1	22.12	24.76	< 33.01
			64	32	22.24	24.88	< 33.01
			128	0	22.23	24.87	< 33.01

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

Test Band		n41_SA					
Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
PI/2 BPSK							
505200	2526.0	60	1	0	22.33	24.97	< 33.01
			1	1	22.84	25.48	< 33.01
			81	40	22.99	25.63	< 33.01
			162	0	22.16	24.80	< 33.01
518598	2592.99	60	1	0	22.54	25.18	< 33.01
			1	1	22.03	24.67	< 33.01
			81	40	22.26	24.90	< 33.01
			162	0	22.22	24.86	< 33.01
531996	2659.98	60	1	0	22.22	24.86	< 33.01
			1	1	22.64	25.28	< 33.01
			81	40	22.29	24.93	< 33.01
			162	0	22.38	25.02	< 33.01
507204	2536.02	80	1	0	23.08	25.72	< 33.01
			1	1	22.98	25.62	< 33.01
			108	54	23.25	25.89	< 33.01
			216	0	22.30	24.94	< 33.01
518598	2592.99	80	1	0	22.12	24.76	< 33.01
			1	1	22.60	25.24	< 33.01
			108	54	22.25	24.89	< 33.01
			216	0	22.41	25.05	< 33.01
529998	2649.99	80	1	0	23.30	25.94	< 33.01
			1	1	22.82	25.46	< 33.01
			108	54	22.62	25.26	< 33.01
			216	0	22.56	25.20	< 33.01

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

Test Band		n41_SA					
Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
PI/2 BPSK							
509202	2546.01	100	1	0	22.88	25.52	< 33.01
			1	1	22.94	25.58	< 33.01
			135	67	22.97	25.61	< 33.01
			270	0	22.77	25.41	< 33.01
518598	2592.99	100	1	0	22.81	25.45	< 33.01
			1	1	22.61	25.25	< 33.01
			135	67	22.76	25.40	< 33.01
			270	0	22.51	25.15	< 33.01
528000	2640.0	100	1	0	23.12	25.76	< 33.01
			1	1	23.17	25.81	< 33.01
			135	67	23.34	25.98	< 33.01
			270	0	23.30	25.94	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)							

Test Band		n41_SA					
Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
QPSK							
501204	2506.02	20	1	0	23.46	26.10	< 33.01
			1	1	22.97	25.61	< 33.01
			25	12	22.10	24.74	< 33.01
			50	0	22.38	25.02	< 33.01
518598	2592.99	20	1	0	22.75	25.39	< 33.01
			1	1	22.34	24.98	< 33.01
			25	12	22.31	24.95	< 33.01
			50	0	22.29	24.93	< 33.01
535998	2679.99	20	1	0	22.37	25.01	< 33.01
			1	1	22.73	25.37	< 33.01
			25	12	22.64	25.28	< 33.01
			50	0	22.62	25.26	< 33.01
502200	2511.0	30	1	0	22.97	25.61	< 33.01
			1	1	22.41	25.05	< 33.01
			36	18	22.48	25.12	< 33.01
			75	0	22.45	25.09	< 33.01
518598	2592.99	30	1	0	23.01	25.65	< 33.01
			1	1	22.78	25.42	< 33.01
			36	18	22.72	25.36	< 33.01
			75	0	22.88	25.52	< 33.01
534996	2674.98	30	1	0	22.98	25.62	< 33.01
			1	1	23.03	25.67	< 33.01
			36	18	23.13	25.77	< 33.01
			75	0	23.19	25.83	< 33.01

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

Test Band		n41_SA					
Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
QPSK							
503202	2516.01	40	1	0	22.76	25.40	< 33.01
			1	1	22.21	24.85	< 33.01
			50	25	22.94	25.58	< 33.01
			100	0	22.13	24.77	< 33.01
518598	2592.99	40	1	0	22.74	25.38	< 33.01
			1	1	22.23	24.87	< 33.01
			50	25	22.33	24.97	< 33.01
			100	0	22.51	25.15	< 33.01
534000	2670.0	40	1	0	22.84	25.48	< 33.01
			1	1	22.27	24.91	< 33.01
			50	25	22.61	25.25	< 33.01
			100	0	22.69	25.33	< 33.01
504204	2521.02	50	1	0	22.99	25.63	< 33.01
			1	1	23.16	25.80	< 33.01
			64	32	23.26	25.90	< 33.01
			128	0	23.10	25.74	< 33.01
518598	2592.99	50	1	0	22.95	25.59	< 33.01
			1	1	23.06	25.70	< 33.01
			64	32	23.03	25.67	< 33.01
			128	0	23.25	25.89	< 33.01
532998	2664.99	50	1	0	22.89	25.53	< 33.01
			1	1	22.99	25.63	< 33.01
			64	32	22.56	25.20	< 33.01
			128	0	22.78	25.42	< 33.01

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

Test Band		n41_SA					
Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
QPSK							
505200	2526.0	60	1	0	23.26	25.90	< 33.01
			1	1	22.71	25.35	< 33.01
			81	40	23.01	25.65	< 33.01
			162	0	23.16	25.80	< 33.01
518598	2592.99	60	1	0	23.57	26.21	< 33.01
			1	1	23.05	25.69	< 33.01
			81	40	23.32	25.96	< 33.01
			162	0	23.30	25.94	< 33.01
531996	2659.98	60	1	0	23.14	25.78	< 33.01
			1	1	23.27	25.91	< 33.01
			81	40	23.31	25.95	< 33.01
			162	0	23.06	25.70	< 33.01
507204	2536.02	80	1	0	22.46	25.10	< 33.01
			1	1	22.89	25.53	< 33.01
			108	54	22.22	24.86	< 33.01
			216	0	22.30	24.94	< 33.01
518598	2592.99	80	1	0	23.05	25.69	< 33.01
			1	1	23.04	25.68	< 33.01
			108	54	23.35	25.99	< 33.01
			216	0	23.11	25.75	< 33.01
529998	2649.99	80	1	0	23.13	25.77	< 33.01
			1	1	23.75	26.39	< 33.01
			108	54	23.09	25.73	< 33.01
			216	0	23.56	26.20	< 33.01

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

Test Band		n41_SA					
Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
QPSK							
509202	2546.01	100	1	0	23.45	26.09	< 33.01
			1	1	22.98	25.62	< 33.01
			135	67	23.58	26.22	< 33.01
			270	0	23.39	26.03	< 33.01
518598	2592.99	100	1	0	23.19	25.83	< 33.01
			1	1	23.12	25.76	< 33.01
			135	67	23.31	25.95	< 33.01
			270	0	23.43	26.07	< 33.01
528000	2640.0	100	1	0	23.68	26.32	< 33.01
			1	1	23.07	25.71	< 33.01
			135	67	23.14	25.78	< 33.01
			270	0	23.35	25.99	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)							

Test Band		n41_SA					
Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
16QAM							
501204	2506.02	20	1	0	21.66	24.30	< 33.01
			1	1	22.17	24.81	< 33.01
			25	12	22.04	24.68	< 33.01
			50	0	22.51	25.15	< 33.01
518598	2592.99	20	1	0	22.00	24.64	< 33.01
			1	1	22.46	25.10	< 33.01
			25	12	22.28	24.92	< 33.01
			50	0	22.27	24.91	< 33.01
535998	2679.99	20	1	0	22.20	24.84	< 33.01
			1	1	22.75	25.39	< 33.01
			25	12	22.74	25.38	< 33.01
			50	0	22.64	25.28	< 33.01
502200	2511.0	30	1	0	22.05	24.69	< 33.01
			1	1	22.40	25.04	< 33.01
			36	18	22.38	25.02	< 33.01
			75	0	22.45	25.09	< 33.01
518598	2592.99	30	1	0	22.03	24.67	< 33.01
			1	1	22.45	25.09	< 33.01
			36	18	22.30	24.94	< 33.01
			75	0	22.31	24.95	< 33.01
534996	2674.98	30	1	0	21.53	24.17	< 33.01
			1	1	21.99	24.63	< 33.01
			36	18	21.95	24.59	< 33.01
			75	0	22.02	24.66	< 33.01

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

Test Band		n41_SA					
Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
16QAM							
503202	2516.01	40	1	0	21.80	24.44	< 33.01
			1	1	22.58	25.22	< 33.01
			50	25	21.88	24.52	< 33.01
			100	0	22.20	24.84	< 33.01
518598	2592.99	40	1	0	21.86	24.50	< 33.01
			1	1	22.41	25.05	< 33.01
			50	25	22.60	25.24	< 33.01
			100	0	22.50	25.14	< 33.01
534000	2670.0	40	1	0	22.03	24.67	< 33.01
			1	1	22.35	24.99	< 33.01
			50	25	22.73	25.37	< 33.01
			100	0	22.64	25.28	< 33.01
504204	2521.02	50	1	0	21.79	24.43	< 33.01
			1	1	22.24	24.88	< 33.01
			64	32	22.15	24.79	< 33.01
			128	0	22.13	24.77	< 33.01
518598	2592.99	50	1	0	21.79	24.43	< 33.01
			1	1	22.13	24.77	< 33.01
			64	32	22.10	24.74	< 33.01
			128	0	22.21	24.85	< 33.01
532998	2664.99	50	1	0	21.52	24.16	< 33.01
			1	1	21.98	24.62	< 33.01
			64	32	22.01	24.65	< 33.01
			128	0	22.65	25.29	< 33.01

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

Test Band		n41_SA					
Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
16QAM							
505200	2526.0	60	1	0	21.40	24.04	< 33.01
			1	1	21.95	24.59	< 33.01
			81	40	21.96	24.60	< 33.01
			162	0	22.14	24.78	< 33.01
518598	2592.99	60	1	0	21.91	24.55	< 33.01
			1	1	22.37	25.01	< 33.01
			81	40	22.30	24.94	< 33.01
			162	0	22.27	24.91	< 33.01
531996	2659.98	60	1	0	22.17	24.81	< 33.01
			1	1	22.54	25.18	< 33.01
			81	40	22.29	24.93	< 33.01
			162	0	22.10	24.74	< 33.01
507204	2536.02	80	1	0	21.53	24.17	< 33.01
			1	1	21.93	24.57	< 33.01
			108	54	22.27	24.91	< 33.01
			216	0	22.25	24.89	< 33.01
518598	2592.99	80	1	0	22.21	24.85	< 33.01
			1	1	22.46	25.10	< 33.01
			108	54	22.21	24.85	< 33.01
			216	0	22.24	24.88	< 33.01
529998	2649.99	80	1	0	21.32	23.96	< 33.01
			1	1	21.98	24.62	< 33.01
			108	54	22.57	25.21	< 33.01
			216	0	22.06	24.70	< 33.01

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

Test Band		n41_SA					
Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
16QAM							
509202	2546.01	100	1	0	22.40	25.04	< 33.01
			1	1	22.18	24.82	< 33.01
			135	67	22.55	25.19	< 33.01
			270	0	22.21	24.85	< 33.01
518598	2592.99	100	1	0	22.56	25.20	< 33.01
			1	1	23.03	25.67	< 33.01
			135	67	22.50	25.14	< 33.01
			270	0	22.71	25.35	< 33.01
528000	2640.0	100	1	0	21.89	24.53	< 33.01
			1	1	22.34	24.98	< 33.01
			135	67	22.22	24.86	< 33.01
			270	0	22.51	25.15	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)							

Test Band		n41_SA					
Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
64QAM							
501204	2506.02	20	1	0	21.36	24.00	< 33.01
			1	1	21.98	24.62	< 33.01
			25	12	22.11	24.75	< 33.01
			50	0	22.01	24.65	< 33.01
518598	2592.99	20	1	0	21.49	24.13	< 33.01
			1	1	21.98	24.62	< 33.01
			25	12	22.29	24.93	< 33.01
			50	0	22.29	24.93	< 33.01
535998	2679.99	20	1	0	22.19	24.83	< 33.01
			1	1	22.53	25.17	< 33.01
			25	12	22.69	25.33	< 33.01
			50	0	22.77	25.41	< 33.01
502200	2511.0	30	1	0	22.15	24.79	< 33.01
			1	1	22.69	25.33	< 33.01
			36	18	22.45	25.09	< 33.01
			75	0	22.43	25.07	< 33.01
518598	2592.99	30	1	0	21.93	24.57	< 33.01
			1	1	22.20	24.84	< 33.01
			36	18	22.32	24.96	< 33.01
			75	0	22.30	24.94	< 33.01
534996	2674.98	30	1	0	21.45	24.09	< 33.01
			1	1	21.94	24.58	< 33.01
			36	18	21.65	24.29	< 33.01
			75	0	21.69	24.33	< 33.01

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

Test Band		n41_SA					
Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
64QAM							
503202	2516.01	40	1	0	21.08	23.72	< 33.01
			1	1	21.58	24.22	< 33.01
			50	25	21.95	24.59	< 33.01
			100	0	22.16	24.80	< 33.01
518598	2592.99	40	1	0	21.01	23.65	< 33.01
			1	1	22.12	24.76	< 33.01
			50	25	22.34	24.98	< 33.01
			100	0	22.56	25.20	< 33.01
534000	2670.0	40	1	0	21.51	24.15	< 33.01
			1	1	22.03	24.67	< 33.01
			50	25	22.24	24.88	< 33.01
			100	0	22.66	25.30	< 33.01
504204	2521.02	50	1	0	21.93	24.57	< 33.01
			1	1	22.48	25.12	< 33.01
			64	32	22.16	24.80	< 33.01
			128	0	22.10	24.74	< 33.01
518598	2592.99	50	1	0	21.68	24.32	< 33.01
			1	1	22.26	24.90	< 33.01
			64	32	22.08	24.72	< 33.01
			128	0	22.01	24.65	< 33.01
532998	2664.99	50	1	0	21.40	24.04	< 33.01
			1	1	21.90	24.54	< 33.01
			64	32	21.62	24.26	< 33.01
			128	0	21.68	24.32	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)							

Test Band		n41_SA					
Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
64QAM							
505200	2526.0	60	1	0	21.45	24.09	< 33.01
			1	1	21.89	24.53	< 33.01
			81	40	22.04	24.68	< 33.01
			162	0	22.15	24.79	< 33.01
518598	2592.99	60	1	0	21.14	23.78	< 33.01
			1	1	21.98	24.62	< 33.01
			81	40	22.31	24.95	< 33.01
			162	0	22.30	24.94	< 33.01
531996	2659.98	60	1	0	22.28	24.92	< 33.01
			1	1	22.41	25.05	< 33.01
			81	40	22.29	24.93	< 33.01
			162	0	22.11	24.75	< 33.01
507204	2536.02	80	1	0	21.32	23.96	< 33.01
			1	1	21.69	24.33	< 33.01
			108	54	22.19	24.83	< 33.01
			216	0	22.20	24.84	< 33.01
518598	2592.99	80	1	0	21.87	24.51	< 33.01
			1	1	22.21	24.85	< 33.01
			108	54	22.31	24.95	< 33.01
			216	0	21.99	24.63	< 33.01
529998	2649.99	80	1	0	20.98	23.62	< 33.01
			1	1	21.98	24.62	< 33.01
			108	54	22.42	25.06	< 33.01
			216	0	22.46	25.10	< 33.01

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

Test Band		n41_SA					
Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
64QAM							
509202	2546.01	100	1	0	21.36	24.00	< 33.01
			1	1	21.95	24.59	< 33.01
			135	67	22.50	25.14	< 33.01
			270	0	22.42	25.06	< 33.01
518598	2592.99	100	1	0	22.02	24.66	< 33.01
			1	1	22.54	25.18	< 33.01
			135	67	22.52	25.16	< 33.01
			270	0	22.45	25.09	< 33.01
528000	2640.0	100	1	0	21.68	24.32	< 33.01
			1	1	21.87	24.51	< 33.01
			135	67	22.46	25.10	< 33.01
			270	0	22.44	25.08	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)							

Test Band		n41_SA					
Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
256QAM							
501204	2506.02	20	1	0	20.98	23.62	< 33.01
			1	1	21.01	23.65	< 33.01
			25	12	20.68	23.32	< 33.01
			50	0	20.77	23.41	< 33.01
518598	2592.99	20	1	0	20.28	22.92	< 33.01
			1	1	20.60	23.24	< 33.01
			25	12	20.72	23.36	< 33.01
			50	0	20.74	23.38	< 33.01
535998	2679.99	20	1	0	20.18	22.82	< 33.01
			1	1	20.19	22.83	< 33.01
			25	12	20.13	22.77	< 33.01
			50	0	20.18	22.82	< 33.01
502200	2511.0	30	1	0	20.67	23.31	< 33.01
			1	1	20.61	23.25	< 33.01
			36	18	20.87	23.51	< 33.01
			75	0	20.91	23.55	< 33.01
518598	2592.99	30	1	0	20.47	23.11	< 33.01
			1	1	20.18	22.82	< 33.01
			36	18	20.79	23.43	< 33.01
			75	0	20.78	23.42	< 33.01
534996	2674.98	30	1	0	20.12	22.76	< 33.01
			1	1	20.07	22.71	< 33.01
			36	18	20.11	22.75	< 33.01
			75	0	20.43	23.07	< 33.01

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

Test Band		n41_SA					
Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
256QAM							
503202	2516.01	40	1	0	20.54	23.18	< 33.01
			1	1	20.62	23.26	< 33.01
			50	25	20.45	23.09	< 33.01
			100	0	20.63	23.27	< 33.01
518598	2592.99	40	1	0	20.66	23.30	< 33.01
			1	1	20.35	22.99	< 33.01
			50	25	20.03	22.67	< 33.01
			100	0	20.01	22.65	< 33.01
534000	2670.0	40	1	0	20.75	23.39	< 33.01
			1	1	20.72	23.36	< 33.01
			50	25	20.21	22.85	< 33.01
			100	0	20.14	22.78	< 33.01
504204	2521.02	50	1	0	20.68	23.32	< 33.01
			1	1	20.20	22.84	< 33.01
			64	32	20.19	22.83	< 33.01
			128	0	20.15	22.79	< 33.01
518598	2592.99	50	1	0	20.29	22.93	< 33.01
			1	1	20.28	22.92	< 33.01
			64	32	20.55	23.19	< 33.01
			128	0	20.53	23.17	< 33.01
532998	2664.99	50	1	0	19.78	22.42	< 33.01
			1	1	20.11	22.75	< 33.01
			64	32	20.10	22.74	< 33.01
			128	0	20.05	22.69	< 33.01

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

Test Band		n41_SA					
Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
256QAM							
505200	2526.0	60	1	0	20.10	22.74	< 33.01
			1	1	20.14	22.78	< 33.01
			81	40	20.38	23.02	< 33.01
			162	0	20.61	23.25	< 33.01
518598	2592.99	60	1	0	20.46	23.10	< 33.01
			1	1	20.56	23.20	< 33.01
			81	40	20.76	23.40	< 33.01
			162	0	20.78	23.42	< 33.01
531996	2659.98	60	1	0	20.06	22.70	< 33.01
			1	1	20.01	22.65	< 33.01
			81	40	20.79	23.43	< 33.01
			162	0	20.97	23.61	< 33.01
507204	2536.02	80	1	0	20.18	22.82	< 33.01
			1	1	20.32	22.96	< 33.01
			108	54	20.68	23.32	< 33.01
			216	0	20.60	23.24	< 33.01
518598	2592.99	80	1	0	20.94	23.58	< 33.01
			1	1	20.98	23.62	< 33.01
			108	54	20.77	23.41	< 33.01
			216	0	20.88	23.52	< 33.01
529998	2649.99	80	1	0	20.03	22.67	< 33.01
			1	1	20.20	22.84	< 33.01
			108	54	20.97	23.61	< 33.01
			216	0	20.90	23.54	< 33.01

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

Test Band		n41_SA					
Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
256QAM							
509202	2546.01	100	1	0	20.50	23.14	< 33.01
			1	1	20.56	23.20	< 33.01
			135	67	20.11	22.75	< 33.01
			270	0	20.93	23.57	< 33.01
518598	2592.99	100	1	0	20.21	22.85	< 33.01
			1	1	20.12	22.76	< 33.01
			135	67	20.93	23.57	< 33.01
			270	0	20.21	22.85	< 33.01
528000	2640.0	100	1	0	20.23	22.87	< 33.01
			1	1	20.54	23.18	< 33.01
			135	67	20.32	22.96	< 33.01
			270	0	20.01	22.65	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)							

Test Band		n41_SA_HPUE					
Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
PI/2 BPSK							
501204	2506.02	20	1	0	25.47	28.11	< 33.01
			1	1	26.05	28.69	< 33.01
			25	12	26.08	28.72	< 33.01
			50	0	24.99	27.63	< 33.01
518598	2592.99	20	1	0	25.93	28.57	< 33.01
			1	1	26.23	28.87	< 33.01
			25	12	26.39	29.03	< 33.01
			50	0	25.51	28.15	< 33.01
535998	2679.99	20	1	0	25.40	28.04	< 33.01
			1	1	25.58	28.22	< 33.01
			25	12	25.42	28.06	< 33.01
			50	0	25.52	28.16	< 33.01
502200	2511.0	30	1	0	26.06	28.70	< 33.01
			1	1	25.27	27.91	< 33.01
			36	18	25.31	27.95	< 33.01
			75	0	25.82	28.46	< 33.01
518598	2592.99	30	1	0	25.61	28.25	< 33.01
			1	1	25.01	27.65	< 33.01
			36	18	24.99	27.63	< 33.01
			75	0	24.94	27.58	< 33.01
534996	2674.98	30	1	0	25.35	27.99	< 33.01
			1	1	24.56	27.20	< 33.01
			36	18	24.85	27.49	< 33.01
			75	0	25.02	27.66	< 33.01

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

Test Band		n41_SA_HPUE					
Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
PI/2 BPSK							
503202	2516.01	40	1	0	25.76	28.40	< 33.01
			1	1	26.33	28.97	< 33.01
			50	25	26.20	28.84	< 33.01
			100	0	25.18	27.82	< 33.01
518598	2592.99	40	1	0	25.09	27.73	< 33.01
			1	1	26.08	28.72	< 33.01
			50	25	26.35	28.99	< 33.01
			100	0	25.63	28.27	< 33.01
534000	2670.0	40	1	0	25.03	27.67	< 33.01
			1	1	26.35	28.99	< 33.01
			50	25	25.60	28.24	< 33.01
			100	0	25.01	27.65	< 33.01
504204	2521.02	50	1	0	24.85	27.49	< 33.01
			1	1	25.34	27.98	< 33.01
			64	32	25.33	27.97	< 33.01
			128	0	24.85	27.49	< 33.01
518598	2592.99	50	1	0	24.28	26.92	< 33.01
			1	1	24.64	27.28	< 33.01
			64	32	24.66	27.30	< 33.01
			128	0	24.78	27.42	< 33.01
532998	2664.99	50	1	0	24.64	27.28	< 33.01
			1	1	25.33	27.97	< 33.01
			64	32	24.12	26.76	< 33.01
			128	0	24.22	26.86	< 33.01

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

Test Band		n41_SA_HPUE					
Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
PI/2 BPSK							
505200	2526.0	60	1	0	25.35	27.99	< 33.01
			1	1	25.89	28.53	< 33.01
			81	40	25.96	28.60	< 33.01
			162	0	24.96	27.60	< 33.01
518598	2592.99	60	1	0	25.71	28.35	< 33.01
			1	1	26.22	28.86	< 33.01
			81	40	26.45	29.09	< 33.01
			162	0	25.44	28.08	< 33.01
531996	2659.98	60	1	0	25.76	28.40	< 33.01
			1	1	26.26	28.90	< 33.01
			81	40	25.96	28.60	< 33.01
			162	0	25.01	27.65	< 33.01
507204	2536.02	80	1	0	25.44	28.08	< 33.01
			1	1	25.97	28.61	< 33.01
			108	54	25.95	28.59	< 33.01
			216	0	24.98	27.62	< 33.01
518598	2592.99	80	1	0	25.79	28.43	< 33.01
			1	1	26.23	28.87	< 33.01
			108	54	26.40	29.04	< 33.01
			216	0	25.42	28.06	< 33.01
529998	2649.99	80	1	0	25.15	27.79	< 33.01
			1	1	26.59	29.23	< 33.01
			108	54	26.30	28.94	< 33.01
			216	0	25.38	28.02	< 33.01

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

Test Band		n41_SA_HPUE					
Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
PI/2 BPSK							
509202	2546.01	100	1	0	25.34	27.98	< 33.01
			1	1	25.99	28.63	< 33.01
			135	67	26.11	28.75	< 33.01
			270	0	25.14	27.78	< 33.01
518598	2592.99	100	1	0	25.79	28.43	< 33.01
			1	1	26.40	29.04	< 33.01
			135	67	26.49	29.13	< 33.01
			270	0	25.50	28.14	< 33.01
528000	2640.0	100	1	0	25.92	28.56	< 33.01
			1	1	26.43	29.07	< 33.01
			135	67	26.36	29.00	< 33.01
			270	0	25.40	28.04	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)							

Test Band		n41_SA_HPUE					
Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
QPSK							
501204	2506.02	20	1	0	25.52	28.16	< 33.01
			1	1	26.02	28.66	< 33.01
			12	6	25.99	28.63	< 33.01
			25	0	25.01	27.65	< 33.01
518598	2592.99	20	1	0	25.97	28.61	< 33.01
			1	1	26.26	28.90	< 33.01
			12	6	26.44	29.08	< 33.01
			25	0	25.48	28.12	< 33.01
535998	2679.99	20	1	0	25.08	27.72	< 33.01
			1	1	25.29	27.93	< 33.01
			25	12	25.32	27.96	< 33.01
			50	0	24.75	27.39	< 33.01
502200	2511.0	30	1	0	25.05	27.69	< 33.01
			1	1	25.18	27.82	< 33.01
			25	12	25.30	27.94	< 33.01
			50	0	25.39	28.03	< 33.01
518598	2592.99	30	1	0	24.53	27.17	< 33.01
			1	1	24.95	27.59	< 33.01
			25	12	24.78	27.42	< 33.01
			50	0	24.92	27.56	< 33.01
534996	2674.98	30	1	0	24.85	27.49	< 33.01
			1	1	24.66	27.30	< 33.01
			25	12	24.30	26.94	< 33.01
			50	0	24.12	26.76	< 33.01

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

Test Band		n41_SA_HPUE					
Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
QPSK							
503202	2516.01	40	1	0	25.83	28.47	< 33.01
			1	1	26.06	28.70	< 33.01
			50	25	26.13	28.77	< 33.01
			100	0	25.16	27.80	< 33.01
518598	2592.99	40	1	0	25.68	28.32	< 33.01
			1	1	25.80	28.44	< 33.01
			50	25	26.35	28.99	< 33.01
			100	0	25.59	28.23	< 33.01
534000	2670.0	40	1	0	25.85	28.49	< 33.01
			1	1	26.06	28.70	< 33.01
			50	25	25.70	28.34	< 33.01
			100	0	25.00	27.64	< 33.01
504204	2521.02	50	1	0	24.89	27.53	< 33.01
			1	1	25.07	27.71	< 33.01
			64	32	25.25	27.89	< 33.01
			128	0	24.02	26.66	< 33.01
518598	2592.99	50	1	0	24.64	27.28	< 33.01
			1	1	24.78	27.42	< 33.01
			64	32	25.01	27.65	< 33.01
			128	0	24.65	27.29	< 33.01
532998	2664.99	50	1	0	25.13	27.77	< 33.01
			1	1	25.31	27.95	< 33.01
			64	32	25.14	27.78	< 33.01
			128	0	24.03	26.67	< 33.01

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

Test Band		n41_SA_HPUE					
Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
QPSK							
505200	2526.0	60	1	0	25.33	27.97	< 33.01
			1	1	25.79	28.43	< 33.01
			81	40	26.00	28.64	< 33.01
			162	0	24.88	27.52	< 33.01
518598	2592.99	60	1	0	25.65	28.29	< 33.01
			1	1	25.96	28.60	< 33.01
			81	40	26.38	29.02	< 33.01
			162	0	25.46	28.10	< 33.01
531996	2659.98	60	1	0	25.70	28.34	< 33.01
			1	1	26.12	28.76	< 33.01
			81	40	25.97	28.61	< 33.01
			162	0	24.99	27.63	< 33.01
507204	2536.02	80	1	0	22.40	25.04	< 33.01
			1	1	25.69	28.33	< 33.01
			108	54	26.04	28.68	< 33.01
			216	0	25.00	27.64	< 33.01
518598	2592.99	80	1	0	22.67	25.31	< 33.01
			1	1	26.03	28.67	< 33.01
			108	54	26.48	29.12	< 33.01
			216	0	25.33	27.97	< 33.01
529998	2649.99	80	1	0	22.95	25.59	< 33.01
			1	1	26.36	29.00	< 33.01
			108	54	26.30	28.94	< 33.01
			216	0	25.33	27.97	< 33.01

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

Test Band		n41_SA_HPUE					
Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
QPSK							
509202	2546.01	100	1	0	25.27	27.91	< 33.01
			1	1	25.92	28.56	< 33.01
			135	67	26.08	28.72	< 33.01
			270	0	25.11	27.75	< 33.01
518598	2592.99	100	1	0	25.70	28.34	< 33.01
			1	1	26.16	28.80	< 33.01
			135	67	26.53	29.17	< 33.01
			270	0	25.46	28.10	< 33.01
528000	2640.0	100	1	0	25.81	28.45	< 33.01
			1	1	26.12	28.76	< 33.01
			135	67	26.38	29.02	< 33.01
			270	0	25.46	28.10	< 33.01

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

Test Band		n41_SA_HPUE					
Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
16QAM							
501204	2506.02	20	1	0	24.42	27.06	< 33.01
			1	1	25.04	27.68	< 33.01
			12	6	24.97	27.61	< 33.01
			25	0	23.87	26.51	< 33.01
518598	2592.99	20	1	0	24.99	27.63	< 33.01
			1	1	25.19	27.83	< 33.01
			12	6	25.41	28.05	< 33.01
			25	0	24.39	27.03	< 33.01
535998	2679.99	20	1	0	24.33	26.97	< 33.01
			1	1	24.32	26.96	< 33.01
			25	12	24.42	27.06	< 33.01
			50	0	23.77	26.41	< 33.01
502200	2511.0	30	1	0	23.98	26.62	< 33.01
			1	1	24.34	26.98	< 33.01
			25	12	24.40	27.04	< 33.01
			50	0	23.44	26.08	< 33.01
518598	2592.99	30	1	0	23.27	25.91	< 33.01
			1	1	23.44	26.08	< 33.01
			25	12	23.79	26.43	< 33.01
			50	0	23.01	25.65	< 33.01
534996	2674.98	30	1	0	23.25	25.89	< 33.01
			1	1	23.35	25.99	< 33.01
			25	12	23.03	25.67	< 33.01
			50	0	22.95	25.59	< 33.01

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

Test Band		n41_SA_HPUE					
Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
16QAM							
503202	2516.01	40	1	0	23.84	26.48	< 33.01
			1	1	24.06	26.70	< 33.01
			50	25	25.13	27.77	< 33.01
			100	0	24.22	26.86	< 33.01
518598	2592.99	40	1	0	24.01	26.65	< 33.01
			1	1	24.83	27.47	< 33.01
			50	25	25.32	27.96	< 33.01
			100	0	24.66	27.30	< 33.01
534000	2670.0	40	1	0	24.84	27.48	< 33.01
			1	1	25.11	27.75	< 33.01
			50	25	24.67	27.31	< 33.01
			100	0	24.06	26.70	< 33.01
504204	2521.02	50	1	0	24.01	26.65	< 33.01
			1	1	24.56	27.20	< 33.01
			64	32	24.03	26.67	< 33.01
			128	0	24.00	26.64	< 33.01
518598	2592.99	50	1	0	23.33	25.97	< 33.01
			1	1	23.78	26.42	< 33.01
			64	32	23.85	26.49	< 33.01
			128	0	23.73	26.37	< 33.01
532998	2664.99	50	1	0	23.74	26.38	< 33.01
			1	1	23.76	26.40	< 33.01
			64	32	23.37	26.01	< 33.01
			128	0	23.81	26.45	< 33.01

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

Test Band		n41_SA_HPUE					
Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
16QAM							
505200	2526.0	60	1	0	24.40	27.04	< 33.01
			1	1	24.99	27.63	< 33.01
			81	40	24.98	27.62	< 33.01
			162	0	23.95	26.59	< 33.01
518598	2592.99	60	1	0	24.61	27.25	< 33.01
			1	1	25.03	27.67	< 33.01
			81	40	25.36	28.00	< 33.01
			162	0	24.43	27.07	< 33.01
531996	2659.98	60	1	0	24.83	27.47	< 33.01
			1	1	25.41	28.05	< 33.01
			81	40	24.89	27.53	< 33.01
			162	0	24.06	26.70	< 33.01
507204	2536.02	80	1	0	24.46	27.10	< 33.01
			1	1	24.84	27.48	< 33.01
			108	54	25.08	27.72	< 33.01
			216	0	24.08	26.72	< 33.01
518598	2592.99	80	1	0	24.74	27.38	< 33.01
			1	1	25.09	27.73	< 33.01
			108	54	25.52	28.16	< 33.01
			216	0	24.45	27.09	< 33.01
529998	2649.99	80	1	0	24.98	27.62	< 33.01
			1	1	25.47	28.11	< 33.01
			108	54	25.33	27.97	< 33.01
			216	0	24.52	27.16	< 33.01

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

Test Band		n41_SA_HPUE					
Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
16QAM							
509202	2546.01	100	1	0	24.30	26.94	< 33.01
			1	1	25.12	27.76	< 33.01
			135	67	25.09	27.73	< 33.01
			270	0	24.10	26.74	< 33.01
518598	2592.99	100	1	0	24.76	27.40	< 33.01
			1	1	25.22	27.86	< 33.01
			135	67	25.48	28.12	< 33.01
			270	0	24.49	27.13	< 33.01
528000	2640.0	100	1	0	24.85	27.49	< 33.01
			1	1	25.21	27.85	< 33.01
			135	67	25.33	27.97	< 33.01
			270	0	24.55	27.19	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)							

Test Band		n41_SA_HPUE					
Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
64QAM							
501204	2506.02	20	1	0	22.23	24.87	< 33.01
			1	1	23.21	25.85	< 33.01
			12	6	23.42	26.06	< 33.01
			25	0	23.47	26.11	< 33.01
518598	2592.99	20	1	0	22.65	25.29	< 33.01
			1	1	23.67	26.31	< 33.01
			12	6	23.79	26.43	< 33.01
			25	0	23.63	26.27	< 33.01
535998	2679.99	20	1	0	23.31	25.95	< 33.01
			1	1	23.12	25.76	< 33.01
			25	12	23.04	25.68	< 33.01
			50	0	23.16	25.80	< 33.01
502200	2511.0	30	1	0	23.06	25.70	< 33.01
			1	1	23.20	25.84	< 33.01
			25	12	23.68	26.32	< 33.01
			50	0	22.93	25.57	< 33.01
518598	2592.99	30	1	0	22.62	25.26	< 33.01
			1	1	23.13	25.77	< 33.01
			25	12	23.35	25.99	< 33.01
			50	0	23.45	26.09	< 33.01
534996	2674.98	30	1	0	22.51	25.15	< 33.01
			1	1	23.51	26.15	< 33.01
			25	12	22.62	25.26	< 33.01
			50	0	22.82	25.46	< 33.01

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

Test Band		n41_SA_HPUE					
Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
64QAM							
503202	2516.01	40	1	0	22.66	25.30	< 33.01
			1	1	23.22	25.86	< 33.01
			50	25	23.74	26.38	< 33.01
			100	0	23.75	26.39	< 33.01
518598	2592.99	40	1	0	22.81	25.45	< 33.01
			1	1	23.76	26.40	< 33.01
			50	25	23.92	26.56	< 33.01
			100	0	24.15	26.79	< 33.01
534000	2670.0	40	1	0	22.72	25.36	< 33.01
			1	1	23.58	26.22	< 33.01
			50	25	23.36	26.00	< 33.01
			100	0	23.51	26.15	< 33.01
504204	2521.02	50	1	0	22.90	25.54	< 33.01
			1	1	23.34	25.98	< 33.01
			64	32	22.51	25.15	< 33.01
			128	0	22.43	25.07	< 33.01
518598	2592.99	50	1	0	22.34	24.98	< 33.01
			1	1	22.44	25.08	< 33.01
			64	32	23.01	25.65	< 33.01
			128	0	22.31	24.95	< 33.01
532998	2664.99	50	1	0	22.24	24.88	< 33.01
			1	1	22.28	24.92	< 33.01
			64	32	22.21	24.85	< 33.01
			128	0	22.32	24.96	< 33.01

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

Test Band		n41_SA_HPUE					
Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
64QAM							
505200	2526.0	60	1	0	23.08	25.72	< 33.01
			1	1	23.12	25.76	< 33.01
			81	40	23.53	26.17	< 33.01
			162	0	23.47	26.11	< 33.01
518598	2592.99	60	1	0	22.93	25.57	< 33.01
			1	1	23.37	26.01	< 33.01
			81	40	23.94	26.58	< 33.01
			162	0	23.97	26.61	< 33.01
531996	2659.98	60	1	0	22.85	25.49	< 33.01
			1	1	23.55	26.19	< 33.01
			81	40	23.48	26.12	< 33.01
			162	0	23.56	26.20	< 33.01
507204	2536.02	80	1	0	23.27	25.91	< 33.01
			1	1	23.21	25.85	< 33.01
			108	54	23.56	26.20	< 33.01
			216	0	23.64	26.28	< 33.01
518598	2592.99	80	1	0	23.56	26.20	< 33.01
			1	1	23.56	26.20	< 33.01
			108	54	24.00	26.64	< 33.01
			216	0	23.92	26.56	< 33.01
529998	2649.99	80	1	0	23.81	26.45	< 33.01
			1	1	23.88	26.52	< 33.01
			108	54	23.81	26.45	< 33.01
			216	0	23.84	26.48	< 33.01

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

Test Band		n41_SA_HPUE					
Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
64QAM							
509202	2546.01	100	1	0	23.10	25.74	< 33.01
			1	1	23.53	26.17	< 33.01
			135	67	23.63	26.27	< 33.01
			270	0	23.73	26.37	< 33.01
518598	2592.99	100	1	0	22.51	25.15	< 33.01
			1	1	23.14	25.78	< 33.01
			135	67	24.01	26.65	< 33.01
			270	0	24.00	26.64	< 33.01
528000	2640.0	100	1	0	23.60	26.24	< 33.01
			1	1	23.78	26.42	< 33.01
			135	67	23.83	26.47	< 33.01
			270	0	23.88	26.52	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)							

Test Band		n41_SA_HPUE					
Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
256QAM							
501204	2506.02	20	1	0	21.28	23.92	< 33.01
			1	1	21.25	23.89	< 33.01
			12	6	21.38	24.02	< 33.01
			25	0	21.43	24.07	< 33.01
518598	2592.99	20	1	0	21.64	24.28	< 33.01
			1	1	21.56	24.20	< 33.01
			12	6	21.92	24.56	< 33.01
			25	0	22.02	24.66	< 33.01
535998	2679.99	20	1	0	21.28	23.92	< 33.01
			1	1	21.30	23.94	< 33.01
			25	12	21.28	23.92	< 33.01
			50	0	21.35	23.99	< 33.01
502200	2511.0	30	1	0	20.25	22.89	< 33.01
			1	1	20.38	23.02	< 33.01
			25	12	20.91	23.55	< 33.01
			50	0	20.34	22.98	< 33.01
518598	2592.99	30	1	0	20.36	23.00	< 33.01
			1	1	20.56	23.20	< 33.01
			25	12	20.47	23.11	< 33.01
			50	0	20.49	23.13	< 33.01
534996	2674.98	30	1	0	20.32	22.96	< 33.01
			1	1	20.44	23.08	< 33.01
			25	12	20.51	23.15	< 33.01
			50	0	20.43	23.07	< 33.01

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

Test Band		n41_SA_HPUE					
Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
256QAM							
503202	2516.01	40	1	0	21.04	23.68	< 33.01
			1	1	21.07	23.71	< 33.01
			50	25	21.66	24.30	< 33.01
			100	0	21.71	24.35	< 33.01
518598	2592.99	40	1	0	21.95	24.59	< 33.01
			1	1	21.86	24.50	< 33.01
			50	25	21.28	23.92	< 33.01
			100	0	21.35	23.99	< 33.01
534000	2670.0	40	1	0	21.70	24.34	< 33.01
			1	1	21.66	24.30	< 33.01
			50	25	21.75	24.39	< 33.01
			100	0	21.85	24.49	< 33.01
504204	2521.02	50	1	0	20.14	22.78	< 33.01
			1	1	20.95	23.59	< 33.01
			64	32	20.74	23.38	< 33.01
			128	0	20.55	23.19	< 33.01
518598	2592.99	50	1	0	19.95	22.59	< 33.01
			1	1	20.10	22.74	< 33.01
			64	32	20.33	22.97	< 33.01
			128	0	20.28	22.92	< 33.01
532998	2664.99	50	1	0	19.85	22.49	< 33.01
			1	1	20.01	22.65	< 33.01
			64	32	20.28	22.92	< 33.01
			128	0	20.32	22.96	< 33.01

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

Test Band		n41_SA_HPUE					
Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
256QAM							
505200	2526.0	60	1	0	21.11	23.75	< 33.01
			1	1	21.07	23.71	< 33.01
			81	40	21.48	24.12	< 33.01
			162	0	21.56	24.20	< 33.01
518598	2592.99	60	1	0	21.33	23.97	< 33.01
			1	1	21.45	24.09	< 33.01
			81	40	21.01	23.65	< 33.01
			162	0	21.01	23.65	< 33.01
531996	2659.98	60	1	0	21.45	24.09	< 33.01
			1	1	21.45	24.09	< 33.01
			81	40	21.46	24.10	< 33.01
			162	0	21.58	24.22	< 33.01
507204	2536.02	80	1	0	21.17	23.81	< 33.01
			1	1	21.16	23.80	< 33.01
			108	54	21.57	24.21	< 33.01
			216	0	21.37	24.01	< 33.01
518598	2592.99	80	1	0	21.43	24.07	< 33.01
			1	1	21.48	24.12	< 33.01
			108	54	21.02	23.66	< 33.01
			216	0	21.97	24.61	< 33.01
529998	2649.99	80	1	0	21.83	24.47	< 33.01
			1	1	21.87	24.51	< 33.01
			108	54	21.89	24.53	< 33.01
			216	0	21.92	24.56	< 33.01

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

Test Band		n41_SA_HPUE					
Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
256QAM							
509202	2546.01	100	1	0	21.00	23.64	< 33.01
			1	1	21.23	23.87	< 33.01
			135	67	21.63	24.27	< 33.01
			270	0	21.52	24.16	< 33.01
518598	2592.99	100	1	0	21.48	24.12	< 33.01
			1	1	21.67	24.31	< 33.01
			135	67	21.00	23.64	< 33.01
			270	0	21.94	24.58	< 33.01
528000	2640.0	100	1	0	21.57	24.21	< 33.01
			1	1	21.76	24.40	< 33.01
			135	67	21.87	24.51	< 33.01
			270	0	21.96	24.60	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)							

Test Band		n77_SA					
Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
PI/2 BPSK							
750000	3750.0	100	1	0	22.76	27.05	< 30.00
			1	1	22.47	26.76	< 30.00
			135	67	23.22	27.51	< 30.00
			270	0	23.05	27.34	< 30.00
772998	3864.99	100	1	0	22.70	26.99	< 30.00
			1	1	23.40	27.69	< 30.00
			135	67	23.60	27.89	< 30.00
			270	0	23.51	27.80	< 30.00
786000	3930.0	100	1	0	22.93	27.22	< 30.00
			1	1	23.64	27.93	< 30.00
			135	67	23.29	27.58	< 30.00
			270	0	23.38	27.67	< 30.00
QPSK							
750000	3750.0	100	1	0	22.76	27.05	< 30.00
			1	1	22.46	26.75	< 30.00
			135	67	23.15	27.44	< 30.00
			270	0	23.03	27.32	< 30.00
772998	3864.99	100	1	0	22.70	26.99	< 30.00
			1	1	23.40	27.69	< 30.00
			135	67	23.59	27.88	< 30.00
			270	0	23.51	27.80	< 30.00
786000	3930.0	100	1	0	22.93	27.22	< 30.00
			1	1	23.48	27.77	< 30.00
			135	67	23.31	27.60	< 30.00
			270	0	23.28	27.57	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)							

Test Band		n77_SA					
Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
16QAM							
750000	3750.0	100	1	0	22.88	27.17	< 30.00
			1	1	22.60	26.89	< 30.00
			135	67	23.17	27.46	< 30.00
			270	0	23.03	27.32	< 30.00
772998	3864.99	100	1	0	22.92	27.21	< 30.00
			1	1	23.06	27.35	< 30.00
			135	67	23.53	27.82	< 30.00
			270	0	23.56	27.85	< 30.00
786000	3930.0	100	1	0	22.64	26.93	< 30.00
			1	1	23.47	27.76	< 30.00
			135	67	23.28	27.57	< 30.00
			270	0	23.43	27.72	< 30.00
64QAM							
750000	3750.0	100	1	0	21.41	25.70	< 30.00
			1	1	21.61	25.90	< 30.00
			135	67	22.14	26.43	< 30.00
			270	0	22.04	26.33	< 30.00
772998	3864.99	100	1	0	21.89	26.18	< 30.00
			1	1	21.84	26.13	< 30.00
			135	67	21.60	25.89	< 30.00
			270	0	22.58	26.87	< 30.00
786000	3930.0	100	1	0	22.62	26.91	< 30.00
			1	1	22.29	26.58	< 30.00
			135	67	22.35	26.64	< 30.00
			270	0	22.44	26.73	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)							

Test Band		n77_SA					
Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
256QAM							
750000	3750.0	100	1	0	20.68	24.97	< 30.00
			1	1	20.87	25.16	< 30.00
			135	67	20.66	24.95	< 30.00
			270	0	20.57	24.86	< 30.00
772998	3864.99	100	1	0	20.56	24.85	< 30.00
			1	1	20.66	24.95	< 30.00
			135	67	21.12	25.41	< 30.00
			270	0	21.03	25.32	< 30.00
786000	3930.0	100	1	0	20.65	24.94	< 30.00
			1	1	20.83	25.12	< 30.00
			135	67	20.79	25.08	< 30.00
			270	0	20.93	25.22	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)							

Test Band		n77_SA_HPUE					
Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
PI/2 BPSK							
750000	3750.0	100	1	0	24.61	28.90	< 30.00
			1	1	25.26	29.55	< 30.00
			135	67	25.78	30.07	< 30.00
			270	0	24.74	29.03	< 30.00
772998	3864.99	100	1	0	24.18	28.47	< 30.00
			1	1	25.87	30.16	< 30.00
			135	67	26.19	30.48	< 30.00
			270	0	25.17	29.46	< 30.00
786000	3930.0	100	1	0	25.31	29.60	< 30.00
			1	1	26.00	30.29	< 30.00
			135	67	26.07	30.36	< 30.00
			270	0	25.06	29.35	< 30.00
QPSK							
750000	3750.0	100	1	0	24.52	28.81	< 30.00
			1	1	25.26	29.55	< 30.00
			135	67	25.77	30.06	< 30.00
			270	0	24.80	29.09	< 30.00
772998	3864.99	100	1	0	25.12	29.41	< 30.00
			1	1	25.86	30.15	< 30.00
			135	67	26.16	30.45	< 30.00
			270	0	25.11	29.40	< 30.00
786000	3930.0	100	1	0	25.25	29.54	< 30.00
			1	1	25.94	30.23	< 30.00
			135	67	26.07	30.36	< 30.00
			270	0	25.07	29.36	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)							

Test Band		n77_SA_HPUE					
Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
16QAM							
750000	3750.0	100	1	0	23.46	27.75	< 30.00
			1	1	24.26	28.55	< 30.00
			135	67	24.77	29.06	< 30.00
			270	0	23.80	28.09	< 30.00
772998	3864.99	100	1	0	24.17	28.46	< 30.00
			1	1	25.14	29.43	< 30.00
			135	67	25.12	29.41	< 30.00
			270	0	24.05	28.34	< 30.00
786000	3930.0	100	1	0	24.22	28.51	< 30.00
			1	1	25.25	29.54	< 30.00
			135	67	25.05	29.34	< 30.00
			270	0	24.03	28.32	< 30.00
64QAM							
750000	3750.0	100	1	0	23.21	27.50	< 30.00
			1	1	22.98	27.27	< 30.00
			135	67	23.32	27.61	< 30.00
			270	0	23.32	27.61	< 30.00
772998	3864.99	100	1	0	23.08	27.37	< 30.00
			1	1	23.38	27.67	< 30.00
			135	67	23.55	27.84	< 30.00
			270	0	23.56	27.85	< 30.00
786000	3930.0	100	1	0	23.18	27.47	< 30.00
			1	1	23.55	27.84	< 30.00
			135	67	23.61	27.90	< 30.00
			270	0	23.56	27.85	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)							

Test Band		n77_SA_HPUE					
Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
256QAM							
750000	3750.0	100	1	0	21.47	25.76	< 30.00
			1	1	21.95	26.24	< 30.00
			135	67	21.35	25.64	< 30.00
			270	0	21.33	25.62	< 30.00
772998	3864.99	100	1	0	21.00	25.29	< 30.00
			1	1	21.08	25.37	< 30.00
			135	67	21.60	25.89	< 30.00
			270	0	21.49	25.78	< 30.00
786000	3930.0	100	1	0	21.01	25.30	< 30.00
			1	1	21.20	25.49	< 30.00
			135	67	21.48	25.77	< 30.00
			270	0	21.43	25.72	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)							

Test Band		n2/25_EN-DC					
Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
PI/2 BPSK							
370500	1852.5	5	1	0	22.73	24.87	< 33.01
			1	1	22.65	24.79	< 33.01
			12	6	22.78	24.92	< 33.01
			25	0	22.92	25.06	< 33.01
376500	1882.5	5	1	0	22.86	25.00	< 33.01
			1	1	22.79	24.93	< 33.01
			12	6	22.81	24.95	< 33.01
			25	0	22.89	25.03	< 33.01
382500	1912.5	5	1	0	22.73	24.87	< 33.01
			1	1	22.69	24.83	< 33.01
			12	6	22.71	24.85	< 33.01
			25	0	22.85	24.99	< 33.01
371000	1855.0	10	1	0	22.69	24.83	< 33.01
			1	1	22.72	24.86	< 33.01
			25	12	22.81	24.95	< 33.01
			50	0	22.72	24.86	< 33.01
376500	1882.5	10	1	0	22.69	24.83	< 33.01
			1	1	22.58	24.72	< 33.01
			25	12	22.67	24.81	< 33.01
			50	0	22.73	24.87	< 33.01
382000	1910.0	10	1	0	22.56	24.70	< 33.01
			1	1	22.47	24.61	< 33.01
			25	12	22.35	24.49	< 33.01
			50	0	22.13	24.27	< 33.01

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

Test Band		n2/25_EN-DC					
Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
PI/2 BPSK							
371500	1857.5	15	1	0	23.02	25.16	< 33.01
			1	1	22.93	25.07	< 33.01
			36	18	22.91	25.05	< 33.01
			75	0	22.95	25.09	< 33.01
376500	1882.5	15	1	0	22.71	24.85	< 33.01
			1	1	22.66	24.80	< 33.01
			36	18	22.89	25.03	< 33.01
			75	0	22.79	24.93	< 33.01
381500	1907.5	15	1	0	22.85	24.99	< 33.01
			1	1	22.69	24.83	< 33.01
			36	18	22.83	24.97	< 33.01
			75	0	22.79	24.93	< 33.01
372000	1860.0	20	1	0	22.56	24.70	< 33.01
			1	1	22.54	24.68	< 33.01
			50	25	22.33	24.47	< 33.01
			100	0	22.61	24.75	< 33.01
376500	1882.5	20	1	0	22.77	24.91	< 33.01
			1	1	22.57	24.71	< 33.01
			50	25	22.76	24.90	< 33.01
			100	0	22.91	25.05	< 33.01
381000	1905.0	20	1	0	22.85	24.99	< 33.01
			1	1	22.88	25.02	< 33.01
			50	25	22.65	24.79	< 33.01
			100	0	22.58	24.72	< 33.01

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

Test Band		n2/25_EN-DC					
Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
QPSK							
370500	1852.5	5	1	0	22.72	24.86	< 33.01
			1	1	22.63	24.77	< 33.01
			12	6	22.79	24.93	< 33.01
			25	0	22.80	24.94	< 33.01
376500	1882.5	5	1	0	22.76	24.90	< 33.01
			1	1	22.81	24.95	< 33.01
			12	6	22.89	25.03	< 33.01
			25	0	22.86	25.00	< 33.01
382500	1912.5	5	1	0	22.68	24.82	< 33.01
			1	1	22.67	24.81	< 33.01
			12	6	22.72	24.86	< 33.01
			25	0	22.66	24.80	< 33.01
371000	1855.0	10	1	0	22.72	24.86	< 33.01
			1	1	22.75	24.89	< 33.01
			25	12	22.88	25.02	< 33.01
			50	0	22.78	24.92	< 33.01
376500	1882.5	10	1	0	22.91	25.05	< 33.01
			1	1	22.83	24.97	< 33.01
			25	12	22.85	24.99	< 33.01
			50	0	22.87	25.01	< 33.01
382000	1910.0	10	1	0	22.83	24.97	< 33.01
			1	1	22.89	25.03	< 33.01
			25	12	22.69	24.83	< 33.01
			50	0	22.85	24.99	< 33.01

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

Test Band		n2/25_EN-DC					
Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
QPSK							
371500	1857.5	15	1	0	22.92	25.06	< 33.01
			1	1	22.89	25.03	< 33.01
			36	18	22.96	25.10	< 33.01
			75	0	22.91	25.05	< 33.01
376500	1882.5	15	1	0	23.12	25.26	< 33.01
			1	1	22.85	24.99	< 33.01
			36	18	22.87	25.01	< 33.01
			75	0	22.94	25.08	< 33.01
381500	1907.5	15	1	0	22.67	24.81	< 33.01
			1	1	22.74	24.88	< 33.01
			36	18	22.75	24.89	< 33.01
			75	0	22.79	24.93	< 33.01
372000	1860.0	20	1	0	22.95	25.09	< 33.01
			1	1	22.95	25.09	< 33.01
			50	25	22.93	25.07	< 33.01
			100	0	22.92	25.06	< 33.01
376500	1882.5	20	1	0	22.36	24.50	< 33.01
			1	1	22.77	24.91	< 33.01
			50	25	22.65	24.79	< 33.01
			100	0	22.88	25.02	< 33.01
381000	1905.0	20	1	0	22.76	24.90	< 33.01
			1	1	22.86	25.00	< 33.01
			50	25	22.78	24.92	< 33.01
			100	0	22.73	24.87	< 33.01

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

Test Band		n2/25_EN-DC					
Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
16QAM							
370500	1852.5	5	1	0	21.54	23.68	< 33.01
			1	1	22.64	24.78	< 33.01
			12	6	22.82	24.96	< 33.01
			25	0	21.89	24.03	< 33.01
376500	1882.5	5	1	0	22.19	24.33	< 33.01
			1	1	22.96	25.10	< 33.01
			12	6	22.86	25.00	< 33.01
			25	0	21.85	23.99	< 33.01
382500	1912.5	5	1	0	22.65	24.79	< 33.01
			1	1	22.94	25.08	< 33.01
			12	6	22.68	24.82	< 33.01
			25	0	22.80	24.94	< 33.01
371000	1855.0	10	1	0	22.30	24.44	< 33.01
			1	1	22.87	25.01	< 33.01
			25	12	22.85	24.99	< 33.01
			50	0	21.90	24.04	< 33.01
376500	1882.5	10	1	0	21.59	23.73	< 33.01
			1	1	22.74	24.88	< 33.01
			25	12	22.83	24.97	< 33.01
			50	0	21.80	23.94	< 33.01
382000	1910.0	10	1	0	21.39	23.53	< 33.01
			1	1	22.53	24.67	< 33.01
			25	12	22.81	24.95	< 33.01
			50	0	21.72	23.86	< 33.01

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

Test Band		n2/25_EN-DC					
Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
16QAM							
371500	1857.5	15	1	0	21.93	24.07	< 33.01
			1	1	22.91	25.05	< 33.01
			36	18	22.96	25.10	< 33.01
			75	0	21.94	24.08	< 33.01
376500	1882.5	15	1	0	22.01	24.15	< 33.01
			1	1	22.93	25.07	< 33.01
			36	18	22.91	25.05	< 33.01
			75	0	21.84	23.98	< 33.01
381500	1907.5	15	1	0	21.78	23.92	< 33.01
			1	1	22.80	24.94	< 33.01
			36	18	22.74	24.88	< 33.01
			75	0	21.72	23.86	< 33.01
372000	1860.0	20	1	0	22.07	24.21	< 33.01
			1	1	23.05	25.19	< 33.01
			50	25	22.89	25.03	< 33.01
			100	0	21.91	24.05	< 33.01
376500	1882.5	20	1	0	22.13	24.27	< 33.01
			1	1	22.89	25.03	< 33.01
			50	25	22.81	24.95	< 33.01
			100	0	21.99	24.13	< 33.01
381000	1905.0	20	1	0	21.92	24.06	< 33.01
			1	1	22.97	25.11	< 33.01
			50	25	22.79	24.93	< 33.01
			100	0	21.69	23.83	< 33.01

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

Test Band		n2/25_EN-DC					
Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
64QAM							
370500	1852.5	5	1	0	21.49	23.63	< 33.01
			1	1	21.50	23.64	< 33.01
			12	6	21.36	23.50	< 33.01
			25	0	21.33	23.47	< 33.01
376500	1882.5	5	1	0	21.52	23.66	< 33.01
			1	1	21.53	23.67	< 33.01
			12	6	21.42	23.56	< 33.01
			25	0	21.37	23.51	< 33.01
382500	1912.5	5	1	0	21.39	23.53	< 33.01
			1	1	21.41	23.55	< 33.01
			12	6	21.31	23.45	< 33.01
			25	0	21.29	23.43	< 33.01
371000	1855.0	10	1	0	21.58	23.72	< 33.01
			1	1	21.48	23.62	< 33.01
			25	12	21.38	23.52	< 33.01
			50	0	21.34	23.48	< 33.01
376500	1882.5	10	1	0	21.56	23.70	< 33.01
			1	1	21.63	23.77	< 33.01
			25	12	21.34	23.48	< 33.01
			50	0	21.30	23.44	< 33.01
382000	1910.0	10	1	0	21.50	23.64	< 33.01
			1	1	21.52	23.66	< 33.01
			25	12	21.28	23.42	< 33.01
			50	0	21.23	23.37	< 33.01

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

Test Band		n2/25_EN-DC					
Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
64QAM							
371500	1857.5	15	1	0	21.64	23.78	< 33.01
			1	1	21.66	23.80	< 33.01
			36	18	21.39	23.53	< 33.01
			75	0	21.40	23.54	< 33.01
376500	1882.5	15	1	0	21.71	23.85	< 33.01
			1	1	21.55	23.69	< 33.01
			36	18	21.38	23.52	< 33.01
			75	0	21.35	23.49	< 33.01
381500	1907.5	15	1	0	21.60	23.74	< 33.01
			1	1	21.52	23.66	< 33.01
			36	18	21.27	23.41	< 33.01
			75	0	21.23	23.37	< 33.01
372000	1860.0	20	1	0	21.68	23.82	< 33.01
			1	1	21.69	23.83	< 33.01
			50	25	21.44	23.58	< 33.01
			100	0	21.39	23.53	< 33.01
376500	1882.5	20	1	0	21.23	23.37	< 33.01
			1	1	21.35	23.49	< 33.01
			50	25	21.30	23.44	< 33.01
			100	0	21.46	23.60	< 33.01
381000	1905.0	20	1	0	21.66	23.80	< 33.01
			1	1	21.64	23.78	< 33.01
			50	25	21.28	23.42	< 33.01
			100	0	21.35	23.49	< 33.01

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

Test Band		n2/25_EN-DC					
Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
256QAM							
370500	1852.5	5	1	0	19.31	21.45	< 33.01
			1	1	19.11	21.25	< 33.01
			12	6	19.25	21.39	< 33.01
			25	0	19.29	21.43	< 33.01
376500	1882.5	5	1	0	19.20	21.34	< 33.01
			1	1	19.23	21.37	< 33.01
			12	6	19.36	21.50	< 33.01
			25	0	19.27	21.41	< 33.01
382500	1912.5	5	1	0	19.32	21.46	< 33.01
			1	1	18.99	21.13	< 33.01
			12	6	19.13	21.27	< 33.01
			25	0	19.21	21.35	< 33.01
371000	1855.0	10	1	0	19.25	21.39	< 33.01
			1	1	19.28	21.42	< 33.01
			25	12	19.28	21.42	< 33.01
			50	0	19.30	21.44	< 33.01
376500	1882.5	10	1	0	19.32	21.46	< 33.01
			1	1	19.25	21.39	< 33.01
			25	12	19.47	21.61	< 33.01
			50	0	19.54	21.68	< 33.01
382000	1910.0	10	1	0	19.44	21.58	< 33.01
			1	1	19.41	21.55	< 33.01
			25	12	19.52	21.66	< 33.01
			50	0	19.33	21.47	< 33.01

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

Test Band		n2/25_EN-DC					
Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
256QAM							
371500	1857.5	15	1	0	19.26	21.40	< 33.01
			1	1	19.36	21.50	< 33.01
			36	18	19.34	21.48	< 33.01
			75	0	19.37	21.51	< 33.01
376500	1882.5	15	1	0	19.41	21.55	< 33.01
			1	1	19.38	21.52	< 33.01
			36	18	19.28	21.42	< 33.01
			75	0	19.32	21.46	< 33.01
381500	1907.5	15	1	0	19.09	21.23	< 33.01
			1	1	19.08	21.22	< 33.01
			36	18	19.18	21.32	< 33.01
			75	0	19.17	21.31	< 33.01
372000	1860.0	20	1	0	19.31	21.45	< 33.01
			1	1	19.32	21.46	< 33.01
			50	25	19.37	21.51	< 33.01
			100	0	19.44	21.58	< 33.01
376500	1882.5	20	1	0	19.57	21.71	< 33.01
			1	1	19.35	21.49	< 33.01
			50	25	19.56	21.70	< 33.01
			100	0	19.35	21.49	< 33.01
381000	1905.0	20	1	0	19.33	21.47	< 33.01
			1	1	19.41	21.55	< 33.01
			50	25	19.55	21.69	< 33.01
			100	0	19.27	21.41	< 33.01

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

Test Band		n5_EN-DC					
Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	ERP (dBm)	Limit (dBm)
PI/2 BPSK							
165300	826.5	5	1	0	23.30	20.33	< 38.45
			1	1	23.25	20.28	< 38.45
			12	6	23.31	20.34	< 38.45
			25	0	23.31	20.34	< 38.45
167300	836.5	5	1	0	23.56	20.59	< 38.45
			1	1	23.54	20.57	< 38.45
			12	6	23.39	20.42	< 38.45
			25	0	23.44	20.47	< 38.45
169300	846.5	5	1	0	23.06	20.09	< 38.45
			1	1	23.14	20.17	< 38.45
			12	6	23.01	20.04	< 38.45
			25	0	23.12	20.15	< 38.45
165800	829.0	10	1	0	23.48	20.51	< 38.45
			1	1	23.39	20.42	< 38.45
			25	12	23.21	20.24	< 38.45
			50	0	23.15	20.18	< 38.45
167300	836.5	10	1	0	23.44	20.47	< 38.45
			1	1	23.55	20.58	< 38.45
			25	12	23.21	20.24	< 38.45
			50	0	23.20	20.23	< 38.45
168800	844.0	10	1	0	22.94	19.97	< 38.45
			1	1	22.94	19.97	< 38.45
			25	12	23.22	20.25	< 38.45
			50	0	23.06	20.09	< 38.45
Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15							

Test Band		n5_EN-DC					
Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	ERP (dBm)	Limit (dBm)
PI/2 BPSK							
166300	831.5	15	1	0	23.30	20.33	< 38.45
			1	1	23.31	20.34	< 38.45
			36	18	23.17	20.20	< 38.45
			75	0	23.31	20.34	< 38.45
167300	836.5	15	1	0	23.19	20.22	< 38.45
			1	1	23.18	20.21	< 38.45
			36	18	23.13	20.16	< 38.45
			75	0	23.19	20.22	< 38.45
168300	841.5	15	1	0	23.03	20.06	< 38.45
			1	1	23.06	20.09	< 38.45
			36	18	23.04	20.07	< 38.45
			75	0	23.14	20.17	< 38.45
166800	834.0	20	1	0	23.35	20.38	< 38.45
			1	1	23.26	20.29	< 38.45
			50	25	23.34	20.37	< 38.45
			100	0	23.21	20.24	< 38.45
167300	836.5	20	1	0	23.51	20.54	< 38.45
			1	1	23.19	20.22	< 38.45
			50	25	23.16	20.19	< 38.45
			100	0	23.11	20.14	< 38.45
167800	839.0	20	1	0	23.31	20.34	< 38.45
			1	1	23.35	20.38	< 38.45
			50	25	23.24	20.27	< 38.45
			100	0	23.37	20.40	< 38.45

Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15

Test Band		n5_EN-DC					
Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	ERP (dBm)	Limit (dBm)
QPSK							
165300	826.5	5	1	0	23.31	20.34	< 38.45
			1	1	23.35	20.38	< 38.45
			12	6	23.31	20.34	< 38.45
			25	0	23.31	20.34	< 38.45
167300	836.5	5	1	0	23.13	20.16	< 38.45
			1	1	23.14	20.17	< 38.45
			12	6	23.13	20.16	< 38.45
			25	0	23.08	20.11	< 38.45
169300	846.5	5	1	0	23.03	20.06	< 38.45
			1	1	22.97	20.00	< 38.45
			12	6	23.01	20.04	< 38.45
			25	0	23.05	20.08	< 38.45
165800	829.0	10	1	0	23.30	20.33	< 38.45
			1	1	23.22	20.25	< 38.45
			25	12	23.31	20.34	< 38.45
			50	0	23.34	20.37	< 38.45
167300	836.5	10	1	0	23.07	20.10	< 38.45
			1	1	23.09	20.12	< 38.45
			25	12	23.21	20.24	< 38.45
			50	0	23.15	20.18	< 38.45
168800	844.0	10	1	0	23.03	20.06	< 38.45
			1	1	22.93	19.96	< 38.45
			25	12	23.08	20.11	< 38.45
			50	0	23.07	20.10	< 38.45
Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15							

Test Band		n5_EN-DC					
Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	ERP (dBm)	Limit (dBm)
QPSK							
166300	831.5	15	1	0	23.28	20.31	< 38.45
			1	1	23.27	20.30	< 38.45
			36	18	23.23	20.26	< 38.45
			75	0	23.19	20.22	< 38.45
167300	836.5	15	1	0	23.15	20.18	< 38.45
			1	1	23.26	20.29	< 38.45
			36	18	23.14	20.17	< 38.45
			75	0	23.17	20.20	< 38.45
168300	841.5	15	1	0	23.46	20.49	< 38.45
			1	1	23.03	20.06	< 38.45
			36	18	23.11	20.14	< 38.45
			75	0	23.09	20.12	< 38.45
166800	834.0	20	1	0	23.26	20.29	< 38.45
			1	1	23.28	20.31	< 38.45
			50	25	23.14	20.17	< 38.45
			100	0	23.18	20.21	< 38.45
167300	836.5	20	1	0	23.28	20.31	< 38.45
			1	1	23.20	20.23	< 38.45
			50	25	23.18	20.21	< 38.45
			100	0	23.21	20.24	< 38.45
167800	839.0	20	1	0	23.13	20.16	< 38.45
			1	1	23.23	20.26	< 38.45
			50	25	23.20	20.23	< 38.45
			100	0	23.06	20.09	< 38.45
Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15							

Test Band		n5_EN-DC					
Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	ERP (dBm)	Limit (dBm)
16QAM							
165300	826.5	5	1	0	22.72	19.75	< 38.45
			1	1	23.91	20.94	< 38.45
			12	6	23.31	20.34	< 38.45
			25	0	22.38	19.41	< 38.45
167300	836.5	5	1	0	22.53	19.56	< 38.45
			1	1	23.50	20.53	< 38.45
			12	6	23.19	20.22	< 38.45
			25	0	22.19	19.22	< 38.45
169300	846.5	5	1	0	22.08	19.11	< 38.45
			1	1	22.96	19.99	< 38.45
			12	6	23.12	20.15	< 38.45
			25	0	22.14	19.17	< 38.45
165800	829.0	10	1	0	22.68	19.71	< 38.45
			1	1	23.81	20.84	< 38.45
			25	12	23.36	20.39	< 38.45
			50	0	22.31	19.34	< 38.45
167300	836.5	10	1	0	22.57	19.60	< 38.45
			1	1	24.10	21.13	< 38.45
			25	12	23.09	20.12	< 38.45
			50	0	22.10	19.13	< 38.45
168800	844.0	10	1	0	22.21	19.24	< 38.45
			1	1	22.98	20.01	< 38.45
			25	12	23.06	20.09	< 38.45
			50	0	22.01	19.04	< 38.45
Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15							

Test Band		n5_EN-DC					
Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	ERP (dBm)	Limit (dBm)
16QAM							
166300	831.5	15	1	0	22.21	19.24	< 38.45
			1	1	23.27	20.30	< 38.45
			36	18	23.21	20.24	< 38.45
			75	0	22.36	19.39	< 38.45
167300	836.5	15	1	0	22.55	19.58	< 38.45
			1	1	23.54	20.57	< 38.45
			36	18	23.06	20.09	< 38.45
			75	0	22.10	19.13	< 38.45
168300	841.5	15	1	0	22.25	19.28	< 38.45
			1	1	23.01	20.04	< 38.45
			36	18	23.16	20.19	< 38.45
			75	0	22.17	19.20	< 38.45
166800	834.0	20	1	0	22.54	19.57	< 38.45
			1	1	23.46	20.49	< 38.45
			50	25	23.23	20.26	< 38.45
			100	0	22.20	19.23	< 38.45
167300	836.5	20	1	0	22.25	19.28	< 38.45
			1	1	23.17	20.20	< 38.45
			50	25	23.04	20.07	< 38.45
			100	0	22.08	19.11	< 38.45
167800	839.0	20	1	0	22.51	19.54	< 38.45
			1	1	23.73	20.76	< 38.45
			50	25	23.11	20.14	< 38.45
			100	0	22.09	19.12	< 38.45
Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15							

Test Band		n5_EN-DC					
Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	ERP (dBm)	Limit (dBm)
64QAM							
165300	826.5	5	1	0	22.39	19.42	< 38.45
			1	1	22.51	19.54	< 38.45
			12	6	21.93	18.96	< 38.45
			25	0	21.88	18.91	< 38.45
167300	836.5	5	1	0	21.96	18.99	< 38.45
			1	1	21.98	19.01	< 38.45
			12	6	21.66	18.69	< 38.45
			25	0	21.60	18.63	< 38.45
169300	846.5	5	1	0	21.99	19.02	< 38.45
			1	1	21.98	19.01	< 38.45
			12	6	21.53	18.56	< 38.45
			25	0	21.50	18.53	< 38.45
165800	829.0	10	1	0	22.17	19.20	< 38.45
			1	1	22.20	19.23	< 38.45
			25	12	21.82	18.85	< 38.45
			50	0	21.87	18.90	< 38.45
167300	836.5	10	1	0	22.15	19.18	< 38.45
			1	1	22.15	19.18	< 38.45
			25	12	21.61	18.64	< 38.45
			50	0	21.63	18.66	< 38.45
168800	844.0	10	1	0	21.63	18.66	< 38.45
			1	1	21.61	18.64	< 38.45
			25	12	21.56	18.59	< 38.45
			50	0	21.53	18.56	< 38.45

Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15

Test Band		n5_EN-DC					
Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	ERP (dBm)	Limit (dBm)
64QAM							
166300	831.5	15	1	0	22.10	19.13	< 38.45
			1	1	22.01	19.04	< 38.45
			36	18	21.70	18.73	< 38.45
			75	0	21.74	18.77	< 38.45
167300	836.5	15	1	0	22.18	19.21	< 38.45
			1	1	22.19	19.22	< 38.45
			36	18	21.62	18.65	< 38.45
			75	0	21.58	18.61	< 38.45
168300	841.5	15	1	0	21.87	18.90	< 38.45
			1	1	21.97	19.00	< 38.45
			36	18	21.57	18.60	< 38.45
			75	0	21.57	18.60	< 38.45
166800	834.0	20	1	0	21.86	18.89	< 38.45
			1	1	21.87	18.90	< 38.45
			50	25	21.67	18.70	< 38.45
			100	0	21.67	18.70	< 38.45
167300	836.5	20	1	0	21.83	18.86	< 38.45
			1	1	21.85	18.88	< 38.45
			50	25	21.65	18.68	< 38.45
			100	0	21.61	18.64	< 38.45
167800	839.0	20	1	0	21.76	18.79	< 38.45
			1	1	21.78	18.81	< 38.45
			50	25	21.68	18.71	< 38.45
			100	0	21.56	18.59	< 38.45
Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15							

Test Band		n5_EN-DC					
Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	ERP (dBm)	Limit (dBm)
256QAM							
165300	826.5	5	1	0	19.74	16.77	< 38.45
			1	1	19.89	16.92	< 38.45
			12	6	19.76	16.79	< 38.45
			25	0	19.86	16.89	< 38.45
167300	836.5	5	1	0	19.67	16.70	< 38.45
			1	1	19.68	16.71	< 38.45
			12	6	19.50	16.53	< 38.45
			25	0	19.52	16.55	< 38.45
169300	846.5	5	1	0	19.23	16.26	< 38.45
			1	1	19.22	16.25	< 38.45
			12	6	19.35	16.38	< 38.45
			25	0	19.28	16.31	< 38.45
165800	829.0	10	1	0	19.83	16.86	< 38.45
			1	1	19.77	16.80	< 38.45
			25	12	19.55	16.58	< 38.45
			50	0	19.81	16.84	< 38.45
167300	836.5	10	1	0	19.61	16.64	< 38.45
			1	1	19.53	16.56	< 38.45
			25	12	19.57	16.60	< 38.45
			50	0	19.58	16.61	< 38.45
168800	844.0	10	1	0	19.88	16.91	< 38.45
			1	1	19.68	16.71	< 38.45
			25	12	19.78	16.81	< 38.45
			50	0	19.75	16.78	< 38.45
Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15							

Test Band		n5_EN-DC					
Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	ERP (dBm)	Limit (dBm)
256QAM							
166300	831.5	15	1	0	19.86	16.89	< 38.45
			1	1	19.76	16.79	< 38.45
			36	18	19.74	16.77	< 38.45
			75	0	19.75	16.78	< 38.45
167300	836.5	15	1	0	19.68	16.71	< 38.45
			1	1	19.64	16.67	< 38.45
			36	18	19.58	16.61	< 38.45
			75	0	19.69	16.72	< 38.45
168300	841.5	15	1	0	19.56	16.59	< 38.45
			1	1	19.54	16.57	< 38.45
			36	18	19.53	16.56	< 38.45
			75	0	19.58	16.61	< 38.45
166800	834.0	20	1	0	19.84	16.87	< 38.45
			1	1	19.86	16.89	< 38.45
			50	25	19.67	16.70	< 38.45
			100	0	19.66	16.69	< 38.45
167300	836.5	20	1	0	19.78	16.81	< 38.45
			1	1	19.77	16.80	< 38.45
			50	25	19.63	16.66	< 38.45
			100	0	19.70	16.73	< 38.45
167800	839.0	20	1	0	19.59	16.62	< 38.45
			1	1	19.69	16.72	< 38.45
			50	25	19.67	16.70	< 38.45
			100	0	19.63	16.66	< 38.45

Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15

Test Band		n7_EN-DC					
Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
PI/2 BPSK							
500500	2502.5	5	1	0	22.73	25.04	< 33.01
			1	1	22.72	25.03	< 33.01
			12	6	22.81	25.12	< 33.01
			25	0	22.88	25.19	< 33.01
507000	2535.0	5	1	0	22.43	24.74	< 33.01
			1	1	22.51	24.82	< 33.01
			12	6	22.67	24.98	< 33.01
			25	0	22.61	24.92	< 33.01
513500	2567.5	5	1	0	22.51	24.82	< 33.01
			1	1	22.58	24.89	< 33.01
			12	6	22.55	24.86	< 33.01
			25	0	22.55	24.86	< 33.01
501000	2505.0	10	1	0	22.71	25.02	< 33.01
			1	1	22.80	25.11	< 33.01
			25	12	22.85	25.16	< 33.01
			50	0	22.87	25.18	< 33.01
507000	2535.0	10	1	0	22.65	24.96	< 33.01
			1	1	22.53	24.84	< 33.01
			25	12	22.71	25.02	< 33.01
			50	0	22.66	24.97	< 33.01
513000	2565.0	10	1	0	22.44	24.75	< 33.01
			1	1	22.58	24.89	< 33.01
			25	12	22.66	24.97	< 33.01
			50	0	22.53	24.84	< 33.01

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

Test Band		n7_EN-DC					
Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
PI/2 BPSK							
501500	2507.5	15	1	0	22.97	25.28	< 33.01
			1	1	23.20	25.51	< 33.01
			36	18	22.91	25.22	< 33.01
			75	0	22.96	25.27	< 33.01
507000	2535.0	15	1	0	22.68	24.99	< 33.01
			1	1	22.65	24.96	< 33.01
			36	18	22.67	24.98	< 33.01
			75	0	22.76	25.07	< 33.01
512500	2562.5	15	1	0	22.66	24.97	< 33.01
			1	1	22.64	24.95	< 33.01
			36	18	22.62	24.93	< 33.01
			75	0	22.52	24.83	< 33.01
502000	2510.0	20	1	0	22.89	25.20	< 33.01
			1	1	22.98	25.29	< 33.01
			50	25	22.93	25.24	< 33.01
			100	0	22.87	25.18	< 33.01
507000	2535.0	20	1	0	23.01	25.32	< 33.01
			1	1	23.08	25.39	< 33.01
			50	25	22.98	25.29	< 33.01
			100	0	23.03	25.34	< 33.01
512000	2560.0	20	1	0	22.97	25.28	< 33.01
			1	1	22.89	25.20	< 33.01
			50	25	22.86	25.17	< 33.01
			100	0	22.92	25.23	< 33.01

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

Test Band		n7_EN-DC					
Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
QPSK							
500500	2502.5	5	1	0	22.79	25.10	< 33.01
			1	1	22.72	25.03	< 33.01
			12	6	22.83	25.14	< 33.01
			25	0	22.85	25.16	< 33.01
507000	2535.0	5	1	0	22.50	24.81	< 33.01
			1	1	22.49	24.80	< 33.01
			12	6	22.51	24.82	< 33.01
			25	0	22.56	24.87	< 33.01
513500	2567.5	5	1	0	22.53	24.84	< 33.01
			1	1	22.46	24.77	< 33.01
			12	6	22.51	24.82	< 33.01
			25	0	22.61	24.92	< 33.01
501000	2505.0	10	1	0	22.86	25.17	< 33.01
			1	1	22.76	25.07	< 33.01
			25	12	22.83	25.14	< 33.01
			50	0	22.83	25.14	< 33.01
507000	2535.0	10	1	0	22.60	24.91	< 33.01
			1	1	22.58	24.89	< 33.01
			25	12	22.66	24.97	< 33.01
			50	0	22.69	25.00	< 33.01
513000	2565.0	10	1	0	22.71	25.02	< 33.01
			1	1	22.39	24.70	< 33.01
			25	12	22.57	24.88	< 33.01
			50	0	22.53	24.84	< 33.01

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

Test Band		n7_EN-DC					
Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
QPSK							
501500	2507.5	15	1	0	22.95	25.26	< 33.01
			1	1	23.32	25.63	< 33.01
			36	18	22.94	25.25	< 33.01
			75	0	22.97	25.28	< 33.01
507000	2535.0	15	1	0	22.69	25.00	< 33.01
			1	1	22.72	25.03	< 33.01
			36	18	22.61	24.92	< 33.01
			75	0	22.69	25.00	< 33.01
512500	2562.5	15	1	0	22.54	24.85	< 33.01
			1	1	22.51	24.82	< 33.01
			36	18	22.60	24.91	< 33.01
			75	0	22.68	24.99	< 33.01
502000	2510.0	20	1	0	22.97	25.28	< 33.01
			1	1	22.89	25.20	< 33.01
			50	25	22.90	25.21	< 33.01
			100	0	22.93	25.24	< 33.01
507000	2535.0	20	1	0	22.85	25.16	< 33.01
			1	1	22.83	25.14	< 33.01
			50	25	22.69	25.00	< 33.01
			100	0	22.91	25.22	< 33.01
512000	2560.0	20	1	0	22.81	25.12	< 33.01
			1	1	22.76	25.07	< 33.01
			50	25	22.69	25.00	< 33.01
			100	0	22.99	25.30	< 33.01

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

Test Band		n7_EN-DC					
Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
16QAM							
500500	2502.5	5	1	0	21.64	23.95	< 33.01
			1	1	22.61	24.92	< 33.01
			12	6	22.90	25.21	< 33.01
			25	0	21.97	24.28	< 33.01
507000	2535.0	5	1	0	21.68	23.99	< 33.01
			1	1	22.85	25.16	< 33.01
			12	6	22.64	24.95	< 33.01
			25	0	21.63	23.94	< 33.01
513500	2567.5	5	1	0	21.11	23.42	< 33.01
			1	1	22.32	24.63	< 33.01
			12	6	22.45	24.76	< 33.01
			25	0	21.62	23.93	< 33.01
501000	2505.0	10	1	0	21.95	24.26	< 33.01
			1	1	22.97	25.28	< 33.01
			25	12	22.79	25.10	< 33.01
			50	0	21.89	24.20	< 33.01
507000	2535.0	10	1	0	21.51	23.82	< 33.01
			1	1	22.35	24.66	< 33.01
			25	12	22.78	25.09	< 33.01
			50	0	21.75	24.06	< 33.01
513000	2565.0	10	1	0	21.54	23.85	< 33.01
			1	1	22.81	25.12	< 33.01
			25	12	22.53	24.84	< 33.01
			50	0	21.52	23.83	< 33.01

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

Test Band		n7_EN-DC					
Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
16QAM							
501500	2507.5	15	1	0	21.97	24.28	< 33.01
			1	1	22.73	25.04	< 33.01
			36	18	23.01	25.32	< 33.01
			75	0	22.03	24.34	< 33.01
507000	2535.0	15	1	0	22.45	24.76	< 33.01
			1	1	22.85	25.16	< 33.01
			36	18	22.64	24.95	< 33.01
			75	0	21.63	23.94	< 33.01
512500	2562.5	15	1	0	21.36	23.67	< 33.01
			1	1	22.33	24.64	< 33.01
			36	18	22.72	25.03	< 33.01
			75	0	21.44	23.75	< 33.01
502000	2510.0	20	1	0	22.15	24.46	< 33.01
			1	1	23.16	25.47	< 33.01
			50	25	22.80	25.11	< 33.01
			100	0	21.93	24.24	< 33.01
507000	2535.0	20	1	0	22.06	24.37	< 33.01
			1	1	22.74	25.05	< 33.01
			50	25	22.45	24.76	< 33.01
			100	0	22.06	24.37	< 33.01
512000	2560.0	20	1	0	22.67	24.98	< 33.01
			1	1	22.59	24.90	< 33.01
			50	25	22.63	24.94	< 33.01
			100	0	22.59	24.90	< 33.01

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

Test Band		n7_EN-DC					
Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
64QAM							
500500	2502.5	5	1	0	21.64	23.95	< 33.01
			1	1	21.65	23.96	< 33.01
			12	6	21.30	23.61	< 33.01
			25	0	21.39	23.70	< 33.01
507000	2535.0	5	1	0	21.30	23.61	< 33.01
			1	1	21.23	23.54	< 33.01
			12	6	21.11	23.42	< 33.01
			25	0	21.09	23.40	< 33.01
513500	2567.5	5	1	0	21.21	23.52	< 33.01
			1	1	21.31	23.62	< 33.01
			12	6	21.08	23.39	< 33.01
			25	0	20.12	22.43	< 33.01
501000	2505.0	10	1	0	21.27	23.58	< 33.01
			1	1	21.26	23.57	< 33.01
			25	12	21.38	23.69	< 33.01
			50	0	21.43	23.74	< 33.01
507000	2535.0	10	1	0	21.34	23.65	< 33.01
			1	1	21.32	23.63	< 33.01
			25	12	21.26	23.57	< 33.01
			50	0	21.20	23.51	< 33.01
513000	2565.0	10	1	0	21.15	23.46	< 33.01
			1	1	21.16	23.47	< 33.01
			25	12	21.01	23.32	< 33.01
			50	0	21.02	23.33	< 33.01

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

Test Band		n7_EN-DC					
Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
64QAM							
501500	2507.5	15	1	0	21.83	24.14	< 33.01
			1	1	21.64	23.95	< 33.01
			36	18	21.53	23.84	< 33.01
			75	0	21.49	23.80	< 33.01
507000	2535.0	15	1	0	21.57	23.88	< 33.01
			1	1	21.45	23.76	< 33.01
			36	18	21.30	23.61	< 33.01
			75	0	21.06	23.37	< 33.01
512500	2562.5	15	1	0	21.57	23.88	< 33.01
			1	1	21.45	23.76	< 33.01
			36	18	21.12	23.43	< 33.01
			75	0	21.06	23.37	< 33.01
502000	2510.0	20	1	0	21.09	23.40	< 33.01
			1	1	21.77	24.08	< 33.01
			50	25	21.44	23.75	< 33.01
			100	0	21.40	23.71	< 33.01
507000	2535.0	20	1	0	21.13	23.44	< 33.01
			1	1	21.65	23.96	< 33.01
			50	25	21.59	23.90	< 33.01
			100	0	21.66	23.97	< 33.01
512000	2560.0	20	1	0	21.68	23.99	< 33.01
			1	1	21.69	24.00	< 33.01
			50	25	21.88	24.19	< 33.01
			100	0	21.79	24.10	< 33.01

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

Test Band		n7_EN-DC					
Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
256QAM							
500500	2502.5	5	1	0	19.17	21.48	< 33.01
			1	1	19.16	21.47	< 33.01
			12	6	19.22	21.53	< 33.01
			25	0	19.32	21.63	< 33.01
507000	2535.0	5	1	0	19.26	21.57	< 33.01
			1	1	19.18	21.49	< 33.01
			12	6	19.21	21.52	< 33.01
			25	0	19.41	21.72	< 33.01
513500	2567.5	5	1	0	19.31	21.62	< 33.01
			1	1	19.26	21.57	< 33.01
			12	6	19.25	21.56	< 33.01
			25	0	19.33	21.64	< 33.01
501000	2505.0	10	1	0	19.22	21.53	< 33.01
			1	1	19.22	21.53	< 33.01
			25	12	19.27	21.58	< 33.01
			50	0	19.31	21.62	< 33.01
507000	2535.0	10	1	0	19.13	21.44	< 33.01
			1	1	19.13	21.44	< 33.01
			25	12	19.15	21.46	< 33.01
			50	0	19.18	21.49	< 33.01
513000	2565.0	10	1	0	18.91	21.22	< 33.01
			1	1	18.93	21.24	< 33.01
			25	12	19.01	21.32	< 33.01
			50	0	18.94	21.25	< 33.01

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

Test Band		n7_EN-DC					
Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
256QAM							
501500	2507.5	15	1	0	19.50	21.81	< 33.01
			1	1	19.21	21.52	< 33.01
			36	18	19.41	21.72	< 33.01
			75	0	19.43	21.74	< 33.01
507000	2535.0	15	1	0	18.89	21.20	< 33.01
			1	1	18.87	21.18	< 33.01
			36	18	19.07	21.38	< 33.01
			75	0	19.12	21.43	< 33.01
512500	2562.5	15	1	0	18.96	21.27	< 33.01
			1	1	18.99	21.30	< 33.01
			36	18	19.12	21.43	< 33.01
			75	0	19.03	21.34	< 33.01
502000	2510.0	20	1	0	19.17	21.48	< 33.01
			1	1	19.16	21.47	< 33.01
			50	25	19.36	21.67	< 33.01
			100	0	19.40	21.71	< 33.01
507000	2535.0	20	1	0	19.23	21.54	< 33.01
			1	1	19.32	21.63	< 33.01
			50	25	19.39	21.70	< 33.01
			100	0	19.25	21.56	< 33.01
512000	2560.0	20	1	0	19.36	21.67	< 33.01
			1	1	19.44	21.75	< 33.01
			50	25	19.41	21.72	< 33.01
			100	0	19.30	21.61	< 33.01

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

Test Band		n12_EN-DC					
Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	ERP (dBm)	Limit (dBm)
PI/2 BPSK							
140300	701.5	5	1	0	23.47	21.97	< 34.77
			1	1	23.60	22.10	< 34.77
			12	6	23.51	22.01	< 34.77
			25	0	23.48	21.98	< 34.77
141500	707.5	5	1	0	23.34	21.84	< 34.77
			1	1	23.29	21.79	< 34.77
			12	6	23.39	21.89	< 34.77
			25	0	23.38	21.88	< 34.77
142700	713.5	5	1	0	23.25	21.75	< 34.77
			1	1	23.31	21.81	< 34.77
			12	6	23.51	22.01	< 34.77
			25	0	23.21	21.71	< 34.77
140800	704.0	10	1	0	23.38	21.88	< 34.77
			1	1	23.42	21.92	< 34.77
			25	12	23.40	21.90	< 34.77
			50	0	23.46	21.96	< 34.77
141500	707.5	10	1	0	23.31	21.81	< 34.77
			1	1	23.41	21.91	< 34.77
			25	12	23.32	21.82	< 34.77
			50	0	23.33	21.83	< 34.77
142200	711.0	10	1	0	23.26	21.76	< 34.77
			1	1	23.39	21.89	< 34.77
			25	12	23.24	21.74	< 34.77
			50	0	23.27	21.77	< 34.77
Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15							

Test Band		n12_EN-DC					
Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	ERP (dBm)	Limit (dBm)
PI/2 BPSK							
141300	706.5	15	1	0	23.37	21.87	< 34.77
			1	1	23.51	22.01	< 34.77
			36	18	23.32	21.82	< 34.77
			75	0	23.28	21.78	< 34.77
141500	707.5	15	1	0	23.33	21.83	< 34.77
			1	1	23.32	21.82	< 34.77
			36	18	23.31	21.81	< 34.77
			75	0	23.26	21.76	< 34.77
141700	708.5	15	1	0	23.46	21.96	< 34.77
			1	1	23.53	22.03	< 34.77
			36	18	23.33	21.83	< 34.77
			75	0	23.36	21.86	< 34.77
Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15							

Test Band		n12_EN-DC					
Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	ERP (dBm)	Limit (dBm)
QPSK							
140300	701.5	5	1	0	23.50	22.00	< 34.77
			1	1	23.43	21.93	< 34.77
			12	6	23.45	21.95	< 34.77
			25	0	23.48	21.98	< 34.77
141500	707.5	5	1	0	23.39	21.89	< 34.77
			1	1	23.37	21.87	< 34.77
			12	6	23.39	21.89	< 34.77
			25	0	23.34	21.84	< 34.77
142700	713.5	5	1	0	23.30	21.80	< 34.77
			1	1	23.22	21.72	< 34.77
			12	6	23.19	21.69	< 34.77
			25	0	23.28	21.78	< 34.77
140800	704.0	10	1	0	23.42	21.92	< 34.77
			1	1	23.46	21.96	< 34.77
			25	12	23.44	21.94	< 34.77
			50	0	23.38	21.88	< 34.77
141500	707.5	10	1	0	23.33	21.83	< 34.77
			1	1	23.25	21.75	< 34.77
			25	12	23.32	21.82	< 34.77
			50	0	23.30	21.80	< 34.77
142200	711.0	10	1	0	23.29	21.79	< 34.77
			1	1	23.23	21.73	< 34.77
			25	12	23.26	21.76	< 34.77
			50	0	23.31	21.81	< 34.77
Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15							

Test Band		n12_EN-DC					
Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	ERP (dBm)	Limit (dBm)
QPSK							
141300	706.5	15	1	0	23.36	21.86	< 34.77
			1	1	23.35	21.85	< 34.77
			36	18	23.29	21.79	< 34.77
			75	0	23.30	21.80	< 34.77
141500	707.5	15	1	0	23.42	21.92	< 34.77
			1	1	23.58	22.08	< 34.77
			36	18	23.25	21.75	< 34.77
			75	0	23.33	21.83	< 34.77
141700	708.5	15	1	0	23.44	21.94	< 34.77
			1	1	23.41	21.91	< 34.77
			36	18	23.42	21.92	< 34.77
			75	0	23.35	21.85	< 34.77
Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15							

Test Band		n12_EN-DC					
Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	ERP (dBm)	Limit (dBm)
16QAM							
140300	701.5	5	1	0	23.61	22.11	< 34.77
			1	1	23.45	21.95	< 34.77
			12	6	23.55	22.05	< 34.77
			25	0	22.51	21.01	< 34.77
141500	707.5	5	1	0	22.28	20.78	< 34.77
			1	1	23.30	21.80	< 34.77
			12	6	22.50	21.00	< 34.77
			25	0	22.47	20.97	< 34.77
142700	713.5	5	1	0	22.67	21.17	< 34.77
			1	1	23.65	22.15	< 34.77
			12	6	23.26	21.76	< 34.77
			25	0	22.29	20.79	< 34.77
140800	704.0	10	1	0	22.83	21.33	< 34.77
			1	1	23.70	22.20	< 34.77
			25	12	23.42	21.92	< 34.77
			50	0	22.47	20.97	< 34.77
141500	707.5	10	1	0	22.79	21.29	< 34.77
			1	1	23.63	22.13	< 34.77
			25	12	23.42	21.92	< 34.77
			50	0	22.39	20.89	< 34.77
142200	711.0	10	1	0	22.66	21.16	< 34.77
			1	1	23.62	22.12	< 34.77
			25	12	23.29	21.79	< 34.77
			50	0	22.33	20.83	< 34.77
Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15							

Test Band		n12_EN-DC					
Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	ERP (dBm)	Limit (dBm)
16QAM							
141300	706.5	15	1	0	22.71	21.21	< 34.77
			1	1	23.65	22.15	< 34.77
			36	18	23.33	21.83	< 34.77
			75	0	22.30	20.80	< 34.77
141500	707.5	15	1	0	22.76	21.26	< 34.77
			1	1	23.80	22.30	< 34.77
			36	18	23.29	21.79	< 34.77
			75	0	22.30	20.80	< 34.77
141700	708.5	15	1	0	22.59	21.09	< 34.77
			1	1	23.96	22.46	< 34.77
			36	18	23.36	21.86	< 34.77
			75	0	22.33	20.83	< 34.77
Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15							

Test Band		n12_EN-DC					
Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	ERP (dBm)	Limit (dBm)
64QAM							
140300	701.5	5	1	0	22.53	21.03	< 34.77
			1	1	22.56	21.06	< 34.77
			12	6	22.06	20.56	< 34.77
			25	0	21.97	20.47	< 34.77
141500	707.5	5	1	0	22.18	20.68	< 34.77
			1	1	22.23	20.73	< 34.77
			12	6	21.92	20.42	< 34.77
			25	0	21.81	20.31	< 34.77
142700	713.5	5	1	0	22.28	20.78	< 34.77
			1	1	22.29	20.79	< 34.77
			12	6	21.75	20.25	< 34.77
			25	0	21.71	20.21	< 34.77
140800	704.0	10	1	0	21.98	20.48	< 34.77
			1	1	22.02	20.52	< 34.77
			25	12	21.77	20.27	< 34.77
			50	0	22.05	20.55	< 34.77
141500	707.5	10	1	0	22.13	20.63	< 34.77
			1	1	22.25	20.75	< 34.77
			25	12	21.85	20.35	< 34.77
			50	0	21.84	20.34	< 34.77
142200	711.0	10	1	0	21.87	20.37	< 34.77
			1	1	21.89	20.39	< 34.77
			25	12	21.77	20.27	< 34.77
			50	0	21.76	20.26	< 34.77
Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15							

Test Band		n12_EN-DC					
Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	ERP (dBm)	Limit (dBm)
64QAM							
141300	706.5	15	1	0	22.01	20.51	< 34.77
			1	1	21.95	20.45	< 34.77
			36	18	21.80	20.30	< 34.77
			75	0	21.77	20.27	< 34.77
141500	707.5	15	1	0	22.04	20.54	< 34.77
			1	1	22.03	20.53	< 34.77
			36	18	21.80	20.30	< 34.77
			75	0	21.78	20.28	< 34.77
141700	708.5	15	1	0	22.05	20.55	< 34.77
			1	1	22.03	20.53	< 34.77
			36	18	21.91	20.41	< 34.77
			75	0	21.81	20.31	< 34.77
Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15							

Test Band		n12_EN-DC					
Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	ERP (dBm)	Limit (dBm)
256QAM							
140300	701.5	5	1	0	19.83	18.33	< 34.77
			1	1	19.78	18.28	< 34.77
			12	6	19.79	18.29	< 34.77
			25	0	19.85	18.35	< 34.77
141500	707.5	5	1	0	19.78	18.28	< 34.77
			1	1	19.93	18.43	< 34.77
			12	6	19.89	18.39	< 34.77
			25	0	19.80	18.30	< 34.77
142700	713.5	5	1	0	19.73	18.23	< 34.77
			1	1	19.75	18.25	< 34.77
			12	6	19.62	18.12	< 34.77
			25	0	19.64	18.14	< 34.77
140800	704.0	10	1	0	19.65	18.15	< 34.77
			1	1	19.72	18.22	< 34.77
			25	12	19.82	18.32	< 34.77
			50	0	19.79	18.29	< 34.77
141500	707.5	10	1	0	19.72	18.22	< 34.77
			1	1	19.73	18.23	< 34.77
			25	12	19.72	18.22	< 34.77
			50	0	19.82	18.32	< 34.77
142200	711.0	10	1	0	19.72	18.22	< 34.77
			1	1	19.78	18.28	< 34.77
			25	12	19.75	18.25	< 34.77
			50	0	19.77	18.27	< 34.77
Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15							

Test Band		n12_EN-DC					
Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	ERP (dBm)	Limit (dBm)
256QAM							
141300	706.5	15	1	0	19.94	18.44	< 34.77
			1	1	19.97	18.47	< 34.77
			36	18	19.78	18.28	< 34.77
			75	0	19.80	18.30	< 34.77
141500	707.5	15	1	0	19.93	18.43	< 34.77
			1	1	19.94	18.44	< 34.77
			36	18	19.79	18.29	< 34.77
			75	0	19.73	18.23	< 34.77
141700	708.5	15	1	0	19.75	18.25	< 34.77
			1	1	20.21	18.71	< 34.77
			36	18	19.81	18.31	< 34.77
			75	0	19.78	18.28	< 34.77
Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15							

Test Band		n66_EN-DC					
Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
PI/2 BPSK							
342500	1712.5	5	1	0	22.69	25.33	< 30.00
			1	1	22.59	25.23	< 30.00
			12	6	22.86	25.50	< 30.00
			25	0	22.83	25.47	< 30.00
349000	1745.0	5	1	0	22.66	25.30	< 30.00
			1	1	22.65	25.29	< 30.00
			12	6	22.81	25.45	< 30.00
			25	0	22.89	25.53	< 30.00
355500	1777.5	5	1	0	22.56	25.20	< 30.00
			1	1	22.57	25.21	< 30.00
			12	6	22.69	25.33	< 30.00
			25	0	22.73	25.37	< 30.00
343000	1715.0	10	1	0	22.64	25.28	< 30.00
			1	1	22.68	25.32	< 30.00
			25	12	22.93	25.57	< 30.00
			50	0	22.79	25.43	< 30.00
349000	1745.0	10	1	0	22.45	25.09	< 30.00
			1	1	22.26	24.90	< 30.00
			25	12	22.35	24.99	< 30.00
			50	0	22.33	24.97	< 30.00
355000	1775.0	10	1	0	22.85	25.49	< 30.00
			1	1	22.65	25.29	< 30.00
			25	12	22.77	25.41	< 30.00
			50	0	22.66	25.30	< 30.00

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

Test Band		n66_EN-DC					
Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
PI/2 BPSK							
343500	1717.5	15	1	0	22.81	25.45	< 30.00
			1	1	22.69	25.33	< 30.00
			36	18	22.81	25.45	< 30.00
			75	0	22.74	25.38	< 30.00
349000	1745.0	15	1	0	22.68	25.32	< 30.00
			1	1	22.72	25.36	< 30.00
			36	18	22.70	25.34	< 30.00
			75	0	22.76	25.40	< 30.00
354500	1772.5	15	1	0	22.69	25.33	< 30.00
			1	1	22.61	25.25	< 30.00
			36	18	22.60	25.24	< 30.00
			75	0	22.62	25.26	< 30.00
344000	1720.0	20	1	0	22.89	25.53	< 30.00
			1	1	22.79	25.43	< 30.00
			50	25	22.67	25.31	< 30.00
			100	0	22.80	25.44	< 30.00
349000	1745.0	20	1	0	22.88	25.52	< 30.00
			1	1	22.79	25.43	< 30.00
			50	25	22.76	25.40	< 30.00
			100	0	22.91	25.55	< 30.00
354000	1770.0	20	1	0	22.78	25.42	< 30.00
			1	1	22.69	25.33	< 30.00
			50	25	22.85	25.49	< 30.00
			100	0	22.78	25.42	< 30.00

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

Test Band		n66_EN-DC					
Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
QPSK							
342500	1712.5	5	1	0	22.69	25.33	< 30.00
			1	1	22.63	25.27	< 30.00
			12	6	22.77	25.41	< 30.00
			25	0	22.79	25.43	< 30.00
349000	1745.0	5	1	0	22.66	25.30	< 30.00
			1	1	22.69	25.33	< 30.00
			12	6	22.78	25.42	< 30.00
			25	0	22.88	25.52	< 30.00
355500	1777.5	5	1	0	22.59	25.23	< 30.00
			1	1	22.53	25.17	< 30.00
			12	6	22.69	25.33	< 30.00
			25	0	22.62	25.26	< 30.00
343000	1715.0	10	1	0	22.80	25.44	< 30.00
			1	1	22.83	25.47	< 30.00
			25	12	22.91	25.55	< 30.00
			50	0	22.81	25.45	< 30.00
349000	1745.0	10	1	0	22.79	25.43	< 30.00
			1	1	22.85	25.49	< 30.00
			25	12	22.86	25.50	< 30.00
			50	0	22.63	25.27	< 30.00
355000	1775.0	10	1	0	22.61	25.25	< 30.00
			1	1	22.53	25.17	< 30.00
			25	12	22.56	25.20	< 30.00
			50	0	22.58	25.22	< 30.00

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

Test Band		n66_EN-DC					
Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
QPSK							
343500	1717.5	15	1	0	22.87	25.51	< 30.00
			1	1	22.85	25.49	< 30.00
			36	18	22.88	25.52	< 30.00
			75	0	23.01	25.65	< 30.00
349000	1745.0	15	1	0	22.78	25.42	< 30.00
			1	1	22.75	25.39	< 30.00
			36	18	22.75	25.39	< 30.00
			75	0	22.82	25.46	< 30.00
354500	1772.5	15	1	0	22.62	25.26	< 30.00
			1	1	22.58	25.22	< 30.00
			36	18	22.61	25.25	< 30.00
			75	0	22.67	25.31	< 30.00
344000	1720.0	20	1	0	22.88	25.52	< 30.00
			1	1	23.20	25.84	< 30.00
			50	25	22.87	25.51	< 30.00
			100	0	22.89	25.53	< 30.00
349000	1745.0	20	1	0	22.83	25.47	< 30.00
			1	1	22.83	25.47	< 30.00
			50	25	22.67	25.31	< 30.00
			100	0	22.80	25.44	< 30.00
354000	1770.0	20	1	0	22.71	25.35	< 30.00
			1	1	22.60	25.24	< 30.00
			50	25	22.78	25.42	< 30.00
			100	0	22.77	25.41	< 30.00

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

Test Band		n66_EN-DC					
Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
16QAM							
342500	1712.5	5	1	0	21.72	24.36	< 30.00
			1	1	22.49	25.13	< 30.00
			12	6	22.87	25.51	< 30.00
			25	0	21.87	24.51	< 30.00
349000	1745.0	5	1	0	21.90	24.54	< 30.00
			1	1	23.10	25.74	< 30.00
			12	6	22.92	25.56	< 30.00
			25	0	21.90	24.54	< 30.00
355500	1777.5	5	1	0	21.31	23.95	< 30.00
			1	1	22.46	25.10	< 30.00
			12	6	22.64	25.28	< 30.00
			25	0	21.74	24.38	< 30.00
343000	1715.0	10	1	0	21.57	24.21	< 30.00
			1	1	22.62	25.26	< 30.00
			25	12	22.76	25.40	< 30.00
			50	0	21.77	24.41	< 30.00
349000	1745.0	10	1	0	21.69	24.33	< 30.00
			1	1	22.67	25.31	< 30.00
			25	12	22.59	25.23	< 30.00
			50	0	22.45	25.09	< 30.00
355000	1775.0	10	1	0	22.23	24.87	< 30.00
			1	1	22.36	25.00	< 30.00
			25	12	22.63	25.27	< 30.00
			50	0	22.68	25.32	< 30.00

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

Test Band		n66_EN-DC					
Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
16QAM							
343500	1717.5	15	1	0	21.67	24.31	< 30.00
			1	1	22.68	25.32	< 30.00
			36	18	22.96	25.60	< 30.00
			75	0	22.01	24.65	< 30.00
349000	1745.0	15	1	0	21.91	24.55	< 30.00
			1	1	23.04	25.68	< 30.00
			36	18	22.68	25.32	< 30.00
			75	0	21.77	24.41	< 30.00
354500	1772.5	15	1	0	22.25	24.89	< 30.00
			1	1	22.52	25.16	< 30.00
			36	18	22.68	25.32	< 30.00
			75	0	22.68	25.32	< 30.00
344000	1720.0	20	1	0	21.77	24.41	< 30.00
			1	1	22.76	25.40	< 30.00
			50	25	22.86	25.50	< 30.00
			100	0	21.82	24.46	< 30.00
349000	1745.0	20	1	0	22.00	24.64	< 30.00
			1	1	23.09	25.73	< 30.00
			50	25	22.76	25.40	< 30.00
			100	0	21.75	24.39	< 30.00
354000	1770.0	20	1	0	22.70	25.34	< 30.00
			1	1	22.59	25.23	< 30.00
			50	25	22.75	25.39	< 30.00
			100	0	22.68	25.32	< 30.00

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

Test Band		n66_EN-DC					
Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
64QAM							
342500	1712.5	5	1	0	21.72	24.36	< 30.00
			1	1	21.38	24.02	< 30.00
			12	6	21.34	23.98	< 30.00
			25	0	21.37	24.01	< 30.00
349000	1745.0	5	1	0	21.52	24.16	< 30.00
			1	1	21.45	24.09	< 30.00
			12	6	21.39	24.03	< 30.00
			25	0	21.41	24.05	< 30.00
355500	1777.5	5	1	0	21.39	24.03	< 30.00
			1	1	21.41	24.05	< 30.00
			12	6	22.22	24.86	< 30.00
			25	0	21.15	23.79	< 30.00
343000	1715.0	10	1	0	21.45	24.09	< 30.00
			1	1	21.49	24.13	< 30.00
			25	12	21.28	23.92	< 30.00
			50	0	21.21	23.85	< 30.00
349000	1745.0	10	1	0	21.44	24.08	< 30.00
			1	1	21.25	23.89	< 30.00
			25	12	21.46	24.10	< 30.00
			50	0	21.33	23.97	< 30.00
355000	1775.0	10	1	0	21.29	23.93	< 30.00
			1	1	21.31	23.95	< 30.00
			25	12	21.16	23.80	< 30.00
			50	0	21.13	23.77	< 30.00

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

Test Band		n66_EN-DC					
Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
64QAM							
343500	1717.5	15	1	0	21.57	24.21	< 30.00
			1	1	21.59	24.23	< 30.00
			36	18	21.36	24.00	< 30.00
			75	0	21.32	23.96	< 30.00
349000	1745.0	15	1	0	21.76	24.40	< 30.00
			1	1	21.66	24.30	< 30.00
			36	18	21.25	23.89	< 30.00
			75	0	21.27	23.91	< 30.00
354500	1772.5	15	1	0	21.58	24.22	< 30.00
			1	1	21.56	24.20	< 30.00
			36	18	21.19	23.83	< 30.00
			75	0	21.18	23.82	< 30.00
344000	1720.0	20	1	0	21.68	24.32	< 30.00
			1	1	21.60	24.24	< 30.00
			50	25	21.38	24.02	< 30.00
			100	0	21.43	24.07	< 30.00
349000	1745.0	20	1	0	21.63	24.27	< 30.00
			1	1	21.75	24.39	< 30.00
			50	25	21.17	23.81	< 30.00
			100	0	21.22	23.86	< 30.00
354000	1770.0	20	1	0	21.62	24.26	< 30.00
			1	1	21.50	24.14	< 30.00
			50	25	21.15	23.79	< 30.00
			100	0	21.21	23.85	< 30.00

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

Test Band		n66_EN-DC					
Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
256QAM							
342500	1712.5	5	1	0	19.21	21.85	< 30.00
			1	1	19.23	21.87	< 30.00
			12	6	19.29	21.93	< 30.00
			25	0	19.27	21.91	< 30.00
349000	1745.0	5	1	0	19.23	21.87	< 30.00
			1	1	19.16	21.80	< 30.00
			12	6	19.25	21.89	< 30.00
			25	0	19.29	21.93	< 30.00
355500	1777.5	5	1	0	19.25	21.89	< 30.00
			1	1	19.27	21.91	< 30.00
			12	6	19.35	21.99	< 30.00
			25	0	19.31	21.95	< 30.00
343000	1715.0	10	1	0	19.24	21.88	< 30.00
			1	1	19.65	22.29	< 30.00
			25	12	19.58	22.22	< 30.00
			50	0	19.35	21.99	< 30.00
349000	1745.0	10	1	0	19.33	21.97	< 30.00
			1	1	19.25	21.89	< 30.00
			25	12	19.36	22.00	< 30.00
			50	0	19.67	22.31	< 30.00
355000	1775.0	10	1	0	19.36	22.00	< 30.00
			1	1	19.38	22.02	< 30.00
			25	12	19.11	21.75	< 30.00
			50	0	19.11	21.75	< 30.00

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

Test Band		n66_EN-DC					
Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
256QAM							
343500	1717.5	15	1	0	19.29	21.93	< 30.00
			1	1	19.30	21.94	< 30.00
			36	18	19.31	21.95	< 30.00
			75	0	19.40	22.04	< 30.00
349000	1745.0	15	1	0	18.99	21.63	< 30.00
			1	1	18.91	21.55	< 30.00
			36	18	19.18	21.82	< 30.00
			75	0	19.18	21.82	< 30.00
354500	1772.5	15	1	0	19.41	22.05	< 30.00
			1	1	19.32	21.96	< 30.00
			36	18	19.33	21.97	< 30.00
			75	0	19.27	21.91	< 30.00
344000	1720.0	20	1	0	19.30	21.94	< 30.00
			1	1	19.31	21.95	< 30.00
			50	25	19.38	22.02	< 30.00
			100	0	19.43	22.07	< 30.00
349000	1745.0	20	1	0	19.15	21.79	< 30.00
			1	1	19.06	21.70	< 30.00
			50	25	19.22	21.86	< 30.00
			100	0	19.28	21.92	< 30.00
354000	1770.0	20	1	0	19.33	21.97	< 30.00
			1	1	19.54	22.18	< 30.00
			50	25	19.44	22.08	< 30.00
			100	0	19.27	21.91	< 30.00

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

Test Band		n71_EN-DC					
Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	ERP (dBm)	Limit (dBm)
PI/2 BPSK							
133100	665.5	5	1	0	23.59	22.09	< 34.77
			1	1	23.54	22.04	< 34.77
			12	6	23.65	22.15	< 34.77
			25	0	23.71	22.21	< 34.77
136100	680.5	5	1	0	23.44	21.94	< 34.77
			1	1	23.65	22.15	< 34.77
			12	6	23.41	21.91	< 34.77
			25	0	23.45	21.95	< 34.77
139100	695.5	5	1	0	23.37	21.87	< 34.77
			1	1	23.32	21.82	< 34.77
			12	6	23.27	21.77	< 34.77
			25	0	23.42	21.92	< 34.77
133600	668.0	10	1	0	23.70	22.20	< 34.77
			1	1	23.55	22.05	< 34.77
			25	12	23.68	22.18	< 34.77
			50	0	23.57	22.07	< 34.77
136100	680.5	10	1	0	23.48	21.98	< 34.77
			1	1	23.52	22.02	< 34.77
			25	12	23.44	21.94	< 34.77
			50	0	23.47	21.97	< 34.77
138600	693.0	10	1	0	23.40	21.90	< 34.77
			1	1	23.52	22.02	< 34.77
			25	12	23.42	21.92	< 34.77
			50	0	23.35	21.85	< 34.77

Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15

Test Band		n71_EN-DC					
Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	ERP (dBm)	Limit (dBm)
PI/2 BPSK							
134100	670.5	15	1	0	23.78	22.28	< 34.77
			1	1	23.74	22.24	< 34.77
			36	18	23.62	22.12	< 34.77
			75	0	23.59	22.09	< 34.77
136100	680.5	15	1	0	23.54	22.04	< 34.77
			1	1	23.67	22.17	< 34.77
			36	18	23.52	22.02	< 34.77
			75	0	23.45	21.95	< 34.77
138100	690.5	15	1	0	23.51	22.01	< 34.77
			1	1	23.46	21.96	< 34.77
			36	18	23.34	21.84	< 34.77
			75	0	23.30	21.80	< 34.77
134600	673.0	20	1	0	23.75	22.25	< 34.77
			1	1	23.73	22.23	< 34.77
			50	25	23.51	22.01	< 34.77
			100	0	23.61	22.11	< 34.77
136100	680.5	20	1	0	23.66	22.16	< 34.77
			1	1	23.49	21.99	< 34.77
			50	25	23.47	21.97	< 34.77
			100	0	23.41	21.91	< 34.77
137600	688.0	20	1	0	23.51	22.01	< 34.77
			1	1	23.59	22.09	< 34.77
			50	25	23.37	21.87	< 34.77
			100	0	23.33	21.83	< 34.77
Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15							

Test Band		n71_EN-DC					
Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	ERP (dBm)	Limit (dBm)
QPSK							
133100	665.5	5	1	0	23.63	22.13	< 34.77
			1	1	23.60	22.10	< 34.77
			12	6	23.59	22.09	< 34.77
			25	0	23.56	22.06	< 34.77
136100	680.5	5	1	0	23.47	21.97	< 34.77
			1	1	23.49	21.99	< 34.77
			12	6	23.48	21.98	< 34.77
			25	0	23.49	21.99	< 34.77
139100	695.5	5	1	0	23.33	21.83	< 34.77
			1	1	23.30	21.80	< 34.77
			12	6	23.37	21.87	< 34.77
			25	0	23.31	21.81	< 34.77
133600	668.0	10	1	0	23.71	22.21	< 34.77
			1	1	23.57	22.07	< 34.77
			25	12	23.60	22.10	< 34.77
			50	0	23.59	22.09	< 34.77
136100	680.5	10	1	0	23.44	21.94	< 34.77
			1	1	23.46	21.96	< 34.77
			25	12	23.47	21.97	< 34.77
			50	0	23.48	21.98	< 34.77
138600	693.0	10	1	0	23.50	22.00	< 34.77
			1	1	23.41	21.91	< 34.77
			25	12	23.41	21.91	< 34.77
			50	0	23.32	21.82	< 34.77
Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15							

Test Band		n71_EN-DC					
Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	ERP (dBm)	Limit (dBm)
QPSK							
134100	670.5	15	1	0	23.80	22.30	< 34.77
			1	1	23.72	22.22	< 34.77
			36	18	23.62	22.12	< 34.77
			75	0	23.63	22.13	< 34.77
136100	680.5	15	1	0	23.47	21.97	< 34.77
			1	1	23.46	21.96	< 34.77
			36	18	23.45	21.95	< 34.77
			75	0	23.50	22.00	< 34.77
138100	690.5	15	1	0	23.51	22.01	< 34.77
			1	1	23.43	21.93	< 34.77
			36	18	23.38	21.88	< 34.77
			75	0	23.39	21.89	< 34.77
134600	673.0	20	1	0	23.79	22.29	< 34.77
			1	1	23.76	22.26	< 34.77
			50	25	23.66	22.16	< 34.77
			100	0	23.64	22.14	< 34.77
136100	680.5	20	1	0	23.74	22.24	< 34.77
			1	1	23.57	22.07	< 34.77
			50	25	23.57	22.07	< 34.77
			100	0	23.44	21.94	< 34.77
137600	688.0	20	1	0	23.48	21.98	< 34.77
			1	1	23.47	21.97	< 34.77
			50	25	23.35	21.85	< 34.77
			100	0	23.36	21.86	< 34.77

Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15

Test Band		n71_EN-DC					
Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	ERP (dBm)	Limit (dBm)
16QAM							
133100	665.5	5	1	0	22.78	21.28	< 34.77
			1	1	23.52	22.02	< 34.77
			12	6	23.62	22.12	< 34.77
			25	0	22.61	21.11	< 34.77
136100	680.5	5	1	0	22.86	21.36	< 34.77
			1	1	23.89	22.39	< 34.77
			12	6	23.41	21.91	< 34.77
			25	0	22.44	20.94	< 34.77
139100	695.5	5	1	0	22.79	21.29	< 34.77
			1	1	23.99	22.49	< 34.77
			12	6	23.42	21.92	< 34.77
			25	0	22.34	20.84	< 34.77
133600	668.0	10	1	0	23.03	21.53	< 34.77
			1	1	23.70	22.20	< 34.77
			25	12	23.52	22.02	< 34.77
			50	0	22.60	21.10	< 34.77
136100	680.5	10	1	0	22.75	21.25	< 34.77
			1	1	23.40	21.90	< 34.77
			25	12	23.42	21.92	< 34.77
			50	0	22.53	21.03	< 34.77
138600	693.0	10	1	0	22.94	21.44	< 34.77
			1	1	23.90	22.40	< 34.77
			25	12	23.42	21.92	< 34.77
			50	0	22.43	20.93	< 34.77
Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15							

Test Band		n71_EN-DC					
Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	ERP (dBm)	Limit (dBm)
16QAM							
134100	670.5	15	1	0	23.10	21.60	< 34.77
			1	1	23.95	22.45	< 34.77
			36	18	23.62	22.12	< 34.77
			75	0	22.69	21.19	< 34.77
136100	680.5	15	1	0	22.93	21.43	< 34.77
			1	1	23.79	22.29	< 34.77
			36	18	23.44	21.94	< 34.77
			75	0	22.53	21.03	< 34.77
138100	690.5	15	1	0	22.82	21.32	< 34.77
			1	1	23.87	22.37	< 34.77
			36	18	23.37	21.87	< 34.77
			75	0	22.34	20.84	< 34.77
134600	673.0	20	1	0	23.11	21.61	< 34.77
			1	1	23.60	22.10	< 34.77
			50	25	23.51	22.01	< 34.77
			100	0	22.59	21.09	< 34.77
136100	680.5	20	1	0	22.87	21.37	< 34.77
			1	1	23.81	22.31	< 34.77
			50	25	23.45	21.95	< 34.77
			100	0	22.50	21.00	< 34.77
137600	688.0	20	1	0	22.76	21.26	< 34.77
			1	1	23.68	22.18	< 34.77
			50	25	23.40	21.90	< 34.77
			100	0	22.42	20.92	< 34.77
Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15							

Test Band		n71_EN-DC					
Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	ERP (dBm)	Limit (dBm)
64QAM							
133100	665.5	5	1	0	22.09	20.59	< 34.77
			1	1	22.14	20.64	< 34.77
			12	6	22.20	20.70	< 34.77
			25	0	22.16	20.66	< 34.77
136100	680.5	5	1	0	22.65	21.15	< 34.77
			1	1	22.65	21.15	< 34.77
			12	6	22.04	20.54	< 34.77
			25	0	21.92	20.42	< 34.77
139100	695.5	5	1	0	21.91	20.41	< 34.77
			1	1	22.33	20.83	< 34.77
			12	6	21.82	20.32	< 34.77
			25	0	21.92	20.42	< 34.77
133600	668.0	10	1	0	22.23	20.73	< 34.77
			1	1	22.19	20.69	< 34.77
			25	12	22.07	20.57	< 34.77
			50	0	22.08	20.58	< 34.77
136100	680.5	10	1	0	22.02	20.52	< 34.77
			1	1	21.95	20.45	< 34.77
			25	12	22.01	20.51	< 34.77
			50	0	22.00	20.50	< 34.77
138600	693.0	10	1	0	21.99	20.49	< 34.77
			1	1	22.03	20.53	< 34.77
			25	12	21.96	20.46	< 34.77
			50	0	21.83	20.33	< 34.77
Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15							

Test Band		n71_EN-DC					
Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	ERP (dBm)	Limit (dBm)
64QAM							
134100	670.5	15	1	0	22.47	20.97	< 34.77
			1	1	22.41	20.91	< 34.77
			36	18	22.20	20.70	< 34.77
			75	0	22.10	20.60	< 34.77
136100	680.5	15	1	0	22.55	21.05	< 34.77
			1	1	22.59	21.09	< 34.77
			36	18	22.00	20.50	< 34.77
			75	0	21.92	20.42	< 34.77
138100	690.5	15	1	0	22.02	20.52	< 34.77
			1	1	22.08	20.58	< 34.77
			36	18	21.90	20.40	< 34.77
			75	0	21.87	20.37	< 34.77
134600	673.0	20	1	0	22.36	20.86	< 34.77
			1	1	22.42	20.92	< 34.77
			50	25	22.02	20.52	< 34.77
			100	0	22.13	20.63	< 34.77
136100	680.5	20	1	0	22.19	20.69	< 34.77
			1	1	22.11	20.61	< 34.77
			50	25	21.97	20.47	< 34.77
			100	0	21.95	20.45	< 34.77
137600	688.0	20	1	0	22.18	20.68	< 34.77
			1	1	22.07	20.57	< 34.77
			50	25	21.92	20.42	< 34.77
			100	0	21.88	20.38	< 34.77
Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15							

Test Band		n71_EN-DC					
Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	ERP (dBm)	Limit (dBm)
256QAM							
133100	665.5	5	1	0	20.07	18.57	< 34.77
			1	1	20.13	18.63	< 34.77
			12	6	20.03	18.53	< 34.77
			25	0	20.06	18.56	< 34.77
136100	680.5	5	1	0	19.93	18.43	< 34.77
			1	1	19.94	18.44	< 34.77
			12	6	19.84	18.34	< 34.77
			25	0	19.91	18.41	< 34.77
139100	695.5	5	1	0	19.90	18.40	< 34.77
			1	1	19.73	18.23	< 34.77
			12	6	19.76	18.26	< 34.77
			25	0	19.79	18.29	< 34.77
133600	668.0	10	1	0	20.06	18.56	< 34.77
			1	1	20.15	18.65	< 34.77
			25	12	19.92	18.42	< 34.77
			50	0	20.04	18.54	< 34.77
136100	680.5	10	1	0	19.87	18.37	< 34.77
			1	1	19.92	18.42	< 34.77
			25	12	19.87	18.37	< 34.77
			50	0	19.87	18.37	< 34.77
138600	693.0	10	1	0	19.77	18.27	< 34.77
			1	1	19.81	18.31	< 34.77
			25	12	19.84	18.34	< 34.77
			50	0	19.82	18.32	< 34.77

Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15

Test Band		n71_EN-DC					
Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	ERP (dBm)	Limit (dBm)
256QAM							
134100	670.5	15	1	0	20.27	18.77	< 34.77
			1	1	20.25	18.75	< 34.77
			36	18	20.01	18.51	< 34.77
			75	0	20.10	18.60	< 34.77
136100	680.5	15	1	0	20.01	18.51	< 34.77
			1	1	19.93	18.43	< 34.77
			36	18	19.91	18.41	< 34.77
			75	0	20.11	18.61	< 34.77
138100	690.5	15	1	0	19.97	18.47	< 34.77
			1	1	19.93	18.43	< 34.77
			36	18	19.78	18.28	< 34.77
			75	0	19.82	18.32	< 34.77
134600	673.0	20	1	0	20.15	18.65	< 34.77
			1	1	20.21	18.71	< 34.77
			50	25	20.00	18.50	< 34.77
			100	0	20.05	18.55	< 34.77
136100	680.5	20	1	0	19.97	18.47	< 34.77
			1	1	20.00	18.50	< 34.77
			50	25	19.91	18.41	< 34.77
			100	0	19.87	18.37	< 34.77
137600	688.0	20	1	0	19.72	18.22	< 34.77
			1	1	19.73	18.23	< 34.77
			50	25	19.88	18.38	< 34.77
			100	0	19.95	18.45	< 34.77
Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15							

Test Band		n41_EN-DC					
Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
PI/2 BPSK							
501204	2506.02	20	1	0	22.54	25.18	< 33.01
			1	1	23.01	25.65	< 33.01
			25	12	23.05	25.69	< 33.01
			50	0	22.99	25.63	< 33.01
518598	2592.99	20	1	0	22.58	25.22	< 33.01
			1	1	23.04	25.68	< 33.01
			25	12	23.17	25.81	< 33.01
			50	0	23.15	25.79	< 33.01
535998	2679.99	20	1	0	22.37	25.01	< 33.01
			1	1	23.10	25.74	< 33.01
			25	12	23.00	25.64	< 33.01
			50	0	22.99	25.63	< 33.01
502200	2511.0	30	1	0	22.58	25.22	< 33.01
			1	1	23.05	25.69	< 33.01
			36	18	23.02	25.66	< 33.01
			75	0	23.03	25.67	< 33.01
518598	2592.99	30	1	0	22.88	25.52	< 33.01
			1	1	23.34	25.98	< 33.01
			36	18	23.37	26.01	< 33.01
			75	0	23.40	26.04	< 33.01
534996	2674.98	30	1	0	23.17	25.81	< 33.01
			1	1	23.68	26.32	< 33.01
			36	18	23.50	26.14	< 33.01
			75	0	23.55	26.19	< 33.01

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

Test Band		n41_EN-DC					
Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
PI/2 BPSK							
503202	2516.01	40	1	0	22.50	25.14	< 33.01
			1	1	23.05	25.69	< 33.01
			50	25	22.97	25.61	< 33.01
			100	0	23.01	25.65	< 33.01
518598	2592.99	40	1	0	22.73	25.37	< 33.01
			1	1	23.19	25.83	< 33.01
			50	25	23.42	26.06	< 33.01
			100	0	23.52	26.16	< 33.01
534000	2670.0	40	1	0	23.07	25.71	< 33.01
			1	1	23.58	26.22	< 33.01
			50	25	23.50	26.14	< 33.01
			100	0	23.53	26.17	< 33.01
504204	2521.02	50	1	0	22.29	24.93	< 33.01
			1	1	22.68	25.32	< 33.01
			64	32	22.77	25.41	< 33.01
			128	0	22.77	25.41	< 33.01
518598	2592.99	50	1	0	22.34	24.98	< 33.01
			1	1	22.95	25.59	< 33.01
			64	32	23.06	25.70	< 33.01
			128	0	23.05	25.69	< 33.01
532998	2664.99	50	1	0	22.45	25.09	< 33.01
			1	1	23.20	25.84	< 33.01
			64	32	23.16	25.80	< 33.01
			128	0	23.17	25.81	< 33.01

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

Test Band		n41_EN-DC					
Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
PI/2 BPSK							
505200	2526.0	60	1	0	22.12	24.76	< 33.01
			1	1	22.71	25.35	< 33.01
			81	40	22.81	25.45	< 33.01
			162	0	22.85	25.49	< 33.01
518598	2592.99	60	1	0	22.30	24.94	< 33.01
			1	1	22.79	25.43	< 33.01
			81	40	23.10	25.74	< 33.01
			162	0	23.02	25.66	< 33.01
531996	2659.98	60	1	0	22.65	25.29	< 33.01
			1	1	23.20	25.84	< 33.01
			81	40	23.28	25.92	< 33.01
			162	0	23.25	25.89	< 33.01
507204	2536.02	80	1	0	22.22	24.86	< 33.01
			1	1	22.65	25.29	< 33.01
			108	54	22.90	25.54	< 33.01
			216	0	22.87	25.51	< 33.01
518598	2592.99	80	1	0	22.32	24.96	< 33.01
			1	1	22.81	25.45	< 33.01
			108	54	23.31	25.95	< 33.01
			216	0	23.21	25.85	< 33.01
529998	2649.99	80	1	0	22.52	25.16	< 33.01
			1	1	22.95	25.59	< 33.01
			108	54	23.38	26.02	< 33.01
			216	0	23.33	25.97	< 33.01

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

Test Band		n41_EN-DC					
Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
PI/2 BPSK							
509202	2546.01	100	1	0	22.11	24.75	< 33.01
			1	1	22.66	25.30	< 33.01
			135	67	22.79	25.43	< 33.01
			270	0	22.93	25.57	< 33.01
518598	2592.99	100	1	0	22.37	25.01	< 33.01
			1	1	22.86	25.50	< 33.01
			135	67	23.12	25.76	< 33.01
			270	0	23.26	25.90	< 33.01
528000	2640.0	100	1	0	22.39	25.03	< 33.01
			1	1	22.87	25.51	< 33.01
			135	67	23.28	25.92	< 33.01
			270	0	23.25	25.89	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)							

Test Band		n41_EN-DC					
Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
QPSK							
501204	2506.02	20	1	0	22.45	25.09	< 33.01
			1	1	22.96	25.60	< 33.01
			25	12	23.06	25.70	< 33.01
			50	0	23.00	25.64	< 33.01
518598	2592.99	20	1	0	22.52	25.16	< 33.01
			1	1	22.94	25.58	< 33.01
			25	12	23.16	25.80	< 33.01
			50	0	23.19	25.83	< 33.01
535998	2679.99	20	1	0	22.59	25.23	< 33.01
			1	1	23.03	25.67	< 33.01
			25	12	23.00	25.64	< 33.01
			50	0	23.01	25.65	< 33.01
502200	2511.0	30	1	0	22.46	25.10	< 33.01
			1	1	23.01	25.65	< 33.01
			36	18	22.96	25.60	< 33.01
			75	0	23.00	25.64	< 33.01
518598	2592.99	30	1	0	22.75	25.39	< 33.01
			1	1	23.27	25.91	< 33.01
			36	18	23.37	26.01	< 33.01
			75	0	23.43	26.07	< 33.01
534996	2674.98	30	1	0	23.05	25.69	< 33.01
			1	1	23.55	26.19	< 33.01
			36	18	23.50	26.14	< 33.01
			75	0	23.52	26.16	< 33.01

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

Test Band		n41_EN-DC					
Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
QPSK							
503202	2516.01	40	1	0	22.69	25.33	< 33.01
			1	1	22.96	25.60	< 33.01
			50	25	22.95	25.59	< 33.01
			100	0	23.16	25.80	< 33.01
518598	2592.99	40	1	0	22.65	25.29	< 33.01
			1	1	23.14	25.78	< 33.01
			50	25	23.36	26.00	< 33.01
			100	0	23.41	26.05	< 33.01
534000	2670.0	40	1	0	23.00	25.64	< 33.01
			1	1	23.52	26.16	< 33.01
			50	25	23.48	26.12	< 33.01
			100	0	23.53	26.17	< 33.01
504204	2521.02	50	1	0	22.11	24.75	< 33.01
			1	1	22.60	25.24	< 33.01
			64	32	22.76	25.40	< 33.01
			128	0	22.78	25.42	< 33.01
518598	2592.99	50	1	0	22.39	25.03	< 33.01
			1	1	22.81	25.45	< 33.01
			64	32	23.10	25.74	< 33.01
			128	0	23.11	25.75	< 33.01
532998	2664.99	50	1	0	22.57	25.21	< 33.01
			1	1	23.12	25.76	< 33.01
			64	32	23.20	25.84	< 33.01
			128	0	23.11	25.75	< 33.01

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

Test Band		n41_EN-DC					
Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
QPSK							
505200	2526.0	60	1	0	22.03	24.67	< 33.01
			1	1	22.51	25.15	< 33.01
			81	40	22.77	25.41	< 33.01
			162	0	22.78	25.42	< 33.01
518598	2592.99	60	1	0	22.58	25.22	< 33.01
			1	1	22.66	25.30	< 33.01
			81	40	23.10	25.74	< 33.01
			162	0	23.08	25.72	< 33.01
531996	2659.98	60	1	0	22.58	25.22	< 33.01
			1	1	23.08	25.72	< 33.01
			81	40	23.24	25.88	< 33.01
			162	0	23.24	25.88	< 33.01
507204	2536.02	80	1	0	22.05	24.69	< 33.01
			1	1	22.53	25.17	< 33.01
			108	54	22.91	25.55	< 33.01
			216	0	22.86	25.50	< 33.01
518598	2592.99	80	1	0	22.28	24.92	< 33.01
			1	1	22.80	25.44	< 33.01
			108	54	23.20	25.84	< 33.01
			216	0	23.15	25.79	< 33.01
529998	2649.99	80	1	0	22.42	25.06	< 33.01
			1	1	22.94	25.58	< 33.01
			108	54	23.39	26.03	< 33.01
			216	0	23.32	25.96	< 33.01

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

Test Band		n41_EN-DC					
Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
QPSK							
509202	2546.01	100	1	0	22.09	24.73	< 33.01
			1	1	22.20	24.84	< 33.01
			135	67	23.02	25.66	< 33.01
			270	0	22.87	25.51	< 33.01
518598	2592.99	100	1	0	22.33	24.97	< 33.01
			1	1	22.78	25.42	< 33.01
			135	67	23.10	25.74	< 33.01
			270	0	23.12	25.76	< 33.01
528000	2640.0	100	1	0	22.35	24.99	< 33.01
			1	1	22.79	25.43	< 33.01
			135	67	23.22	25.86	< 33.01
			270	0	23.24	25.88	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)							

Test Band		n41_EN-DC					
Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
16QAM							
501204	2506.02	20	1	0	22.74	25.38	< 33.01
			1	1	23.21	25.85	< 33.01
			25	12	23.00	25.64	< 33.01
			50	0	22.95	25.59	< 33.01
518598	2592.99	20	1	0	22.63	25.27	< 33.01
			1	1	23.07	25.71	< 33.01
			25	12	23.13	25.77	< 33.01
			50	0	23.12	25.76	< 33.01
535998	2679.99	20	1	0	22.72	25.36	< 33.01
			1	1	23.24	25.88	< 33.01
			25	12	22.99	25.63	< 33.01
			50	0	22.95	25.59	< 33.01
502200	2511.0	30	1	0	23.02	25.66	< 33.01
			1	1	22.65	25.29	< 33.01
			36	18	23.00	25.64	< 33.01
			75	0	23.05	25.69	< 33.01
518598	2592.99	30	1	0	22.86	25.50	< 33.01
			1	1	23.52	26.16	< 33.01
			36	18	23.24	25.88	< 33.01
			75	0	23.35	25.99	< 33.01
534996	2674.98	30	1	0	23.17	25.81	< 33.01
			1	1	23.78	26.42	< 33.01
			36	18	23.52	26.16	< 33.01
			75	0	23.56	26.20	< 33.01

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

Test Band		n41_EN-DC					
Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
16QAM							
503202	2516.01	40	1	0	22.60	25.24	< 33.01
			1	1	23.19	25.83	< 33.01
			50	25	22.93	25.57	< 33.01
			100	0	23.02	25.66	< 33.01
518598	2592.99	40	1	0	22.82	25.46	< 33.01
			1	1	23.09	25.73	< 33.01
			50	25	23.34	25.98	< 33.01
			100	0	23.43	26.07	< 33.01
534000	2670.0	40	1	0	22.95	25.59	< 33.01
			1	1	23.63	26.27	< 33.01
			50	25	23.47	26.11	< 33.01
			100	0	23.51	26.15	< 33.01
504204	2521.02	50	1	0	22.22	24.86	< 33.01
			1	1	22.79	25.43	< 33.01
			64	32	22.72	25.36	< 33.01
			128	0	22.78	25.42	< 33.01
518598	2592.99	50	1	0	22.56	25.20	< 33.01
			1	1	23.05	25.69	< 33.01
			64	32	23.07	25.71	< 33.01
			128	0	23.13	25.77	< 33.01
532998	2664.99	50	1	0	22.60	25.24	< 33.01
			1	1	23.24	25.88	< 33.01
			64	32	23.21	25.85	< 33.01
			128	0	23.23	25.87	< 33.01

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

Test Band		n41_EN-DC					
Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
16QAM							
505200	2526.0	60	1	0	22.21	24.85	< 33.01
			1	1	22.76	25.40	< 33.01
			81	40	22.74	25.38	< 33.01
			162	0	22.75	25.39	< 33.01
518598	2592.99	60	1	0	22.32	24.96	< 33.01
			1	1	22.82	25.46	< 33.01
			81	40	23.02	25.66	< 33.01
			162	0	23.07	25.71	< 33.01
531996	2659.98	60	1	0	22.66	25.30	< 33.01
			1	1	23.12	25.76	< 33.01
			81	40	23.28	25.92	< 33.01
			162	0	23.24	25.88	< 33.01
507204	2536.02	80	1	0	22.13	24.77	< 33.01
			1	1	22.65	25.29	< 33.01
			108	54	22.90	25.54	< 33.01
			216	0	22.89	25.53	< 33.01
518598	2592.99	80	1	0	22.28	24.92	< 33.01
			1	1	22.99	25.63	< 33.01
			108	54	23.20	25.84	< 33.01
			216	0	23.19	25.83	< 33.01
529998	2649.99	80	1	0	22.68	25.32	< 33.01
			1	1	23.09	25.73	< 33.01
			108	54	23.43	26.07	< 33.01
			216	0	23.35	25.99	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)							

Test Band		n41_EN-DC					
Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
16QAM							
509202	2546.01	100	1	0	22.10	24.74	< 33.01
			1	1	22.51	25.15	< 33.01
			135	67	22.86	25.50	< 33.01
			270	0	22.69	25.33	< 33.01
518598	2592.99	100	1	0	23.39	26.03	< 33.01
			1	1	22.98	25.62	< 33.01
			135	67	23.09	25.73	< 33.01
			270	0	23.25	25.89	< 33.01
528000	2640.0	100	1	0	22.52	25.16	< 33.01
			1	1	22.99	25.63	< 33.01
			135	67	23.32	25.96	< 33.01
			270	0	23.25	25.89	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)							

Test Band		n41_EN-DC					
Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
64QAM							
501204	2506.02	20	1	0	22.26	24.90	< 33.01
			1	1	22.83	25.47	< 33.01
			25	12	23.02	25.66	< 33.01
			50	0	22.92	25.56	< 33.01
518598	2592.99	20	1	0	22.23	24.87	< 33.01
			1	1	22.68	25.32	< 33.01
			25	12	23.14	25.78	< 33.01
			50	0	23.11	25.75	< 33.01
535998	2679.99	20	1	0	22.45	25.09	< 33.01
			1	1	22.85	25.49	< 33.01
			25	12	22.95	25.59	< 33.01
			50	0	23.00	25.64	< 33.01
502200	2511.0	30	1	0	22.28	24.92	< 33.01
			1	1	22.70	25.34	< 33.01
			36	18	23.01	25.65	< 33.01
			75	0	23.02	25.66	< 33.01
518598	2592.99	30	1	0	22.59	25.23	< 33.01
			1	1	22.92	25.56	< 33.01
			36	18	23.41	26.05	< 33.01
			75	0	23.42	26.06	< 33.01
534996	2674.98	30	1	0	22.76	25.40	< 33.01
			1	1	23.24	25.88	< 33.01
			36	18	23.54	26.18	< 33.01
			75	0	23.36	26.00	< 33.01

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

Test Band		n41_EN-DC					
Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
64QAM							
503202	2516.01	40	1	0	22.26	24.90	< 33.01
			1	1	22.63	25.27	< 33.01
			50	25	22.96	25.60	< 33.01
			100	0	23.01	25.65	< 33.01
518598	2592.99	40	1	0	22.45	25.09	< 33.01
			1	1	22.91	25.55	< 33.01
			50	25	23.38	26.02	< 33.01
			100	0	23.39	26.03	< 33.01
534000	2670.0	40	1	0	22.86	25.50	< 33.01
			1	1	23.31	25.95	< 33.01
			50	25	23.47	26.11	< 33.01
			100	0	23.48	26.12	< 33.01
504204	2521.02	50	1	0	21.86	24.50	< 33.01
			1	1	22.37	25.01	< 33.01
			64	32	22.76	25.40	< 33.01
			128	0	22.77	25.41	< 33.01
518598	2592.99	50	1	0	22.20	24.84	< 33.01
			1	1	22.59	25.23	< 33.01
			64	32	23.08	25.72	< 33.01
			128	0	23.10	25.74	< 33.01
532998	2664.99	50	1	0	22.36	25.00	< 33.01
			1	1	22.88	25.52	< 33.01
			64	32	23.18	25.82	< 33.01
			128	0	23.13	25.77	< 33.01

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

Test Band		n41_EN-DC					
Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
64QAM							
505200	2526.0	60	1	0	22.03	24.67	< 33.01
			1	1	22.67	25.31	< 33.01
			81	40	22.74	25.38	< 33.01
			162	0	22.78	25.42	< 33.01
518598	2592.99	60	1	0	21.93	24.57	< 33.01
			1	1	22.56	25.20	< 33.01
			81	40	23.08	25.72	< 33.01
			162	0	23.01	25.65	< 33.01
531996	2659.98	60	1	0	22.36	25.00	< 33.01
			1	1	22.85	25.49	< 33.01
			81	40	23.28	25.92	< 33.01
			162	0	23.21	25.85	< 33.01
507204	2536.02	80	1	0	21.87	24.51	< 33.01
			1	1	22.32	24.96	< 33.01
			108	54	22.87	25.51	< 33.01
			216	0	22.85	25.49	< 33.01
518598	2592.99	80	1	0	22.23	24.87	< 33.01
			1	1	22.53	25.17	< 33.01
			108	54	23.04	25.68	< 33.01
			216	0	23.10	25.74	< 33.01
529998	2649.99	80	1	0	22.35	24.99	< 33.01
			1	1	22.74	25.38	< 33.01
			108	54	23.21	25.85	< 33.01
			216	0	23.32	25.96	< 33.01

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

Test Band		n41_EN-DC					
Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
64QAM							
509202	2546.01	100	1	0	21.87	24.51	< 33.01
			1	1	22.44	25.08	< 33.01
			36	18	22.77	25.41	< 33.01
			75	0	22.83	25.47	< 33.01
518598	2592.99	100	1	0	22.16	24.80	< 33.01
			1	1	22.61	25.25	< 33.01
			36	18	23.10	25.74	< 33.01
			75	0	23.22	25.86	< 33.01
528000	2640.0	100	1	0	22.21	24.85	< 33.01
			1	1	22.51	25.15	< 33.01
			36	18	23.22	25.86	< 33.01
			75	0	23.30	25.94	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)							

Test Band		n41_EN-DC					
Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
256QAM							
501204	2506.02	20	1	0	21.35	23.99	< 33.01
			1	1	21.29	23.93	< 33.01
			25	12	21.43	24.07	< 33.01
			50	0	21.48	24.12	< 33.01
518598	2592.99	20	1	0	21.37	24.01	< 33.01
			1	1	21.40	24.04	< 33.01
			25	12	21.54	24.18	< 33.01
			50	0	21.62	24.26	< 33.01
535998	2679.99	20	1	0	21.50	24.14	< 33.01
			1	1	21.46	24.10	< 33.01
			25	12	21.40	24.04	< 33.01
			50	0	21.43	24.07	< 33.01
502200	2511.0	30	1	0	21.43	24.07	< 33.01
			1	1	21.39	24.03	< 33.01
			36	18	21.48	24.12	< 33.01
			75	0	21.49	24.13	< 33.01
518598	2592.99	30	1	0	21.68	24.32	< 33.01
			1	1	21.71	24.35	< 33.01
			36	18	21.93	24.57	< 33.01
			75	0	21.93	24.57	< 33.01
534996	2674.98	30	1	0	21.94	24.58	< 33.01
			1	1	21.91	24.55	< 33.01
			36	18	21.98	24.62	< 33.01
			75	0	21.85	24.49	< 33.01

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

Test Band		n41_EN-DC					
Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
256QAM							
503202	2516.01	40	1	0	21.49	24.13	< 33.01
			1	1	21.47	24.11	< 33.01
			50	25	21.57	24.21	< 33.01
			100	0	21.70	24.34	< 33.01
518598	2592.99	40	1	0	21.59	24.23	< 33.01
			1	1	21.59	24.23	< 33.01
			50	25	21.83	24.47	< 33.01
			100	0	21.95	24.59	< 33.01
534000	2670.0	40	1	0	21.89	24.53	< 33.01
			1	1	21.82	24.46	< 33.01
			50	25	21.97	24.61	< 33.01
			100	0	21.92	24.56	< 33.01
504204	2521.02	50	1	0	21.24	23.88	< 33.01
			1	1	20.97	23.61	< 33.01
			64	32	21.28	23.92	< 33.01
			128	0	21.25	23.89	< 33.01
518598	2592.99	50	1	0	21.31	23.95	< 33.01
			1	1	21.29	23.93	< 33.01
			64	32	21.53	24.17	< 33.01
			128	0	21.44	24.08	< 33.01
532998	2664.99	50	1	0	21.53	24.17	< 33.01
			1	1	21.56	24.20	< 33.01
			64	32	21.68	24.32	< 33.01
			128	0	21.65	24.29	< 33.01

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

Test Band		n41_EN-DC					
Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
256QAM							
505200	2526.0	60	1	0	21.38	24.02	< 33.01
			1	1	21.44	24.08	< 33.01
			81	40	21.61	24.25	< 33.01
			162	0	21.66	24.30	< 33.01
518598	2592.99	60	1	0	21.10	23.74	< 33.01
			1	1	21.21	23.85	< 33.01
			81	40	21.57	24.21	< 33.01
			162	0	21.58	24.22	< 33.01
531996	2659.98	60	1	0	21.48	24.12	< 33.01
			1	1	24.49	27.13	< 33.01
			81	40	21.79	24.43	< 33.01
			162	0	21.78	24.42	< 33.01
507204	2536.02	80	1	0	20.96	23.60	< 33.01
			1	1	20.97	23.61	< 33.01
			108	54	21.30	23.94	< 33.01
			216	0	21.80	24.44	< 33.01
518598	2592.99	80	1	0	21.20	23.84	< 33.01
			1	1	21.19	23.83	< 33.01
			108	54	21.72	24.36	< 33.01
			216	0	21.20	23.84	< 33.01
529998	2649.99	80	1	0	21.33	23.97	< 33.01
			1	1	21.34	23.98	< 33.01
			108	54	21.90	24.54	< 33.01
			216	0	21.82	24.46	< 33.01

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

Test Band		n41_EN-DC					
Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
256QAM							
509202	2546.01	100	1	0	20.97	23.61	< 33.01
			1	1	20.98	23.62	< 33.01
			135	67	21.37	24.01	< 33.01
			270	0	21.35	23.99	< 33.01
518598	2592.99	100	1	0	21.21	23.85	< 33.01
			1	1	21.61	24.25	< 33.01
			135	67	21.58	24.22	< 33.01
			270	0	21.74	24.38	< 33.01
528000	2640.0	100	1	0	21.20	23.84	< 33.01
			1	1	21.21	23.85	< 33.01
			135	67	21.81	24.45	< 33.01
			270	0	21.78	24.42	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)							

Test Band		n41_UL MIMO							
Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
					Port 0	Port 2			
QPSK									
501204	2506.02	20	1	0	20.22	20.95	23.61	26.25	< 33.01
			1	1	20.78	21.42	24.12	26.76	< 33.01
			25	12	20.81	21.37	24.11	26.75	< 33.01
			50	0	20.84	21.45	24.17	26.81	< 33.01
518598	2592.99	20	1	0	20.78	21.28	24.05	26.69	< 33.01
			1	1	21.16	21.43	24.31	26.95	< 33.01
			25	12	21.11	21.10	24.12	26.76	< 33.01
			50	0	21.18	21.05	24.13	26.77	< 33.01
535998	2679.99	20	1	0	20.57	20.75	23.67	26.31	< 33.01
			1	1	21.14	21.14	24.15	26.79	< 33.01
			25	12	20.92	21.16	24.05	26.69	< 33.01
			50	0	20.91	21.17	24.05	26.69	< 33.01
502200	2511.0	30	1	0	19.87	20.77	23.35	25.99	< 33.01
			1	1	20.25	21.64	24.01	26.65	< 33.01
			36	18	20.01	21.13	23.62	26.26	< 33.01
			75	0	20.12	21.44	23.84	26.48	< 33.01
518598	2592.99	30	1	0	19.49	20.55	23.06	25.70	< 33.01
			1	1	20.07	20.99	23.56	26.20	< 33.01
			36	18	20.23	20.98	23.63	26.27	< 33.01
			75	0	20.26	20.91	23.61	26.25	< 33.01
534996	2674.98	30	1	0	19.54	20.15	22.87	25.51	< 33.01
			1	1	20.04	20.48	23.28	25.92	< 33.01
			36	18	19.55	20.59	23.11	25.75	< 33.01
			75	0	20.00	20.65	23.35	25.99	< 33.01
Note 1: Total Power (dBm) = $10 \cdot \log\{10^{(\text{Port 0 Output Power} / 10)} + 10^{(\text{Port 1 Output Power} / 10)}\}$ Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)									

Test Band		n41_UL MIMO							
Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
					Port 0	Port 2			
QPSK									
503202	2516.01	40	1	0	20.52	20.25	23.40	26.04	< 33.01
			1	1	20.88	20.38	23.65	26.29	< 33.01
			50	25	20.78	20.46	23.63	26.27	< 33.01
			100	0	20.79	20.46	23.64	26.28	< 33.01
518598	2592.99	40	1	0	20.56	20.32	23.45	26.09	< 33.01
			1	1	21.18	20.77	23.99	26.63	< 33.01
			50	25	20.72	20.77	23.76	26.40	< 33.01
			100	0	20.93	20.84	23.90	26.54	< 33.01
534000	2670.0	40	1	0	20.35	20.33	23.35	25.99	< 33.01
			1	1	20.83	20.90	23.88	26.52	< 33.01
			50	25	20.49	20.63	23.57	26.21	< 33.01
			100	0	20.71	20.68	23.71	26.35	< 33.01
504204	2521.02	50	1	0	19.75	20.87	23.36	26.00	< 33.01
			1	1	20.07	21.28	23.73	26.37	< 33.01
			64	32	19.98	21.01	23.54	26.18	< 33.01
			128	0	19.91	21.05	23.53	26.17	< 33.01
518598	2592.99	50	1	0	19.06	20.43	22.81	25.45	< 33.01
			1	1	19.68	20.88	23.33	25.97	< 33.01
			64	32	19.87	20.71	23.32	25.96	< 33.01
			128	0	19.91	20.76	23.37	26.01	< 33.01
532998	2664.99	50	1	0	19.18	19.75	22.48	25.12	< 33.01
			1	1	19.73	20.06	22.91	25.55	< 33.01
			64	32	19.63	20.12	22.89	25.53	< 33.01
			128	0	19.68	20.18	22.95	25.59	< 33.01
Note 1: Total Power (dBm) = $10 \cdot \log\{10^{(\text{Port 0 Output Power} / 10)} + 10^{(\text{Port 1 Output Power} / 10)}\}$ Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)									

Test Band		n41_UL MIMO							
Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
					Port 0	Port 2			
QPSK									
505200	2526.0	60	1	0	20.31	20.51	23.42	26.06	< 33.01
			1	1	20.72	19.92	23.35	25.99	< 33.01
			81	40	20.73	20.38	23.57	26.21	< 33.01
			162	0	20.78	20.40	23.60	26.24	< 33.01
518598	2592.99	60	1	0	20.12	19.91	23.03	25.67	< 33.01
			1	1	20.78	20.55	23.68	26.32	< 33.01
			81	40	20.67	20.69	23.69	26.33	< 33.01
			162	0	20.61	20.66	23.65	26.29	< 33.01
531996	2659.98	60	1	0	19.92	20.13	23.04	25.68	< 33.01
			1	1	20.55	20.57	23.57	26.21	< 33.01
			81	40	20.31	20.56	23.45	26.09	< 33.01
			162	0	20.25	20.21	23.24	25.88	< 33.01
507204	2536.02	80	1	0	19.88	18.98	22.46	25.10	< 33.01
			1	1	20.28	19.37	22.86	25.50	< 33.01
			108	54	20.32	19.74	23.05	25.69	< 33.01
			216	0	20.12	19.55	22.85	25.49	< 33.01
518598	2592.99	80	1	0	19.78	19.33	22.57	25.21	< 33.01
			1	1	20.40	19.67	23.06	25.70	< 33.01
			108	54	20.46	19.93	23.21	25.85	< 33.01
			216	0	20.22	20.03	23.14	25.78	< 33.01
529998	2649.99	80	1	0	19.98	19.36	22.69	25.33	< 33.01
			1	1	20.39	19.52	22.99	25.63	< 33.01
			108	54	20.37	20.03	23.21	25.85	< 33.01
			216	0	20.20	19.81	23.02	25.66	< 33.01

Note 1: Total Power (dBm) = $10 \cdot \log\{10^{(\text{Port 0 Output Power} / 10)} + 10^{(\text{Port 1 Output Power} / 10)}\}$

Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)

Test Band		n41_UL MIMO							
Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
					Port 0	Port 2			
QPSK									
509202	2546.01	100	1	0	19.60	19.58	22.60	25.24	< 33.01
			1	1	20.06	20.20	23.14	25.78	< 33.01
			135	67	20.15	20.71	23.45	26.09	< 33.01
			270	0	19.95	20.17	23.07	25.71	< 33.01
518598	2592.99	100	1	0	19.45	19.95	22.72	25.36	< 33.01
			1	1	20.06	20.51	23.30	25.94	< 33.01
			135	67	20.21	20.98	23.62	26.26	< 33.01
			270	0	20.03	20.78	23.43	26.07	< 33.01
528000	2640.0	100	1	0	19.64	20.11	22.89	25.53	< 33.01
			1	1	20.25	20.48	23.38	26.02	< 33.01
			135	67	20.14	21.16	23.69	26.33	< 33.01
			270	0	20.05	20.89	23.50	26.14	< 33.01
Note 1: Total Power (dBm) = $10 \cdot \log\{10^{(\text{Port 0 Output Power} / 10)} + 10^{(\text{Port 1 Output Power} / 10)}\}$ Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)									

Test Band		n41_UL MIMO							
Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
					Port 0	Port 2			
16QAM									
501204	2506.02	20	1	0	20.30	20.87	23.60	26.24	< 33.01
			1	1	20.86	21.46	24.18	26.82	< 33.01
			25	12	20.81	21.43	24.14	26.78	< 33.01
			50	0	20.90	21.53	24.24	26.88	< 33.01
518598	2592.99	20	1	0	20.73	20.74	23.75	26.39	< 33.01
			1	1	21.52	21.09	24.32	26.96	< 33.01
			25	12	21.09	21.08	24.10	26.74	< 33.01
			50	0	21.19	21.11	24.16	26.80	< 33.01
535998	2679.99	20	1	0	20.81	20.73	23.78	26.42	< 33.01
			1	1	20.98	21.09	24.05	26.69	< 33.01
			25	12	20.88	21.23	24.07	26.71	< 33.01
			50	0	20.87	21.21	24.05	26.69	< 33.01
502200	2511.0	30	1	0	20.26	20.98	23.65	26.29	< 33.01
			1	1	20.18	21.66	23.99	26.63	< 33.01
			36	18	20.06	21.29	23.73	26.37	< 33.01
			75	0	20.12	21.12	23.66	26.30	< 33.01
518598	2592.99	30	1	0	19.83	20.36	23.11	25.75	< 33.01
			1	1	20.31	20.89	23.62	26.26	< 33.01
			36	18	20.21	20.87	23.56	26.20	< 33.01
			75	0	20.20	21.00	23.63	26.27	< 33.01
534996	2674.98	30	1	0	19.91	19.89	22.91	25.55	< 33.01
			1	1	20.16	20.49	23.34	25.98	< 33.01
			36	18	20.06	20.64	23.37	26.01	< 33.01
			75	0	20.13	20.55	23.36	26.00	< 33.01

Note 1: Total Power (dBm) = $10 \cdot \log\{10^{(\text{Port 0 Output Power} / 10)} + 10^{(\text{Port 1 Output Power} / 10)}\}$

Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)

Test Band		n41_UL MIMO							
Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
					Port 0	Port 2			
16QAM									
503202	2516.01	40	1	0	20.33	19.91	23.14	25.78	< 33.01
			1	1	21.00	20.48	23.76	26.40	< 33.01
			50	25	20.84	20.52	23.69	26.33	< 33.01
			100	0	20.95	20.49	23.74	26.38	< 33.01
518598	2592.99	40	1	0	20.18	20.46	23.33	25.97	< 33.01
			1	1	20.52	20.88	23.71	26.35	< 33.01
			50	25	20.83	20.84	23.85	26.49	< 33.01
			100	0	20.85	20.96	23.92	26.56	< 33.01
534000	2670.0	40	1	0	20.29	20.56	23.44	26.08	< 33.01
			1	1	20.71	21.13	23.94	26.58	< 33.01
			50	25	20.57	20.71	23.65	26.29	< 33.01
			100	0	20.63	20.73	23.69	26.33	< 33.01
504204	2521.02	50	1	0	19.70	20.47	23.11	25.75	< 33.01
			1	1	20.08	21.11	23.64	26.28	< 33.01
			64	32	19.95	21.04	23.54	26.18	< 33.01
			128	0	19.96	21.03	23.54	26.18	< 33.01
518598	2592.99	50	1	0	19.49	20.55	23.06	25.70	< 33.01
			1	1	19.89	20.46	23.19	25.83	< 33.01
			64	32	19.80	20.80	23.34	25.98	< 33.01
			128	0	19.97	20.79	23.41	26.05	< 33.01
532998	2664.99	50	1	0	19.57	19.58	22.59	25.23	< 33.01
			1	1	19.97	20.10	23.05	25.69	< 33.01
			64	32	19.62	20.25	22.96	25.60	< 33.01
			128	0	19.78	20.32	23.07	25.71	< 33.01

Note 1: Total Power (dBm) = $10 \cdot \log\{10^{(\text{Port 0 Output Power} / 10)} + 10^{(\text{Port 1 Output Power} / 10)}\}$

Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)

Test Band		n41_UL MIMO							
Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
					Port 0	Port 2			
16QAM									
505200	2526.0	60	1	0	20.03	19.91	22.98	25.62	< 33.01
			1	1	20.64	20.17	23.42	26.06	< 33.01
			81	40	20.79	20.44	23.63	26.27	< 33.01
			162	0	20.86	20.41	23.65	26.29	< 33.01
518598	2592.99	60	1	0	20.27	19.16	22.76	25.40	< 33.01
			1	1	20.78	20.64	23.72	26.36	< 33.01
			81	40	20.57	20.72	23.66	26.30	< 33.01
			162	0	20.66	20.69	23.69	26.33	< 33.01
531996	2659.98	60	1	0	19.95	20.01	22.99	25.63	< 33.01
			1	1	20.37	20.77	23.58	26.22	< 33.01
			81	40	20.25	20.59	23.43	26.07	< 33.01
			162	0	20.28	20.26	23.28	25.92	< 33.01
507204	2536.02	80	1	0	19.50	19.25	22.39	25.03	< 33.01
			1	1	19.90	19.43	22.68	25.32	< 33.01
			108	54	20.21	19.78	23.01	25.65	< 33.01
			216	0	20.09	19.56	22.84	25.48	< 33.01
518598	2592.99	80	1	0	19.58	19.43	22.52	25.16	< 33.01
			1	1	19.93	19.83	22.89	25.53	< 33.01
			108	54	20.29	19.91	23.11	25.75	< 33.01
			216	0	20.18	20.01	23.11	25.75	< 33.01
529998	2649.99	80	1	0	19.88	19.58	22.74	25.38	< 33.01
			1	1	20.09	19.87	22.99	25.63	< 33.01
			108	54	20.25	20.02	23.15	25.79	< 33.01
			216	0	20.18	19.82	23.01	25.65	< 33.01

Note 1: Total Power (dBm) = $10 \cdot \log\{10^{(\text{Port 0 Output Power} / 10)} + 10^{(\text{Port 1 Output Power} / 10)}\}$

Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)

Test Band		n41_UL MIMO							
Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
					Port 0	Port 2			
16QAM									
509202	2546.01	100	1	0	19.12	19.77	22.47	25.11	< 33.01
			1	1	19.74	20.34	23.06	25.70	< 33.01
			135	67	20.01	20.71	23.38	26.02	< 33.01
			270	0	19.97	20.33	23.16	25.80	< 33.01
518598	2592.99	100	1	0	19.18	20.15	22.70	25.34	< 33.01
			1	1	19.71	20.85	23.33	25.97	< 33.01
			135	67	20.14	20.99	23.60	26.24	< 33.01
			270	0	19.99	20.82	23.44	26.08	< 33.01
528000	2640.0	100	1	0	19.30	20.17	22.77	25.41	< 33.01
			1	1	19.76	20.88	23.37	26.01	< 33.01
			135	67	20.01	21.13	23.62	26.26	< 33.01
			270	0	19.98	20.95	23.50	26.14	< 33.01
Note 1: Total Power (dBm) = $10 \cdot \log\{10^{(\text{Port 0 Output Power} / 10)} + 10^{(\text{Port 1 Output Power} / 10)}\}$ Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)									

Test Band		n41_UL MIMO							
Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
					Port 0	Port 2			
64QAM									
501204	2506.02	20	1	0	20.05	20.96	23.54	26.18	< 33.01
			1	1	20.02	21.00	23.55	26.19	< 33.01
			25	12	20.33	20.93	23.65	26.29	< 33.01
			50	0	20.33	20.98	23.68	26.32	< 33.01
518598	2592.99	20	1	0	20.43	20.78	23.62	26.26	< 33.01
			1	1	20.79	20.88	23.85	26.49	< 33.01
			25	12	20.78	20.57	23.69	26.33	< 33.01
			50	0	20.73	20.55	23.65	26.29	< 33.01
535998	2679.99	20	1	0	20.13	2.83	20.21	22.85	< 33.01
			1	1	20.22	20.60	23.42	26.06	< 33.01
			25	12	20.30	20.59	23.46	26.10	< 33.01
			50	0	20.43	20.64	23.55	26.19	< 33.01
502200	2511.0	30	1	0	19.39	21.05	23.31	25.95	< 33.01
			1	1	19.39	21.07	23.32	25.96	< 33.01
			36	18	19.55	20.04	22.81	25.45	< 33.01
			75	0	19.54	20.85	23.25	25.89	< 33.01
518598	2592.99	30	1	0	19.30	20.11	22.73	25.37	< 33.01
			1	1	19.41	20.32	22.90	25.54	< 33.01
			36	18	19.71	20.43	23.10	25.74	< 33.01
			75	0	19.66	20.14	22.92	25.56	< 33.01
534996	2674.98	30	1	0	19.35	20.01	22.70	25.34	< 33.01
			1	1	19.40	20.09	22.77	25.41	< 33.01
			36	18	19.55	20.10	22.84	25.48	< 33.01
			75	0	19.65	20.14	22.91	25.55	< 33.01

Note 1: Total Power (dBm) = $10 \cdot \log\{10^{(\text{Port 0 Output Power} / 10)} + 10^{(\text{Port 1 Output Power} / 10)}\}$

Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)

Test Band		n41_UL MIMO							
Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
					Port 0	Port 2			
64QAM									
503202	2516.01	40	1	0	20.54	20.12	23.35	25.99	< 33.01
			1	1	21.01	20.59	23.82	26.46	< 33.01
			50	25	20.88	20.49	23.70	26.34	< 33.01
			100	0	20.99	20.51	23.77	26.41	< 33.01
518598	2592.99	40	1	0	20.53	20.31	23.43	26.07	< 33.01
			1	1	20.50	20.33	23.43	26.07	< 33.01
			50	25	20.33	20.32	23.34	25.98	< 33.01
			100	0	20.32	20.35	23.35	25.99	< 33.01
534000	2670.0	40	1	0	19.99	20.48	23.25	25.89	< 33.01
			1	1	19.87	20.44	23.17	25.81	< 33.01
			50	25	20.18	20.38	23.29	25.93	< 33.01
			100	0	20.16	20.24	23.21	25.85	< 33.01
504204	2521.02	50	1	0	19.27	20.77	23.09	25.73	< 33.01
			1	1	19.20	20.75	23.05	25.69	< 33.01
			64	32	19.43	20.52	23.02	25.66	< 33.01
			128	0	19.49	20.61	23.10	25.74	< 33.01
518598	2592.99	50	1	0	19.52	20.24	22.91	25.55	< 33.01
			1	1	19.68	20.32	23.02	25.66	< 33.01
			64	32	19.35	20.25	22.83	25.47	< 33.01
			128	0	19.33	20.21	22.80	25.44	< 33.01
532998	2664.99	50	1	0	19.15	19.68	22.43	25.07	< 33.01
			1	1	19.15	19.66	22.42	25.06	< 33.01
			64	32	19.20	19.00	22.11	24.75	< 33.01
			128	0	19.23	19.81	22.54	25.18	< 33.01
Note 1: Total Power (dBm) = $10 \cdot \log\{10^{(\text{Port 0 Output Power} / 10)} + 10^{(\text{Port 1 Output Power} / 10)}\}$ Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)									

Test Band		n41_UL MIMO							
Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
					Port 0	Port 2			
64QAM									
505200	2526.0	60	1	0	20.24	19.28	22.80	25.44	< 33.01
			1	1	20.36	19.35	22.89	25.53	< 33.01
			81	40	20.32	19.83	23.09	25.73	< 33.01
			162	0	20.30	19.88	23.11	25.75	< 33.01
518598	2592.99	60	1	0	20.17	19.83	23.01	25.65	< 33.01
			1	1	20.23	19.92	23.09	25.73	< 33.01
			81	40	20.31	20.20	23.27	25.91	< 33.01
			162	0	20.17	20.22	23.21	25.85	< 33.01
531996	2659.98	60	1	0	19.80	20.11	22.97	25.61	< 33.01
			1	1	19.79	20.16	22.99	25.63	< 33.01
			81	40	19.98	20.07	23.04	25.68	< 33.01
			162	0	19.78	20.01	22.91	25.55	< 33.01
507204	2536.02	80	1	0	19.66	18.85	22.28	24.92	< 33.01
			1	1	19.72	19.04	22.40	25.04	< 33.01
			108	54	19.79	19.44	22.63	25.27	< 33.01
			216	0	19.78	19.30	22.56	25.20	< 33.01
518598	2592.99	80	1	0	19.66	19.58	22.63	25.27	< 33.01
			1	1	19.57	19.36	22.48	25.12	< 33.01
			108	54	19.88	19.60	22.75	25.39	< 33.01
			216	0	19.79	19.49	22.65	25.29	< 33.01
529998	2649.99	80	1	0	19.60	19.15	22.39	25.03	< 33.01
			1	1	19.70	16.26	21.32	23.96	< 33.01
			108	54	19.81	19.65	22.74	25.38	< 33.01
			216	0	19.81	19.78	22.81	25.45	< 33.01
Note 1: Total Power (dBm) = $10 \cdot \log\{10^{(\text{Port 0 Output Power} / 10)} + 10^{(\text{Port 1 Output Power} / 10)}\}$ Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)									

Test Band		n41_UL MIMO							
Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
					Port 0	Port 2			
64QAM									
509202	2546.01	100	1	0	18.94	19.51	22.24	24.88	< 33.01
			1	1	19.06	19.71	22.41	25.05	< 33.01
			135	67	19.64	20.23	22.96	25.60	< 33.01
			270	0	19.66	19.73	22.71	25.35	< 33.01
518598	2592.99	100	1	0	19.46	20.01	22.75	25.39	< 33.01
			1	1	19.63	20.17	22.92	25.56	< 33.01
			135	67	19.73	20.53	23.16	25.80	< 33.01
			270	0	19.59	20.44	23.05	25.69	< 33.01
528000	2640.0	100	1	0	19.44	20.04	22.76	25.40	< 33.01
			1	1	19.64	20.15	22.91	25.55	< 33.01
			135	67	19.57	20.71	23.19	25.83	< 33.01
			270	0	19.63	20.52	23.11	25.75	< 33.01
Note 1: Total Power (dBm) = $10 \cdot \log\{10^{(\text{Port 0 Output Power} / 10)} + 10^{(\text{Port 1 Output Power} / 10)}\}$ Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)									

Test Band		n41_UL MIMO							
Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
					Port 0	Port 2			
256QAM									
501204	2506.02	20	1	0	17.14	18.05	20.63	23.27	< 33.01
			1	1	17.19	18.13	20.70	23.34	< 33.01
			25	12	17.25	17.95	20.62	23.26	< 33.01
			50	0	17.37	17.97	20.69	23.33	< 33.01
518598	2592.99	20	1	0	17.75	17.82	20.80	23.44	< 33.01
			1	1	17.67	17.81	20.75	23.39	< 33.01
			25	12	17.59	17.64	20.63	23.27	< 33.01
			50	0	17.68	17.64	20.67	23.31	< 33.01
535998	2679.99	20	1	0	17.39	17.67	20.54	23.18	< 33.01
			1	1	17.43	17.74	20.60	23.24	< 33.01
			25	12	17.32	17.63	20.49	23.13	< 33.01
			50	0	17.71	17.73	20.73	23.37	< 33.01
502200	2511.0	30	1	0	16.21	17.68	20.02	22.66	< 33.01
			1	1	16.67	18.06	20.43	23.07	< 33.01
			36	18	16.51	17.93	20.29	22.93	< 33.01
			75	0	16.56	17.92	20.30	22.94	< 33.01
518598	2592.99	30	1	0	16.60	17.66	20.17	22.81	< 33.01
			1	1	16.62	17.66	20.18	22.82	< 33.01
			36	18	16.69	17.53	20.14	22.78	< 33.01
			75	0	16.67	17.65	20.20	22.84	< 33.01
534996	2674.98	30	1	0	16.59	17.01	19.82	22.46	< 33.01
			1	1	16.58	16.99	19.80	22.44	< 33.01
			36	18	16.54	17.19	19.89	22.53	< 33.01
			75	0	16.54	17.18	19.88	22.52	< 33.01
Note 1: Total Power (dBm) = $10 \cdot \log\{10^{(\text{Port 0 Output Power} / 10)} + 10^{(\text{Port 1 Output Power} / 10)}\}$ Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)									

Test Band		n41_UL MIMO							
Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
					Port 0	Port 2			
256QAM									
503202	2516.01	40	1	0	17.81	17.87	20.85	23.49	< 33.01
			1	1	17.82	17.84	20.84	23.48	< 33.01
			50	25	17.43	17.97	20.72	23.36	< 33.01
			100	0	17.50	18.01	20.77	23.41	< 33.01
518598	2592.99	40	1	0	17.57	17.35	20.47	23.11	< 33.01
			1	1	17.61	17.23	20.43	23.07	< 33.01
			50	25	17.31	17.30	20.32	22.96	< 33.01
			100	0	17.30	17.33	20.33	22.97	< 33.01
534000	2670.0	40	1	0	17.37	17.55	20.47	23.11	< 33.01
			1	1	17.26	17.51	20.40	23.04	< 33.01
			50	25	17.12	17.12	20.13	22.77	< 33.01
			100	0	17.07	17.23	20.16	22.80	< 33.01
504204	2521.02	50	1	0	16.47	17.83	20.21	22.85	< 33.01
			1	1	16.55	17.81	20.24	22.88	< 33.01
			64	32	16.45	17.42	19.97	22.61	< 33.01
			128	0	16.42	17.49	20.00	22.64	< 33.01
518598	2592.99	50	1	0	16.15	17.38	19.82	22.46	< 33.01
			1	1	16.15	17.32	19.78	22.42	< 33.01
			64	32	16.26	17.28	19.81	22.45	< 33.01
			128	0	16.42	17.01	19.74	22.38	< 33.01
532998	2664.99	50	1	0	16.35	16.33	19.35	21.99	< 33.01
			1	1	16.33	16.98	19.68	22.32	< 33.01
			64	32	16.75	17.54	20.17	22.81	< 33.01
			128	0	16.88	17.21	20.06	22.70	< 33.01
Note 1: Total Power (dBm) = $10 \cdot \log\{10^{(\text{Port 0 Output Power} / 10)} + 10^{(\text{Port 1 Output Power} / 10)}\}$ Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)									

Test Band		n41_UL MIMO							
Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
					Port 0	Port 2			
256QAM									
505200	2526.0	60	1	0	17.21	16.46	19.86	22.50	< 33.01
			1	1	17.25	16.52	19.91	22.55	< 33.01
			81	40	17.31	16.83	20.09	22.73	< 33.01
			162	0	17.28	16.82	20.07	22.71	< 33.01
518598	2592.99	60	1	0	17.14	17.01	20.09	22.73	< 33.01
			1	1	17.08	16.98	20.04	22.68	< 33.01
			81	40	17.12	17.15	20.15	22.79	< 33.01
			162	0	17.17	17.14	20.17	22.81	< 33.01
531996	2659.98	60	1	0	16.89	17.12	20.02	22.66	< 33.01
			1	1	16.89	17.13	20.02	22.66	< 33.01
			81	40	16.78	17.03	19.92	22.56	< 33.01
			162	0	16.70	16.97	19.85	22.49	< 33.01
507204	2536.02	80	1	0	17.15	17.25	20.21	22.85	< 33.01
			1	1	17.22	17.19	20.22	22.86	< 33.01
			108	54	17.25	17.56	20.42	23.06	< 33.01
			216	0	17.16	17.49	20.34	22.98	< 33.01
518598	2592.99	80	1	0	17.13	17.34	20.25	22.89	< 33.01
			1	1	17.26	17.62	20.45	23.09	< 33.01
			108	54	17.23	17.78	20.52	23.16	< 33.01
			216	0	17.14	17.65	20.41	23.05	< 33.01
529998	2649.99	80	1	0	17.04	17.48	20.28	22.92	< 33.01
			1	1	17.15	17.50	20.34	22.98	< 33.01
			108	54	17.07	17.81	20.47	23.11	< 33.01
			216	0	17.06	17.67	20.39	23.03	< 33.01
Note 1: Total Power (dBm) = $10 \cdot \log\{10^{(\text{Port 0 Output Power} / 10)} + 10^{(\text{Port 1 Output Power} / 10)}\}$ Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)									

Test Band		n41_UL MIMO							
Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
					Port 0	Port 2			
256QAM									
509202	2546.01	100	1	0	17.02	17.36	20.20	22.84	< 33.01
			1	1	17.18	17.57	20.39	23.03	< 33.01
			135	67	17.23	17.95	20.62	23.26	< 33.01
			270	0	17.26	17.57	20.43	23.07	< 33.01
518598	2592.99	100	1	0	16.78	17.75	20.30	22.94	< 33.01
			1	1	17.15	18.01	20.61	23.25	< 33.01
			135	67	17.18	18.15	20.70	23.34	< 33.01
			270	0	17.17	18.16	20.70	23.34	< 33.01
528000	2640.0	100	1	0	16.97	17.71	20.37	23.01	< 33.01
			1	1	16.99	17.92	20.49	23.13	< 33.01
			135	67	16.98	18.18	20.63	23.27	< 33.01
			270	0	17.07	18.09	20.62	23.26	< 33.01
Note 1: Total Power (dBm) = $10 \cdot \log\{10^{(\text{Port 0 Output Power} / 10)} + 10^{(\text{Port 1 Output Power} / 10)}\}$ Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)									

Test Band		n41_UL MIMO_HPUE							
Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
					Port 0	Port 2			
QPSK									
501204	2506.02	20	1	0	19.11	20.06	22.62	25.26	< 33.01
			1	1	21.20	22.10	24.68	27.32	< 33.01
			25	12	21.32	22.00	24.68	27.32	< 33.01
			50	0	19.78	20.43	23.13	25.77	< 33.01
518598	2592.99	20	1	0	19.66	20.03	22.86	25.50	< 33.01
			1	1	21.76	21.72	24.75	27.39	< 33.01
			25	12	21.75	21.49	24.63	27.27	< 33.01
			50	0	20.34	19.91	23.14	25.78	< 33.01
535998	2679.99	20	1	0	20.69	20.77	23.74	26.38	< 33.01
			1	1	22.31	22.86	25.60	28.24	< 33.01
			25	12	22.38	22.51	25.46	28.10	< 33.01
			50	0	20.78	21.15	23.98	26.62	< 33.01
502200	2511.0	30	1	0	19.82	19.87	22.86	25.50	< 33.01
			1	1	21.63	21.91	24.78	27.42	< 33.01
			36	18	21.71	22.01	24.87	27.51	< 33.01
			75	0	21.21	21.35	24.29	26.93	< 33.01
518598	2592.99	30	1	0	19.79	20.01	22.91	25.55	< 33.01
			1	1	21.85	21.97	24.92	27.56	< 33.01
			36	18	21.92	22.33	25.14	27.78	< 33.01
			75	0	21.41	21.23	24.33	26.97	< 33.01
534996	2674.98	30	1	0	18.17	19.01	21.62	24.26	< 33.01
			1	1	19.66	21.86	23.91	26.55	< 33.01
			36	18	19.72	21.10	23.47	26.11	< 33.01
			75	0	18.32	19.02	21.69	24.33	< 33.01
Note 1: Total Power (dBm) = $10 \cdot \log\{10^{(\text{Port 0 Output Power} / 10)} + 10^{(\text{Port 1 Output Power} / 10)}\}$ Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)									

Test Band		n41_ULMIMO_HPUE							
Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
					Port 0	Port 2			
QPSK									
503202	2516.01	40	1	0	19.43	20.35	22.92	25.56	< 33.01
			1	1	21.45	22.33	24.92	27.56	< 33.01
			50	25	21.45	22.52	25.03	27.67	< 33.01
			100	0	19.99	21.09	23.59	26.23	< 33.01
518598	2592.99	40	1	0	20.02	20.07	23.06	25.70	< 33.01
			1	1	21.94	21.96	24.96	27.60	< 33.01
			50	25	22.12	22.00	25.07	27.71	< 33.01
			100	0	20.7	20.49	23.61	26.25	< 33.01
534000	2670.0	40	1	0	20.79	21.11	23.96	26.60	< 33.01
			1	1	22.77	22.81	25.80	28.44	< 33.01
			50	25	22.69	23.00	25.86	28.50	< 33.01
			100	0	21.33	21.47	24.41	27.05	< 33.01
504204	2521.02	50	1	0	20.01	20.90	23.49	26.13	< 33.01
			1	1	21.43	22.70	25.12	27.76	< 33.01
			64	32	21.38	22.46	24.96	27.60	< 33.01
			128	0	19.83	20.94	23.43	26.07	< 33.01
518598	2592.99	50	1	0	19.42	19.35	22.40	25.04	< 33.01
			1	1	21.36	21.98	24.69	27.33	< 33.01
			64	32	21.64	21.88	24.77	27.41	< 33.01
			128	0	20.06	20.08	23.08	25.72	< 33.01
532998	2664.99	50	1	0	20.21	20.46	23.35	25.99	< 33.01
			1	1	21.55	21.35	24.46	27.10	< 33.01
			64	32	21.60	21.13	24.38	27.02	< 33.01
			128	0	20.11	20.01	23.07	25.71	< 33.01

Note 1: Total Power (dBm) = $10 \cdot \log\{10^{(\text{Port 0 Output Power} / 10)} + 10^{(\text{Port 1 Output Power} / 10)}\}$

Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)

Test Band		n41_ULMIMO_HPUE							
Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
					Port 0	Port 2			
QPSK									
505200	2526.0	60	1	0	19.43	20.23	22.86	25.50	< 33.01
			1	1	21.15	22.13	24.68	27.32	< 33.01
			81	40	21.35	22.25	24.83	27.47	< 33.01
			162	0	19.84	20.66	23.28	25.92	< 33.01
518598	2592.99	60	1	0	19.61	19.60	22.62	25.26	< 33.01
			1	1	21.52	21.97	24.76	27.40	< 33.01
			81	40	22.01	21.89	24.96	27.60	< 33.01
			162	0	20.45	20.34	23.41	26.05	< 33.01
531996	2659.98	60	1	0	19.71	19.49	22.61	25.25	< 33.01
			1	1	21.56	21.77	24.68	27.32	< 33.01
			81	40	21.45	21.32	24.40	27.04	< 33.01
			162	0	19.97	19.92	22.96	25.60	< 33.01
507204	2536.02	80	1	0	18.59	18.62	21.62	24.26	< 33.01
			1	1	21.82	21.53	24.69	27.33	< 33.01
			108	54	20.28	20.93	23.63	26.27	< 33.01
			216	0	20.17	20.11	23.15	25.79	< 33.01
518598	2592.99	80	1	0	19.77	19.20	22.50	25.14	< 33.01
			1	1	21.83	21.60	24.73	27.37	< 33.01
			108	54	21.39	21.95	24.69	27.33	< 33.01
			216	0	20.41	20.78	23.61	26.25	< 33.01
529998	2649.99	80	1	0	20.26	20.99	23.65	26.29	< 33.01
			1	1	21.16	21.08	24.13	26.77	< 33.01
			108	54	21.06	21.23	24.16	26.80	< 33.01
			216	0	20.54	20.62	23.59	26.23	< 33.01
Note 1: Total Power (dBm) = $10 \cdot \log\{10^{(\text{Port 0 Output Power} / 10)} + 10^{(\text{Port 1 Output Power} / 10)}\}$ Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)									

Test Band		n41_ULMIMO_HPUE							
Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
					Port 0	Port 2			
QPSK									
509202	2546.01	100	1	0	20.39	19.63	23.04	25.68	< 33.01
			1	1	21.96	21.72	24.85	27.49	< 33.01
			135	67	22.36	22.09	25.24	27.88	< 33.01
			270	0	20.96	20.63	23.81	26.45	< 33.01
518598	2592.99	100	1	0	19.85	22.02	24.08	26.72	< 33.01
			1	1	22.23	22.13	25.19	27.83	< 33.01
			135	67	22.09	22.05	25.08	27.72	< 33.01
			270	0	22.55	22.63	25.60	28.24	< 33.01
528000	2640.0	100	1	0	21.12	21.88	24.53	27.17	< 33.01
			1	1	22.27	22.02	25.16	27.80	< 33.01
			135	67	22.12	22.19	25.17	27.81	< 33.01
			270	0	20.73	20.70	23.73	26.37	< 33.01
Note 1: Total Power (dBm) = $10 \cdot \log\{10^{(\text{Port 0 Output Power} / 10)} + 10^{(\text{Port 1 Output Power} / 10)}\}$ Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)									

Test Band		n41_ULMIMO_HPUE							
Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
					Port 0	Port 2			
16QAM									
501204	2506.02	20	1	0	19.46	19.84	22.66	25.30	< 33.01
			1	1	20.97	21.47	24.24	26.88	< 33.01
			25	12	20.77	21.47	24.14	26.78	< 33.01
			50	0	19.79	20.50	23.17	25.81	< 33.01
518598	2592.99	20	1	0	20.02	19.67	22.86	25.50	< 33.01
			1	1	21.32	20.96	24.15	26.79	< 33.01
			25	12	21.28	21.01	24.16	26.80	< 33.01
			50	0	20.62	20.02	23.34	25.98	< 33.01
535998	2679.99	20	1	0	20.48	20.79	23.65	26.29	< 33.01
			1	1	21.82	22.01	24.93	27.57	< 33.01
			25	12	21.78	22.06	24.93	27.57	< 33.01
			50	0	20.78	21.18	23.99	26.63	< 33.01
502200	2511.0	30	1	0	20.05	21.01	23.57	26.21	< 33.01
			1	1	21.34	21.33	24.35	26.99	< 33.01
			36	18	21.24	21.18	24.22	26.86	< 33.01
			75	0	20.25	20.14	23.21	25.85	< 33.01
518598	2592.99	30	1	0	19.98	20.01	23.01	25.65	< 33.01
			1	1	21.66	21.36	24.52	27.16	< 33.01
			36	18	21.37	21.34	24.37	27.01	< 33.01
			75	0	20.41	20.44	23.44	26.08	< 33.01
534996	2674.98	30	1	0	19.55	20.96	23.32	25.96	< 33.01
			1	1	21.42	21.65	24.55	27.19	< 33.01
			36	18	21.20	21.32	24.27	26.91	< 33.01
			75	0	20.35	20.01	23.19	25.83	< 33.01
Note 1: Total Power (dBm) = $10 \cdot \log\{10^{(\text{Port 0 Output Power} / 10)} + 10^{(\text{Port 1 Output Power} / 10)}\}$ Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)									

Test Band		n41_ULMIMO_HPUE							
Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
					Port 0	Port 2			
16QAM									
503202	2516.01	40	1	0	19.64	20.17	22.92	25.56	< 33.01
			1	1	20.97	21.87	24.45	27.09	< 33.01
			50	25	21.01	22.07	24.58	27.22	< 33.01
			100	0	20.02	21.01	23.55	26.19	< 33.01
518598	2592.99	40	1	0	19.97	20.00	23.00	25.64	< 33.01
			1	1	21.66	21.50	24.59	27.23	< 33.01
			50	25	21.61	21.56	24.60	27.24	< 33.01
			100	0	20.70	20.53	23.63	26.27	< 33.01
534000	2670.0	40	1	0	20.90	21.02	23.97	26.61	< 33.01
			1	1	22.46	22.41	25.45	28.09	< 33.01
			50	25	22.37	22.49	25.44	28.08	< 33.01
			100	0	21.29	21.49	24.40	27.04	< 33.01
504204	2521.02	50	1	0	19.52	19.53	22.54	25.18	< 33.01
			1	1	21.26	21.24	24.26	26.90	< 33.01
			64	32	21.81	21.38	24.61	27.25	< 33.01
			128	0	20.77	20.65	23.72	26.36	< 33.01
518598	2592.99	50	1	0	19.62	19.68	22.66	25.30	< 33.01
			1	1	22.23	22.33	25.29	27.93	< 33.01
			64	32	21.05	21.06	24.07	26.71	< 33.01
			128	0	20.11	20.80	23.48	26.12	< 33.01
532998	2664.99	50	1	0	19.60	19.65	22.64	25.28	< 33.01
			1	1	21.34	21.90	24.64	27.28	< 33.01
			64	32	21.06	21.62	24.36	27.00	< 33.01
			128	0	20.06	19.87	22.98	25.62	< 33.01
Note 1: Total Power (dBm) = $10 \cdot \log\{10^{(\text{Port 0 Output Power} / 10)} + 10^{(\text{Port 1 Output Power} / 10)}\}$ Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)									

Test Band		n41_ULMIMO_HPUE							
Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
					Port 0	Port 2			
16QAM									
505200	2526.0	60	1	0	18.97	20.18	22.63	25.27	< 33.01
			1	1	20.61	21.68	24.19	26.83	< 33.01
			81	40	20.83	21.73	24.31	26.95	< 33.01
			162	0	19.92	20.70	23.34	25.98	< 33.01
518598	2592.99	60	1	0	19.47	19.46	22.48	25.12	< 33.01
			1	1	21.80	21.12	24.48	27.12	< 33.01
			81	40	21.54	21.34	24.45	27.09	< 33.01
			162	0	20.48	20.31	23.41	26.05	< 33.01
531996	2659.98	60	1	0	19.56	19.47	22.53	25.17	< 33.01
			1	1	21.34	21.20	24.28	26.92	< 33.01
			81	40	21.01	20.86	23.95	26.59	< 33.01
			162	0	19.98	19.92	22.96	25.60	< 33.01
507204	2536.02	80	1	0	19.59	19.71	22.66	25.30	< 33.01
			1	1	21.63	21.52	24.59	27.23	< 33.01
			108	54	21.90	21.72	24.82	27.46	< 33.01
			216	0	21.25	21.09	24.18	26.82	< 33.01
518598	2592.99	80	1	0	19.89	19.19	22.56	25.20	< 33.01
			1	1	21.81	21.38	24.61	27.25	< 33.01
			108	54	21.13	21.57	24.37	27.01	< 33.01
			216	0	20.39	20.57	23.49	26.13	< 33.01
529998	2649.99	80	1	0	19.99	19.12	22.59	25.23	< 33.01
			1	1	21.53	21.86	24.71	27.35	< 33.01
			108	54	21.47	21.71	24.60	27.24	< 33.01
			216	0	20.49	20.57	23.54	26.18	< 33.01
Note 1: Total Power (dBm) = $10 \cdot \log\{10^{(\text{Port 0 Output Power} / 10)} + 10^{(\text{Port 1 Output Power} / 10)}\}$ Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)									

Test Band		n41_ULMIMO_HPUE							
Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
					Port 0	Port 2			
16QAM									
509202	2546.01	100	1	0	19.82	19.91	22.88	25.52	< 33.01
			1	1	20.96	21.39	24.19	26.83	< 33.01
			135	67	21.62	21.82	24.73	27.37	< 33.01
			270	0	20.87	20.58	23.74	26.38	< 33.01
518598	2592.99	100	1	0	19.99	20.00	23.01	25.65	< 33.01
			1	1	21.45	21.45	24.46	27.10	< 33.01
			135	67	21.54	22.57	25.10	27.74	< 33.01
			270	0	20.57	20.58	23.59	26.23	< 33.01
528000	2640.0	100	1	0	20.06	20.77	23.44	26.08	< 33.01
			1	1	21.18	22.01	24.63	27.27	< 33.01
			135	67	22.09	22.15	25.13	27.77	< 33.01
			270	0	19.14	19.10	22.13	24.77	< 33.01
Note 1: Total Power (dBm) = $10 \cdot \log\{10^{(\text{Port 0 Output Power} / 10)} + 10^{(\text{Port 1 Output Power} / 10)}\}$ Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)									

Test Band		n41_ULMIMO_HPUE							
Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
					Port 0	Port 2			
64QAM									
501204	2506.02	20	1	0	19.07	19.91	22.52	25.16	< 33.01
			1	1	19.06	19.87	22.49	25.13	< 33.01
			25	12	19.22	20.04	22.66	25.30	< 33.01
			50	0	19.28	19.95	22.64	25.28	< 33.01
518598	2592.99	20	1	0	19.70	19.91	22.82	25.46	< 33.01
			1	1	19.77	19.80	22.80	25.44	< 33.01
			25	12	19.84	19.48	22.67	25.31	< 33.01
			50	0	19.84	19.48	22.67	25.31	< 33.01
535998	2679.99	20	1	0	20.39	20.84	23.63	26.27	< 33.01
			1	1	20.23	20.86	23.57	26.21	< 33.01
			25	12	20.29	20.54	23.43	26.07	< 33.01
			50	0	20.38	20.47	23.44	26.08	< 33.01
502200	2511.0	30	1	0	19.82	19.61	22.73	25.37	< 33.01
			1	1	19.69	19.34	22.53	25.17	< 33.01
			36	18	19.69	19.77	22.74	25.38	< 33.01
			75	0	19.69	19.34	22.53	25.17	< 33.01
518598	2592.99	30	1	0	19.47	19.85	22.67	25.31	< 33.01
			1	1	19.62	19.25	22.45	25.09	< 33.01
			36	18	19.91	19.99	22.96	25.60	< 33.01
			75	0	19.86	19.74	22.81	25.45	< 33.01
534996	2674.98	30	1	0	19.88	19.21	22.57	25.21	< 33.01
			1	1	19.69	19.66	22.69	25.33	< 33.01
			36	18	19.41	19.33	22.38	25.02	< 33.01
			75	0	19.92	19.65	22.80	25.44	< 33.01
Note 1: Total Power (dBm) = $10 \cdot \log\{10^{(\text{Port 0 Output Power} / 10)} + 10^{(\text{Port 1 Output Power} / 10)}\}$ Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)									

Test Band		n41_ULMIMO_HPUE							
Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
					Port 0	Port 2			
64QAM									
503202	2516.01	40	1	0	19.58	20.52	23.09	25.73	< 33.01
			1	1	19.46	20.53	23.04	25.68	< 33.01
			50	25	19.44	20.60	23.07	25.71	< 33.01
			100	0	19.49	20.57	23.07	25.71	< 33.01
518598	2592.99	40	1	0	19.87	20.09	22.99	25.63	< 33.01
			1	1	19.90	20.06	22.99	25.63	< 33.01
			50	25	20.11	19.97	23.05	25.69	< 33.01
			100	0	20.12	19.97	23.06	25.70	< 33.01
534000	2670.0	40	1	0	20.85	21.24	24.06	26.70	< 33.01
			1	1	20.96	21.23	24.11	26.75	< 33.01
			50	25	20.79	21.10	23.96	26.60	< 33.01
			100	0	20.78	21.02	23.91	26.55	< 33.01
504204	2521.02	50	1	0	19.55	20.21	22.90	25.54	< 33.01
			1	1	21.18	21.36	24.28	26.92	< 33.01
			64	32	20.85	21.01	23.94	26.58	< 33.01
			128	0	19.79	20.01	22.91	25.55	< 33.01
518598	2592.99	50	1	0	19.53	19.38	22.47	25.11	< 33.01
			1	1	19.40	20.14	22.80	25.44	< 33.01
			64	32	19.59	19.65	22.63	25.27	< 33.01
			128	0	19.57	19.63	22.61	25.25	< 33.01
532998	2664.99	50	1	0	19.72	19.60	22.67	25.31	< 33.01
			1	1	19.88	19.73	22.82	25.46	< 33.01
			64	32	19.24	19.13	22.20	24.84	< 33.01
			128	0	20.10	19.35	22.75	25.39	< 33.01
Note 1: Total Power (dBm) = $10 \cdot \log\{10^{(\text{Port 0 Output Power} / 10)} + 10^{(\text{Port 1 Output Power} / 10)}\}$ Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)									

Test Band		n41_ULMIMO_HPUE							
Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
					Port 0	Port 2			
64QAM									
505200	2526.0	60	1	0	19.23	19.69	22.48	25.12	< 33.01
			1	1	19.20	19.72	22.48	25.12	< 33.01
			81	40	19.30	20.29	22.83	25.47	< 33.01
			162	0	19.42	20.19	22.83	25.47	< 33.01
518598	2592.99	60	1	0	19.66	19.39	22.54	25.18	< 33.01
			1	1	19.66	19.34	22.51	25.15	< 33.01
			81	40	19.99	19.79	22.90	25.54	< 33.01
			162	0	20.00	19.77	22.90	25.54	< 33.01
531996	2659.98	60	1	0	19.80	19.31	22.57	25.21	< 33.01
			1	1	19.71	19.40	22.57	25.21	< 33.01
			81	40	19.40	19.33	22.38	25.02	< 33.01
			162	0	19.49	19.50	22.51	25.15	< 33.01
507204	2536.02	80	1	0	18.60	18.52	21.57	24.21	< 33.01
			1	1	18.73	18.53	21.64	24.28	< 33.01
			108	54	18.84	18.88	21.87	24.51	< 33.01
			216	0	18.79	18.81	21.81	24.45	< 33.01
518598	2592.99	80	1	0	18.78	19.06	21.93	24.57	< 33.01
			1	1	18.86	19.06	21.97	24.61	< 33.01
			108	54	19.19	19.47	22.34	24.98	< 33.01
			216	0	19.07	19.37	22.23	24.87	< 33.01
529998	2649.99	80	1	0	19.12	19.20	22.17	24.81	< 33.01
			1	1	19.07	19.14	22.12	24.76	< 33.01
			108	54	19.03	19.07	22.06	24.70	< 33.01
			216	0	18.95	18.00	21.51	24.15	< 33.01
Note 1: Total Power (dBm) = $10 \cdot \log\{10^{(\text{Port 0 Output Power} / 10)} + 10^{(\text{Port 1 Output Power} / 10)}\}$ Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)									

Test Band		n41_ULMIMO_HPUE							
Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
					Port 0	Port 2			
64QAM									
509202	2546.01	100	1	0	20.01	19.56	22.80	25.44	< 33.01
			1	1	20.13	19.69	22.93	25.57	< 33.01
			135	67	20.34	19.97	23.17	25.81	< 33.01
			270	0	20.33	20.15	23.25	25.89	< 33.01
518598	2592.99	100	1	0	19.71	19.70	22.72	25.36	< 33.01
			1	1	19.87	19.87	22.88	25.52	< 33.01
			135	67	20.14	20.14	23.15	25.79	< 33.01
			270	0	20.18	20.19	23.20	25.84	< 33.01
528000	2640.0	100	1	0	19.75	19.10	22.45	25.09	< 33.01
			1	1	20.91	20.30	23.63	26.27	< 33.01
			135	67	20.17	20.21	23.20	25.84	< 33.01
			270	0	20.13	20.19	23.17	25.81	< 33.01
Note 1: Total Power (dBm) = $10 \cdot \log\{10^{(\text{Port 0 Output Power} / 10)} + 10^{(\text{Port 1 Output Power} / 10)}\}$ Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)									

Test Band		n41_ULMIMO_HPUE							
Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
					Port 0	Port 2			
256QAM									
501204	2506.02	20	1	0	18.13	19.16	21.69	24.33	< 33.01
			1	1	18.20	19.11	21.69	24.33	< 33.01
			25	12	18.16	19.00	21.61	24.25	< 33.01
			50	0	18.27	19.09	21.71	24.35	< 33.01
518598	2592.99	20	1	0	18.78	18.86	21.83	24.47	< 33.01
			1	1	18.79	18.77	21.79	24.43	< 33.01
			25	12	18.73	18.42	21.59	24.23	< 33.01
			50	0	18.77	18.48	21.64	24.28	< 33.01
535998	2679.99	20	1	0	19.26	19.82	22.56	25.20	< 33.01
			1	1	19.29	19.84	22.58	25.22	< 33.01
			25	12	19.36	19.60	22.49	25.13	< 33.01
			50	0	19.45	19.62	22.55	25.19	< 33.01
502200	2511.0	30	1	0	18.68	19.20	21.96	24.60	< 33.01
			1	1	18.75	18.74	21.76	24.40	< 33.01
			36	18	18.69	18.64	21.68	24.32	< 33.01
			75	0	18.69	18.33	21.52	24.16	< 33.01
518598	2592.99	30	1	0	18.68	19.01	21.86	24.50	< 33.01
			1	1	18.75	19.21	22.00	24.64	< 33.01
			36	18	18.79	19.21	22.02	24.66	< 33.01
			75	0	18.83	18.21	21.54	24.18	< 33.01
534996	2674.98	30	1	0	19.25	19.35	22.31	24.95	< 33.01
			1	1	19.77	19.89	22.84	25.48	< 33.01
			36	18	19.89	20.21	23.06	25.70	< 33.01
			75	0	19.88	20.01	22.96	25.60	< 33.01
Note 1: Total Power (dBm) = $10 \cdot \log\{10^{(\text{Port 0 Output Power} / 10)} + 10^{(\text{Port 1 Output Power} / 10)}\}$ Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)									

Test Band		n41_ULMIMO_HPUE							
Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
					Port 0	Port 2			
256QAM									
503202	2516.01	40	1	0	19.42	20.53	23.02	25.66	< 33.01
			1	1	19.48	20.55	23.06	25.70	< 33.01
			50	25	19.50	20.70	23.15	25.79	< 33.01
			100	0	19.45	20.50	23.02	25.66	< 33.01
518598	2592.99	40	1	0	18.89	19.08	22.00	24.64	< 33.01
			1	1	19.02	19.05	22.05	24.69	< 33.01
			50	25	19.12	18.92	22.03	24.67	< 33.01
			100	0	19.19	18.95	22.08	24.72	< 33.01
534000	2670.0	40	1	0	20.77	21.35	24.08	26.72	< 33.01
			1	1	20.90	21.33	24.13	26.77	< 33.01
			50	25	20.82	21.03	23.94	26.58	< 33.01
			100	0	20.87	21.01	23.95	26.59	< 33.01
504204	2521.02	50	1	0	19.39	19.66	22.54	25.18	< 33.01
			1	1	19.41	19.37	22.40	25.04	< 33.01
			64	32	19.33	19.88	22.62	25.26	< 33.01
			128	0	19.29	20.10	22.72	25.36	< 33.01
518598	2592.99	50	1	0	19.21	19.01	22.12	24.76	< 33.01
			1	1	19.54	19.32	22.44	25.08	< 33.01
			64	32	18.64	18.33	21.50	24.14	< 33.01
			128	0	19.66	18.65	22.19	24.83	< 33.01
532998	2664.99	50	1	0	18.64	18.23	21.45	24.09	< 33.01
			1	1	19.32	19.55	22.45	25.09	< 33.01
			64	32	19.53	19.01	22.29	24.93	< 33.01
			128	0	19.01	19.11	22.07	24.71	< 33.01
Note 1: Total Power (dBm) = $10 \cdot \log\{10^{(\text{Port 0 Output Power} / 10)} + 10^{(\text{Port 1 Output Power} / 10)}\}$ Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)									

Test Band		n41_ULMIMO_HPUE							
Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
					Port 0	Port 2			
256QAM									
505200	2526.0	60	1	0	18.10	19.06	21.62	24.26	< 33.01
			1	1	18.17	19.12	21.68	24.32	< 33.01
			81	40	18.49	19.17	21.85	24.49	< 33.01
			162	0	18.42	19.15	21.81	24.45	< 33.01
518598	2592.99	60	1	0	18.41	18.70	21.57	24.21	< 33.01
			1	1	18.51	18.75	21.64	24.28	< 33.01
			81	40	19.03	18.82	21.94	24.58	< 33.01
			162	0	18.97	18.73	21.86	24.50	< 33.01
531996	2659.98	60	1	0	18.55	18.59	21.58	24.22	< 33.01
			1	1	18.59	18.58	21.60	24.24	< 33.01
			81	40	18.40	18.26	21.34	23.98	< 33.01
			162	0	18.45	18.34	21.41	24.05	< 33.01
507204	2536.02	80	1	0	18.17	18.76	21.49	24.13	< 33.01
			1	1	18.19	18.77	21.50	24.14	< 33.01
			108	54	18.25	18.73	21.51	24.15	< 33.01
			216	0	18.47	18.64	21.57	24.21	< 33.01
518598	2592.99	80	1	0	18.50	18.72	21.62	24.26	< 33.01
			1	1	18.86	18.92	21.90	24.54	< 33.01
			108	54	18.84	18.81	21.84	24.48	< 33.01
			216	0	19.08	19.11	22.11	24.75	< 33.01
529998	2649.99	80	1	0	18.97	19.13	22.06	24.70	< 33.01
			1	1	19.07	19.08	22.09	24.73	< 33.01
			108	54	19.03	19.06	22.06	24.70	< 33.01
			216	0	17.03	17.06	20.06	22.70	< 33.01
Note 1: Total Power (dBm) = $10 \cdot \log\{10^{(\text{Port 0 Output Power} / 10)} + 10^{(\text{Port 1 Output Power} / 10)}\}$ Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)									

Test Band		n41_ULMIMO_HPUE							
Channel No.	Frequency (MHz)	Channel Bandwidth	RB Size	RB Offset	Output Power (dBm)		Total Power	EIRP (dBm)	Limit (dBm)
					Port 0	Port 2			
256QAM									
509202	2546.01	100	1	0	18.39	18.74	21.58	24.22	< 33.01
			1	1	19.60	19.73	22.68	25.32	< 33.01
			135	67	19.34	19.00	22.18	24.82	< 33.01
			270	0	19.36	19.90	22.65	25.29	< 33.01
518598	2592.99	100	1	0	19.96	19.96	22.97	25.61	< 33.01
			1	1	20.05	19.14	22.63	25.27	< 33.01
			135	67	20.08	20.08	23.09	25.73	< 33.01
			270	0	20.12	19.12	22.66	25.30	< 33.01
528000	2640.0	100	1	0	18.16	18.87	21.54	24.18	< 33.01
			1	1	19.17	19.04	22.12	24.76	< 33.01
			135	67	19.15	19.11	22.14	24.78	< 33.01
			270	0	19.11	19.09	22.11	24.75	< 33.01

Note 1: Total Power (dBm) = $10 \cdot \log\{10^{(\text{Port 0 Output Power} / 10)} + 10^{(\text{Port 1 Output Power} / 10)}\}$

Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)