




Test Data


Maximum Conducted Output Power

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Limit (dBm)	Verdict
NVNT	BLE	2402	Ant1	8.068	30	Pass
NVNT	BLE	2442	Ant1	8.331	30	Pass
NVNT	BLE	2480	Ant1	8.316	30	Pass













-6dB Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	-6 dB Bandwidth (MHz)	limit	Verdic
NVNT	BLE	2402	Ant1	0.637	0.5	Pass
NVNT	BLE	2442	Ant1	0.636	0.5	Pass
NVNT	BLE	2480	Ant1	0.636	0.5	Pass














Occupied Channel Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	99% OBW (MHz)	
NVNT	BLE	2402	Ant1	1.028	
NVNT	BLE	2442	Ant1	1.029	
NVNT	BLE	2480	Ant1	1.029	

Project No.: JYTSZR2311061















Maximum Power Spectral Density Level

Condition	Mode	Frequency (MHz)	Antenna	Max PSD (dBm)	Limit (dBm)	Verdict
NVNT	BLE	2402	Ant1	-6.729	8	Pass
NVNT	BLE	2442	Ant1	-6.506	8	Pass
NVNT	BLE	2480	Ant1	-6.476	8	Pass















Band Edge

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE	2402	Ant1	-61.6	-20	Pass
NVNT	BLE	2480	Ant1	-57.01	-20	Pass













Conducted RF Spurious Emission

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE	2402	Ant1	-56.82	-20	Pass
NVNT	BLE	2442	Ant1	-56.73	-20	Pass
NVNT	BLE	2480	Ant1	-56.81	-20	Pass









Start 30 MHz #Res BW 100 kHz Stop 25.00 GHz Sweep ~2.49 s (1001 pts) 5 Marker Table Trace Scale Function **Function Width** Function Value Mode 6.751 dBm 4.874 GHz 7.196 GHz 9.668 GHz -48.46 dBm -55.42 dBm N N N -54.44 dBm 5 6 Dec 07, 2023 1:53:38 PM

Tx. Spurious NVNT BLE 2480MHz Ant1 Ref



