



Frequency Range GHz = [1, 17] Equipment Type = Frequency Hopping Spread Spectrum systems (DSS)
Modulation = BT (Pi/4 DPSK 2-DH5) Frequency MHz = 2480.00000
MIMO Mode = SISO Active Port = 1

Images:



Full Spectrum



Modulation: BT (8DPSK 3-DH5)

MIMO Mode: SISO

Results

Freq Rng (GHz)	Equipment	Freq (MHz)	Port	Unwanted Freq (MHz)	Unwanted Lvl (dBμV/m)	Pol	Detector
[1, 17]	Frequency Hopping Spread Spectrum systems (DSS)	2402.00000	1	1009.740	56.63	V	PK
				1009.740	42.83	V	AVG
		2441.00000		1013.720	57.76	V	PK
				1695.000	55.58	V	PK
				1013.720	43.71	V	AVG
				1695.000	41.42	V	AVG
		2480.00000		1015.480	57.29	V	PK
				1691.700	56.28	V	PK
				1015.480	43.45	V	AVG
				1691.700	41.93	V	AVG


Verdict

Pass

Attachments


Frequency Range GHz = [1, 17] Equipment Type = Frequency Hopping Spread Spectrum systems (DSS)
Modulation = BT (8DPSK 3-DH5) Frequency MHz = 2402.00000
MIMO Mode = SISO Active Port = 1

Images:




Preview Result 2V-AVG Preview Result 1V-PK+ Preview Result 2H-AVG
Preview Result 1H-PK+ FCC 15.247 PK FCC 15.247 Restricted Bands AVG
Final_Result PK+ Final_Result AVG

Full Spectrum



Preview Result 2V-AVG Preview Result 1V-PK+
Preview Result 2H-AVG Preview Result 1H-PK+
FCC 15.247 PK FCC 15.247 Restricted Bands AVG
Final_Result PK+ Final_Result AVG


Full Spectrum




Frequency Range GHz = [1, 17] Equipment Type = Frequency Hopping Spread Spectrum systems (DSS)
Modulation = BT (8DPSK 3-DH5) Frequency MHz = 2441.00000
MIMO Mode = SISO Active Port = 1

Images:

Full Spectrum




Full Spectrum




Frequency Range GHz = [1, 17] Equipment Type = Frequency Hopping Spread Spectrum systems (DSS)
Modulation = BT (8DPSK 3-DH5) Frequency MHz = 2480.00000
MIMO Mode = SISO Active Port = 1


Images:



Full Spectrum



Full Spectrum



Frequency Range GHz = [17, 26] Equipment Type = Frequency Hopping Spread Spectrum systems (DSS)
The spurious frequencies detected do not depend on either the modulation or the operating channel.

MIMO Mode = SISO Active Port = 1

Images:

