




Test Report

Prepared for General Motors LLC

This report presents detailed information on
NAR VCUNH1

Prepared by 
Aravind Buddana
Engineer II

Approved by 
Jason Kanakry
Automotive Lab Manager

Issue date : 09/13/2023

Report No.: J23159 MUS_GM_2302 TR1 v2

This test result relates only to the described test object.
This document shall not be reproduced, except in full, without the written approval of Bureau Veritas Test Lab.
Customer must not use this test report as the product certification of each accreditation body or each national organization.
The test is traceable to national standard or related international standard

Contents

Contents	2
• Test Request Information	3
• Test Laboratory Information	4
• Test Summary.....	5
• Test Sample Information	6
• Test Setup Pictures.....	7
• Test Equipment Used	8
• Test Results	9
• Document Revisions.....	29

- **Test Request Information**

Test Request #: 4301692748
Test requested by: Shashank Lakshmikanth
GM Milford Proving Grounds
Building 40
3300 GM Road, Milford MI, 48380
Type of Test: For Reference Only
Approved Test Plan Number: MY24_High_RFRV_EIRP_Freq_Stab_Test Plan_VCU_1_0 - BV_0525
Test Plan Revision: 1.0
Test Method: FCC CFR 15.215c
Deviations from Test Plan: None
Date test started: 08/19/2023
Date test finished: 09/01/2023

Test Item Information

Test item description: RF2.6 Frequency Stability
Sample Number(s): J23159-NAR#3
Part Number(s): 7511.401.147-08
Hardware Version of DUT: N/A
Software Version: N/A
Component Category of DUT: N/A
Date test sample received: 08/03/2023

- **Test Laboratory Information**

Location of Test Lab: The radiated and conducted emissions test sites are located at
Bureau Veritas
815 N. Opdyke Rd #100,
Auburn Hills, MI 48326,
Phone: +1-248-836-4700

Key Contact: Jason Kanakry (General Manager)
Jason.Kanakry@BureauVeritas.com
Phone: +1-248-836-4747

Laboratory Accreditations: BUREAU VERITAS CONSUMER PRODUCTS SERVICES, INC is accredited in accordance with the recognized International Standard ISO/IEC 17025:2017 General requirements for the competence of testing and calibration laboratories.

ISO/IEC 17025:2017: 5678.01

FCC Test Site Number: US1278 (242530)

IC Test Site Number: US0229 (26240)

- **Test Summary**

The following is a summary of the test results.

The detailed test results can be found in the appropriate sections of this report:

Test Item	Sample #	Result
RF2.6 Frequency Stability	J23159-NAR#3	Test Data Provided


- **Test Sample Information**

J23159-NAR#3



- **Test Setup Pictures**

Frequency Stability Setup Pictures



• **Test Equipment Used**

ID #	Equipment	Manufacturer	Model #	Serial #	Cal Due
BVD0414	Temperature Chamber	ESPEC	EPZ-2H	0142398B	6/16/2025
BVD0305	DC power supply 1-15VDC 60A 110/220 11.5A max input	BK Precision	1693	257C19123	N/A
BVD0226	Spectrum Analyzer 10Hz-44GHz	Rohde & Schwarz	FSV3044	101018	4/14/2024
BVD0299	Laptop	Lenovo	E480	PF185FS3	N/A
BVD0430	Multimeter	Fluke	117	49710262SV	11/11/2023

Customer Supplied Equipment

ID #	Equipment	Manufacturer	Model	Serial #	Version No.
N/A	Cable Harness	GM	N/A	1002151265 A	N/A
N/A	USB to Ethernet Dongle	D-link	DUB-E100	S7291GC000740	N/A
N/A	vcu_wlan_rta_tool_v3_0	N/A	N/A	N/A	3_0
N/A	BTcli Tooling_bt_rta_tool_v0_3	N/A	N/A	N/A	0_3

• **Test Results**

1. RF2.6 Frequency Stability

1.1 Test Data

Test Mode	DUT Operation Mode	Temperature Condition	Frequency Stability (GHz)		
			11.5V	13.5V	15V
3	Continuous transmitting on 2412 MHz 802.11 b-mode 2Mbps	-40°C	2.4120322320	2.4120321990	2.4120314990
	Continuous transmitting on 2412 MHz 802.11 b-mode 2Mbps	20°C	2.4120063000	2.4120066000	2.4120086330
	Continuous transmitting on 2412 MHz 802.11 b-mode 2Mbps	50°C	2.4119800000	2.4119796340	2.4119795670
4	Continuous transmitting on 2437 MHz 802.11 b-mode 2Mbps	-40°C	2.4370325990	2.3470325650	2.4370325990
	Continuous transmitting on 2437 MHz 802.11 b-mode 2Mbps	20°C	2.4370061330	2.4370059990	2.4370058660
	Continuous transmitting on 2437 MHz 802.11 b-mode 2Mbps	50°C	2.4369792670	2.4369792670	2.4369793340
5	Continuous transmitting on 2462 MHz 802.11 b-mode 2Mbps	-40°C	2.4620329660	2.4620329990	2.4620329320
	Continuous transmitting on 2462 MHz 802.11 b-mode 2Mbps	20°C	2.4620056660	2.4620057660	2.4620059000
	Continuous transmitting on 2462 MHz 802.11 b-mode 2Mbps	50°C	2.4619794670	2.4619794670	2.4619790000
	Continuous transmitting on 2412 MHz 802.11 g-mode 24Mbps	-40°C	2.4120320990	2.4120319990	2.4120319660

6	Continuous transmitting on 2412 MHz 802.11 g-mode 24Mbps	20°C	2.4120056000	2.4120055660	2.4120055660
	Continuous transmitting on 2412 MHz 802.11 g-mode 24Mbps	50°C	2.4119793670	2.4119794000	2.4119795670
7	Continuous transmitting on 2437 MHz 802.11 g-mode 24Mbps	-40°C	2.4370325990	2.4370325320	2.4370324320
	Continuous transmitting on 2437 MHz 802.11 g-mode 24Mbps	20°C	2.4370055330	2.4370055660	2.4370056660
	Continuous transmitting on 2437 MHz 802.11 g-mode 24Mbps	50°C	2.4369792010	2.4369791670	2.4369791000
8	Continuous transmitting on 2462 MHz 802.11 g-mode 24Mbps	-40°C	2.4620327990	2.4620326650	2.4620326650
	Continuous transmitting on 2462 MHz 802.11 g-mode 24Mbps	20°C	2.4620056000	2.4620055330	2.4620055330
	Continuous transmitting on 2462 MHz 802.11 g-mode 24Mbps	50°C	2.4619788670	2.4619788670	2.4619789340
9	Continuous transmitting on 2412 MHz 802.11 n20-mode MCS2	-40°C	2.4120320320	2.4120319990	2.4120319320
	Continuous transmitting on 2412 MHz 802.11 n20-mode MCS2	20°C	2.4120053660	2.4120053660	2.4120054660
	Continuous transmitting on 2412 MHz 802.11 n20-mode MCS2	50°C	2.4119792680	2.4119792680	2.4119792680
	Continuous transmitting on 2437 MHz 802.11 n20-mode MCS2	-40°C	2.4370324990	2.4370326320	2.4370327660

10	Continuous transmitting on 2437 MHz 802.11 n20-mode MCS2	20°C	2.4370053660	2.4370053000	2.4370052330
	Continuous transmitting on 2437 MHz 802.11 n20-mode MCS2	50°C	2.4369790340	2.4369790670	2.4369790670
11	Continuous transmitting on 2462 MHz 802.11 n20-mode MCS2	-40°C	2.4620326990	2.4620328990	2.4620326650
	Continuous transmitting on 2462 MHz 802.11 n20-mode MCS2	20°C	2.4620053660	2.4620053660	2.4620053660
	Continuous transmitting on 2462 MHz 802.11 n20-mode MCS2	50°C	2.4619788340	2.4619788340	2.4619788340
12	Continuous transmitting on 2412 MHz 802.11 ax20-mode MCS0	-40°C	2.4120320320	2.4120320320	2.4120318990
	Continuous transmitting on 2412 MHz,802.11 ax20-mode	20°C	2.4120056000	2.4120055330	2.4120055330
	Continuous transmitting on 2412 MHz 802.11 ax20-mode MCS0	50°C	2.4119793010	2.4119793010	2.4119799010
13	Continuous transmitting on 2437 MHz 802.11 ax20-mode MCS0	-40°C	2.4370322320	2.4370326990	2.4370326650
	Continuous transmitting on 2437 MHz 802.11 ax20-mode MCS0	20°C	2.4370048670	2.4370049330	2.4370052000
	Continuous transmitting on 2437 MHz 802.11 ax20-mode MCS0	50°C	2.4369790680	2.4369789340	2.4369788680
	Continuous transmitting on 2462 MHz 802.11 ax20-mode MCS0	-40°C	2.4620326990	2.4620327320	2.4620327320

14	Continuous transmitting on 2462 MHz 802.11 ax20-mode MCS0	20°C	2.4620055330	2.4620055000	2.4620054000
	Continuous transmitting on 2462 MHz 802.11 ax20-mode MCS0	50°C	2.4619788000	2.4619787670	2.4619787670
15	Continuous transmitting on 5180MHz 802.11 a-mode 24Mbps	-40°C	5.1800572320	5.1800568990	5.1800543990
	Continuous transmitting on 5180MHz 802.11 a-mode 24Mbps	20°C	5.1800102660	5.1800083000	5.1800081000
	Continuous transmitting on 5180MHz 802.11 a-mode 24Mbps	50°C	5.1799547680	5.1799543350	5.1799542680
16	Continuous transmitting on 5200 MHz 802.11 a-mode 24Mbps	-40°C	5.2000576980	5.2000579310	5.2000580980
	Continuous transmitting on 5200 MHz 802.11 a-mode 24Mbps	20°C	5.2000079000	5.2000079000	5.2000079000
	Continuous transmitting on 5200 MHz 802.11 a-mode 24Mbps	50°C	5.1999539350	5.1999539680	5.1999540020
17	Continuous transmitting on 5240 MHz 802.11 a-mode 24Mbps	-40°C	5.2400589980	5.2400583980	5.2400578650
	Continuous transmitting on 5240 MHz 802.11 a-mode 24Mbps	20°C	5.240025000	5.2400074660	5.2400074330
	Continuous transmitting on 5240 MHz 802.11 a-mode 24Mbps	50°C	5.2399534350	5.2399534350	5.2399535680
18	Continuous transmitting on 5745 MHz 802.11 a-mode 24Mbps	-40°C	5.7450637640	5.7450655980	5.7450657310

	Continuous transmitting on 5745 MHz 802.11 a-mode 24Mbps	20°C	5.7450054000	5.7450054000	5.745023000
	Continuous transmitting on 5745 MHz 802.11 a-mode 24Mbps	50°C	5.7449487850	5.7449484180	5.7449483180
19	Continuous transmitting on 5785 MHz 802.11 a-mode 24Mbps	-40°C	5.7850662000	5.7850662000	5.7850662000
	Continuous transmitting on 5785 MHz 802.11 a-mode 24Mbps	20°C	5.7850050330	5.7850054000	5.7850054330
	Continuous transmitting on 5785 MHz, 802.11 a-mode 24Mbps	50°C	5.7849477350	5.7849477690	5.7849477690
20	Continuous transmitting on 5825 MHz 802.11 a-mode 24Mbps	-40°C	5.8250676640	5.8250676640	5.8250686310
	Continuous transmitting on 5825 MHz 802.11 a-mode 24Mbps	20°C	5.8250047330	5.8250049000	5.8250053330
	Continuous transmitting on 5825 MHz 802.11 a-mode 24Mbps	50°C	5.8249473350	5.8249472680	5.8249472350
21	Continuous transmitting on 5180MHz 802.11 n20-mode MCS6	-40°C	5.1800565650	5.1800579320	5.1800579980
	Continuous transmitting on 5180MHz 802.11 n20-mode MCS6	20°C	5.1800054330	5.1800061000	5.1800061330
	Continuous transmitting on 5180MHz 802.11 n20-mode MCS6	50°C	5.1799536690	5.1799536020	5.1799536020
22	Continuous transmitting on 5200 MHz 802.11 n20-mode MCS6	-40°C	5.2000585310	5.2000584640	5.2000580310

	Continuous transmitting on 5200 MHz 802.11 n20-mode MCS6	20°C	5.2000063660	5.2000062660	5.200021000
	Continuous transmitting on 5200 MHz 802.11 n20-mode MCS6	50°C	5.1999535680	5.1999535680	5.1999535680
23	Continuous transmitting on 5240 MHz 802.11 n20-mode MCS6	-40°C	5.2400585980	5.2400588980	5.2400590310
	Continuous transmitting on 5240 MHz 802.11 n20-mode	20°C	5.2400067000	5.2400065330	5.2400065000
	Continuous transmitting on 5240 MHz, 802.11 n20-mode MCS6	50°C	5.2399532350	5.2399532020	5.2399533020
24	Continuous transmitting on 5745 MHz 802.11 n20-mode MCS0	-40°C	5.7450674640	5.7450674310	5.7450653310
	Continuous transmitting on 5745 MHz 802.11 n20-mode MCS0	20°C	5.7450041000	5.7450045670	5.7450066330
	Continuous transmitting on 5745 MHz 802.11 n20-mode MCS0	50°C	5.7449488350	5.7449484680	5.7449483350
25	Continuous transmitting on 5785 MHz 802.11 n20-mode MCS0	-40°C	5.7850676310	5.7850675980	5.7850675650
	Continuous transmitting on 5785 MHz 802.11 n20-mode MCS0	20°C	5.7850040000	5.7850037000	5.7850035670
	Continuous transmitting on 5785 MHz 802.11 n20-mode MCS0	50°C	5.7849478020	5.7849478020	5.7849478690
26	Continuous transmitting on 5825 MHz 802.11 n20-mode MCS0	-40°C	5.8250688970	5.8250687970	5.8250684310

	Continuous transmitting on 5825 MHz 802.11 n20-mode MCS0	20°C	5.8250027000	5.8250029000	5.8250034670
	Continuous transmitting on 5825 MHz 802.11 n20-mode MCS0	50°C	5.8249472690	5.8249472690	5.8249474020
27	Continuous transmitting on 5190 MHz 802.11 n40-mode MCS5	-40°C	5.1900596310	5.1900594310	5.1900583980
	Continuous transmitting on 5190 MHz 802.11 n40-mode MCS5	20°C	5.1900054660	5.1900054000	5.1900051000
	Continuous transmitting on 5190 MHz 802.11 n40-mode MCS5	50°C	5.1899533690	5.1899533690	5.1899531690
28	Continuous transmitting on 5230 MHz 802.11 n40-mode MCS5	-40°C	5.2300596650	5.2300602650	5.2300603650
	Continuous transmitting on 5230 MHz 802.11 n40-mode MCS5	20°C	5.2300057330	5.2300057330	5.2300056000
	Continuous transmitting on 5230 MHz 802.11 n40-mode MCS5	50°C	5.2299531020	5.2299531020	5.2299531350
29	Continuous transmitting on 5755 MHz 802.11 n40-mode MCS0	-40°C	5.7550680310	5.7550679650	5.7550677310
	Continuous transmitting on 5755 MHz 802.11 n40-mode MCS0	20°C	5.7550055000	5.7550055330	5.7550059660
	Continuous transmitting on 5755 MHz 802.11 n40-mode MCS0	50°C	5.7549483680	5.7549483350	5.7549481680
30	Continuous transmitting on 5795 MHz 802.11 n40-mode MCS0	-40°C	5.7950683310	5.7950683310	5.7950683650

	Continuous transmitting on 5795 MHz 802.11 n40-mode MCS0	20°C	5.7950056660	5.7950056660	5.7950056660
	Continuous transmitting on 5795 MHz 802.11 n40-mode MCS0	50°C	5.7949477020	5.7949477690	5.7949477690
31	Continuous transmitting on 5180MHz 802.11 ac20-mode MCS8	-40°C	5.1800583320	5.1800583980	5.1800577650
	Continuous transmitting on 5180MHz 802.11 ac20-mode MCS8	20°C	5.1800054000	5.1800058000	5.1800060330
	Continuous transmitting on 5180MHz 802.11 ac20-mode MCS8	50°C	5.1799538690	5.1799537020	5.1799537350
32	Continuous transmitting on 5200 MHz 802.11 ac20-mode MCS8	-40°C	5.2000561640	5.2000573310	5.2000576980
	Continuous transmitting on 5200 MHz, 802.11 ac20-mode MCS8	20°C	5.2000063660	5.2000063000	5.2000062000
	Continuous transmitting on 5200 MHz 802.11 ac20-mode MCS8	50°C	5.1999535680	5.1999535680	5.1999536350
33	Continuous transmitting on 5240 MHz 802.11 ac20-mode MCS8	-40°C	5.2400586650	5.2400585320	5.2400580980
	Continuous transmitting on 5240 MHz 802.11 ac20-mode MCS8	20°C	5.2400066000	5.2400065660	5.2400066000
	Continuous transmitting on 5240 MHz 802.11 ac20-mode MCS8	50°C	5.2399533350	5.2399532680	5.2399532350
34	Continuous transmitting on 5745 MHz 802.11 ac20-mode MCS5	-40°C	5.7450668640	5.7450668640	5.7450660980

	Continuous transmitting on 5745 MHz 802.11 ac20-mode MCS5	20°C	5.7450070330	5.7450060660	5.7450058330
	Continuous transmitting on 5745 MHz 802.11 ac20-mode MCS5	50°C	5.7449482350	5.7449484350	5.7449495020
35	Continuous transmitting on 5785 MHz 802.11 ac20-mode MCS5	-40°C	5.7850673310	5.7850673970	5.7850674310
	Continuous transmitting on 5785 MHz 802.11 ac20-mode MCS5	20°C	5.7850054660	5.7850055000	5.7850058330
	Continuous transmitting on 5785 MHz 802.11 ac20-mode MCS5	50°C	5.7849479020	5.7849478350	5.7849478020
36	Continuous transmitting on 5825 MHz 802.11 ac20-mode MCS5	-40°C	5.8250681640	5.8250681310	5.8250680310
	Continuous transmitting on 5825 MHz 802.11 ac20-mode MCS5	20°C	5.8250053000	5.8250048330	5.8250046000
	Continuous transmitting on 5825 MHz 802.11 ac20-mode MCS5	50°C	5.8249473350	5.8249472680	5.8249472680
37	Continuous transmitting on 5190 MHz 802.11 ac40-mode MCS4	-40°C	5.1900581310	5.1900590310	5.1900591980
	Continuous transmitting on 5190 MHz 802.11 ac40-mode MCS4	20°C	5.1900056000	5.1900055660	5.1900054000
	Continuous transmitting on 5190 MHz 802.11 ac40-mode MCS4	50°C	5.1899534350	5.1899535020	5.1899536020
38	Continuous transmitting on 5230 MHz 802.11 ac40-mode MCS4	-40°C	5.2300604650	5.2300602980	5.2300596310

	Continuous transmitting on 5230 MHz 802.11 ac40-mode MCS4	20°C	5.2300057330	5.2300059000	5.2300059000
	Continuous transmitting on 5230 MHz 802.11 ac40-mode MCS4	50°C	5.2299533350	5.2299532680	5.2299532680
39	Continuous transmitting on 5755 MHz 802.11 ac40-mode MCS1	-40°C	5.7550659650	5.7550673650	5.7550676310
	Continuous transmitting on 5755 MHz 802.11 ac40-mode MCS1	20°C	5.7550061330	5.7550055000	5.7550052330
	Continuous transmitting on 5755 MHz 802.11 ac40-mode MCS1	50°C	5.7549485690	5.7549483020	5.7549482350
40	Continuous transmitting on 5795 MHz 802.11 ac40-mode MCS1	-40°C	5.7950681640	5.7950681640	5.7950680980
	Continuous transmitting on 5795 MHz 802.11 ac40-mode MCS1	20°C	5.7950049330	5.7950051000	5.7950053000
	Continuous transmitting on 5795 MHz 802.11 ac40-mode MCS1	50°C	5.7949478020	5.7949478350	5.7949478690
41	Continuous transmitting on 5210 MHz 802.11 ac80-mode MCS7	-40°C	5.210017000	5.210017000	5.210018000
	Continuous transmitting on 5210 MHz 802.11 ac80-mode MCS7	20°C	5.2100049000	5.2100051000	5.2100052000
	Continuous transmitting on 5210 MHz 802.11 ac80-mode MCS7	50°C	5.2099534350	5.2099534350	5.2099534350
42	Continuous transmitting on 5775 MHz 802.11 ac80-mode MCS7	-40°C	5.7750685310	5.7750685310	5.7750678310

	Continuous transmitting on 5775 MHz 802.11 ac80-mode MCS7	20°C	5.7750052330	5.7750052660	5.7750057000
	Continuous transmitting on 5775 MHz 802.11 ac80-mode MCS7	50°C	5.7749481690	5.7749482020	5.7749481690
43	Continuous transmitting on 5180MHz 802.11 ax20-mode MCS0	-40°C	5.1800567320	5.1800578980	5.1800579980
	Continuous transmitting on 5180MHz 802.11 ax20-mode MCS0	20°C	5.1800058330	5.1800057000	5.1800054660
	Continuous transmitting on 5180MHz 802.11 ax20-mode MCS0	50°C	5.1799536350	5.1799536020	5.1799534020
44	Continuous transmitting on 5200 MHz 802.11 ax20-mode MCS0	-40°C	5.2000585980	5.2000583640	5.2000578980
	Continuous transmitting on 5200 MHz 802.11 ax20-mode MCS0	20°C	5.2000060660	5.2000059660	5.2000060330
	Continuous transmitting on 5200 MHz 802.11 ax20-mode MCS0	50°C	5.1999536020	5.1999535690	5.1999535350
45	Continuous transmitting on 5240 MHz 802.11 ax20-mode MCS0	-40°C	5.2400587320	5.2400590650	5.2400592320
	Continuous transmitting on 5240 MHz 802.11 ax20-mode MCS0	20°C	5.2400062000	5.2400061660	5.2400062660
	Continuous transmitting on 5240 MHz 802.11 ax20-mode MCS0	50°C	5.2399532350	5.2399532680	5.2399532680
46	Continuous transmitting on 5745 MHz 802.11 ax20-mode MCS2	-40°C	5.7450638310	5.7450666310	5.7450667650

	Continuous transmitting on 5745 MHz 802.11 ax20-mode MCS2	20°C	5.7450062330	5.7450053000	5.7450051660
	Continuous transmitting on 5745 MHz 802.11 ax20-mode MCS2	50°C	5.7449484690	5.7449483690	5.7449480350
47	Continuous transmitting on 5785 MHz 802.11 ax20-mode MCS2	-40°C	5.7850674980	5.7850674980	5.7850674310
	Continuous transmitting on 5785 MHz 802.11 ax20-mode MCS2	20°C	5.7850047670	5.7850050660	5.7850052330
	Continuous transmitting on 5785 MHz 802.11 ax20-mode MCS2	50°C	5.8249470010	5.8249470680	5.8249472680
48	Continuous transmitting on 5825 MHz 802.11 ax20-mode MCS2	-40°C	5.8250683980	5.8250686980	5.8250686980
	Continuous transmitting on 5825 MHz 802.11 ax20-mode MCS2	20°C	5.8250050660	5.8250049000	5.8250050000
	Continuous transmitting on 5825 MHz 802.11 ax20-mode MCS2	50°C	5.8249470010	5.8249469340	5.8249469010
49	Continuous transmitting on 5190 MHz 802.11 ax40-mode MCS0	-40°C	5.1900593980	5.1900591310	5.1900580650
	Continuous transmitting on 5190 MHz 802.11 ax40-mode MCS0	20°C	5.1900052000	5.1900054330	5.1900055330
	Continuous transmitting on 5190 MHz 802.11 ax40-mode MCS0	50°C	5.1899534690	5.1899536350	5.1899536690
50	Continuous transmitting on 5230 MHz 802.11 ax40-mode MCS0	-40°C	5.2300594980	5.2300601650	5.2300605320

	Continuous transmitting on 5230 MHz 802.11 ax40-mode MCS0	20°C	5.2300056660	5.2300056330	5.230017000
	Continuous transmitting on 5230 MHz 802.11 ax40-mode MCS0	50°C	5.2299533350	5.2299533010	5.2299533680
51	Continuous transmitting on 5755 MHz 802.11 ax40-mode MCS0	-40°C	5.7550674310	5.7550678650	5.7550679310
	Continuous transmitting on 5755 MHz 802.11 ax40-mode MCS0	20°C	5.7550059000	5.7550052000	5.7550051000
	Continuous transmitting on 5755 MHz 802.11 ax40-mode MCS0	50°C	5.7549484690	5.7549482690	5.7549482690
52	Continuous transmitting on 5795 MHz 802.11 ax40-mode MCS0	-40°C	5.7950682650	5.7950681310	5.7950682310
	Continuous transmitting on 5795 MHz 802.11 ax40-mode MCS0	20°C	5.7950050000	5.7950050000	5.7950051660
	Continuous transmitting on 5795 MHz 802.11 ax40-mode MCS0	50°C	5.7949478350	5.7949478350	5.7949479350
53	Continuous transmitting on 5210 MHz 802.11 ax80-mode MCS2	-40°C	5.2100603310	5.2100600980	5.2100591310
	Continuous transmitting on 5210 MHz 802.11 ax80-mode MCS2	20°C	5.2100050660	5.2100050660	5.2100046000
	Continuous transmitting on 5210 MHz 802.11 ax80-mode MCS2	50°C	5.2099536350	5.2099534680	5.2099534350
54	Continuous transmitting on 5775 MHz 802.11 ax80-mode MCS2	-40°C	5.7750680980	5.7750686980	5.7750687310

	Continuous transmitting on 5775 MHz 802.11 ax80-mode MCS2	20°C	5.7750081660	5.7750050000	5.7750047670
	Continuous transmitting on 5775 MHz 802.11 ax80-mode MCS2	50°C	5.7749481680	5.7749481680	5.7749483350
55	Continuous transmitting on 2402 MHz, BT 5.2 DM1	-40°C	2.402017393	2.402020342	2.40202017
	Continuous transmitting on 2402 MHz, BT 5.2 DM1	20°C	2.402005092	2.402003872	2.402006297
	Continuous transmitting on 2402 MHz, BT 5.2 DM1	50°C	2.401976945	2.401977342	2.40197751
56	Continuous transmitting on 2441 MHz, BT 5.2 DM1	-40°C	2.441019798	2.441020028	2.441019823
	Continuous transmitting on 2441 MHz, BT 5.2 DM1	20°C	2.441006228	2.441005874	2.44100589
	Continuous transmitting on 2441 MHz, BT 5.2 DM1	50°C	2.440977101	2.440976969	2.44097702
57	Continuous transmitting on 2480 MHz, BT 5.2 DM1	-40°C	2.480020165	2.480020246	2.480020976
	Continuous transmitting on 2480 MHz, BT 5.2 DM1	20°C	2.480006132	2.480005883	2.480005622
	Continuous transmitting on 2480 MHz, BT 5.2 DM1	50°C	2.479975953	2.479976308	2.479976235
58	Continuous transmitting on 2402 MHz, BT 5.2 2-DH1	-40°C	2.402016097	2.402015908	2.402015765

	Continuous transmitting on 2402 MHz, BT 5.2 2-DH1	20°C	2.402001992	2.402001979	2.402001974
	Continuous transmitting on 2402 MHz, BT 5.2 2-DH1	50°C	2.401973336	2.401973221	2.401973225
59	Continuous transmitting on 2441 MHz, BT 5.2 2-DH1	-40°C	2.441016288	2.44101628	2.441016318
	Continuous transmitting on 2441 MHz, BT 5.2 2-DH1	20°C	2.441002356	2.441002055	2.441002142
	Continuous transmitting on 2441 MHz, BT 5.2 2-DH1	50°C	2.440972703	2.440972767	2.440972825
60	Continuous transmitting on 2480 MHz, BT 5.2 2-DH1	-40°C	2.480016455	2.480016601	2.480016542
	Continuous transmitting on 2480 MHz, BT 5.2 2-DH1	20°C	2.480002392	2.480002163	2.480002211
	Continuous transmitting on 2480 MHz, BT 5.2 2-DH1	50°C	2.479972691	2.479972902	2.479972701
61	Continuous transmitting on 2402 MHz, BT 5.2 3-DH5	-40°C	2.40201535	2.402015393	2.402015303
	Continuous transmitting on 2402 MHz, BT 5.2 3-DH5	20°C	2.402001335	2.402001395	2.402001336
	Continuous transmitting on 2402 MHz, BT 5.2 3-DH5	50°C	2.401972355	2.401972288	2.401972234
62	Continuous transmitting on 2441 MHz, BT 5.2 3-DH5	-40°C	2.441016383	2.441016255	2.4410165

	Continuous transmitting on 2441 MHz, BT 5.2 3-DH5	20°C	2.441002159	2.441002032	2.441001898
	Continuous transmitting on 2441 MHz, BT 5.2 3-DH5	50°C	2.440972237	2.44097242	2.440972181
63	Continuous transmitting on 2480 MHz, BT 5.2 3-DH5	-40°C	2.48001669	2.480016882	2.480016565
	Continuous transmitting on 2480 MHz, BT 5.2 3-DH5	20°C	2.48000184	2.480001872	2.480001871
	Continuous transmitting on 2480 MHz, BT 5.2 3-DH5	50°C	2.47997172	2.479971778	2.479971823
64	Hopping on all channels, BT 5.2	-40°C	N/A		
	Hopping on all channels, BT 5.2	20°C	N/A		
	Hopping on all channels, BT 5.2	50°C	N/A		
65	Hopping on all channels, BT 5.2	-40°C	N/A		
	Hopping on all channels, BT 5.2	20°C	N/A		
	Hopping on all channels, BT 5.2	50°C	N/A		
66	Hopping on all channels, BT 5.2	-40°C	N/A		

	Hopping on all channels, BT 5.2	20°C	N/A		
	Hopping on all channels, BT 5.2	50°C	N/A		
67	Continuous transmitting on 2402 MHz, BT LE 1MHz	-40°C	2.402023906	2.402024034	2.402024057
	Continuous transmitting on 2402 MHz, BT LE 1MHz	20°C	2.402009819	2.402009735	2.402009995
	Continuous transmitting on 2402 MHz, BT LE 1MHz	50°C	2.401980802	2.401980794	2.401980717
68	Continuous transmitting on 2440 MHz, BT LE 1MHz	-40°C	2.440024407	2.440024388	2.440024218
	Continuous transmitting on 2440 MHz, BT LE 1MHz	20°C	2.440009962	2.44000989	2.440009915
	Continuous transmitting on 2440 MHz, BT LE 1MHz	50°C	2.439980619	2.439980717	2.439980529
69	Continuous transmitting on 2480 MHz, BT LE 1MHz	-40°C	2.48002369	2.480023584	2.480023565
	Continuous transmitting on 2480 MHz, BT LE 1MHz	20°C	2.480009621	2.480009625	2.480009883
	Continuous transmitting on 2480 MHz, BT LE 1MHz	50°C	2.479980111	2.479979961	2.479980048
70	Continuous transmitting on 2402 MHz, BT LE 2MHz	-40°C	2.402031644	2.40203152	2.402031463

	Continuous transmitting on 2402 MHz, BT LE 2MHz	20°C	2.402017923	2.402017897	2.402017891
	Continuous transmitting on 2402 MHz, BT LE 2MHz	50°C	2.401988713	2.401988756	2.401988805
71	Continuous transmitting on 2440 MHz, BT LE 2MHz	-40°C	2.440031556	2.440031664	2.440031368
	Continuous transmitting on 2440 MHz, BT LE 2MHz	20°C	2.440017377	2.44001736	2.440017462
	Continuous transmitting on 2440 MHz, BT LE 2MHz	50°C	2.439987772	2.439987579	2.439987585
72	Continuous transmitting on 2480 MHz, BT LE 2MHz	-40°C	2.480031308	2.480031429	2.480031453
	Continuous transmitting on 2480 MHz, BT LE 2MHz	20°C	2.480016823	2.480016274	2.480017041
	Continuous transmitting on 2480 MHz, BT LE 2MHz	50°C	2.479987078	2.479987097	2.479987129
73	Continuous transmitting on 5745 MHz, 802.11 ax20 RU-mode MCS2	-40°C	5.745011885	5.745013425	5.745015681
	Continuous transmitting on 5745 MHz, 802.11 ax20 RU-mode MCS2	20°C	5.745085236	5.745069213	5.7450818
	Continuous transmitting on 5745 MHz, 802.11 ax20 RU-mode MCS2	50°C	5.745009645	5.745006879	5.745018427
74	Continuous transmitting on 5785 MHz, 802.11 ax20 RU-mode MCS2	-40°C	5.785094983	5.78511702	5.785113104

	Continuous transmitting on 5785 MHz, 802.11 ax20 RU-mode MCS2	20°C	5.785191415	5.785193817	5.785178636
	Continuous transmitting on 5785 MHz, 802.11 ax20 RU-mode MCS2	50°C	5.785120295	5.785047448	5.785151396
75	Continuous transmitting on 5825 MHz, 802.11 ax20 RU-mode MCS2	-40°C	5.825007748	5.824992445	5.825036006
	Continuous transmitting on 5825 MHz, 802.11 ax20 RU-mode MCS2	20°C	5.825110858	5.825104407	5.825121009
	Continuous transmitting on 5825 MHz, 802.11 ax20 RU-mode MCS2	50°C	5.825042264	5.825042264	5.825032558
76	Continuous transmitting on 5755 MHz, 802.11 ax40 RU242-mode MCS0	-40°C	5.75442989	5.75446642	5.754460054
	Continuous transmitting on 5755 MHz, 802.11 ax40 RU242-mode MCS0	20°C	5.754405919	5.754409222	5.754413417
	Continuous transmitting on 5755 MHz, 802.11 ax40 RU242-mode MCS0	50°C	5.754364648	5.75436031	5.754385507
77	Continuous transmitting on 5795 MHz, 802.11 ax40 RU242-mode MCS0	-40°C	5.795773528	5.795693375	5.795693012
	Continuous transmitting on 5795 MHz, 802.11 ax40 RU242-mode MCS0	20°C	5.795635944	5.795644018	7.79564103
	Continuous transmitting on 5795 MHz, 802.11 ax40 RU242-mode	50°C	5.795580413	5.795599284	5.795573535

	MCS0				
78	Continuous transmitting on 5755 MHz, 802.11 ax40 RU484-mode MCS0	-40°C	5.755148863	5.755167733	5.755177801
	Continuous transmitting on 5755 MHz, 802.11 ax40 RU484-mode MCS0	20°C	5.755107554	5.755114291	5.755115128
	Continuous transmitting on 5755 MHz, 802.11 ax40 RU484-mode MCS0	50°C	5.755027639	5.75500179	5.755024242
79	Continuous transmitting on 5795 MHz, 802.11 ax40 RU484-mode MCS0	-40°C	5.79512148	5.795166022	5.795176609
	Continuous transmitting on 5795 MHz, 802.11 ax40 RU484-mode MCS0	20°C	5.795100994	5.795154064	5.795092548
	Continuous transmitting on 5795 MHz, 802.11 ax40 RU484-mode MCS0	50°C	5.794985589	5.794990285	5.794964422
80	Continuous transmitting on 5775 MHz, 802.11 ax80 RU484-mode MCS2	-40°C	5.775108815	5.775104635	5.775114929
	Continuous transmitting on 5775 MHz, 802.11 ax80 RU484-mode MCS2	20°C	5.775040469	5.77502552	5.775048622
	Continuous transmitting on 5775 MHz, 802.11 ax80 RU484-mode MCS2	50°C	5.775003628	5.77500753	5.775004983

• **Document Revisions**

Version	Date	Modifier	Changes
1.0	09/01/2023	Aravind Buddana	<ul style="list-style-type: none">• Initial Release
2.0	09/13/2023	Aravind Buddana	<ul style="list-style-type: none">• Updated Type of Test in Test Request Information

End of Report